List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8935157/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Bacillamide, a novel algicide from the marine bacterium, Bacillus sp. SY-1, against the harmful dinoflagellate, Cochlodinium polykrikoides. Tetrahedron Letters, 2003, 44, 8005-8007.	0.7	139
2	Identification of unique mechanisms for triterpene biosynthesis in <i>Botryococcus braunii</i> . Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 12260-12265.	3.3	134
3	Gliotoxin Analogues from a Marine-Derived Fungus, <i>Penicillium</i> sp., and Their Cytotoxic and Histone Methyltransferase Inhibitory Activities. Journal of Natural Products, 2012, 75, 111-114.	1.5	102
4	Alkali-Induced Conversion of Î <sup>2</sup> -Chitin to Î $\pm$ -Chitin. Biomacromolecules, 2003, 4, 896-899.	2.6	87
5	Culture of the hydrocarbon producing microalga Botryococcus braunii strain Showa: Optimal CO2, salinity, temperature, and irradiance conditions. Bioresource Technology, 2013, 133, 232-239.	4.8	84
6	Physiological Function and Metabolism of Free D-Alanine in Aquatic Animals. Biological and Pharmaceutical Bulletin, 2005, 28, 1571-1577.	0.6	83
7	Metabolic responses and arginine kinase expression under hypoxic stress of the kuruma prawn Marsupenaeus japonicus. Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2007, 146, 40-46.	0.8	80
8	Hydrocarbon composition of newly isolated strains of the green microalga Botryococcus braunii. Journal of Applied Phycology, 1995, 7, 555-559.	1.5	78
9	Thermal pre-treatment of wet microalgae harvest for efficient hydrocarbon recovery. Applied Energy, 2010, 87, 2420-2423.	5.1	74
10	Surugamides A–E, Cyclic Octapeptides with Four <scp>d</scp> -Amino Acid Residues, from a Marine Streptomyces sp.: LC–MS-Aided Inspection of Partial Hydrolysates for the Distinction of <scp>d</scp> - and <scp>l</scp> -Amino Acid Residues in the Sequence. Journal of Organic Chemistry, 2013, 78, 6746-6750.	1.7	69
11	Molecular Characterization of Squalene Synthase from the Green Microalga Botryococcus braunii, Race B. Archives of Biochemistry and Biophysics, 2000, 373, 307-317.	1.4	67
12	Raman Spectroscopy Analysis of Botryococcene Hydrocarbons from the Green Microalga Botryococcus braunii. Journal of Biological Chemistry, 2010, 285, 32458-32466.	1.6	67
13	Wet extraction of hydrocarbons from Botryococcus braunii by dimethyl ether as compared with dry extraction by hexane. Fuel, 2013, 105, 535-539.	3.4	67
14	Hydrocarbon productivities in different Botryococcus strains: comparative methods in product quantification. Journal of Applied Phycology, 2011, 23, 763-775.	1.5	65
15	Effect of an Introduced Phytoene Synthase Gene Expression on Carotenoid Biosynthesis in the Marine Diatom Phaeodactylum tricornutum. Marine Drugs, 2015, 13, 5334-5357.	2.2	62
16	Biosynthesis of the triterpenoids, botryococcenes and tetramethylsqualene in the B race of Botryococcus braunii via the non-mevalonate pathway. Tetrahedron Letters, 2003, 44, 7035-7037.	0.7	60
17	Yaku'amides A and B, Cytotoxic Linear Peptides Rich in Dehydroamino Acids from the Marine Sponge <i>Ceratopsion</i> sp Journal of the American Chemical Society, 2010, 132, 17692-17694.	6.6	59
18	Two structural isomeric siderophores from the freshwater cyanobacterium Anabaena cylindrica (NIES-19). Tetrahedron, 2001, 57, 9093-9099.	1.0	57

#	Article	IF	CITATIONS
19	Characterization of botryococcene synthase enzyme activity, a squalene synthase-like activity from the green microalga Botryococcus braunii, Race B. Archives of Biochemistry and Biophysics, 2004, 422, 110-118.	1.4	56
20	Carotenoid Composition in the Exoskeleton of Commercial Black Tiger Prawns. Fisheries Science, 1994, 60, 213-215.	0.7	50
21	Pigmentation of Cultured Black Tiger Prawn by Feeding with a Spirulina-Supplemented Diet Nippon Suisan Gakkaishi, 1993, 59, 165-169.	0.0	45
22	Functional Identification of Triterpene Methyltransferases from Botryococcus braunii Race B. Journal of Biological Chemistry, 2012, 287, 8163-8173.	1.6	45
23	Biosynthetic Gene Cluster for Surugamideâ€A Encompasses an Unrelated Decapeptide, Surugamideâ€F. ChemBioChem, 2016, 17, 1709-1712.	1.3	45
24	Botryoxanthin A, a member of a new class of carotenoids from the green microalga Botryococcus braunii Berkeley. Tetrahedron Letters, 1996, 37, 1065-1068.	0.7	42
25	Inclusion Complex of $\hat{I}^2$ -Chitin and Aliphatic Amines. Biomacromolecules, 2003, 4, 944-949.	2.6	42
26	The absolute stereochemistry of anachelins, siderophores from the cyanobacterium Anabaena cylindrica. Tetrahedron, 2004, 60, 9075-9080.	1.0	41
27	Braunixanthins 1 and 2, new carotenoids from the green microalga Botryococcus braunii. Tetrahedron, 1997, 53, 11307-11316.	1.0	40
28	The single cellular green microalga Botryococcus braunii, race B possesses three distinct 1-deoxy-d-xylulose 5-phosphate synthases. Plant Science, 2012, 185-186, 309-320.	1.7	39
29	Active Hydrocarbon Biosynthesis and Accumulation in a Green Alga, Botryococcus braunii (Race A). Eukaryotic Cell, 2013, 12, 1132-1141.	3.4	38
30	PHYLOGENETIC PLACEMENT, GENOME SIZE, AND GC CONTENT OF THE LIQUIDâ€HYDROCARBONâ€PRODUCINC GREEN MICROALGA <i>BOTRYOCOCCUS BRAUNII</i> STRAIN BERKELEY (SHOWA) (CHLOROPHYTA) <sup>1</sup> . Journal of Phycology, 2010, 46, 534-540.	1.0	37
31	Hemolymph Profiles of Juvenoid Substances in the Giant Freshwater Prawn <i>Macrobrachium rosenbergii</i> in Relation to Reproduction and Molting. Fisheries Science, 1995, 61, 175-176.	0.7	36
32	(â^ʾ) <i>-</i> Duryne and Its Homologues, Cytotoxic Acetylenes from a Marine Sponge <i>Petrosia</i> sp Journal of Natural Products, 2011, 74, 1262-1267.	1.5	34
33	Transformation of Lipid Bodies Related to Hydrocarbon Accumulation in a Green Alga, Botryococcus braunii (Race B). PLoS ONE, 2013, 8, e81626.	1.1	34
34	A squalene synthase-like enzyme initiates production of tetraterpenoid hydrocarbons in Botryococcus braunii Race L. Nature Communications, 2016, 7, 11198.	5.8	33
35	High-value chemicals from Botryococcus braunii and their current applications – A review. Bioresource Technology, 2019, 291, 121911.	4.8	33
36	Robust expression of heterologous genes by selection marker fusion system in improved Chlamydomonas strains. Journal of Bioscience and Bioengineering, 2015, 120, 239-245.	1.1	32

#	Article	IF	CITATIONS
37	Genome size and phylogenetic analysis of the A and L races of Botryococcus braunii. Journal of Applied Phycology, 2011, 23, 833-839.	1.5	29
38	Isolation of Spirastrellolides A and B from a Marine Sponge <i>Epipolasis</i> sp. and Their Cytotoxic Activities. Journal of Natural Products, 2012, 75, 1192-1195.	1.5	29
39	Botryoxanthin B and α-botryoxanthin A from the green microalga Botryococcus braunii Kawaguchi-1. Phytochemistry, 1998, 47, 1111-1115.	1.4	28
40	Taste-active components in the mantle muscle of the oval squid Sepioteuthis lessoniana and their effects on squid taste. Food Research International, 2008, 41, 371-379.	2.9	28
41	Miyakosynes A–F, cytotoxic methyl branched acetylenes from a marine sponge Petrosia sp Tetrahedron, 2011, 67, 4530-4534.	1.0	28
42	Pigment Composition of the Green Microalga <i>Botryococcus braunii</i> Kawaguchi-1. Fisheries Science, 1998, 64, 305-308.	0.7	26
43	Stimulators of adipogenesis from the marine sponge Xestospongia testudinaria. Tetrahedron, 2013, 69, 6560-6564.	1.0	26
44	Nazumazoles A–C, Cyclic Pentapeptides Dimerized through a Disulfide Bond from the Marine Sponge <i>Theonella swinhoei</i> . Organic Letters, 2015, 17, 2646-2648.	2.4	24
45	Seawater-Cultured Botryococcus braunii for Efficient Hydrocarbon Extraction. PLoS ONE, 2013, 8, e66483.	1.1	24
46	UV-mediated Chlamydomonas mutants with enhanced nuclear transgene expression by disruption of DNA methylation-dependent and independent silencing systems. Plant Molecular Biology, 2016, 92, 629-641.	2.0	23
47	Molecular characterization of d-amino acid oxidase from common carp Cyprinus carpio and its induction with exogenous free d-alanine. Archives of Biochemistry and Biophysics, 2003, 420, 121-129.	1.4	22
48	Effect of thermal pretreatments on hydrocarbon recovery from Botryococcus braunii. Bioresource Technology, 2012, 123, 195-198.	4.8	22
49	Pigmentation of Cultured Striped Jack Reared on Diets Supplemented with the Blue-Green Alga Spirulina maxima Nippon Suisan Gakkaishi, 1991, 57, 1403-1406.	0.0	21
50	Draft Nuclear Genome Sequence of the Liquid Hydrocarbon–Accumulating Green Microalga <i>Botryococcus braunii</i> Race B (Showa). Genome Announcements, 2017, 5, .	0.8	21
51	Dragmacidins G and H, Bisindole Alkaloids Tethered by a Guanidino Ethylthiopyrazine Moiety, from a <i>Lipastrotethya</i> sp. Marine Sponge. Journal of Natural Products, 2016, 79, 2973-2976.	1.5	20
52	Hydrocarbon production by the yayoi, a new strain of the green microalgaBotryococcus braunii. Applied Biochemistry and Biotechnology, 1997, 67, 79-86.	1.4	19
53	Penasins Aâ^'E, Long-Chain Cytotoxic Sphingoid Bases, from a Marine Sponge <i>Penares</i> sp. Journal of Natural Products, 2010, 73, 1947-1950.	1.5	19
54	The surface structure of Botryococcus braunii colony prevents the entry of extraction solvents into the colony interior. Algal Research, 2016, 16, 160-166.	2.4	19

#	Article	IF	CITATIONS
55	Comparative evaluation of wet and dry processes for recovering hydrocarbon from Botryococcus Braunii. Applied Energy, 2015, 141, 90-95.	5.1	18
56	Comparison of extractive components in muscle and liver of three Loliginidae squids with those of one Ommastrephidae species. Fisheries Science, 2007, 73, 940-949.	0.7	17
57	Lower Homologues of Ahpatinin, Aspartic Protease Inhibitors, from a Marine <i>Streptomyces</i> sp Journal of Natural Products, 2014, 77, 1749-1752.	1.5	17
58	Effect of amphiphilic polysaccharides released from Botryococcus braunii Showa on hydrocarbon recovery. Algal Research, 2015, 10, 172-176.	2.4	17
59	Isolation and Characterization of Two Squalene Epoxidase Genes from Botryococcus braunii, Race B. PLoS ONE, 2015, 10, e0122649.	1.1	16
60	Effects of culture medium salinity on the hydrocarbon extractability, growth and morphology of Botryococcus braunii. Biomass and Bioenergy, 2016, 91, 83-90.	2.9	16
61	Nazumazoles D–F, Cyclic Pentapeptides That Inhibit Chymotrypsin, from the Marine Sponge <i>Theonella swinhoei</i> . Journal of Natural Products, 2016, 79, 1694-1697.	1.5	16
62	Purification and characterization of a novel imidazole dipeptide synthase from the muscle of the Japanese eel Anguilla japonica. Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, 2007, 146, 560-567.	0.7	15
63	Yakushinamides, Polyoxygenated Fatty Acid Amides That Inhibit HDACs and SIRTs, from the Marine Sponge <i>Theonella swinhoei</i> . Journal of Natural Products, 2016, 79, 2384-2390.	1.5	15
64	Release of single cells from the colonial oil-producing alga Botryococcus braunii by chemical treatments. Protoplasma, 2014, 251, 191-199.	1.0	14
65	Cloning and characterization of farnesyl pyrophosphate synthase from the highly branched isoprenoid producing diatom Rhizosolenia setigera. Scientific Reports, 2015, 5, 10246.	1.6	14
66	Molecular Characterization of Alanine Racemase in the Kuruma Prawn Marsupenaeus japonicus. Journal of Biochemistry, 2008, 145, 249-258.	0.9	12
67	Jasisoquinolines A and B, Architecturally New Isoquinolines, from a Marine Sponge <i>Jaspis</i> sp Organic Letters, 2011, 13, 4798-4801.	2.4	12
68	Isolation of Ciliatamide D from a Marine Sponge <i>Stelletta</i> sp. and a Reinvestigation of the Configuration of Ciliatamide A. Journal of Natural Products, 2013, 76, 755-758.	1.5	12
69	Large-scale screening of natural genetic resource in the hydrocarbon-producing microalga Botrycoccus braunii identified novel fast-growing strains. Scientific Reports, 2021, 11, 7368.	1.6	12
70	Hydrocarbon Recovery from Concentrated Algae Slurry via Thermal Pretreatment. Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy, 2013, 92, 1212-1217.	0.2	12
71	Screening of biologically active compounds in microalgae Nippon Suisan Gakkaishi, 1988, 54, 1035-1039.	0.0	11
72	Characterization of hydrocarbons from the Yayoi strain of the green microalgaBotryococcus braunii. Phytochemical Analysis, 1997, 8, 198-203.	1.2	11

#	Article	IF	CITATIONS
73	Utilization of ammonium by the hydrocarbon-producing microalga, Botryococcus braunii Showa. Algal Research, 2017, 25, 445-451.	2.4	11
74	Poecillastrin H, a Chondropsin-Type Macrolide with a Conjugated Pentaene Moiety, from a <i>Characella</i> sp. Marine Sponge. Journal of Natural Products, 2018, 81, 1295-1299.	1.5	11
75	Detection of the oil-producing microalga Botryococcus braunii in natural freshwater environments by targeting the hydrocarbon biosynthesis gene SSL-3. Scientific Reports, 2019, 9, 16974.	1.6	11
76	Shishicrellastatins, inhibitors of cathepsin B, from the marine sponge Crella (Yvesia) spinulata. Bioorganic and Medicinal Chemistry, 2011, 19, 6594-6598.	1.4	10
77	Cell differentiation inducers from a marine sponge Biemna sp Tetrahedron, 2011, 67, 6679-6681.	1.0	10
78	Cytotoxic Glycosylated Fatty Acid Amides from a Stelletta sp. Marine Sponge. Journal of Natural Products, 2015, 78, 2808-2813.	1.5	10
79	Two cell differentiation inducing pyridoacridines from a marine sponge Biemna sp. and their chemical conversions. Tetrahedron, 2015, 71, 5013-5018.	1.0	10
80	Structure Revision of Poecillastrin C and the Absolute Configuration of the β-Hydroxyaspartic Acid Residue. Organic Letters, 2017, 19, 5395-5397.	2.4	10
81	Myrindole A, an Antimicrobial Bis-indole from a Marine Sponge <i>Myrmekioderma</i> sp Organic Letters, 2021, 23, 3477-3480.	2.4	10
82	Curacin E from the Brittle Star <i>Ophiocoma scolopendrina</i> . Journal of Natural Products, 2016, 79, 2754-2757.	1,5	9
83	Taxonomic confirmation of mud crab species (genus <i>Scylla</i> ) in Bangladesh by nuclear and mitochondrial DNA markers. Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis, 2017, 28, 935-940.	0.7	9
84	Poecillastrin E, F, and G, cytotoxic chondropsin-type macrolides from a marine sponge Poecillastra sp Tetrahedron, 2018, 74, 1430-1434.	1.0	9
85	Isolation and characterization of 4-hydroxy-3-methylbut-2-enyl diphosphate reductase gene from Botryococcus braunii, race B. Journal of Plant Research, 2018, 131, 839-848.	1.2	9
86	Stellatolide H, a cytotoxic peptide lactone from a deep-sea sponge Discodermia sp Tetrahedron Letters, 2018, 59, 2532-2536.	0.7	9
87	Homophymamide A, Heterodetic Cyclic Tetrapeptide from a <i>Homophymia</i> sp. Marine Sponge: A Cautionary Note on Configurational Assignment of Peptides That Contain a Ureido Linkage. Journal of Natural Products, 2021, 84, 1848-1853.	1.5	9
88	The effect of the water-soluble polymer released from Botryococcus braunii Showa strain on solvent extraction of hydrocarbon. Journal of Applied Phycology, 2015, 27, 755-761.	1.5	8
89	Colony-wise Analysis of a <i>Theonella swinhoei</i> Marine Sponge with a Yellow Interior Permitted the Isolation of Theonellamide I. Journal of Natural Products, 2018, 81, 2595-2599.	1.5	8
90	Metachromins X and Y from a marine sponge Spongia sp. and their effects on cell cycle progression. Bioorganic and Medicinal Chemistry, 2020, 28, 115233.	1.4	8

#	Article	IF	CITATIONS
91	Changes in Body Color Appearance of the Black Tiger Prawn <i>Penaeus monodon</i> by the Varied Composition of Carotenoids Soluble as Carotenoprotein and Remaining Insoluble after Collagenase Treatment for the Muscular Epithelium. Fisheries Science, 1995, 61, 964-967.	0.7	7
92	Culture of the green microalga <i>Botryococcus braunii</i> Showa with LED irradiation eliminating violet light enhances hydrocarbon production and recovery. Bioscience, Biotechnology and Biochemistry, 2014, 78, 1765-1771.	0.6	7
93	An exception among diatoms: unique organization of genes involved in isoprenoid biosynthesis in <i>Rhizosolenia setigera</i> CCMP 1694. Plant Journal, 2017, 92, 822-833.	2.8	7
94	Lactomycins A–C, Dephosphorylated Phoslactomycin Derivatives that Inhibit Cathepsin B, from the Marine-derived Streptomyces sp. ACT232. Marine Drugs, 2018, 16, 70.	2.2	7
95	Botryoxanthin B and α-botryoxanthin A from the green microalga Botryococcus braunii Kawaguchi-1. , 1998, 47, 1111-1111.		7
96	Catalytic and structural characteristics of carp hepatopancreas d-amino acid oxidase expressed in Escherichia coli. Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, 2005, 140, 417-425.	0.7	6
97	Cytotoxic linear acetylenes from a marine sponge Pleroma sp Tetrahedron, 2015, 71, 9564-9570.	1.0	6
98	Miuramides A and B, Trisoxazole Macrolides from a <i>Mycale</i> sp. Marine Sponge That Induce a Protrusion Phenotype in Cultured Mammalian Cells. Journal of Natural Products, 2018, 81, 1108-1112.	1.5	6
99	Molecular cloning and functional characterization of NADPH-dependent cytochrome P450 reductase from the green microalga Botryococcus braunii, B race. Journal of Bioscience and Bioengineering, 2018, 125, 30-37.	1.1	6
100	Microsclerodermins N and O, cytotoxic cyclic peptides containing a p-ethoxyphenyl moiety from a deep-sea marine sponge Pachastrella sp Tetrahedron, 2020, 76, 130997.	1.0	6
101	3D reconstruction of endoplasmic reticulum in a hydrocarbon-secreting green alga, Botryococcus braunii (Race B). Planta, 2018, 247, 663-677.	1.6	5
102	Aciculitin D, a cytotoxic heterodetic cyclic peptide from a Poecillastra sp. marine sponge. Tetrahedron, 2022, 119, 132859.	1.0	5
103	Chemistry and utilization of plankton. XXI. Pigmentation of coho salmon cultured in sea net pens with Antarctic krill and littoral mysid Nippon Suisan Gakkaishi, 1990, 56, 935-939.	0.0	4
104	Carotenoproteins from the Exoskeleton and the Muscular Epithelium of the Black Tiger Prawn <i>Penaeus monodon</i> . Fisheries Science, 1995, 61, 337-343.	0.7	4
105	Structural reappraisal of corticatic acids, biologically active linear polyacetylenes, from a marine sponge of the genus Petrosia. Fisheries Science, 2014, 80, 1057-1064.	0.7	4
106	Isolation and Characterization of Cyclic C33 Botryococcenes and a Trimethylsqualene Isomer from Botryococcus braunii Race B. Journal of Natural Products, 2017, 80, 953-958.	1.5	4
107	Algal Genes Encoding Enzymes for Photosynthesis and Hydrocarbon Biosynthesis as Candidates for Genetic Engineering. Cytologia, 2018, 83, 7-17.	0.2	4
108	Oshimalides A and B, Sesterterpenes of the Manoalide Class from a <i>Luffariella</i> sp. Deep-Sea Marine Sponge: Application of Asymmetric Dihydroxylation in Structure Elucidation. Journal of Natural Products, 2021, 84, 1676-1680.	1.5	4

#	Article	IF	CITATIONS
109	Expression Profile of Genes Involved in Isoprenoid Biosynthesis in the Marine Diatom <i>Phaeodactylum tricornutum</i> . Environmental Control in Biology, 2016, 54, 31-37.	0.3	3
110	Effects of 2-azahypoxanthine on extracellular terpene accumulations by the green microalga Botryococcus braunii, race B. Algal Research, 2016, 20, 267-275.	2.4	3
111	Docking analysis of models for 4-hydroxy-3-methylbut-2-enyl diphosphate reductase and a ferredoxin from <i>Botryococcus braunii</i> , race B. Plant Biotechnology, 2018, 35, 297-301.	0.5	3
112	Isolation and identification of N6-isopentenyladenosine as the cytotoxic constituent of a marine sponge Oceanapia sp Bioscience, Biotechnology and Biochemistry, 2019, 83, 1985-1988.	0.6	3
113	Structure Elucidation of Calyxoside B, a Bipolar Sphingolipid from a Marine Sponge Cladocroce sp. through the Use of Beckmann Rearrangement. Marine Drugs, 2021, 19, 287.	2.2	3
114	Title is missing!. ScienceAsia, 2009, 35, 150.	0.2	3
115	Characterization of hydrocarbons from the Yayoi strain of the green microalga Botryococcus braunii. , 1997, 8, 198.		2
116	Characteristics of surimi gel from deepsea bonefish <i>Pterothrissus gissu</i> : a traditional <i>Odawara kamaboko</i> product. Nippon Suisan Gakkaishi, 2019, 85, 494-502.	0.0	1
117	Production of Useful Hydrocarbons by Microalgae Nippon Suisan Gakkaishi, 1999, 65, 621-625.	0.0	0
118	Official social activities in WFC2008. Nippon Suisan Gakkaishi, 2009, 75, 460-462.	0.0	0