

Paul S Little

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8935360/paul-s-little-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

400
papers

12,420
citations

58
h-index

94
g-index

427
ext. papers

14,959
ext. citations

5.5
avg, IF

6.45
L-index

#	Paper	IF	Citations
400	Patient and practitioner priorities and concerns about primary healthcare interactions for osteoarthritis: A meta-ethnography.. <i>Patient Education and Counseling</i> , 2022 ,	3.1	2
399	Cluster randomised controlled trial to assess a tailored intervention to reduce antibiotic prescribing in rural China: study protocol.. <i>BMJ Open</i> , 2022 , 12, e048267	3	1
398	Findings from the development and implementation of a novel course consisting of both group and individual Alexander Technique lessons for low back pain.. <i>BMJ Open</i> , 2022 , 12, e039399	3	
397	A Digital Intervention for Respiratory Tract Infections (Internet Dr): Process Evaluation to Understand How to Support Self-care for Minor Ailments.. <i>JMIR Formative Research</i> , 2022 , 6, e24239	2.5	
396	New clinical prediction model for early recognition of sepsis in adult primary care patients: a prospective diagnostic cohort study of development and external validation.. <i>British Journal of General Practice</i> , 2022 ,	1.6	1
395	Use of antibiotics for acute sore throat and tonsillitis in primary care.. <i>British Journal of General Practice</i> , 2022 , 72, 136-137	1.6	
394	A systematic review of the outcomes reported in the treatment of uncomplicated urinary tract infection clinical trials.. <i>JAC-Antimicrobial Resistance</i> , 2022 , 4, dlac025	2.9	0
393	Implementing a Health Care Professional-Supported Digital Intervention for Survivors of Cancer in Primary Care: Qualitative Process Evaluation of the Renewed Intervention.. <i>JMIR Cancer</i> , 2022 , 8, e36364	2.2	0
392	Patient perceptions of vulnerability to recurrent respiratory tract infections and prevention strategies: a qualitative study.. <i>BMJ Open</i> , 2022 , 12, e055565	3	0
391	Supporting Self-management Among Young People With Acne Vulgaris Through a Web-Based Behavioral Intervention: Development and Feasibility Randomized Controlled Trial. <i>JMIR Dermatology</i> , 2021 , 4, e25918	1.8	
390	GPs' perspectives on acne management in primary care: a qualitative interview study. <i>British Journal of General Practice</i> , 2021 , 71, e78-e84	1.6	0
389	Infection control in the home: a qualitative study exploring perceptions and experiences of adhering to protective behaviours in the home during the COVID-19 pandemic. <i>BMJ Open</i> , 2021 , 11, e056161	2.1	2
388	Optimising an intervention to support home-living older adults at risk of malnutrition: a qualitative study. <i>BMC Family Practice</i> , 2021 , 22, 219	2.6	0
387	Immediate oral versus immediate topical versus delayed oral antibiotics for children with acute otitis media with discharge: the REST three-arm non-inferiority electronic platform-supported RCT. <i>Health Technology Assessment</i> , 2021 , 25, 1-76	4.4	
386	A Web-Based Intervention (Germ Defence) to Increase Handwashing During a Pandemic: Process Evaluations of a Randomized Controlled Trial and Public Dissemination. <i>Journal of Medical Internet Research</i> , 2021 , 23, e26104	7.6	
385	Antibiotic prescribing in UK out-of-hours primary care services: a realist-informed scoping review of training and guidelines for healthcare professionals. <i>BJGP Open</i> , 2021 , 5,	3.1	1
384	Exploring patient views of empathic optimistic communication for osteoarthritis in primary care: a qualitative interview study using vignettes. <i>BJGP Open</i> , 2021 , 5,	3.1	3

383	Combination of the Probiotics GG and subsp. , BB-12 Has Limited Effect on Biomarkers of Immunity and Inflammation in Older People Resident in Care Homes: Results From the Probiotics to Reduce Infections in Care Home Residents Randomized, Controlled Trial. <i>Frontiers in Immunology</i> , 2021 , 12, 643321	8.4	3
382	The early use of Antibiotics for at Risk Children with Influenza-like illness (ARCHIE): a double-blind randomised placebo-controlled trial. <i>European Respiratory Journal</i> , 2021 , 58,	13.6	1
381	Probiotics to reduce antibiotic administration in care home residents aged 65 years and older: the PRINCESS RCT. <i>Efficacy and Mechanism Evaluation</i> , 2021 , 8, 1-128	1.7	
380	Primary Care implementation of Germ Defence, a digital behaviour change intervention to improve household infection control during the COVID-19 pandemic: A structured summary of a study protocol for a randomised controlled trial. <i>Trials</i> , 2021 , 22, 263	2.8	1
379	Adapting Behavioral Interventions for a Changing Public Health Context: A Worked Example of Implementing a Digital Intervention During a Global Pandemic Using Rapid Optimisation Methods. <i>Frontiers in Public Health</i> , 2021 , 9, 668197	6	5
378	Delayed antibiotic prescribing for respiratory tract infections: individual patient data meta-analysis. <i>BMJ, The</i> , 2021 , 373, n808	5.9	14
377	Safety of reducing antibiotic prescribing in primary care: a mixed-methods study. <i>Health Services and Delivery Research</i> , 2021 , 9, 1-126	1.5	2
376	Integrating primary care and social services for older adults with multimorbidity: a qualitative study. <i>British Journal of General Practice</i> , 2021 , 71, e753-e761	1.6	1
375	Implementing a digital intervention for managing uncontrolled hypertension in Primary Care: a mixed methods process evaluation. <i>Implementation Science</i> , 2021 , 16, 57	8.4	2
374	Prevalence and Antimicrobial Resistance of Bacteria in Children With Acute Otitis Media and Ear Discharge: A Systematic Review. <i>Pediatric Infectious Disease Journal</i> , 2021 , 40, 756-762	3.4	2
373	Effectiveness of digital interventions to improve household and community infection prevention and control behaviours and to reduce incidence of respiratory and/or gastro-intestinal infections: a rapid systematic review. <i>BMC Public Health</i> , 2021 , 21, 1180	4.1	4
372	Diarrhoea Management using Over-the-counter Nutraceuticals in Daily practice (DIAMOND): a feasibility RCT on alternative therapy to reduce antibiotic use. <i>Pilot and Feasibility Studies</i> , 2021 , 7, 126	1.9	1
371	Authors' reply to Bradley. <i>BMJ, The</i> , 2021 , 373, n1518	5.9	
370	Self-management for chronic widespread pain including fibromyalgia: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2021 , 16, e0254642	3.7	1
369	Challenges to implementing electronic trial data collection in primary care: a qualitative study. <i>BMC Family Practice</i> , 2021 , 22, 147	2.6	
368	Maximising recruitment to a randomised controlled trial for chronic rhinosinusitis using qualitative research methods: the MACRO conversation study. <i>Trials</i> , 2021 , 22, 54	2.8	2
367	Individualised placement and support programme for people unemployed because of chronic pain: a feasibility study and the InSTEP pilot RCT. <i>Health Technology Assessment</i> , 2021 , 25, 1-72	4.4	
366	Pelargonium sidoides root extract for the treatment of acute cough due to lower respiratory tract infection in adults: a feasibility double-blind, placebo-controlled randomised trial. <i>BMC Complementary Medicine and Therapies</i> , 2021 , 21, 48	2.9	1

365	Home and Online Management and Evaluation of Blood Pressure (HOME BP) using a digital intervention in poorly controlled hypertension: randomised controlled trial. <i>BMJ, The</i> , 2021 , 372, m4858 ^{5.9}	28
364	Delayed Antibiotic Prescription for Children With Respiratory Infections: A Randomized Trial. <i>Pediatrics</i> , 2021 , 147,	7.4 3
363	Views and experiences of people with acne vulgaris and healthcare professionals about treatments: systematic review and thematic synthesis of qualitative research. <i>BMJ Open</i> , 2021 , 11, e041794	5
362	Infection Control Behavior at Home During the COVID-19 Pandemic: Observational Study of a Web-Based Behavioral Intervention (Germ Defence). <i>Journal of Medical Internet Research</i> , 2021 , 23, e22197 ^{7.6}	8
361	Supporting self-care for eczema: protocol for two randomised controlled trials of ECO (Eczema Care Online) interventions for young people and parents/carers. <i>BMJ Open</i> , 2021 , 11, e045583	3 4
360	Patient-reported outcome measures for acne: a mixed-methods validation study (acne PROMs). <i>BMJ Open</i> , 2021 , 11, e034047	3 1
359	Identifying adults with acute rhinosinusitis in primary care that benefit most from antibiotics: protocol of an individual patient data meta-analysis using multivariable risk prediction modelling. <i>BMJ Open</i> , 2021 , 11, e047186	3
358	Practice nurse-supported weight self-management delivered within the national child immunisation programme for postnatal women: a feasibility cluster RCT. <i>Health Technology Assessment</i> , 2021 , 25, 1-130	4.4
357	Harnessing Placebo Effects in Primary Care: Using the Person-Based Approach to Develop an Online Intervention to Enhance Practitioners' Communication of Clinical Empathy and Realistic Optimism During Consultations.. <i>Frontiers in Pain Research</i> , 2021 , 2, 721222	1.4 0
356	Spirolactone for adult female acne (SAFA): protocol for a double-blind, placebo-controlled, phase III randomised study of spironolactone as systemic therapy for acne in adult women. <i>BMJ Open</i> , 2021 , 11, e053876	3 0
355	Planning and optimising a digital intervention to protect older adults' cognitive health. <i>Pilot and Feasibility Studies</i> , 2021 , 7, 158	1.9 1
354	Antibiotics for lower respiratory tract infection in children presenting in primary care in England (ARTIC PC): a double-blind, randomised, placebo-controlled trial. <i>Lancet, The</i> , 2021 , 398, 1417-1426	4 ⁰ 4
353	Long COVID and Post-infective Fatigue Syndrome: A Review. <i>Open Forum Infectious Diseases</i> , 2021 , 8, ofab440	1 22
352	Topical or oral antibiotics for children with acute otitis media presenting with ear discharge: study protocol of a randomised controlled non-inferiority trial.. <i>BMJ Open</i> , 2021 , 11, e052128	3
351	Berberine for diarrhea in children and adults: a systematic review and meta-analysis. <i>Therapeutic Advances in Gastroenterology</i> , 2020 , 13, 1756284820961299	4.7 12
350	Reducing risks from coronavirus transmission in the home-the role of viral load. <i>BMJ, The</i> , 2020 , 369, m1728	5.9 32
349	Digital interventions for parents of acutely ill children and their treatment-seeking behaviour: a systematic review. <i>British Journal of General Practice</i> , 2020 , 70, e172-e178	1.6 7
348	REDUCE (Reviewing long-term antidepressant use by careful monitoring in everyday practice) internet and telephone support to people coming off long-term antidepressants: protocol for a randomised controlled trial. <i>Trials</i> , 2020 , 21, 419	2.8 6

347	Machine learning detection of Atrial Fibrillation using wearable technology. <i>PLoS ONE</i> , 2020 , 15, e0227401	16
346	Respiratory syncytial virus and influenza virus infection in adult primary care patients: Association of age with prevalence, diagnostic features and illness course. <i>International Journal of Infectious Diseases</i> , 2020 , 95, 384-390	10.5 3
345	Exploring the appropriateness of antibiotic prescribing for common respiratory tract infections in UK primary care. <i>Journal of Antimicrobial Chemotherapy</i> , 2020 , 75, 236-242	5.1 7
344	Protocol for the feasibility and acceptability of a brief routine weight management intervention for postnatal women embedded within the national child immunisation programme: randomised controlled cluster feasibility trial with nested qualitative study (PIMMS-WL). <i>BMJ Open</i> , 2020 , 10, e033027	3 2
343	Adding web-based behavioural support to exercise referral schemes for inactive adults with chronic health conditions: the e-coachER RCT. <i>Health Technology Assessment</i> , 2020 , 24, 1-106	4.4 4
342	Patients' Experiences of Telephone-Based and Web-Based Cognitive Behavioral Therapy for Irritable Bowel Syndrome: Longitudinal Qualitative Study. <i>Journal of Medical Internet Research</i> , 2020 , 22, e18691	7.6 7
341	The Active Brains Digital Intervention to Reduce Cognitive Decline in Older Adults: Protocol for a Feasibility Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2020 , 9, e18929	2 1
340	Drug treatments affecting ACE2 in COVID-19 infection: a systematic review protocol. <i>BJGP Open</i> , 2020 , 4,	3.1 3
339	Relationship between microbiology of throat swab and clinical course among primary care patients with acute cough: a prospective cohort study. <i>Family Practice</i> , 2020 , 37, 332-339	1.9 3
338	Exploring Patients' Experiences of Internet-Based Self-Management Support for Low Back Pain in Primary Care. <i>Pain Medicine</i> , 2020 , 21, 1806-1817	2.8 6
337	Generalizability of Blood Pressure Lowering Trials to Older Patients: Cross-Sectional Analysis. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 2508-2515	5.6 16
336	Strategies to reduce antibiotic use in women with uncomplicated urinary tract infection in primary care: protocol of a systematic review and meta-analysis including individual patient data. <i>BMJ Open</i> , 2020 , 10, e035883	3 2
335	Delayed Antibiotic Prescriptions. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 324, 1352-1353	3.4
334	Effect of Probiotic Use on Antibiotic Administration Among Care Home Residents: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 324, 47-56	27.4 9
333	Probability of sepsis after infection consultations in primary care in the United Kingdom in 2002-2017: Population-based cohort study and decision analytic model. <i>PLoS Medicine</i> , 2020 , 17, e1003202	11.6 12
332	Improving Empathy in Healthcare Consultations-a Secondary Analysis of Interventions. <i>Journal of General Internal Medicine</i> , 2020 , 35, 3007-3014	4 8
331	Engaging adolescents in changing behaviour (EACH-B): a study protocol for a cluster randomised controlled trial to improve dietary quality and physical activity. <i>Trials</i> , 2020 , 21, 859	2.8 1
330	Economic evaluation of the OSAC randomised controlled trial: oral corticosteroids for non-asthmatic adults with acute lower respiratory tract infection in primary care. <i>BMJ Open</i> , 2020 , 10, e033567	3 1

329	Supporting self-management of low back pain with an internet intervention in primary care: a protocol for a randomised controlled trial of clinical and cost-effectiveness (SupportBack 2). <i>BMJ Open</i> , 2020 , 10, e040543	3	0
328	Currently prescribed drugs in the UK that could upregulate or downregulate ACE2 in COVID-19 disease: a systematic review. <i>BMJ Open</i> , 2020 , 10, e040644	3	15
327	Molecular epidemiology and clinical impact of rhinovirus infections in adults during three epidemic seasons in 11 European countries (2007-2010). <i>Thorax</i> , 2020 , 75, 882-890	7.3	7
326	A Qualitative Exploration of Perceptions of a Digital Intervention to Promote Physical Activity in Older Adults. <i>Journal of Aging and Physical Activity</i> , 2020 , 29, 442-454	1.6	0
325	Serious bacterial infections and antibiotic prescribing in primary care: cohort study using electronic health records in the UK. <i>BMJ Open</i> , 2020 , 10, e036975	3	10
324	Clustering of continuous and binary outcomes at the general practice level in individually randomised studies in primary care - a review of 10 years of primary care trials. <i>BMC Medical Research Methodology</i> , 2020 , 20, 83	4.7	1
323	Effect of Antihypertensive Medication Reduction vs Usual Care on Short-term Blood Pressure Control in Patients With Hypertension Aged 80 Years and Older: The OPTIMISE Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 2039-2051	27.4	40
322	Cognitive behavioural therapy for irritable bowel syndrome: 24-month follow-up of participants in the ACTIB randomised trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2019 , 4, 863-872	18.8	28
321	Developing a digital intervention for cancer survivors: an evidence-, theory- and person-based approach. <i>Npj Digital Medicine</i> , 2019 , 2, 85	15.7	10
320	Delayed antibiotic prescribing for respiratory tract infections: protocol of an individual patient data meta-analysis. <i>BMJ Open</i> , 2019 , 9, e026925	3	4
319	Predictors of Adverse Outcomes in Uncomplicated Lower Respiratory Tract Infections. <i>Annals of Family Medicine</i> , 2019 , 17, 231-238	2.9	3
318	Protocol for a double-blind placebo-controlled trial to evaluate the efficacy of probiotics in reducing antibiotics for infection in care home residents: the Probiotics to Reduce Infections in CarE home reSidentS (PRINCESS) trial. <i>BMJ Open</i> , 2019 , 9, e027513	3	10
317	Specialist call handlers' perspectives on providing help on a cancer helpline: A qualitative interview study. <i>European Journal of Cancer Care</i> , 2019 , 28, e13081	2.4	0
316	Efficacy, safety and impact on antimicrobial resistance of duration and dose of amoxicillin treatment for young children with Community-Acquired Pneumonia: a protocol for a randomised controlled Trial (CAP-IT). <i>BMJ Open</i> , 2019 , 9, e029875	3	7
315	Assessing telephone-delivered cognitive-behavioural therapy (CBT) and web-delivered CBT versus treatment as usual in irritable bowel syndrome (ACTIB): a multicentre randomised trial. <i>Gut</i> , 2019 , 68, 1613-1623	19.2	93
314	Clarithromycin and endoscopic sinus surgery for adults with chronic rhinosinusitis with and without nasal polyps: study protocol for the MACRO randomised controlled trial. <i>Trials</i> , 2019 , 20, 246	2.8	8
313	Renewed: Protocol for a randomised controlled trial of a digital intervention to support quality of life in cancer survivors. <i>BMJ Open</i> , 2019 , 9, e024862	3	6
312	Subacute fatigue in primary care - two sides of the story. <i>British Journal of Health Psychology</i> , 2019 , 24, 419-442	8.3	1

311	Antibiotic Prescribing for Acute Respiratory Tract Infections 12 Months After Communication and CRP Training: A Randomized Trial. <i>Annals of Family Medicine</i> , 2019 , 17, 125-132	2.9	23
310	Parental and clinician agreement of illness severity in children with RTIs: secondary analysis of data from a prospective cohort study. <i>British Journal of General Practice</i> , 2019 , 69, e236-e245	1.6	2
309	HATRIC: a study of root extract EPs 7630 (Kaloba) for the treatment of acute cough due to lower respiratory tract infection in adults-study protocol for a double blind, placebo-controlled randomised feasibility trial. <i>Pilot and Feasibility Studies</i> , 2019 , 5, 98	1.9	3
308	Barriers and facilitators to screening and treating malnutrition in older adults living in the community: a mixed-methods synthesis. <i>BMC Family Practice</i> , 2019 , 20, 100	2.6	19
307	Electronically delivered interventions to reduce antibiotic prescribing for respiratory infections in primary care: cluster RCT using electronic health records and cohort study. <i>Health Technology Assessment</i> , 2019 , 23, 1-70	4.4	11
306	Therapist telephone-delivered CBT and web-based CBT compared with treatment as usual in refractory irritable bowel syndrome: the ACTIB three-arm RCT. <i>Health Technology Assessment</i> , 2019 , 23, 1-154	4.4	13
305	Anaesthetic-analgesic ear drops to reduce antibiotic consumption in children with acute otitis media: the CEDAR RCT. <i>Health Technology Assessment</i> , 2019 , 23, 1-48	4.4	3
304	Challenges in managing urinary tract infection and the potential of a point-of-care test guided care in primary care: an international qualitative study. <i>BJGP Open</i> , 2019 , 3,	3.1	3
303	Effectiveness and safety of electronically delivered prescribing feedback and decision support on antibiotic use for respiratory illness in primary care: REDUCE cluster randomised trial. <i>BMJ, The</i> , 2019 , 364, l236	5.9	54
302	The elicitation and management of multiple health concerns in GP consultations. <i>Patient Education and Counseling</i> , 2019 , 102, 687-693	3.1	11
301	Probiotics for preventing acute otitis media in children. <i>The Cochrane Library</i> , 2019 , 6, CD012941	5.2	6
300	Focus on early-career GPs: qualitative evaluation of a multi-faceted educational intervention to improve antibiotic prescribing. <i>Family Practice</i> , 2018 , 35, 99-104	1.9	7
299	Point-of-care urine culture for managing urinary tract infection in primary care: a randomised controlled trial of clinical and cost-effectiveness. <i>British Journal of General Practice</i> , 2018 , 68, e268-e278	1.6	15
298	Development of a prediction tool for patients presenting with acute cough in primary care: a prognostic study spanning six European countries. <i>British Journal of General Practice</i> , 2018 , 68, e342-e350	1.6	2
297	Exploring cancer survivors' views of health behaviour change: "Where do you start, where do you stop with everything?". <i>Psycho-Oncology</i> , 2018 , 27, 1816-1824	3.9	74
296	Probiotics for preventing acute otitis media in children. <i>The Cochrane Library</i> , 2018 ,	5.2	1
295	Effectiveness of general practitioner online training and an information booklet for parents on antibiotic prescribing for children with respiratory tract infection in primary care: a cluster randomized controlled trial. <i>Journal of Antimicrobial Chemotherapy</i> , 2018 , 73, 1416-1422	5.1	15
294	Physiotherapy breathing retraining for asthma: a randomised controlled trial. <i>Lancet Respiratory Medicine</i> , 2018 , 6, 19-28	35.1	56

293	Economic analysis of oral dexamethasone for symptom relief of sore throat: the UK TOAST study. <i>BMJ Open</i> , 2018 , 8, e019184	3	5
292	Findings from a feasibility study to improve GP elicitation of patient concerns in UK general practice consultations. <i>Patient Education and Counseling</i> , 2018 , 101, 1394-1402	3.1	9
291	Multimorbidity and Socioeconomic Deprivation in Primary Care Consultations. <i>Annals of Family Medicine</i> , 2018 , 16, 127-131	2.9	32
290	Using an internet intervention to support self-management of low back pain in primary care: findings from a randomised controlled feasibility trial (SupportBack). <i>BMJ Open</i> , 2018 , 8, e016768	3	17
289	Reducing early career general practitioners' antibiotic prescribing for respiratory tract infections: a pragmatic prospective non-randomised controlled trial. <i>Family Practice</i> , 2018 , 35, 53-60	1.9	15
288	Understanding acceptability of and engagement with Web-based interventions aiming to improve quality of life in cancer survivors: A synthesis of current research. <i>Psycho-Oncology</i> , 2018 , 27, 22-33	3.9	37
287	Using the Person-Based Approach to optimise a digital intervention for the management of hypertension. <i>PLoS ONE</i> , 2018 , 13, e0196868	3.7	84
286	Antivirals for influenza-Like Illness? A randomised Controlled trial of Clinical and Cost effectiveness in primary Care (ALIC E): the ALIC E protocol. <i>BMJ Open</i> , 2018 , 8, e021032	3	9
285	Screening for Atrial Fibrillation Using Economical and Accurate Technology (From the SAFETY Study). <i>American Journal of Cardiology</i> , 2018 , 122, 1339-1344	3	19
284	Emollient bath additives for the treatment of childhood eczema (BATHE): multicentre pragmatic parallel group randomised controlled trial of clinical and cost effectiveness. <i>BMJ, The</i> , 2018 , 361, k1332	5.9	21
283	Analytical performance of a platform for point-of-care CRP testing in adults consulting for lower respiratory tract infection in primary care. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2018 , 37, 1319-1323	5.3	7
282	What gives rise to clinician gut feeling, its influence on management decisions and its prognostic value for children with RTI in primary care: a prospective cohort study. <i>BMC Family Practice</i> , 2018 , 19, 25	2.6	13
281	Clinical relevance of bacterial resistance in lower respiratory tract infection in primary care: secondary analysis of a multicentre European trial. <i>British Journal of General Practice</i> , 2018 , 68, e627-e632	1.6	0
280	Do patients actually do what we ask: patient fidelity and persistence to the Targets and Self-Management for the Control of Blood Pressure in Stroke and at Risk Groups blood pressure self-management intervention. <i>Journal of Hypertension</i> , 2018 , 36, 1753-1761	1.9	10
279	Qualitative process study to explore the perceived burdens and benefits of a digital intervention for self-managing high blood pressure in Primary Care in the UK. <i>BMJ Open</i> , 2018 , 8, e020843	3	10
278	Continuous low-dose antibiotic prophylaxis to prevent urinary tract infection in adults who perform clean intermittent self-catheterisation: the AnTIC RCT. <i>Health Technology Assessment</i> , 2018 , 22, 1-102	4.4	15
277	Adding emollient bath additives to standard eczema management for children with eczema: the BATHE RCT. <i>Health Technology Assessment</i> , 2018 , 22, 1-116	4.4	5
276	Complementary medicine use, views, and experiences: a national survey in England. <i>BJGP Open</i> , 2018 , 2, bjgpopen18X101614	3.1	13

275	Management strategies for chronic rhinosinusitis: a qualitative study of GP and ENT specialist views of current practice in the UK. <i>BMJ Open</i> , 2018 , 8, e022643	3	14
274	OPTimising Treatment for MIld Systolic hypertension in the Elderly (OPTiMISE): protocol for a randomised controlled non-inferiority trial. <i>BMJ Open</i> , 2018 , 8, e022930	3	8
273	Multicentred randomised controlled trial of an augmented exercise referral scheme using web-based behavioural support in individuals with metabolic, musculoskeletal and mental health conditions: protocol for the e-coacher trial. <i>BMJ Open</i> , 2018 , 8, e022382	3	4
272	'Trying to put a square peg into a round hole': a qualitative study of healthcare professionals' views of integrating complementary medicine into primary care for musculoskeletal and mental health comorbidity. <i>BMC Complementary and Alternative Medicine</i> , 2018 , 18, 290	4.7	9
271	Feasibility of weekly participant-reported data collection in a pragmatic randomised controlled trial in primary care: experiences from the BATHE trial (Bath Additives for the Treatment of cHildhood Eczema). <i>Trials</i> , 2018 , 19, 582	2.8	3
270	Early use of Antibiotics for at Risk Children with Influenza (ARCHIE): protocol for a double-blind, randomised, placebo-controlled trial. <i>BMJ Open</i> , 2018 , 8, e021144	3	2
269	Impact of antibiotics for children presenting to general practice with cough on adverse outcomes: secondary analysis from a multicentre prospective cohort study. <i>British Journal of General Practice</i> , 2018 , 68, e682-e693	1.6	10
268	Complementary medicine and the NHS: Experiences of integration with UK primary care. <i>European Journal of Integrative Medicine</i> , 2018 , 24, 8-16	1.7	4
267	Cost-effectiveness of internet-based training for primary care clinicians on antibiotic prescribing for acute respiratory tract infections in Europe. <i>Journal of Antimicrobial Chemotherapy</i> , 2018 , 73, 3189-3198	5.1	9
266	Continuous low-dose antibiotic prophylaxis for adults with repeated urinary tract infections (AnTIC): a randomised, open-label trial. <i>Lancet Infectious Diseases</i> , 2018 , 18, 957-968	25.5	52
265	The Diagnosis of Urinary Tract Infection in Young Children (DUTY) Study Clinical Rule: Economic Evaluation. <i>Value in Health</i> , 2017 , 20, 556-566	3.3	5
264	Screening for Atrial Fibrillation using Economical and accurate Technology (SAFETY)-a pilot study. <i>BMJ Open</i> , 2017 , 7, e013535	3	14
263	Effect of Oral Dexamethasone Without Immediate Antibiotics vs Placebo on Acute Sore Throat in Adults: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 317, 1535-1543	27.4	15
262	Internet-Based Vestibular Rehabilitation for Older Adults With Chronic Dizziness: A Randomized Controlled Trial in Primary Care. <i>Annals of Family Medicine</i> , 2017 , 15, 209-216	2.9	24
261	Feasibility cluster randomised controlled trial of a within-consultation intervention to reduce antibiotic prescribing for children presenting to primary care with acute respiratory tract infection and cough. <i>BMJ Open</i> , 2017 , 7, e014506	3	12
260	Biopsychosocial risk factors of persistent fatigue after acute infection: A systematic review to inform interventions. <i>Journal of Psychosomatic Research</i> , 2017 , 99, 120-129	4.1	12
259	Predicting adherence to acupuncture appointments for low back pain: a prospective observational study. <i>BMC Complementary and Alternative Medicine</i> , 2017 , 17, 5	4.7	7
258	Ibuprofen use in viral infection is associated with subsequent empyema. <i>Journal of Pediatrics</i> , 2017 , 180, 291-294	3.6	3

257	Comparison of microbiological diagnosis of urinary tract infection in young children by routine health service laboratories and a research laboratory: Diagnostic cohort study. <i>PLoS ONE</i> , 2017 , 12, e0171113	3.7	5
256	Uva-ursi extract and ibuprofen as alternative treatments of adult female urinary tract infection (ATAFUTI): study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 421	2.8	9
255	Antibiotic prescription strategies and adverse outcome for uncomplicated lower respiratory tract infections: prospective cough complication cohort (3C) study. <i>BMJ, The</i> , 2017 , 357, j2148	5.9	38
254	Determinants of initiation, implementation, and discontinuation of amoxicillin by adults with acute cough in primary care. <i>Patient Preference and Adherence</i> , 2017 , 11, 561-569	2.4	5
253	Effect of Oral Prednisolone on Symptom Duration and Severity in Nonasthmatic Adults With Acute Lower Respiratory Tract Infection: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 318, 721-730	27.4	23
252	Symptom response to antibiotic prescribing strategies in acute sore throat in adults: the DESCARTE prospective cohort study in UK general practice. <i>British Journal of General Practice</i> , 2017 , 67, e634-e642	1.6	8
251	Qualitative interview study of parents' perspectives, concerns and experiences of the management of lower respiratory tract infections in children in primary care. <i>BMJ Open</i> , 2017 , 7, e015701	3	17
250	What techniques might be used to harness placebo effects in non-malignant pain? A literature review and survey to develop a taxonomy. <i>BMJ Open</i> , 2017 , 7, e015516	3	20
249	Comparison between treatment effects in a randomised controlled trial and an observational study using propensity scores in primary care. <i>British Journal of General Practice</i> , 2017 , 67, e643-e649	1.6	7
248	Influence of the duration of penicillin prescriptions on outcomes for acute sore throat in adults: the DESCARTE prospective cohort study in UK general practice. <i>British Journal of General Practice</i> , 2017 , 67, e623-e633	1.6	5
247	Predictors of pneumonia in lower respiratory tract infections: 3C prospective cough complication cohort study. <i>European Respiratory Journal</i> , 2017 , 50,	13.6	23
246	Variations in presentation, management, and patient outcomes of urinary tract infection: a prospective four-country primary care observational cohort study. <i>British Journal of General Practice</i> , 2017 , 67, e830-e841	1.6	31
245	'You feel like your whole world is caving in': A qualitative study of primary care patients' conceptualisations of emotional distress. <i>Health (United Kingdom)</i> , 2017 , 21, 295-315	1.9	8
244	Understanding how primary care practitioners perceive an online intervention for the management of hypertension. <i>BMC Medical Informatics and Decision Making</i> , 2017 , 17, 5	3.6	20
243	Intervention planning for a digital intervention for self-management of hypertension: a theory-, evidence- and person-based approach. <i>Implementation Science</i> , 2017 , 12, 25	8.4	72
242	Providing online weight management in Primary Care: a mixed methods process evaluation of healthcare practitioners' experiences of using and supporting patients using POWeR. <i>Implementation Science</i> , 2017 , 12, 69	8.4	10
241	Predicting the presence of bacterial pathogens in the airways of primary care patients with acute cough. <i>Cmaj</i> , 2017 , 189, E50-E55	3.5	8
240	Using digital interventions for self-management of chronic physical health conditions: A meta-ethnography review of published studies. <i>Patient Education and Counseling</i> , 2017 , 100, 616-635	3.1	87

239	A descriptive survey of cancer helplines in the United Kingdom: Who they are, the services offered, and the accessibility of those services. <i>Psycho-Oncology</i> , 2017 , 26, 1140-1146	3.9	3
238	Probiotic capsules and xylitol chewing gum to manage symptoms of pharyngitis: a randomized controlled factorial trial. <i>Cmaj</i> , 2017 , 189, E1543-E1550	3.5	7
237	'Well, it literally stops me from having a life when it's really bad': a nested qualitative interview study of patient views on the use of self-management treatments for the management of recurrent sinusitis (SNIFS trial). <i>BMJ Open</i> , 2017 , 7, e017130	3	4
236	Adverse Effects of Amoxicillin for Acute Lower Respiratory Tract Infection in Primary Care: Secondary and Subgroup Analysis of a Randomised Clinical Trial. <i>Antibiotics</i> , 2017 , 6,	4.9	4
235	Qualitative interview study of antibiotics and self-management strategies for respiratory infections in primary care. <i>BMJ Open</i> , 2017 , 7, e016903	3	12
234	Effects on Engagement and Health Literacy Outcomes of Web-Based Materials Promoting Physical Activity in People With Diabetes: An International Randomized Trial. <i>Journal of Medical Internet Research</i> , 2017 , 19, e21	7.6	22
233	Randomised controlled trial and economic analysis of an internet-based weight management programme: POWeR+ (Positive Online Weight Reduction). <i>Health Technology Assessment</i> , 2017 , 21, 1-62	4.4	21
232	A randomised controlled study of the effectiveness of breathing retraining exercises taught by a physiotherapist either by instructional DVD or in face-to-face sessions in the management of asthma in adults. <i>Health Technology Assessment</i> , 2017 , 21, 1-162	4.4	6
231	Antibiotic prescribing in patients with self-reported sore throat. <i>Journal of Antimicrobial Chemotherapy</i> , 2017 , 72, 914-922	5.1	9
230	Nappy pad urine samples for investigation and treatment of UTI in young children: the 'DUTY' prospective diagnostic cohort study. <i>British Journal of General Practice</i> , 2016 , 66, e516-24	1.6	6
229	Effectiveness of steam inhalation and nasal irrigation for chronic or recurrent sinus symptoms in primary care: a pragmatic randomized controlled trial. <i>Cmaj</i> , 2016 , 188, 940-949	3.5	15
228	Safety of reduced antibiotic prescribing for self limiting respiratory tract infections in primary care: cohort study using electronic health records. <i>BMJ, The</i> , 2016 , 354, i3410	5.9	74
227	Electronically delivered, multicomponent intervention to reduce unnecessary antibiotic prescribing for respiratory infections in primary care: a cluster randomised trial using electronic health records-REDUCE Trial study original protocol. <i>BMJ Open</i> , 2016 , 6, e010892	3	9
226	General Practitioners' Empathy and Health Outcomes: A Prospective Observational Study of Consultations in Areas of High and Low Deprivation. <i>Annals of Family Medicine</i> , 2016 , 14, 117-24	2.9	77
225	Changing the Antibiotic Prescribing of general practice registrars: the ChAP study protocol for a prospective controlled study of a multimodal educational intervention. <i>BMC Family Practice</i> , 2016 , 17, 67	2.6	10
224	Amoxicillin for clinically unsuspected pneumonia in primary care: subgroup analysis. <i>European Respiratory Journal</i> , 2016 , 47, 327-30	13.6	11
223	Empiric antibiotic treatment for urinary tract infection in preschool children: susceptibilities of urine sample isolates. <i>Family Practice</i> , 2016 , 33, 127-32	1.9	7
222	Prescription Strategies in Acute Uncomplicated Respiratory Infections: A Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , 2016 , 176, 21-9	11.5	43

221	Cost-effectiveness of self-management of blood pressure in hypertensive patients over 70 years with suboptimal control and established cardiovascular disease or additional cardiovascular risk diseases (TASMIN-SR). <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 902-12	3.9	25
220	Discrepancies between qualitative and quantitative evaluation of randomised controlled trial results: achieving clarity through mixed methods triangulation. <i>Implementation Science</i> , 2016 , 11, 66	8.4	40
219	Family Practitioners' Advice about Taking Time Off Work for Lower Respiratory Tract Infections: A Prospective Study in Twelve European Primary Care Networks. <i>PLoS ONE</i> , 2016 , 11, e0164779	3.7	2
218	Developing an Unguided Internet-Delivered Intervention for Emotional Distress in Primary Care Patients: Applying Common Factor and Person-Based Approaches. <i>JMIR Mental Health</i> , 2016 , 3, e53	6	9
217	The Diagnosis of Urinary Tract infection in Young children (DUTY): a diagnostic prospective observational study to derive and validate a clinical algorithm for the diagnosis of urinary tract infection in children presenting to primary care with an acute illness. <i>Health Technology Assessment</i> , 2016 , 20, 1-294	4.4	33
216	Antibiotic treatment for intermittent bladder catheterisation with once daily prophylaxis (the AnTIC study): Study protocol for a randomised controlled trial. <i>Trials</i> , 2016 , 17, 276	2.8	4
215	Digital interventions to promote self-management in adults with hypertension systematic review and meta-analysis. <i>Journal of Hypertension</i> , 2016 , 34, 600-12	1.9	75
214	Impact of amoxicillin therapy on resistance selection in patients with community-acquired lower respiratory tract infections: a randomized, placebo-controlled study. <i>Journal of Antimicrobial Chemotherapy</i> , 2016 , 71, 3258-3267	5.1	21
213	Home and Online Management and Evaluation of Blood Pressure (HOME BP) digital intervention for self-management of uncontrolled, essential hypertension: a protocol for the randomised controlled HOME BP trial. <i>BMJ Open</i> , 2016 , 6, e012684	3	13
212	Cost effectiveness of amoxicillin for lower respiratory tract infections in primary care: an economic evaluation accounting for the cost of antimicrobial resistance. <i>British Journal of General Practice</i> , 2016 , 66, e633-9	1.6	37
211	Disease Course of Lower Respiratory Tract Infection With a Bacterial Cause. <i>Annals of Family Medicine</i> , 2016 , 14, 534-539	2.9	5
210	Paracetamol (acetaminophen) or non-steroidal anti-inflammatory drugs, alone or combined, for pain relief in acute otitis media in children. <i>The Cochrane Library</i> , 2016 , 12, CD011534	5.2	13
209	Looking deeper into POWeR. <i>Lancet Diabetes and Endocrinology,the</i> , 2016 , 4, 887-888	18.1	
208	Primary care randomised controlled trial of a tailored interactive website for the self-management of respiratory infections (Internet Doctor). <i>BMJ Open</i> , 2016 , 6, e009769	3	23
207	Effectiveness of an internet-delivered handwashing intervention - Author's reply. <i>Lancet, The</i> , 2016 , 387, 338	40	5
206	Development and internal validation of a clinical rule to improve antibiotic use in children presenting to primary care with acute respiratory tract infection and cough: a prognostic cohort study. <i>Lancet Respiratory Medicine,the</i> , 2016 , 4, 902-910	35.1	42
205	Improving the Diagnosis and Treatment of Urinary Tract Infection in Young Children in Primary Care: Results from the DUTY Prospective Diagnostic Cohort Study. <i>Annals of Family Medicine</i> , 2016 , 14, 325-36	2.9	20
204	An internet-based intervention with brief nurse support to manage obesity in primary care (POWeR+): a pragmatic, parallel-group, randomised controlled trial. <i>Lancet Diabetes and Endocrinology,the</i> , 2016 , 4, 821-8	18.1	111

203	Adherence-adjusted estimates of benefits and harms from treatment with amoxicillin for LRTI: secondary analysis of a 12-country randomised placebo-controlled trial using randomisation-based efficacy estimators. <i>BMJ Open</i> , 2015 , 5, e006160	3	4
202	The added diagnostic value of five different C-reactive protein point-of-care test devices in detecting pneumonia in primary care: A nested case-control study. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2015 , 75, 291-5	2	17
201	Clinicians' views and experiences of interventions to enhance the quality of antibiotic prescribing for acute respiratory tract infections. <i>Journal of General Internal Medicine</i> , 2015 , 30, 408-16	4	55
200	Can oral corticosteroids reduce the severity or duration of an acute cough, and the associated National Health Service and societal costs, in adults presenting to primary care? Study protocol for a randomised controlled trial. <i>Trials</i> , 2015 , 16, 78	2.8	3
199	General practitioners' patient-centredness and responses to patients' emotional cues and concerns: relationships with perceived empathy in areas of high and low socioeconomic deprivation. <i>Journal of Compassionate Health Care</i> , 2015 , 2,		4
198	Psychological covariates of longitudinal changes in back-related disability in patients undergoing acupuncture. <i>Clinical Journal of Pain</i> , 2015 , 31, 254-64	3.5	43
197	Childhood urinary tract infection in primary care: a prospective observational study of prevalence, diagnosis, treatment, and recovery. <i>British Journal of General Practice</i> , 2015 , 65, e217-23	1.6	11
196	The role of nurse support within an Internet-delivered weight management intervention: A qualitative study. <i>Psychology, Health and Medicine</i> , 2015 , 20, 963-71	2.1	2
195	An internet-delivered handwashing intervention to modify influenza-like illness and respiratory infection transmission (PRIMIT): a primary care randomised trial. <i>Lancet, The</i> , 2015 , 386, 1631-9	4.0	73
194	Using mixed methods to develop and evaluate an online weight management intervention. <i>British Journal of Health Psychology</i> , 2015 , 20, 45-55	8.3	21
193	Validity of a clinical model to predict influenza in patients presenting with symptoms of lower respiratory tract infection in primary care. <i>Family Practice</i> , 2015 , 32, 408-14	1.9	8
192	Effect of nasal balloon autoinflation in children with otitis media with effusion in primary care: an open randomized controlled trial. <i>Cmaj</i> , 2015 , 187, 961-969	3.5	25
191	The Development of Balance Retraining: An Online Intervention for Dizziness in Adults Aged 50 Years and Older. <i>American Journal of Audiology</i> , 2015 , 24, 276-9	1.8	8
190	Bath additives for the treatment of childhood eczema (BATHE): protocol for multicentre parallel group randomised trial. <i>BMJ Open</i> , 2015 , 5, e009575	3	10
189	The CHICO (Children's Cough) Trial protocol: a feasibility randomised controlled trial investigating the clinical and cost-effectiveness of a complex intervention to improve the management of children presenting to primary care with acute respiratory tract infection. <i>BMJ Open</i> , 2015 , 5, e008615	3	10
188	Using an internet intervention to support self-management of low back pain in primary care: protocol for a randomised controlled feasibility trial (SupportBack). <i>BMJ Open</i> , 2015 , 5, e009524	3	10
187	Randomised controlled trial of a brief intervention targeting predominantly non-verbal communication in general practice consultations. <i>British Journal of General Practice</i> , 2015 , 65, e351-6	1.6	29
186	Patients' treatment beliefs in low back pain: development and validation of a questionnaire in primary care. <i>Pain</i> , 2015 , 156, 1489-1500	8	23

185	Verbal and non-verbal behaviour and patient perception of communication in primary care: an observational study. <i>British Journal of General Practice</i> , 2015 , 65, e357-65	1.6	22
184	Disc extrusions and bulges in nonspecific low back pain and sciatica: Exploratory randomised controlled trial comparing yoga therapy and normal medical treatment. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2015 , 28, 383-92	1.4	13
183	Illness perception and related behaviour in lower respiratory tract infections—European study. <i>Family Practice</i> , 2015 , 32, 152-8	1.9	7
182	'You don't know which bits to believe': qualitative study exploring carers' experiences of seeking information on the internet about childhood eczema. <i>BMJ Open</i> , 2015 , 5, e006339	3	19
181	Assessing Cognitive behavioural Therapy in Irritable Bowel (ACTIB): protocol for a randomised controlled trial of clinical-effectiveness and cost-effectiveness of therapist delivered cognitive behavioural therapy and web-based self-management in irritable bowel syndrome in adults. <i>BMJ Open</i> , 2015 , 5, e006322	3	21
180	Views of People With High and Low Levels of Health Literacy About a Digital Intervention to Promote Physical Activity for Diabetes: A Qualitative Study in Five Countries. <i>Journal of Medical Internet Research</i> , 2015 , 17, e230	7.6	78
179	Digital Interventions to Promote Self-Management in Adults With Hypertension: Protocol for Systematic Review and Meta-Analysis. <i>JMIR Research Protocols</i> , 2015 , 4, e133	2	8
178	An open randomised study of autoinflation in 4- to 11-year-old school children with otitis media with effusion in primary care. <i>Health Technology Assessment</i> , 2015 , 19, 1-150	4.4	13
177	Antibiotic prescription strategies for acute sore throat: a prospective observational cohort study. <i>Lancet Infectious Diseases, The</i> , 2014 , 14, 213-9	25.5	77
176	Montelukast for postinfectious cough in adults: a double-blind randomised placebo-controlled trial. <i>Lancet Respiratory Medicine, the</i> , 2014 , 2, 35-43	35.1	36
175	Continued high rates of antibiotic prescribing to adults with respiratory tract infection: survey of 568 UK general practices. <i>BMJ Open</i> , 2014 , 4, e006245	3	152
174	Public perceptions of non-pharmaceutical interventions for reducing transmission of respiratory infection: systematic review and synthesis of qualitative studies. <i>BMC Public Health</i> , 2014 , 14, 589	4.1	57
173	Randomised controlled feasibility trial of a web-based weight management intervention with nurse support for obese patients in primary care. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014 , 11, 67	8.4	53
172	Benefits of Aldosterone Receptor Antagonism in Chronic Kidney Disease (BARACK D) trial—a multi-centre, prospective, randomised, open, blinded end-point, 36-month study of 2,616 patients within primary care with stage 3b chronic kidney disease to compare the efficacy of spironolactone 250mg once daily in addition to routine care on mortality and cardiovascular outcomes versus routine care alone: study protocol for a randomized controlled trial. <i>Trials</i> , 2014 , 15, 160	2.8	22
171	Antibiotics for acute sore throat—author's reply. <i>Lancet Infectious Diseases, The</i> , 2014 , 14, 920-1	25.5	
170	Prolonged shedding of rhinovirus and re-infection in adults with respiratory tract illness. <i>European Respiratory Journal</i> , 2014 , 44, 169-77	13.6	42
169	Exploring patients' views of primary care consultations with contrasting interventions for acute cough: a six-country European qualitative study. <i>Npj Primary Care Respiratory Medicine</i> , 2014 , 24, 14026	3.2	29
168	Influence of lung function on course of disease and response to antibiotic therapy in adult primary care patients with acute cough: a post hoc analysis of patients enrolled in a prospective multicentre study. <i>Npj Primary Care Respiratory Medicine</i> , 2014 , 24, 14067	3.2	

167	Authors' reply to Matthys. <i>BMJ, The</i> , 2014 , 348, g302	5.9	
166	Point of care testing for urinary tract infection in primary care (POETIC): protocol for a randomised controlled trial of the clinical and cost effectiveness of FLEXICULT [®] informed management of uncomplicated UTI in primary care. <i>BMC Family Practice</i> , 2014 , 15, 187	2.6	16
165	Process evaluation of a point-of-care cluster randomised trial using a computer-delivered intervention to reduce antibiotic prescribing in primary care. <i>BMC Health Services Research</i> , 2014 , 14, 594	2.9	19
164	Oral corticosteroid use for clinical and cost-effective symptom relief of sore throat: study protocol for a randomized controlled trial. <i>Trials</i> , 2014 , 15, 365	2.8	2
163	Telemonitoring and self-management in the control of hypertension (TASMINH2): a cost-effectiveness analysis. <i>European Journal of Preventive Cardiology</i> , 2014 , 21, 1517-30	3.9	63
162	The role of helplines in cancer care: intertwining emotional support with information or advice-seeking needs. <i>Journal of Psychosocial Oncology</i> , 2014 , 32, 359-81	2.8	34
161	Delayed antibiotic prescribing strategies for respiratory tract infections in primary care: pragmatic, factorial, randomised controlled trial. <i>BMJ, The</i> , 2014 , 348, g1606	5.9	96
160	Medication use in European primary care patients with lower respiratory tract infection: an observational study. <i>British Journal of General Practice</i> , 2014 , 64, e81-91	1.6	11
159	Addressing the evidence to practice gap for complex interventions in primary care: a systematic review of reviews protocol. <i>BMJ Open</i> , 2014 , 4, e005548	3	13
158	GPs' management strategies for patients with insomnia: a survey and qualitative interview study. <i>British Journal of General Practice</i> , 2014 , 64, e112-9	1.6	67
157	Amoxicillin for acute lower respiratory tract infection in primary care: subgroup analysis of potential high-risk groups. <i>British Journal of General Practice</i> , 2014 , 64, e75-80	1.6	22
156	Internet-based vestibular rehabilitation for adults aged 50 years and over: a protocol for a randomised controlled trial. <i>BMJ Open</i> , 2014 , 4, e005871	3	20
155	IFITM3 and susceptibility to respiratory viral infections in the community. <i>Journal of Infectious Diseases</i> , 2014 , 209, 1028-31	7	58
154	Effect of self-monitoring and medication self-titration on systolic blood pressure in hypertensive patients at high risk of cardiovascular disease: the TASMIN-SR randomized clinical trial. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 312, 799-808	27.4	227
153	Electronic health records for intervention research: a cluster randomized trial to reduce antibiotic prescribing in primary care (eCRT study). <i>Annals of Family Medicine</i> , 2014 , 12, 344-51	2.9	56
152	Predicting out-of-office blood pressure level using repeated measurements in the clinic: an observational cohort study. <i>Journal of Hypertension</i> , 2014 , 32, 2171-8; discussion 2178	1.9	20
151	Supporting self-care for families of children with eczema with a Web-based intervention plus health care professional support: pilot randomized controlled trial. <i>Journal of Medical Internet Research</i> , 2014 , 16, e70	7.6	32
150	Does brief telephone support improve engagement with a web-based weight management intervention? Randomized controlled trial. <i>Journal of Medical Internet Research</i> , 2014 , 16, e95	7.6	61

149	Understanding usage of a hybrid website and smartphone app for weight management: a mixed-methods study. <i>Journal of Medical Internet Research</i> , 2014 , 16, e201	7.6	58
148	Alexander technique and Supervised Physiotherapy Exercises in back pain (ASPEN): a four-group randomised feasibility trial. <i>Efficacy and Mechanism Evaluation</i> , 2014 , 1, 1-82	1.7	6
147	PRImary care Streptococcal Management (PRISM) study: in vitro study, diagnostic cohorts and a pragmatic adaptive randomised controlled trial with nested qualitative study and cost-effectiveness study. <i>Health Technology Assessment</i> , 2014 , 18, vii-xxv, 1-101	4.4	25
146	Effects of internet-based training on antibiotic prescribing rates for acute respiratory-tract infections: a multinational, cluster, randomised, factorial, controlled trial. <i>Lancet, The</i> , 2013 , 382, 1175-82 ⁴⁰	4.0	262
145	Targets and self-management for the control of blood pressure in stroke and at risk groups (TASMIN-SR): protocol for a randomised controlled trial. <i>BMC Cardiovascular Disorders</i> , 2013 , 13, 21	2.3	14
144	Rationale, design and organization of the delayed antibiotic prescription (DAP) trial: a randomized controlled trial of the efficacy and safety of delayed antibiotic prescribing strategies in the non-complicated acute respiratory tract infections in general practice. <i>BMC Family Practice</i> , 2013 , 14, 68	2.6	8
143	Management of irritable bowel syndrome in primary care: the results of an exploratory randomised controlled trial of mebeverine, methylcellulose, placebo and a self-management website. <i>BMC Gastroenterology</i> , 2013 , 13, 68	3	42
142	The TARGET cohort study protocol: a prospective primary care cohort study to derive and validate a clinical prediction rule to improve the targeting of antibiotics in children with respiratory tract illnesses. <i>BMC Health Services Research</i> , 2013 , 13, 322	2.9	18
141	Therapietrouw bij antibioticagebruik voor hoestklachten in 13 Europese landen. <i>Huisarts En Wetenschap</i> , 2013 , 56, 384-387	0.1	
140	Clinical score and rapid antigen detection test to guide antibiotic use for sore throats: randomised controlled trial of PRISM (primary care streptococcal management). <i>BMJ, The</i> , 2013 , 347, f5806	5.9	75
139	Amoxicillin for acute lower-respiratory-tract infection in primary care when pneumonia is not suspected: a 12-country, randomised, placebo-controlled trial. <i>Lancet Infectious Diseases, The</i> , 2013 , 13, 123-9	25.5	152
138	Losing weight online with POWeR: a randomised controlled trial of a web-based behavioural intervention in a community setting. <i>Lancet, The</i> , 2013 , 382, S62	4.0	5
137	Antibiotics in acute non-pneumonic lower-respiratory tract infection--authors' reply. <i>Lancet Infectious Diseases, The</i> , 2013 , 13, 833-4	25.5	
136	Motor control retraining exercises for shoulder impingement: effects on function, muscle activation, and biomechanics in young adults. <i>Journal of Shoulder and Elbow Surgery</i> , 2013 , 22, e11-9	4.3	109
135	Predictors of suppurative complications for acute sore throat in primary care: prospective clinical cohort study. <i>BMJ, The</i> , 2013 , 347, f6867	5.9	50
134	PRImary care Streptococcal Management (PRISM) study: identifying clinical variables associated with Lancefield group A haemolytic streptococci and Lancefield non-Group A streptococcal throat infections from two cohorts of patients presenting with an acute sore throat. <i>BMJ Open</i> , 2013 , 3, e003943	3	21
133	A qualitative study of GP, NP and patient views about the use of rapid streptococcal antigen detection tests (RADTs) in primary care: 'swamped with sore throats?'. <i>BMJ Open</i> , 2013 , 3,	3	11
132	Identifying patients' beliefs about treatments for chronic low back pain in primary care: a focus group study. <i>British Journal of General Practice</i> , 2013 , 63, e490-8	1.6	54

131	Ibuprofen, paracetamol, and steam for patients with respiratory tract infections in primary care: pragmatic randomised factorial trial. <i>BMJ, The</i> , 2013 , 347, f6041	5.9	54
130	Diagnosing pneumonia in patients with acute cough: clinical judgment compared to chest radiography. <i>European Respiratory Journal</i> , 2013 , 42, 1076-82	13.6	58
129	Managing childhood eczema: qualitative study exploring carers' experiences of barriers and facilitators to treatment adherence. <i>Journal of Advanced Nursing</i> , 2013 , 69, 2493-501	3.1	67
128	Primary care clinicians' perceptions of antibiotic resistance: a multi-country qualitative interview study. <i>Journal of Antimicrobial Chemotherapy</i> , 2013 , 68, 237-43	5.1	41
127	Use of serum C reactive protein and procalcitonin concentrations in addition to symptoms and signs to predict pneumonia in patients presenting to primary care with acute cough: diagnostic study. <i>BMJ, The</i> , 2013 , 346, f2450	5.9	130
126	Corticosteroids for acute and subacute cough following respiratory tract infection: a systematic review. <i>Family Practice</i> , 2013 , 30, 492-500	1.9	14
125	Strategies to promote prudent antibiotic use: exploring the views of professionals who develop and implement guidelines and interventions. <i>Family Practice</i> , 2013 , 30, 88-95	1.9	13
124	The BREATHE study: Breathing REtraining for Asthma--Trial of Home Exercises. a protocol summary of a randomised controlled trial. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2013 , 22, PS1-7		12
123	Professional kinesiology practice for chronic low back pain: single-blind, randomised controlled pilot study. <i>Research in Complementary Medicine</i> , 2013 , 20, 180-8		6
122	Patient self-monitoring of blood pressure and self-titration of medication in primary care: the TASMINH2 trial qualitative study of health professionals' experiences. <i>British Journal of General Practice</i> , 2013 , 63, e378-85	1.6	29
121	Evaluation of a web-based intervention to reduce antibiotic prescribing for LRTI in six European countries: quantitative process analysis of the GRACE/INTRO randomised controlled trial. <i>Implementation Science</i> , 2013 , 8, 134	8.4	54
120	Use of PHQ-9 scores to guide treatment decisions in primary care. <i>British Journal of General Practice</i> , 2013 , 63, 405-6	1.6	1
119	Authors' reply to Bjerrum and colleagues. <i>BMJ, The</i> , 2013 , 347, f7063	5.9	
118	Are patient views about antibiotics related to clinician perceptions, management and outcome? A multi-country study in outpatients with acute cough. <i>PLoS ONE</i> , 2013 , 8, e76691	3.7	80
117	Practice, practitioner, or placebo? A multifactorial, mixed-methods randomized controlled trial of acupuncture. <i>Pain</i> , 2012 , 153, 455-462	8	83
116	General practitioners' views on the acceptability and applicability of a web-based intervention to reduce antibiotic prescribing for acute cough in multiple European countries: a qualitative study prior to a randomised trial. <i>BMC Family Practice</i> , 2012 , 13, 101	2.6	50
115	The diagnosis of urinary tract infections in young children (DUTY): protocol for a diagnostic and prospective observational study to derive and validate a clinical algorithm for the diagnosis of UTI in children presenting to primary care with an acute illness. <i>BMC Infectious Diseases</i> , 2012 , 12, 158	4	23
114	Patient centredness and the outcome of primary care consultations with patients with depression in areas of high and low socioeconomic deprivation. <i>British Journal of General Practice</i> , 2012 , 62, e576-81 ^{1.6}	1.6	32

113	Delayed antibiotic prescribing and associated antibiotic consumption in adults with acute cough. <i>British Journal of General Practice</i> , 2012 , 62, e639-46	1.6	33
112	A primary care specialist genetics service: a cluster-randomised factorial trial. <i>British Journal of General Practice</i> , 2012 , 62, e191-7	1.6	8
111	Patients' experiences of self-monitoring blood pressure and self-titration of medication: the TASMINH2 trial qualitative study. <i>British Journal of General Practice</i> , 2012 , 62, e135-42	1.6	65
110	Severity assessment for lower respiratory tract infections: potential use and validity of the CRB-65 in primary care. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2012 , 21, 65-70		8
109	Incidental chest radiographic findings in adult patients with acute cough. <i>Annals of Family Medicine</i> , 2012 , 10, 510-5	2.9	12
108	Are nurse and pharmacist independent prescribers making clinically appropriate prescribing decisions? An analysis of consultations. <i>Journal of Health Services Research and Policy</i> , 2012 , 17, 149-56	2.4	42
107	Understanding variation in primary medical care: a nine-country qualitative study of clinicians' accounts of the non-clinical factors that shape antibiotic prescribing decisions for lower respiratory tract infection. <i>BMJ Open</i> , 2012 , 2,	3	41
106	Airway obstruction and bronchodilator responsiveness in adults with acute cough. <i>Annals of Family Medicine</i> , 2012 , 10, 523-9	2.9	5
105	Development of an intervention to reduce transmission of respiratory infections and pandemic flu: measuring and predicting hand-washing intentions. <i>Psychology, Health and Medicine</i> , 2012 , 17, 59-81	2.1	32
104	Clinical influences on antibiotic prescribing decisions for lower respiratory tract infection: a nine country qualitative study of variation in care. <i>BMJ Open</i> , 2012 , 2,	3	33
103	Clinical and cost effectiveness of booklet based vestibular rehabilitation for chronic dizziness in primary care: single blind, parallel group, pragmatic, randomised controlled trial. <i>BMJ, The</i> , 2012 , 344, e2237	5.9	71
102	Effectiveness of physician-targeted interventions to improve antibiotic use for respiratory tract infections. <i>British Journal of General Practice</i> , 2012 , 62, e801-7	1.6	123
101	Incidence and clinical variables associated with streptococcal throat infections: a prospective diagnostic cohort study. <i>British Journal of General Practice</i> , 2012 , 62, e787-94	1.6	20
100	Experiences of carers managing childhood eczema and their views on its treatment: a qualitative study. <i>British Journal of General Practice</i> , 2012 , 62, e261-7	1.6	46
99	Hospital admissions from nursing homes: a qualitative study of GP decision making. <i>British Journal of General Practice</i> , 2012 , 62, e538-45	1.6	37
98	Antibiotics for acute cough: an international observational study of patient adherence in primary care. <i>British Journal of General Practice</i> , 2012 , 62, e429-37	1.6	39
97	Exploring weight loss services in primary care and staff views on using a web-based programme. <i>Journal of Innovation in Health Informatics</i> , 2012 , 20, 283-8		9
96	European Surveillance of Antimicrobial Consumption (ESAC): disease-specific quality indicators for outpatient antibiotic prescribing. <i>BMJ Quality and Safety</i> , 2011 , 20, 764-772	5.4	93

95	Combining rigour with relevance: a novel methodology for testing Chinese herbal medicine. <i>Journal of Ethnopharmacology</i> , 2011 , 134, 373-8	5	20
94	Towards clinical definitions of lower respiratory tract infection (LRTI) for research and primary care practice in Europe: an international consensus study. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2011 , 20, 299-306, 6 p following 306		17
93	Ear wax removal interventions: a systematic review and economic evaluation. <i>British Journal of General Practice</i> , 2011 , 61, e680-3	1.6	11
92	Building an international network for a primary care research program: reflections on challenges and solutions in the set-up and delivery of a prospective observational study of acute cough in 13 European countries. <i>BMC Family Practice</i> , 2011 , 12, 78	2.6	11
91	Cluster randomised trial in the General Practice Research Database: 1. Electronic decision support to reduce antibiotic prescribing in primary care (eCRT study). <i>Trials</i> , 2011 , 12, 115	2.8	23
90	A feasibility study exploring the role of Chinese herbal medicine in the treatment of endometriosis. <i>Journal of Alternative and Complementary Medicine</i> , 2011 , 17, 691-9	2.4	16
89	Using mixed methods to design a web-based behavioural intervention to reduce transmission of colds and flu. <i>Journal of Health Psychology</i> , 2011 , 16, 353-64	3.1	32
88	Antibiotic prescribing for acute respiratory tract infections in primary care: a systematic review and meta-ethnography. <i>Journal of Antimicrobial Chemotherapy</i> , 2011 , 66, 2215-23	5.1	149
87	A multi-country qualitative study of clinicians' and patients' views on point of care tests for lower respiratory tract infection. <i>Family Practice</i> , 2011 , 28, 661-9	1.9	49
86	Randomized trial of bulb syringes for earwax: impact on health service utilization. <i>Annals of Family Medicine</i> , 2011 , 9, 110-4	2.9	16
85	Evaluation of a Web-based intervention to promote hand hygiene: exploratory randomized controlled trial. <i>Journal of Medical Internet Research</i> , 2011 , 13, e107	7.6	33
84	GPs' views in five European countries of interventions to promote prudent antibiotic use. <i>British Journal of General Practice</i> , 2011 , 61, e252-61	1.6	40
83	Patients' views of receiving lessons in the Alexander technique and an exercise prescription for managing back pain in the ATEAM trial. <i>Family Practice</i> , 2010 , 27, 198-204	1.9	23
82	Treatment of acute cough/lower respiratory tract infection by antibiotic class and associated outcomes: a 13 European country observational study in primary care. <i>Journal of Antimicrobial Chemotherapy</i> , 2010 , 65, 2472-8	5.1	32
81	Communication challenges of HPV vaccination. <i>Family Practice</i> , 2010 , 27, 224-9	1.9	18
80	Cost effectiveness of management strategies for urinary tract infections: results from randomised controlled trial. <i>BMJ, The</i> , 2010 , 340, c346	5.9	26
79	Strategies for Optimal Antimicrobial Use 2010 , 345-360		
78	Participating in and delivering the ATEAM trial (Alexander technique lessons, exercise, and massage) interventions for chronic back pain: A qualitative study of professional perspectives. <i>Complementary Therapies in Medicine</i> , 2010 , 18, 119-27	3.5	18

77	Telemonitoring and self-management in the control of hypertension (TASMINH2): a randomised controlled trial. <i>Lancet, The</i> , 2010 , 376, 163-72	4.0	381
76	Telemonitoring or better follow-up? [Authors' reply. <i>Lancet, The</i> , 2010 , 376, 1737-1738	4.0	
75	Validating the prediction of lower urinary tract infection in primary care: sensitivity and specificity of urinary dipsticks and clinical scores in women. <i>British Journal of General Practice</i> , 2010 , 60, 495-500	1.6	36
74	Understanding reactions to an internet-delivered health-care intervention: accommodating user preferences for information provision. <i>BMC Medical Informatics and Decision Making</i> , 2010 , 10, 52	3.6	74
73	Developing a computer delivered, theory based intervention for guideline implementation in general practice. <i>BMC Family Practice</i> , 2010 , 11, 90	2.6	47
72	Management of irritable bowel syndrome in primary care: feasibility randomised controlled trial of mebeverine, methylcellulose, placebo and a patient self-management cognitive behavioural therapy website. (MIBS trial). <i>BMC Gastroenterology</i> , 2010 , 10, 136	3	70
71	Evaluation of a Web-based intervention providing tailored advice for self-management of minor respiratory symptoms: exploratory randomized controlled trial. <i>Journal of Medical Internet Research</i> , 2010 , 12, e66	7.6	27
70	Selective decrease in consultations and antibiotic prescribing for acute respiratory tract infections in UK primary care up to 2006. <i>Journal of Public Health</i> , 2009 , 31, 512-20	3.5	59
69	Topical intranasal corticosteroids in 4-11 year old children with persistent bilateral otitis media with effusion in primary care: double blind randomised placebo controlled trial. <i>BMJ, The</i> , 2009 , 339, b4984	5.9	32
68	Chinese herbal medicine for endometriosis. <i>Cochrane Database of Systematic Reviews</i> , 2009 , CD006568		30
67	Sore throat in primary care. <i>BMJ, The</i> , 2009 , 339, b2476	5.9	0
66	In vitro evaluation of five rapid antigen detection tests for group A beta-haemolytic streptococcal sore throat infections. <i>Family Practice</i> , 2009 , 26, 437-44	1.9	21
65	Protocol for a randomised controlled trial of telemonitoring and self-management in the control of hypertension: telemonitoring and self-management in hypertension. [ISRCTN17585681]. <i>BMC Cardiovascular Disorders</i> , 2009 , 9, 6	2.3	20
64	Antibiotica voor acute hoest: het voorschrijfgedrag van huisartsen in dertien Europese landen. <i>Huisarts En Wetenschap</i> , 2009 , 52, 571-575	0.1	1
63	An evaluation of the cost-effectiveness of booklet-based self-management of dizziness in primary care, with and without expert telephone support. <i>BMC Ear, Nose and Throat Disorders</i> , 2009 , 9, 13	8	4
62	The journey from self-care to GP care: a qualitative interview study of women presenting with symptoms of urinary tract infection. <i>British Journal of General Practice</i> , 2009 , 59, e219-25	1.6	22
61	Effect of antibiotic prescribing strategies and an information leaflet on longer-term reconsultation for acute lower respiratory tract infection. <i>British Journal of General Practice</i> , 2009 , 59, 728-34	1.6	33
60	Otitis media with effusion: the long and winding road?. <i>Archives of Disease in Childhood</i> , 2008 , 93, 268-9	2.2	4

59	Earwax. <i>British Journal of General Practice</i> , 2008 , 58, 284	1.6	
58	A review of the literature in applied and specialised kinesiology. <i>Research in Complementary Medicine</i> , 2008 , 15, 40-6		18
57	An exploratory pilot study to design and assess the credibility of a sham kinesiology treatment. <i>Complementary Medicine Research</i> , 2008 , 15, 321-6	1.3	1
56	Randomised controlled trial of Alexander technique lessons, exercise, and massage (ATEAM) for chronic and recurrent back pain. <i>BMJ, The</i> , 2008 , 337, a884	5.9	135
55	Managing earwax in primary care: efficacy of self-treatment using a bulb syringe. <i>British Journal of General Practice</i> , 2008 , 58, 44-9	1.6	17
54	Randomised controlled trial of Alexander technique lessons, exercise, and massage (ATEAM) for chronic and recurrent back pain: economic evaluation. <i>BMJ, The</i> , 2008 , 337, a2656	5.9	103
53	Predicting the duration of symptoms in lower respiratory tract infection. <i>British Journal of General Practice</i> , 2008 , 58, 88-92	1.6	8
52	Antibiotic prescribing for self limiting respiratory tract infections in primary care: summary of NICE guidance. <i>BMJ, The</i> , 2008 , 337, a437	5.9	80
51	European Surveillance of Antimicrobial Consumption (ESAC): quality indicators for outpatient antibiotic use in Europe. <i>Quality and Safety in Health Care</i> , 2007 , 16, 440-5		112
50	Chinese herbal medicine for endometriosis 2007 ,		1
49	Seeking an oracle: using the Delphi process to develop practice guidelines for the treatment of endometriosis with Chinese herbal medicine. <i>Journal of Alternative and Complementary Medicine</i> , 2007 , 13, 969-76	2.4	29
48	Recurrent pharyngo-tonsillitis. <i>BMJ, The</i> , 2007 , 334, 909	5.9	9
47	Humidified air inhalation for treating croup: a systematic review and meta-analysis. <i>Family Practice</i> , 2007 , 24, 295-301	1.9	24
46	Chronic obstructive pulmonary disease. <i>BMJ, The</i> , 2007 , 334, 798	5.9	3
45	Predictors of pain and/or fever at 3 to 7 days for children with acute otitis media not treated initially with antibiotics: a meta-analysis of individual patient data. <i>Pediatrics</i> , 2007 , 119, 579-85	7.4	39
44	Antibiotics and topical nasal steroid for treatment of acute maxillary sinusitis: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2007 , 298, 2487-96	27.4	84
43	Use of antibiotics for sore throat and incidence of quinsy. <i>British Journal of General Practice</i> , 2007 , 57, 45-9	1.6	33
42	Community acquired pneumonia in primary care. <i>BMJ, The</i> , 2006 , 332, 1045-6	5.9	7

41	Delayed prescribing--a sensible approach to the management of acute otitis media. <i>JAMA - Journal of the American Medical Association</i> , 2006 , 296, 1290-1	27.4	12
40	Antibiotics for acute otitis media: a meta-analysis with individual patient data. <i>Lancet, The</i> , 2006 , 368, 1429-35	40	234
39	A randomised controlled trial of management strategies for acute infective conjunctivitis in general practice. <i>BMJ, The</i> , 2006 , 333, 321	5.9	84
38	Feasibility and acceptability of providing nurse counsellor genetics clinics in primary care. <i>Journal of Advanced Nursing</i> , 2006 , 53, 591-604	3.1	19
37	Consultations for middle ear disease, antibiotic prescribing and risk factors for reattendance: a case-linked cohort study. <i>British Journal of General Practice</i> , 2006 , 56, 170-5	1.6	42
36	Longer term outcomes from a randomised trial of prescribing strategies in otitis media. <i>British Journal of General Practice</i> , 2006 , 56, 176-82	1.6	19
35	Developing clinical rules to predict urinary tract infection in primary care settings: sensitivity and specificity of near patient tests (dipsticks) and clinical scores. <i>British Journal of General Practice</i> , 2006 , 56, 606-12	1.6	54
34	Delayed prescribing of antibiotics for upper respiratory tract infection. <i>BMJ, The</i> , 2005 , 331, 301-2	5.9	42
33	Information leaflet and antibiotic prescribing strategies for acute lower respiratory tract infection: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 293, 3029-35	27.4	173
32	Importance of patient pressure and perceived pressure and perceived medical need for investigations, referral, and prescribing in primary care: nested observational study. <i>BMJ, The</i> , 2004 , 328, 444	5.9	200
31	Impact of the introduction of fee for service payments on types of minor surgical procedures undertaken by general practitioners: observational study. <i>Journal of Public Health</i> , 2004 , 26, 264-7	3.5	7
30	Advice to parents has limited effect--where next?. <i>BMJ, The</i> , 2004 , 329, 269	5.9	1
29	Watchful waiting is useful for children with recurrent throat infections. <i>BMJ, The</i> , 2004 , 329, 654	5.9	1
28	Randomised controlled factorial trial of dietary advice for patients with a single high blood pressure reading in primary care. <i>BMJ, The</i> , 2004 , 328, 1054	5.9	43
27	Randomised controlled trial of effect of leaflets to empower patients in consultations in primary care. <i>BMJ, The</i> , 2004 , 328, 441	5.9	66
26	Management of earwax in primary care--postal survey of UK GPs and practice nurses. <i>Family Practice</i> , 2004 , 21, 413-4	1.9	7
25	Community-acquired pneumonia mortality: a potential link to antibiotic prescribing trends in general practice. <i>Respiratory Medicine</i> , 2004 , 98, 17-24	4.6	55
24	A randomised controlled trial of three pragmatic approaches to initiate increased physical activity in sedentary patients with risk factors for cardiovascular disease. <i>British Journal of General Practice</i> , 2004 , 54, 189-95	1.6	35

23	Continuing professional development (CPD): GPs' perceptions of post-graduate education-approved (PGEA) meetings and personal professional development plans (PDPs). <i>Family Practice</i> , 2003 , 20, 192-8	1.9	14
22	Why do general practitioners prescribe antibiotics for sore throat? Grounded theory interview study. <i>BMJ, The</i> , 2003 , 326, 138	5.9	195
21	A qualitative study of patients' perceptions of acute infective conjunctivitis. <i>British Journal of General Practice</i> , 2003 , 53, 36-41	1.6	15
20	Comparison of agreement between different measures of blood pressure in primary care and daytime ambulatory blood pressure. <i>BMJ, The</i> , 2002 , 325, 254	5.9	115
19	Predictors of poor outcome and benefits from antibiotics in children with acute otitis media: pragmatic randomised trial. <i>BMJ, The</i> , 2002 , 325, 22; discussion 22	5.9	40
18	How do GPs diagnose and manage acute infective conjunctivitis? A GP survey. <i>Family Practice</i> , 2002 , 19, 658-60	1.9	55
17	Comparison of acceptability of and preferences for different methods of measuring blood pressure in primary care. <i>BMJ, The</i> , 2002 , 325, 258-9	5.9	108
16	The back home trial: general practitioner-supported leaflets may change back pain behavior. <i>Spine</i> , 2002 , 27, 1821-8	3.3	39
15	Antibiotic prescribing and admissions with major suppurative complications of respiratory tract infections: a data linkage study. <i>British Journal of General Practice</i> , 2002 , 52, 187-90, 193	1.6	48
14	Where next with antibiotics and respiratory tract infections?. <i>Journal of Family Practice</i> , 2002 , 51, 337-8	0.2	2
13	Randomised controlled trial of self management leaflets and booklets for minor illness provided by post. <i>BMJ: British Medical Journal</i> , 2001 , 322, 1214-6, 1217		41
12	Pragmatic randomised controlled trial of two prescribing strategies for childhood acute otitis media. <i>BMJ: British Medical Journal</i> , 2001 , 322, 336-42		232
11	Observational study of effect of patient centredness and positive approach on outcomes of general practice consultations. <i>BMJ: British Medical Journal</i> , 2001 , 323, 908-11		563
10	Validation study of a diary for use in acute lower respiratory tract infection. <i>Family Practice</i> , 2001 , 18, 553-4	1.9	56
9	Preferences of patients for patient centred approach to consultation in primary care: observational study. <i>BMJ: British Medical Journal</i> , 2001 , 322, 468-72		404
8	Should we give detailed advice and information booklets to patients with back pain? A randomized controlled factorial trial of a self-management booklet and doctor advice to take exercise for back pain. <i>Spine</i> , 2001 , 26, 2065-72	3.3	45
7	Effect of educational leaflets and questions on knowledge of contraception in women taking the combined contraceptive pill: randomised controlled trial. <i>BMJ: British Medical Journal</i> , 1998 , 316, 1948-52		75
6	Dietary and exercise assessment in general practice. <i>Family Practice</i> , 1996 , 13, 477-82	1.9	12

5	Sore throat management in general practice. <i>Family Practice</i> , 1996 , 13, 317-21	1.9	53
4	General practitioners' management of acute back pain: a survey of reported practice compared with clinical guidelines. <i>BMJ: British Medical Journal</i> , 1996 , 312, 485-8		61
3	Self screening for risk of melanoma: validity of self mole counting by patients in a single general practice. <i>BMJ: British Medical Journal</i> , 1995 , 310, 912-6		31
2	Infection Control Behavior at Home During the COVID-19 Pandemic: Observational Study of a Web-Based Behavioral Intervention (Germ Defence) (Preprint)		1
1	Effectiveness of digital interventions to improve household and community infection prevention and control behaviours and to reduce incidence of respiratory and/or gastro-intestinal infections: A rapid systematic review		2