Yazan Alrefaei

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8936002/publications.pdf

Version: 2024-02-01

713013 430442 1,067 21 18 21 citations h-index g-index papers 21 21 21 665 all docs docs citations times ranked citing authors

| # | Article | IF | CITATIONS |
|----|---|-------------|-----------|
| 1 | Silico-Aluminophosphate and Alkali-Aluminosilicate Geopolymers: A Comparative Review. Frontiers in Materials, 2019, 6, . | 1.2 | 125 |
| 2 | Tensile behavior and microstructure of hybrid fiber ambient cured one-part engineered geopolymer composites. Construction and Building Materials, 2018, 184, 419-431. | 3.2 | 124 |
| 3 | The effectiveness of different superplasticizers in ambient cured one-part alkali activated pastes. Cement and Concrete Composites, 2019, 97, 166-174. | 4.6 | 104 |
| 4 | Influence of coal fly ash on the early performance enhancement and formation mechanisms of silico-aluminophosphate geopolymer. Cement and Concrete Research, 2020, 127, 105932. | 4.6 | 76 |
| 5 | Shear strength of longitudinally reinforced recycled aggregate concrete beams. Engineering Structures, 2017, 145, 273-282. | 2.6 | 71 |
| 6 | The bond between geopolymer repair mortars and OPC concrete substrate: Strength and microscopic interactions. Cement and Concrete Composites, 2021, 119, 103991. | 4.6 | 65 |
| 7 | Effect of superplasticizers on properties of one-part Ca(OH)2/Na2SO4 activated geopolymer pastes. Construction and Building Materials, 2020, 241, 117990. | 3.2 | 53 |
| 8 | Artificial alkali-activated aggregates developed from wastes and by-products: A state-of-the-art review. Resources, Conservation and Recycling, 2022, 177, 105971. | 5.3 | 51 |
| 9 | Experimental study on full-volume fly ash geopolymer mortars: Sintered fly ash versus sand as fine aggregates. Journal of Cleaner Production, 2020, 263, 121445. | 4.6 | 46 |
| 10 | Shear strength of recycled aggregate concrete beams containing stirrups. Construction and Building Materials, 2018, 191, 866-876. | 3.2 | 45 |
| 11 | Reduce VOCs and PM emissions of warm-mix asphalt using geopolymer additives. Construction and Building Materials, 2020, 244, 118338. | 3. 2 | 41 |
| 12 | Recent advances in molecular dynamics simulation of the N-A-S-H geopolymer system: modeling, structural analysis, and dynamics. Construction and Building Materials, 2021, 276, 122196. | 3.2 | 41 |
| 13 | A preliminary study on capsule-based self-healing grouting materials for grouted splice sleeve connection. Construction and Building Materials, 2018, 170, 418-423. | 3.2 | 39 |
| 14 | Effect of mixing method on the performance of alkali-activated fly ash/slag pastes along with polycarboxylate admixture. Cement and Concrete Composites, 2021, 117, 103917. | 4.6 | 39 |
| 15 | Improvement of early-age properties of silico-aluminophosphate geopolymer using dead burnt magnesia. Construction and Building Materials, 2019, 217, 1-11. | 3.2 | 31 |
| 16 | Roles of hybrid activators in improving the early-age properties of one-part geopolymer pastes. Construction and Building Materials, 2021, 306, 124880. | 3.2 | 31 |
| 17 | Effect of sand content on bond performance of engineered geopolymer composites (EGC) repair material. Construction and Building Materials, 2022, 328, 127080. | 3.2 | 29 |
| 18 | Shear Strength of Beams Made Using Hybrid Fiber–Engineered Cementitious Composites. Journal of Structural Engineering, 2018, 144, . | 1.7 | 25 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Effects of delayed addition of polycarboxylate ether on one-part alkali-activated fly ash/slag pastes: Adsorption, reaction kinetics, and rheology. Construction and Building Materials, 2022, 323, 126611. | 3.2 | 14 |
| 20 | Deflection hardening behavior and elastic modulus of one-part hybrid fiber-reinforced geopolymer composites. Journal of Asian Concrete Federation, 2019, 5, 37-51. | 0.8 | 11 |
| 21 | Effects of Solid Activator and Fly Ash on Rheology and Thixotropy of One-Part Alkali-Activated Pastes. Journal of Advanced Concrete Technology, 2022, 20, 139-151. | 0.8 | 6 |