

Peter Vee Sin Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8936432/publications.pdf>

Version: 2024-02-01

135
papers

4,068
citations

117625

34
h-index

138484

58
g-index

138
all docs

138
docs citations

138
times ranked

4164
citing authors

#	ARTICLE	IF	CITATIONS
1	Glenohumeral joint reconstruction using statistical shape modeling. <i>Biomechanics and Modeling in Mechanobiology</i> , 2022, 21, 249-259.	2.8	8
2	Influence of the geometric and material properties of lumbar endplate on lumbar interbody fusion failure: a systematic review. <i>Journal of Orthopaedic Surgery and Research</i> , 2022, 17, 224.	2.3	11
3	Surface area to volume ratio, not cellular viscoelasticity, is the major determinant of red blood cell traversal through small channels. <i>Cellular Microbiology</i> , 2021, 23, e13270.	2.1	22
4	Bone Measures by Dual-Energy X-Ray Absorptiometry and Peripheral Quantitative Computed Tomography in Young Women With Type 1 Diabetes Mellitus. <i>Journal of Clinical Densitometry</i> , 2021, 24, 259-267.	1.2	8
5	Loss of bone density and bone strength following premenopausal risk-reducing bilateral salpingo-oophorectomy: a prospective controlled study (WHAM Study). <i>Osteoporosis International</i> , 2021, 32, 101-112.	3.1	9
6	Low-Profile Electromagnetic Field Sensors in the Measurement and Modelling of Three-Dimensional Jaw Kinematics and Occlusal Loading. <i>Annals of Biomedical Engineering</i> , 2021, 49, 1561-1571.	2.5	5
7	Unconventional acoustic approaches for localized and designed micromanipulation. <i>Lab on A Chip</i> , 2021, 21, 2837-2856.	6.0	36
8	Effect of Prophylactic Knee Bracing on Anterior Cruciate Ligament Agonist and Antagonist Muscle Forces During Perturbed Walking. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712098164.	1.7	2
9	Biomechanical and cognitive interactions during Visuo Motor Targeting Task. <i>Gait and Posture</i> , 2021, 86, 287-291.	1.4	3
10	Specimen-specific fracture risk curves of lumbar vertebrae under dynamic axial compression. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2021, 118, 104457.	3.1	4
11	High-throughput microfluidic compressibility cytometry using multi-tilted-angle surface acoustic wave. <i>Lab on A Chip</i> , 2021, 21, 2812-2824.	6.0	16
12	Complications of Reverse Total Shoulder Arthroplasty: A Computational Modelling Perspective. <i>Journal of Clinical Medicine</i> , 2021, 10, 5336.	2.4	6
13	Microfluidic acoustic sawtooth metasurfaces for patterning and separation using traveling surface acoustic waves. <i>Lab on A Chip</i> , 2021, 22, 90-99.	6.0	15
14	The relationship between microstructure, stiffness and compressive fatigue life of equine subchondral bone. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2020, 101, 103439.	3.1	12
15	Peripheral quantitative computed tomography (pQCT)-based finite element analysis provides enhanced diagnostic performance in identifying non-vertebral fracture patients compared with dual-energy X-ray absorptiometry. <i>Osteoporosis International</i> , 2020, 31, 141-151.	3.1	9
16	A method for fatigue testing of equine McIII subchondral bone under a simulated fast workout training programme. <i>Equine Veterinary Journal</i> , 2020, 52, 332-335.	1.7	5
17	Gait compensatory mechanisms in unilateral transfemoral amputees. <i>Medical Engineering and Physics</i> , 2020, 77, 95-106.	1.7	38
18	Effects of in vivo fatigue-induced subchondral bone microdamage on the mechanical response of cartilage-bone under a single impact compression. <i>Journal of Biomechanics</i> , 2020, 100, 109594.	2.1	6

#	ARTICLE	IF	CITATIONS
19	Fatigue behavior of subchondral bone under simulated physiological loads of equine athletic training. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2020, 110, 103920.	3.1	8
20	Measurement of normal and pathological mandibular and temporomandibular joint kinematics: A systematic review. <i>Journal of Biomechanics</i> , 2020, 111, 109994.	2.1	19
21	Anterior cruciate ligament agonist and antagonist muscle force differences between males and females during perturbed walking. <i>Journal of Biomechanics</i> , 2020, 110, 109971.	2.1	10
22	Individual muscle contributions to hip joint-contact forces during walking in unilateral transfemoral amputees with osseointegrated prostheses. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2020, 23, 1071-1081.	1.6	12
23	Distribution of mechanical strain in equine distal metacarpal subchondral bone: A microCT-based finite element model. <i>Medicine in Novel Technology and Devices</i> , 2020, 6, 100036.	1.6	3
24	On-chip surface acoustic wave and micropipette aspiration techniques to assess cell elastic properties. <i>Biomicrofluidics</i> , 2020, 14, 014114.	2.4	12
25	Effect of sitting posture on pelvic injury risk under vertical loading. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2020, 108, 103780.	3.1	6
26	Occlusion of the lumbar spine canal during high-rate axial compression. <i>Spine Journal</i> , 2020, 20, 1692-1704.	1.3	2
27	Load response of the natural tooth and dental implant: A comparative biomechanics study. <i>Journal of Advanced Prosthodontics</i> , 2019, 11, 169.	2.6	21
28	Cortical and Trabecular Bone Fracture Characterisation in the Vertebral Body Using Acoustic Emission. <i>Annals of Biomedical Engineering</i> , 2019, 47, 2384-2401.	2.5	3
29	Predicting experimentally-derived failure load at the distal radius using finite element modelling based on peripheral quantitative computed tomography cross-sections (pQCT-FE): A validation study. <i>Bone</i> , 2019, 129, 115051.	2.9	7
30	Bone Health in Rats With Temporal Lobe Epilepsy in the Absence of Anti-Epileptic Drugs. <i>Frontiers in Pharmacology</i> , 2019, 10, 1278.	3.5	4
31	An Investigation of Pressure Profiles and Wearer Comfort During Walking With a Transtibial Hydrocast Socket. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2019, 98, 199-206.	1.4	7
32	On-chip cell mechanophenotyping using phase modulated surface acoustic wave. <i>Biomicrofluidics</i> , 2019, 13, 024107.	2.4	17
33	Shock absorbing ability in healthy and damaged cartilage-bone under high-rate compression. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2019, 90, 388-394.	3.1	16
34	The application of finite element modelling based on clinical pQCT for classification of fracture status. <i>Biomechanics and Modeling in Mechanobiology</i> , 2019, 18, 245-260.	2.8	8
35	The role of a composite polycarbonate-aerogel face shield in protecting the human brain from blast-induced injury: A fluid-structure interaction (FSI) study. <i>Journal of Sandwich Structures and Materials</i> , 2019, 21, 2484-2511.	3.5	8
36	Modulation of shoulder muscle and joint function using a powered upper-limb exoskeleton. <i>Journal of Biomechanics</i> , 2018, 72, 7-16.	2.1	20

#	ARTICLE	IF	CITATIONS
37	Lumbar model generator: a tool for the automated generation of a parametric scalable model of the lumbar spine. <i>Journal of the Royal Society Interface</i> , 2018, 15, 20170829.	3.4	30
38	Blast resistance of auxetic and honeycomb sandwich panels: Comparisons and parametric designs. <i>Composite Structures</i> , 2018, 183, 242-261.	5.8	298
39	Biomechanical testing of the calcified metacarpal articular surface and its association with subchondral bone microstructure in Thoroughbred racehorses. <i>Equine Veterinary Journal</i> , 2018, 50, 255-260.	1.7	6
40	Computational modeling of single-cell mechanics and cytoskeletal mechanobiology. <i>Wiley Interdisciplinary Reviews: Systems Biology and Medicine</i> , 2018, 10, e1407.	6.6	36
41	A new three-dimensional, print-on-demand temporomandibular prosthetic total joint replacement system: Preliminary outcomes. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2018, 46, 1192-1198.	1.7	36
42	Stiffness and energy dissipation across the superficial and deeper third metacarpal subchondral bone in Thoroughbred racehorses under high-rate compression. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2018, 85, 51-56.	3.1	12
43	Design and clinical outcome of a novel 3D-printed prosthetic joint replacement for the human temporomandibular joint. <i>Clinical Biomechanics</i> , 2018, 56, 52-60.	1.2	39
44	Casein Kinase 1 γ Inhibitor, PF670462 Attenuates the Fibrogenic Effects of Transforming Growth Factor- β 2 in Pulmonary Fibrosis. <i>Frontiers in Pharmacology</i> , 2018, 9, 738.	3.5	28
45	A novel computational method to determine subject-specific bite force and occlusal loading during mastication. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2018, 21, 453-460.	1.6	14
46	The functional, spatio-temporal and satisfaction outcomes of transtibial amputees with a hydrocast socket following an extended usage period in an under-resourced environment. <i>Gait and Posture</i> , 2018, 66, 88-93.	1.4	5
47	Three-dimensional modelling of auxetic sandwich panels for localised impact resistance. <i>Journal of Sandwich Structures and Materials</i> , 2017, 19, 291-316.	3.5	183
48	Subchondral bone microarchitecture and failure mechanism under compression: A finite element study. <i>Journal of Biomechanics</i> , 2017, 55, 85-91.	2.1	8
49	A personalized 3D-printed prosthetic joint replacement for the human temporomandibular joint: From implant design to implantation. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2017, 69, 404-411.	3.1	138
50	Modelling apical columnar epithelium mechanics from circumferential contractile fibres. <i>Biomechanics and Modeling in Mechanobiology</i> , 2017, 16, 1555-1568.	2.8	0
51	Microstructure Variations in the Soft-Hard Tissue Junction of the Human Anterior Cruciate Ligament. <i>Anatomical Record</i> , 2017, 300, 1547-1559.	1.4	26
52	Annexin A2 contributes to lung injury and fibrosis by augmenting factor Xa fibrogenic activity. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2017, 312, L772-L782.	2.9	30
53	The sensitivity of shoulder muscle and joint force predictions to changes in joint kinematics: A Monte-Carlo analysis. <i>Gait and Posture</i> , 2017, 54, 87-92.	1.4	12
54	Transtibial Prosthetic Socket Shape in a Developing Country: A study to compare initial outcomes in Pressure Cast hydrostatic and Patella Tendon Bearing designs. <i>Gait and Posture</i> , 2017, 58, 363-368.	1.4	10

#	ARTICLE	IF	CITATIONS
55	Antagonist muscle co-contraction during a double-leg landing maneuver at two heights. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2017, 20, 1382-1393.	1.6	8
56	Strategies towards rapid generation of forefoot model incorporating realistic geometry of metatarsals encapsulated into lumped soft tissues for personalized finite element analysis. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2017, 20, 1421-1430.	1.6	5
57	Effects of stimulated aggrecanlysis on nanoscale morphological and mechanical properties of wild-type and aggrecanase-resistant mutant mice cartilages. <i>European Physical Journal E</i> , 2017, 40, 72.	1.6	4
58	Preface: molecular, cellular, and tissue mechanobiology. <i>Acta Mechanica Sinica/Lixue Xuebao</i> , 2017, 33, 219-221.	3.4	8
59	The effect of leg dominance and landing height on ACL loading among female athletes. <i>Journal of Biomechanics</i> , 2017, 60, 181-187.	2.1	31
60	Validation of an open-sourced strain analysis code to assess fragility in 3D-printed porous structures designed for low-rigidity medical implants. , 2017, , .		0
61	The use of laboratory gait analysis for understanding gait deterioration in people with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2016, 22, 1768-1776.	3.0	57
62	Equine subchondral bone failure threshold under impact compression applied through articular cartilage. <i>Journal of Biomechanics</i> , 2016, 49, 2053-2059.	2.1	9
63	Effects of Prophylactic Knee Bracing on Lower Limb Kinematics, Kinetics, and Energetics During Double-Leg Drop Landing at 2 Heights. <i>American Journal of Sports Medicine</i> , 2016, 44, 1753-1761.	4.2	15
64	Failure Analysis of an Additive Manufactured Porous Titanium Structure for Orthopedic Implant Applications. <i>Materials Science Forum</i> , 2016, 863, 45-49.	0.3	10
65	Subject-specific musculoskeletal modeling in the evaluation of shoulder muscle and joint function. <i>Journal of Biomechanics</i> , 2016, 49, 3626-3634.	2.1	85
66	Prophylactic knee bracing alters lower-limb muscle forces during a double-leg drop landing. <i>Journal of Biomechanics</i> , 2016, 49, 3347-3354.	2.1	20
67	Lattice Ti structures with low rigidity but compatible mechanical strength: Design of implant materials for trabecular bone. <i>International Journal of Precision Engineering and Manufacturing</i> , 2016, 17, 793-799.	2.2	26
68	Cellular Biomechanics in Drug Screening and Evaluation: Mechanopharmacology. <i>Trends in Pharmacological Sciences</i> , 2016, 37, 87-100.	8.7	50
69	A numerical study of auxetic composite panels under blast loadings. <i>Composite Structures</i> , 2016, 135, 339-352.	5.8	284
70	Restrained tibial rotation may prevent ACL injury during landing at different flexion angles. <i>Knee</i> , 2015, 22, 24-29.	1.6	9
71	Plantar pressure relief under the metatarsal heads “Therapeutic insole design using three-dimensional finite element model of the foot. <i>Journal of Biomechanics</i> , 2015, 48, 659-665.	2.1	57
72	A cruciate suture technique for rotator cuff repair. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 619-626.	4.2	10

#	ARTICLE	IF	CITATIONS
73	Prosthesis Loading After Temporomandibular Joint Replacement Surgery: A Musculoskeletal Modeling Study. <i>Journal of Biomechanical Engineering</i> , 2015, 137, 041001.	1.3	38
74	Explicit finite element modelling of heel pad mechanics in running: inclusion of body dynamics and application of physiological impact loads. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2015, 18, 1582-1595.	1.6	17
75	GS11-1 RAPID CONSTRUCTION OF ANATOMICALLY-ACCURATE MODEL OF THE HUMAN FOOT FOR SUBJECT-SPECIFIC FINITE ELEMENT ANALYSIS(GS11: Computational Biomechanics). <i>The Proceedings of the Asian Pacific Conference on Biomechanics Emerging Science and Technology in Biomechanics</i> , 2015, 2015.8, 215.	0.0	0
76	Pressure casting technique for transtibial prosthetic socket fit in developing countries. <i>Journal of Rehabilitation Research and Development</i> , 2014, 51, 101-110.	1.6	8
77	Bone fatigue and its implications for injuries in racehorses. <i>Equine Veterinary Journal</i> , 2014, 46, 408-415.	1.7	84
78	The in vivo plantar soft tissue mechanical property under the metatarsal head: implications of tissues ³ joint-angle dependent response in foot finite element modeling. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2014, 40, 264-274.	3.1	19
79	Motion planning for underactuated bipedal mechanisms with kinematic constraints. , 2013, , .		1
80	Transforming Growth Factor β 2-Induced Differentiation of Airway Smooth Muscle Cells Is Inhibited by Fibroblast Growth Factor β 2. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2013, 48, 346-353.	2.9	45
81	Shock absorbing ability of articular cartilage and subchondral bone under impact compression. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2013, 26, 127-135.	3.1	51
82	Compressive fatigue life of subchondral bone of the metacarpal condyle in thoroughbred racehorses. <i>Bone</i> , 2013, 57, 392-398.	2.9	25
83	Contributions of the Soleus and Gastrocnemius muscles to the anterior cruciate ligament loading during single-leg landing. <i>Journal of Biomechanics</i> , 2013, 46, 1913-1920.	2.1	102
84	Quasi-static Compressive and Tensile Tests on Cancellous Bone in Human Cervical Spine. <i>Conference Proceedings of the Society for Experimental Mechanics</i> , 2013, , 109-118.	0.5	1
85	Non-linear flexion relationships of the knee with the hip and ankle, and their relative postures during landing. <i>Knee</i> , 2011, 18, 323-328.	1.6	16
86	Shod landing provides enhanced energy dissipation at the knee joint relative to barefoot landing from different heights. <i>Knee</i> , 2011, 18, 407-411.	1.6	22
87	An investigation of lower extremity energy dissipation strategies during single-leg and double-leg landing based on sagittal and frontal plane biomechanics. <i>Human Movement Science</i> , 2011, 30, 624-635.	1.4	109
88	A technique to prescribe a vertical acceleration-time load on the human head-neck complex. <i>International Journal of Impact Engineering</i> , 2011, 38, 707-714.	5.0	2
89	Correlation of axial impact forces with knee joint forces and kinematics during simulated ski-landing. <i>Journal of Sports Sciences</i> , 2011, 29, 1143-1151.	2.0	8
90	Direct contribution of axial impact compressive load to anterior tibial load during simulated ski landing impact. <i>Journal of Biomechanics</i> , 2010, 43, 242-247.	2.1	9

#	ARTICLE	IF	CITATIONS
91	Effects of internal stress concentrations in plantar soft-tissueâ€”A preliminary three-dimensional finite element analysis. Medical Engineering and Physics, 2010, 32, 324-331.	1.7	106
92	Sagittal knee joint kinematics and energetics in response to different landing heights and techniques. Knee, 2010, 17, 127-131.	1.6	89
93	Extent and distribution of tibial osteochondral disruption during simulated landing impact with axial tibial rotation restraint. Journal of Biomechanics, 2010, 43, 2010-2016.	2.1	1
94	A novel gait platform to measure isolated plantar metatarsal forces during walking. Journal of Biomechanics, 2010, 43, 2017-2021.	2.1	25
95	Tibial Cartilage Damage and Deformation at Peak Displacement Compression during Simulated Landing Impact. American Journal of Sports Medicine, 2010, 38, 816-823.	4.2	7
96	Fast Tool for Evaluation of Iliac Crest Tissue Elastic Properties Using the Reduced-Basis Methods. Journal of Biomechanical Engineering, 2010, 132, 121009.	1.3	3
97	Effect of an anterior-sloped brace joint on anterior tibial translation and axial tibial rotation: A motion analysis study. Clinical Biomechanics, 2010, 25, 1025-1030.	1.2	6
98	Understanding Anterior Cruciate Ligament Injury Due to Drop Landing: Effects of Different Landing Techniques and Musclesâ€™ Action at the Knee Joint. IFMBE Proceedings, 2010, , 171-173.	0.3	1
99	Inhibition of Anterior Tibial Translation or Axial Tibial Rotation Prevents Anterior Cruciate Ligament Failure during Impact Compression. American Journal of Sports Medicine, 2009, 37, 813-821.	4.2	15
100	Regression relationships of landing height with ground reaction forces, knee flexion angles, angular velocities and joint powers during double-leg landing. Knee, 2009, 16, 381-386.	1.6	57
101	Damage and degenerative changes in menisciâ€”covered and exposed tibial osteochondral regions after simulated landing impact compressionâ€”a porcine study. Journal of Orthopaedic Research, 2009, 27, 1100-1108.	2.3	16
102	Repeated application of incremental landing impact loads to intact knee joints induces anterior cruciate ligament failure and tibiofemoral cartilage deformation and damage: A preliminary cadaveric investigation. Journal of Biomechanics, 2009, 42, 972-981.	2.1	13
103	Effect of landing height on frontal plane kinematics, kinetics and energy dissipation at lower extremity joints. Journal of Biomechanics, 2009, 42, 1967-1973.	2.1	68
104	Investigation of Plantar Barefoot Pressure and Soft-tissue Internal Stress: A Three-Dimensional Finite Element Analysis. IFMBE Proceedings, 2009, , 1817-1820.	0.3	2
105	Impact-induced osteochondral fracture in the tibial plateau. Journal of Biomechanics, 2008, 41, 1236-1242.	2.1	10
106	Anterior Cruciate Ligament Failure and Cartilage Damage during Knee Joint Compression. American Journal of Sports Medicine, 2008, 36, 934-942.	4.2	43
107	Pathomechanics of Post-traumatic Knee Injuries. IFMBE Proceedings, 2008, , 13-17.	0.3	0
108	CFD Simulations of Flows in Valveless Micropumps. Engineering Applications of Computational Fluid Mechanics, 2007, 1, 181-188.	3.1	22

#	ARTICLE	IF	CITATIONS
109	Synthesis and characterization of p-toluenesulfonate incorporated poly(3,4-ethylenedioxythiophene). <i>Talanta</i> , 2007, 72, 532-538.	5.5	29
110	Stationary current generated from photocycle of a hybrid bacteriorhodopsin/quantum dot bionanosystem. <i>Applied Physics Letters</i> , 2007, 91, 223901.	3.3	41
111	Biocatalytic Generation of Ppy-Enzyme-CNT Nanocomposite: From Network Assembly to Film Growth. <i>Journal of Physical Chemistry C</i> , 2007, 111, 2025-2031.	3.1	59
112	Preparation of nano-tentacle polypyrrole with pseudo-molecular template for ATP incorporation. <i>Journal of Biomedical Materials Research - Part A</i> , 2007, 80A, 925-931.	4.0	31
113	Finite element analysis of moment-rotation relationships for human cervical spine. <i>Journal of Biomechanics</i> , 2006, 39, 189-193.	2.1	151
114	Investigation of thoracolumbar T12-L1 burst fracture mechanism using finite element method. <i>Medical Engineering and Physics</i> , 2006, 28, 656-664.	1.7	54
115	A Technique for Dynamic Tensile Testing of Human Cervical Spine Ligaments. <i>Experimental Mechanics</i> , 2006, 46, 77-89.	2.0	42
116	Electrochemical Detection of Nitric Oxide on a SWCNT/RTIL Composite Gel Microelectrode. <i>Electroanalysis</i> , 2006, 18, 713-718.	2.9	100
117	Modified Bilston Nonlinear Viscoelastic Model for Finite Element Head Injury Studies. <i>Journal of Biomechanical Engineering</i> , 2006, 128, 797-801.	1.3	65
118	Optically tunable hydrogel biosensor material. , 2006, 6218, 149.		1
119	The influence of GFP-actin expression on the adhesion dynamics of HepG2 cells on a model extracellular matrix. <i>Biomaterials</i> , 2005, 26, 5348-5358.	11.4	23
120	Characterisation of the dynamic compressive mechanical properties of cancellous bone from the human cervical spine. <i>International Journal of Impact Engineering</i> , 2005, 32, 525-540.	5.0	64
121	Development of an integrated CAD-FEA process for below-knee prosthetic sockets. <i>Clinical Biomechanics</i> , 2005, 20, 623-629.	1.2	43
122	EFFECT OF MUSCLES ACTIVATION ON HEAD-NECK COMPLEX UNDER SIMULATED EJECTION. <i>Journal of Musculoskeletal Research</i> , 2004, 08, 155-165.	0.2	6
123	Statistical factorial analysis on the material property sensitivity of the mechanical responses of the C4-C6 under compression, anterior and posterior shear. <i>Journal of Biomechanics</i> , 2004, 37, 771-777.	2.1	44
124	Comparative study between patellar-tendon-bearing and pressure cast prosthetic sockets. <i>Journal of Rehabilitation Research and Development</i> , 2004, 41, 491.	1.6	32
125	NEW METHODS AND MATERIALS IN PROSTHETICS FOR REHABILITATION OF LOWER LIMB AMPUTEES. <i>Biomaterials Engineering and Processing Series</i> , 2004, , 10-1-10-20.	0.0	0
126	Stump/socket pressure profiles of the pressure cast prosthetic socket. <i>Clinical Biomechanics</i> , 2003, 18, 237-243.	1.2	34

#	ARTICLE	IF	CITATIONS
127	Static and dynamic pressure profiles of a patellar-tendon-bearing (PTB) socket. Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine, 2003, 217, 121-126.	1.8	16
128	Structural integrity of polypropylene prosthetic sockets manufactured using the polymer deposition technique. Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine, 2002, 216, 359-368.	1.8	37
129	Prosthetic sockets fabrication using rapid prototyping technology. Rapid Prototyping Journal, 2002, 8, 53-59.	3.2	50
130	Neck muscle strength across the sagittal and coronal planes: an isometric study. Clinical Biomechanics, 2002, 17, 545-547.	1.2	52
131	Technical note. Prosthetics and Orthotics International, 2000, 24, 241-245.	1.0	25
132	Automatic segmentation of magnetic resonance images of the trans-femoral residual limb. Medical Engineering and Physics, 1999, 20, 756-763.	1.7	10
133	Influences of Material and Geometry in the Performance of Auxetic Composite Structure under Blast Loading. Applied Mechanics and Materials, 0, 846, 476-481.	0.2	15
134	Generation of hemipelvis surface geometry based on statistical shape modelling and contralateral mirroring. Biomechanics and Modeling in Mechanobiology, 0, , .	2.8	3
135	Biomechanical and Microstructural Properties of Subchondral Bone From Three Metacarpophalangeal Joint Sites in Thoroughbred Racehorses. Frontiers in Veterinary Science, 0, 9, .	2.2	3