

Enrique Rodilla

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8937840/enrique-rodilla-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84
papers

2,423
citations

18
h-index

48
g-index

120
ext. papers

3,026
ext. citations

2.5
avg, IF

4.35
L-index

#	Paper	IF	Citations
84	Twenty-Four-Hour Central (Aortic) Systolic Blood Pressure: Reference Values and Dipping Patterns in Untreated Individuals. <i>Hypertension</i> , 2022 , 79, 251-260	8.5	2
83	The Impact of a Web-Based Lifestyle Educational Program (Living Better) Reintervention on Hypertensive Overweight or Obese Patients. <i>Nutrients</i> , 2022 , 14, 2235	6.7	1
82	Impact of Arterial Stiffness on All-Cause Mortality in Patients Hospitalized With COVID-19 in Spain. <i>Hypertension</i> , 2021 , 77, 856-867	8.5	21
81	2021 Spanish Society of Hypertension position statement about telemedicine. <i>Hipertension Y Riesgo Vascular</i> , 2021 , 38, 186-196	0.5	0
80	Brachial-ankle pulse wave velocity with a custom device. <i>Revista Clínica Española</i> , 2021 , 221, 145-150	0.5	
79	May Measurement Month 2019: The Global Blood Pressure Screening Campaign of the International Society of Hypertension. <i>Hypertension</i> , 2020 , 76, 333-341	8.5	99
78	Clinical ultrasonography in cardiovascular risk. <i>Revista Clínica Española</i> , 2020 , 220, 364-373	0.5	
77	Impact of a Web-Based Exercise and Nutritional Education Intervention in Patients Who Are Obese With Hypertension: Randomized Wait-List Controlled Trial. <i>Journal of Medical Internet Research</i> , 2020 , 22, e14196	7.6	13
76	Association of Hypertension with All-Cause Mortality among Hospitalized Patients with COVID-19. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	46
75	Clinical ultrasonography in cardiovascular risk. <i>Revista Clínica Española</i> , 2020 , 220, 364-373	0.7	
74	Have the Government's prescription algorithm and the 2013 American College of Cardiology/American Heart Association guidelines for managing dyslipidaemia influenced the management of dyslipidaemia? The MEJORALO-CV Project. <i>Revista Clínica Española</i> , 2020 , 220, 282-289	0.7	0
73	May Measurement Month 2018: an analysis of blood pressure screening results from Spain. <i>European Heart Journal Supplements</i> , 2020 , 22, H119-H121	1.5	1
72	Brachial-ankle pulse wave velocity with a custom device. <i>Revista Clínica Española</i> , 2020 , 221, 145-145	0.7	2
71	May Measurement Month 2017: an analysis of blood pressure screening in Spain-Europe. <i>European Heart Journal Supplements</i> , 2019 , 21, D107-D110	1.5	1
70	May Measurement Month 2018: a pragmatic global screening campaign to raise awareness of blood pressure by the International Society of Hypertension. <i>European Heart Journal</i> , 2019 , 40, 2006-2017	9.5	145
69	DIFFERENCES IN AORTIC AUGMENTATION PRESSURE BETWEEN NORMOTENSIVE AND HYPERTENSIVE SUBJECTS MEASURED IN COMMUNITY PHARMACIES IN SPAIN. <i>Journal of Hypertension</i> , 2019 , 37, e209-e210	1.9	1
68	DETERMINANTS OF INTIMA-MEDIA THICKNESS IN INCIDENT HYPERTENSION. <i>Journal of Hypertension</i> , 2019 , 37, e208	1.9	

67	RESULTS OF MMM18 IN A SUBPOPULATION OF STUDENTS IN SPAIN. <i>Journal of Hypertension</i> , 2019 , 37, e229	1.9	
66	Analysis of the efficacy of an internet-based self-administered intervention ("Living Better") to promote healthy habits in a population with obesity and hypertension: An exploratory randomized controlled trial. <i>International Journal of Medical Informatics</i> , 2019 , 124, 13-23	5.3	16
65	Positioning document on incorporating point-of-care ultrasound in Internal Medicine departments. <i>Revista Clinica Espanola</i> , 2018 , 218, 192-198	0.7	12
64	MASKed-unconTrolled hypERTension management based on office BP or on ambulatory blood pressure measurement (MASTER) Study: a randomised controlled trial protocol. <i>BMJ Open</i> , 2018 , 8, e021038	2.0	20
63	Automatic or manual arterial path for the ankle-brachial differences pulse wave velocity. <i>PLoS ONE</i> , 2018 , 13, e0206434	3.7	3
62	HEMODYNAMIC MODULATORS (VOLEMIA, INOTROPY, CHRONOTROPY AND VASOACTIVITY) AND HEMODYNAMIC STATUS IN TREATMENT-NAÏVE, DEBUTING HYPERTENSIVE PATIENTS. <i>Journal of Hypertension</i> , 2018 , 36, e56-e57	1.9	
61	MANAGEMENT OF HYPERTENSION ACCORDING TO HEMODYNAMIC MODULATORS BY IMPEDANCE CARDIOGRAPHY IS NOT SUPERIOR TO STANDARD CLINICAL CARE IN TREATING NAÏVE HYPERTENSIVE PATIENTS. <i>Journal of Hypertension</i> , 2018 , 36, e162	1.9	
60	RELATIONSHIP BETWEEN 24-HOUR AMBULATORY BRACHIAL VERSUS AORTIC SYSTOLIC BLOOD PRESSURE AND LEFT VENTRICULAR MASS. THE INTERNATIONAL 24 HOUR AORTIC BLOOD PRESSURE CONSORTIUM. <i>Journal of Hypertension</i> , 2018 , 36, e29	1.9	4
59	SUPPLEMENTATION OF VITAMIN D IN HYPERTENSIVE PATIENTS WITH CKD STAGE 3 AND VITAMIN D-DEFICIENCY DOES NOT IMPROVE ARTERIAL STIFFNESS. <i>Journal of Hypertension</i> , 2018 , 36, e197	1.9	
58	Prevalence of abdominal aortic aneurysm in patients with high cardiovascular risk. <i>Revista Clinica Espanola</i> , 2018 , 218, 461-467	0.7	4
57	Effect of physical activity on pulse wave velocity in elderly subjects with normal glucose, prediabetes or Type 2 Diabetes. <i>Scientific Reports</i> , 2018 , 8, 8045	4.9	11
56	Geographic variation and risk factors for systemic and limb ischemic events in patients with symptomatic peripheral artery disease: Insights from the REACH Registry. <i>Clinical Cardiology</i> , 2017 , 40, 710-718	3.3	21
55	Pulse wave velocity and augmentation index are not independently associated with carotid atherosclerosis in patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2017 , 36, 2601-2606	3.9	7
54	Emotional eating as a mediator between anxiety and cholesterol in population with overweight and hypertension. <i>Psychology, Health and Medicine</i> , 2017 , 22, 911-918	2.1	1
53	Relationship Between 24-Hour Ambulatory Central Systolic Blood Pressure and Left Ventricular Mass: A Prospective Multicenter Study. <i>Hypertension</i> , 2017 , 70, 1157-1164	8.5	37
52	Arterial stiffness in normotensive and hypertensive subjects: Frequency in community pharmacies. <i>Medicina Clínica</i> , 2017 , 149, 469-476	1	6
51	Arterial Destiffening in Previously Untreated Mild Hypertensives After 1 Year of Routine Clinical Management. <i>American Journal of Hypertension</i> , 2017 , 30, 510-517	2.3	13
50	SAT0238 Subclinical Atherosclerosis Is Lower in Patients with Systemic Sclerosis than in Patients with Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 754.3-755	2.4	

49	OS 13-09 RELATIONSHIP BETWEEN 24 HOUR AMBULATORY CENTRAL BLOOD PRESSURE AND LEFT VENTRICULAR MASS IN A PROSPECTIVE MULTICENTER STUDY. <i>Journal of Hypertension</i> , 2016 , 34, e210-e211	1.9	2
48	Angina and Future Cardiovascular Events in Stable Patients With Coronary Artery Disease: Insights From the Reduction of Atherothrombosis for Continued Health (REACH) Registry. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	30
47	Fixed-Combination Olmesartan/Amlodipine Was Superior to Perindopril + Amlodipine in Reducing Central Systolic Blood Pressure in Hypertensive Patients With Diabetes. <i>Journal of Clinical Hypertension</i> , 2016 , 18, 528-35	2.3	8
46	An internet-based self-administered intervention for promoting healthy habits and weight loss in hypertensive people who are overweight or obese: a randomized controlled trial. <i>BMC Cardiovascular Disorders</i> , 2015 , 15, 83	2.3	13
45	FRI0091 Arterial Stiffness Increases Thorough Time in Patients with Rheumatoid Arthritis. Factors Related to the Change. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 452.3-453	2.4	
44	SAT0127 Patients with Rheumatoid Arthritis Show Significantly Worse Subclinical Vascular Damage than Healthy and Hypertensive People. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 696.3-696	2.4	
43	AB0373 Arterial Stiffness Increases Over Time in Patients with Rheumatoid Arthritis. Related Factors. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1018.2-1018	2.4	
42	AB0372 Physical Exercise has no Influence on Markers of Subclinical Cardiovascular Disease in Patients with Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1018.1-1018	2.4	
41	PP.24.20. <i>Journal of Hypertension</i> , 2015 , 33, e350	1.9	
40	PP.05.17. <i>Journal of Hypertension</i> , 2015 , 33, e173	1.9	
39	4D.10. <i>Journal of Hypertension</i> , 2015 , 33, e63	1.9	1
38	Central blood pressure and vascular damage. <i>Medicina Clínica (English Edition)</i> , 2015 , 145, 49-54	0.3	
37	Additional information regarding the SEVITENSION study. <i>Advances in Therapy</i> , 2014 , 31, 777-9	4.1	
36	Establishing reference values for central blood pressure and its amplification in a general healthy population and according to cardiovascular risk factors. <i>European Heart Journal</i> , 2014 , 35, 3122-33	9.5	188
35	Prognostic value of microalbuminuria during antihypertensive treatment in essential hypertension. <i>Hypertension</i> , 2014 , 64, 1228-34	8.5	40
34	Impact of abdominal obesity and ambulatory blood pressure in the diagnosis of left ventricular hypertrophy in never treated hypertensives. <i>Medicina Clínica</i> , 2014 , 142, 235-42	1	7
33	Effects of nebivolol and atenolol on central aortic pressure in hypertensive patients: a multicenter, randomized, double-blind study. <i>Blood Pressure</i> , 2014 , 23, 181-8	1.7	10
32	SAT0163 Stratification of Cardiovascular Risk by Carotid Ultrasound in Patients with Rheumatoid Arthritis: Results of A Population from the EAST of Spain. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 649.2-649	2.4	

31	FRI0083 Arterial Stiffness in Patients with Rheumatoid Arthritis. Value for Cardiovascular Risk Stratification. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 411.2-411	2.4	
30	The fixed-dose combination of olmesartan/amlodipine was superior in central aortic blood pressure reduction compared with perindopril/amlodipine: a randomized, double-blind trial in patients with hypertension. <i>Advances in Therapy</i> , 2013 , 30, 1086-99	4.1	18
29	Regression of left ventricular hypertrophy and microalbuminuria changes during antihypertensive treatment. <i>Journal of Hypertension</i> , 2013 , 31, 1683-91	1.9	8
28	Relationship of Central and Peripheral Blood Pressure to Left Ventricular Mass in Hypertensive Patients. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2012 , 65, 1094-1100	0.7	
27	Relationship of central and peripheral blood pressure to left ventricular mass in hypertensive patients. <i>Revista Espanola De Cardiologia</i> , 2012 , 65, 1094-100	1.5	9
26	Blood glucose control and quality of health care in non-insulin-treated patients with Type 2 diabetes in Spain: a retrospective and cross-sectional observational study. <i>Diabetic Medicine</i> , 2011 , 28, 731-40	3.5	15
25	Persistent lipid abnormalities in statin-treated patients with diabetes mellitus in Europe and Canada: results of the Dyslipidaemia International Study. <i>Diabetic Medicine</i> , 2011 , 28, 1343-51	3.5	62
24	Control de la dislipemia en grupos clínicos especiales: mujeres, ancianos, VIH, enfermedad renal crónica, pacientes con síndrome metabólico. <i>Revista Espanola De Cardiologia Suplementos</i> , 2011 , 11, 36-41	0.2	
23	Role of adipokines in obesity-associated hypertension. <i>Acta Physiologica</i> , 2010 , 200, 107-27	5.6	32
22	Relationship between increased arterial stiffness and other markers of target organ damage. <i>Medicina Clínica</i> , 2010 , 134, 528-33	1	10
21	America's Cup yacht racing: race analysis and physical characteristics of the athletes. <i>Journal of Sports Sciences</i> , 2009 , 27, 915-23	3.6	6
20	Thigh and buttock exertional pain for the diagnosis of peripheral arterial disease. <i>European Journal of Internal Medicine</i> , 2009 , 20, 429-34	3.9	4
19	Association between serum uric acid, metabolic syndrome and microalbuminuria in previously untreated essential hypertensive patients. <i>Medicina Clínica</i> , 2009 , 132, 1-6	1	16
18	Spirolactone and doxazosin treatment in patients with resistant hypertension. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2009 , 62, 158-66	0.7	11
17	Body weight variation and control of cardiovascular risk factors in essential hypertension. <i>Blood Pressure</i> , 2009 , 18, 247-54	1.7	8
16	Uso de espironolactona o doxazosina en pacientes con hipertensión arterial refractaria. <i>Revista Espanola De Cardiologia</i> , 2009 , 62, 158-166	1.5	32
15	[Not Available]. <i>Revista Espanola De Cardiologia</i> , 2009 , 62, 712	1.5	
14	Sub-clinical vascular disease in type 2 diabetic subjects: relationship with chronic complications of diabetes and the presence of cardiovascular disease risk factors. <i>European Journal of Internal Medicine</i> , 2008 , 19, 255-60	3.9	17

13	Eficacia de una estrategia basada en ARA-II en el tratamiento de pacientes hipertensos con síndrome metabólico. <i>Hipertension</i> , 2008 , 25, 141-146		
12	Eficacia de una estrategia basada en ARA-II en el tratamiento de pacientes hipertensos con síndrome metabólico. <i>Hipertension Y Riesgo Vascular</i> , 2008 , 25, 141-146	0.5	
11	International prevalence, recognition, and treatment of cardiovascular risk factors in outpatients with atherothrombosis. <i>JAMA - Journal of the American Medical Association</i> , 2006 , 295, 180-9	27.4	1069
10	Eficacia clínica de la ezetimiba y objetivos terapéuticos de colesterol unido a LDL. <i>Clínica E Investigación En Arteriosclerosis</i> , 2006 , 18, 57-60	1.4	
9	Should we perform an echocardiogram in hypertensive patients classified as having low and medium risk?. <i>International Journal of Cardiology</i> , 2006 , 106, 41-6	3.2	8
8	Determinants of urinary albumin excretion reduction in essential hypertension: A long-term follow-up study. <i>Journal of Hypertension</i> , 2006 , 24, 2277-84	1.9	20
7	Long-term impact of systolic blood pressure and glycemia on the development of microalbuminuria in essential hypertension. <i>Hypertension</i> , 2005 , 45, 1125-30	8.5	47
6	Importancia del síndrome metabólico en el control de la presión arterial y de la dislipemia. <i>Medicina Clínica</i> , 2004 , 123, 601-605	1	8
5	METABOLIC SYNDROME AND MICROALBUMINURIA IN NON TREATED HYPERTENSIVE PATIENTS. <i>Journal of Hypertension</i> , 2004 , 22, S102	1.9	
4	Identification and characterization of a monoclonal antibody to the membrane fatty acid binding protein. <i>Lipids and Lipid Metabolism</i> , 1992 , 1125, 13-20		22
3	The membrane fatty acid-binding protein is not identical to mitochondrial glutamic oxaloacetic transaminase (mGOT). <i>Molecular and Cellular Biochemistry</i> , 1990 , 98, 191-9	4.2	14
2	The membrane fatty acid-binding protein is not identical to mitochondrial glutamic oxaloacetic transaminase (mGOT) 1990 , 191-199		
1	Body weight variation and control of cardiovascular risk factors in essential hypertension		1