

Pandora L Wander

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8938673/pandora-l-wander-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

20
papers

332
citations

9
h-index

18
g-index

25
ext. papers

464
ext. citations

6
avg, IF

3.39
L-index

#	Paper	IF	Citations
20	Associations of statin use with 30-day adverse outcomes among 4 801 406 US Veterans with and without SARS-CoV-2: an observational cohort study.. <i>BMJ Open</i> , 2022 , 12, e058363	3	2
19	Plasma amino acid profile, a biomarker for visceral adipose tissue that can substitute for waist circumference in Japanese Americans. <i>Obesity Research and Clinical Practice</i> , 2021 , 15, 557-563	5.4	0
18	Prior Glucose-Lowering Medication Use and 30-Day Outcomes Among 64,892 Veterans With Diabetes and COVID-19. <i>Diabetes Care</i> , 2021 , 44, 2708-2713	14.6	3
17	Risk factors for adverse outcomes among 35 879 veterans with and without diabetes after diagnosis with COVID-19. <i>BMJ Open Diabetes Research and Care</i> , 2021 , 9,	4.5	3
16	A retrospective cohort study of race/ethnicity, pre-pregnancy weight, and pregnancy complications. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 1-8	2	0
15	A Case for Targeting Th17 Cells and IL-17A in SARS-CoV-2 Infections. <i>Journal of Immunology</i> , 2020 , 205, 892-898	5.3	38
14	Lactation Duration and Long-term Risk for Incident Type 2 Diabetes in Women With a History of Gestational Diabetes Mellitus. <i>Diabetes Care</i> , 2020 , 43, 793-798	14.6	17
13	Risk factors for severe COVID-19 illness in healthcare workers: Too many unknowns. <i>Infection Control and Hospital Epidemiology</i> , 2020 , 41, 1369-1370	2	5
12	Short Report: Circulating microRNAs are associated with incident diabetes over 10 years in Japanese Americans. <i>Scientific Reports</i> , 2020 , 10, 6509	4.9	7
11	Design and validation of a novel estimator of visceral adipose tissue area and comparison to existing adiposity surrogates. <i>Journal of Diabetes and Its Complications</i> , 2018 , 32, 1062-1067	3.2	3
10	Circulating early- and mid-pregnancy microRNAs and risk of gestational diabetes. <i>Diabetes Research and Clinical Practice</i> , 2017 , 132, 1-9	7.4	58
9	Maternal pre-pregnancy body mass index and circulating microRNAs in pregnancy. <i>Obesity Research and Clinical Practice</i> , 2017 , 11, 464-474	5.4	10
8	Maternal Leisure Time Physical Activity and Infant Birth Size. <i>Epidemiology</i> , 2016 , 27, 74-81	3.1	14
7	Circulating microRNAs and sudden cardiac arrest outcomes. <i>Resuscitation</i> , 2016 , 106, 96-101	4	6
6	Associations of Early and Late Gestational Weight Gain with Infant Birth Size. <i>Maternal and Child Health Journal</i> , 2015 , 19, 2462-9	2.4	8
5	The dispatcher assisted resuscitation trial: indirect benefits of emergency research. <i>Resuscitation</i> , 2014 , 85, 1594-8	4	4
4	Associations of maternal pre-pregnancy and gestational body size with offspring longitudinal change in BMI. <i>Obesity</i> , 2014 , 22, 1165-71	8	19

3	Maternal genetic variation accounts in part for the associations of maternal size during pregnancy with offspring cardiometabolic risk in adulthood. <i>PLoS ONE</i> , 2014 , 9, e91835	3.7	9
2	Change in visceral adiposity independently predicts a greater risk of developing type 2 diabetes over 10 years in Japanese Americans. <i>Diabetes Care</i> , 2013 , 36, 289-93	14.6	71
1	Greater hand-grip strength predicts a lower risk of developing type 2 diabetes over 10 years in leaner Japanese Americans. <i>Diabetes Research and Clinical Practice</i> , 2011 , 92, 261-4	7.4	52