Mark D Evans

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8939955/mark-d-evans-publications-by-year.pdf
Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71 papers	6,243 citations	34 h-index	79 g-index
91 ext. papers	6,781 ext. citations	4.9 avg, IF	5.62 L-index

#	Paper	IF	Citations
71	Biomarkers of nucleic acid oxidation - A summary state-of-the-art. *Redox Biology*, **2021**, 42, 101872	11.3	15
70	Early neuronal accumulation of DNA double strand breaks in Alzheimer¥s disease. *Acta Neuropathologica Communications*, **2019**, 7, 77	7.3	68
69	MTH1 deficiency selectively increases non-cytotoxic oxidative DNA damage in lung cancer cells: more bad news than good?. *BMC Cancer*, **2018**, 18, 423	4.8	10
68	Nucleotide excision repair of oxidised genomic DNA is not a source of urinary 8-oxo-7,8-dihydro-2¥deoxyguanosine. *Free Radical Biology and Medicine*, **2016**, 99, 385-391	7.8	23
67	Rescue of cells from apoptosis increases DNA repair in UVB exposed cells: implications for the DNA damage response. *Toxicology Research*, **2015**, 4, 725-738	2.6	10
66	Human and methodological sources of variability in the measurement of urinary 8-oxo-7,8-dihydro-2¥deoxyguanosine. *Antioxidants and Redox Signaling*, **2013**, 18, 2377-91	8.4	107
65	Biologically relevant oxidants and terminology, classification and nomenclature of oxidatively generated damage to nucleobases and 2-deoxyribose in nucleic acids. *Free Radical Research*, **2012**, 46, 367-81	4	97
64	Immuno-slot blot assay for detection of UVR-mediated DNA damage. *Methods in Molecular Biology*, **2012**, 920, 163-75	1.4	5
63	Associations between functional polymorphisms in antioxidant defense genes and urinary oxidative stress biomarkers in healthy, premenopausal women. *Genes and Nutrition*, **2012**, 7, 191-5	4.3	10
62	Rapid measurement of 8-oxo-7,8-dihydro-2¥deoxyguanosine in human biological matrices using ultra-high-performance liquid chromatography-tandem mass spectrometry. *Free Radical Biology and Medicine*, **2012**, 52, 2057-63	7.8	45
61	Simplified method for the collection, storage, and comet assay analysis of DNA damage in whole blood. *Free Radical Biology and Medicine*, **2011**, 51, 719-25	7.8	56
60	Non-invasive assessment of oxidatively damaged DNA: liquid chromatography-tandem mass spectrometry analysis of urinary 8-oxo-7,8-dihydro-2¥deoxyguanosine. *Methods in Molecular Biology*, **2011**, 682, 279-89	1.4	9
59	DNA repair and the origins of urinary oxidized 2¥deoxyribonucleosides. *Mutagenesis*, **2010**, 25, 433-42	2.8	69
58	Toward consensus in the analysis of urinary 8-oxo-7,8-dihydro-2¥deoxyguanosine as a noninvasive biomarker of oxidative stress. *FASEB Journal*, **2010**, 24, 1249-60	0.9	108
57	Recommendations for standardized description of and nomenclature concerning oxidatively damaged nucleobases in DNA. *Chemical Research in Toxicology*, **2010**, 23, 705-7	4	51
56	Salvage of oxidized guanine derivatives in the (2¥deoxy)ribonucleotide pool as source of mutations in DNA. *Mutation Research - Genetic Toxicology and Environmental Mutagenesis*, **2010**, 703, 11-7	3	20
55	Analysis of urinary 8-oxo-7,8-dihydro-2¥deoxyguanosine by liquid chromatography-tandem mass spectrometry. *Methods in Molecular Biology*, **2010**, 610, 341-51	1.4	7

54	First-trimester increase in oxidative stress and risk of small-for-gestational-age fetus. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2009**, 116, 637-42	3.7	57
53	Interlaboratory comparison of methodologies for the measurement of urinary 8-oxo-7,8-dihydro-2∀deoxyguanosine. *Biomarkers*, **2009**, 14, 103-10	2.6	33
52	Sources of extracellular, oxidatively-modified DNA lesions: implications for their measurement in urine. *Journal of Clinical Biochemistry and Nutrition*, **2009**, 45, 255-70	3.1	44
51	Combination of azathioprine and UVA irradiation is a major source of cellular 8-oxo-7,8-dihydro-2∀deoxyguanosine. *DNA Repair*, **2008**, 7, 1982-9	4.3	44
50	Analysis of urinary 8-oxo-7,8-dihydro-purine-2∀deoxyribonucleosides by LC-MS/MS and improved ELISA. *Free Radical Research*, **2008**, 42, 831-40	4	42
49	Antiserum detection of reactive carbonyl species-modified DNA in human colonocytes. *Free Radical Research*, **2008**, 42, 344-53	4	4
48	Plasma anandamide concentration and pregnancy outcome in women with threatened miscarriage. *JAMA - Journal of the American Medical Association*, **2008**, 299, 1135-6	27.4	63
47	Evidence that oxidative stress is a risk factor for the development of squamous cell carcinoma in renal transplant patients. *Free Radical Biology and Medicine*, **2007**, 43, 1328-34	7.8	15
46	8-Oxo-deoxyguanosine: reduce, reuse, recycle?. *Proceedings of the National Academy of Sciences of the United States of America*, **2007**, 104, 13535-6	11.5	27
45	A comparison of the gene expression profiles of CRL-1807 colonocytes exposed to endogenous AAPH-generated peroxides and exogenous peroxides from heated oil. *Redox Report*, **2007**, 12, 86-90	5.9	3
44	Evaluation of enzyme-linked immunosorbent assay and liquid chromatography-tandem mass spectrometry methodology for the analysis of 8-oxo-7,8-dihydro-2∀deoxyguanosine in saliva and urine. *Free Radical Biology and Medicine*, **2006**, 41, 1829-36	7.8	68
43	Evidence for attenuated cellular 8-oxo-7,8-dihydro-2∀deoxyguanosine removal in cancer patients. *Biological Chemistry*, **2006**, 387, 393-400	4.5	15
42	Does measurement of oxidative damage to DNA have clinical significance?. *Clinica Chimica Acta*, **2006**, 365, 30-49	6.2	186
41	Lipid- and Protein-Mediated Oxidative Damage to DNA **2006**, 201-220		4
40	DNA repair is responsible for the presence of oxidatively damaged DNA lesions in urine. *Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis*, **2005**, 574, 58-66	3.3	142
39	Plasma levels of the endocannabinoid anandamide in women--a potential role in pregnancy maintenance and labor?. *Journal of Clinical Endocrinology and Metabolism*, **2004**, 89, 5482-7	5.6	103
38	Factors contributing to the outcome of oxidative damage to nucleic acids. *BioEssays*, **2004**, 26, 533-42	4.1	199
37	Oxidative DNA damage and disease: induction, repair and significance. *Mutation Research - Reviews in Mutation Research*, **2004**, 567, 1-61	7	930

36	Redox-regulation of DNA repair. *BioFactors*, **2003**, 17, 315-24	6.1	3
35	Deoxycytidine glyoxal: lesion induction and evidence of repair following vitamin C supplementation in vivo. *Free Radical Biology and Medicine*, **2003**, 34, 218-25	7.8	16
34	Quantification of UVR-induced DNA damage: global- versus gene-specific levels of thymine dimers. *Journal of Immunological Methods*, **2003**, 277, 27-37	2.5	10
33	Immunochemical detection of UV-induced DNA damage and repair. *Journal of Immunological Methods*, **2003**, 280, 125-33	2.5	41
32	Oxidative DNA damage: mechanisms, mutation, and disease. *FASEB Journal*, **2003**, 17, 1195-214	0.9	2205
31	17 beta-Oestradiol attenuates nucleotide excision repair. *FEBS Letters*, **2003**, 535, 153-8	3.8	14
30	Urinary 8-oxo-2∀deoxyguanosine: redox regulation of DNA repair in vivo?. *Free Radical Biology and Medicine*, **2002**, 33, 875-85	7.8	80
29	Progress in the analysis of urinary oxidative DNA damage. *Free Radical Biology and Medicine*, **2002**, 33, 1601-14	7.8	72
28	Comparison of results from different laboratories in measuring 8-oxo-2∀deoxyguanosine in synthetic oligonucleotides. *Free Radical Research*, **2002**, 36, 649-59	4	33
27	Role of dietary antioxidants in the prevention of in vivo oxidative DNA damage. *Nutrition Research Reviews*, **2002**, 15, 19-42	7	29
26	Comparative analysis of baseline 8-oxo-7,8-dihydroguanine in mammalian cell DNA, by different methods in different laboratories: an approach to consensus. *Carcinogenesis*, **2002**, 23, 2129-33	4.6	164
25	DNA repair: insights from urinary lesion analysis. *Free Radical Research*, **2002**, 36, 929-32	4	24
24	Induction and excretion of ultraviolet-induced 8-oxo-2∀deoxyguanosine and thymine dimers in vivo: implications for PUVA. *Journal of Investigative Dermatology*, **2001**, 116, 281-5	4.3	44
23	Monoclonal antibody to single-stranded DNA: a potential tool for DNA repair studies. *Biochemical and Biophysical Research Communications*, **2001**, 284, 232-8	3.4	26
22	Aberrant processing of oxidative DNA damage in systemic lupus erythematosus. *Biochemical and Biophysical Research Communications*, **2000**, 273, 894-8	3.4	53
21	Simultaneous measurement of 8-oxo-2∀deoxyguanosine and 8-oxo-2∀deoxyadenosine by HPLC-MS/MS. *Biochemical and Biophysical Research Communications*, **2000**, 277, 764-70	3.4	37
20	Urinary 8-oxo-2∀deoxyguanosine--source, significance and supplements. *Free Radical Research*, **2000**, 32, 381-97	4	157
19	Comparison of different methods of measuring 8-oxoguanine as a marker of oxidative DNA damage. ESCODD (European Standards Committee on Oxidative DNA Damage). *Free Radical Research*, **2000**, 32, 333-41	4	101

18	Immunochemical detection of glyoxal DNA damage. *Free Radical Biology and Medicine*, **1999**, 26, 1267-73	7.8	10
17	Urinary thymine dimers and 8-oxo-2∀deoxyguanosine in psoriasis. *FEBS Letters*, **1999**, 460, 549-53	3.8	19
16	Discrepancies in the measurement of UVC-induced 8-oxo-2∀deoxyguanosine: implications for the analysis of oxidative DNA damage. *Biochemical and Biophysical Research Communications*, **1999**, 259, 374-8	3.4	34
15	Novel repair action of vitamin C upon in vivo oxidative DNA damage. *FEBS Letters*, **1998**, 439, 363-7	3.8	122
14	ESCODD: European Standards Committee on Oxidative DNA Damage. *Free Radical Research*, **1998**, 29, 601-8	4	51
13	Analysis of urinary pseudouridine by micellar electrokinetic capillary chromatography. *Annals of Clinical Biochemistry*, **1997**, 34 (Pt 5), 527-33	2.2	4
12	A novel HPLC procedure for the analysis of 8-oxoguanine in DNA. *Free Radical Biology and Medicine*, **1996**, 20, 467-72	7.8	41
11	Analysis of internucleosomal DNA fragmentation in apoptotic thymocytes by dynamic sieving capillary electrophoresis. *Journal of Chromatography A*, **1995**, 700, 151-62	4.5	16
10	Detection of purine lesions in cellular DNA using single cell gel electrophoresis with Fpg protein. *Biochemical Society Transactions*, **1995**, 23, 434S	5.1	29
9	Immunochemical detection of reactive oxygen species DNA damage. *Biochemical Society Transactions*, **1995**, 23, 482S	5.1	
8	Phenol isolation of DNA yields higher levels of 8-oxodeoxyguanosine compared to pronase E isolation. *Biochemical Society Transactions*, **1995**, 23, 430S	5.1	4
7	Development of an assay to measure 8-oxoguanine using HPLC with electrochemical detection. *Biochemical Society Transactions*, **1995**, 23, 431S	5.1	3
6	Application of capillary electrophoresis to the in vitro assessment of drug metabolism. *Biochemical Society Transactions*, **1995**, 23, 432S	5.1	
5	Micellar electrokinetic capillary chromatography of 8-oxoguanine and other bases of DNA. *Biochemical Society Transactions*, **1995**, 23, 433S	5.1	4
4	Damage to human alpha-1-proteinase inhibitor by aqueous cigarette tar extracts and the formation of methionine sulfoxide. *Chemical Research in Toxicology*, **1992**, 5, 654-60	4	29
3	Aqueous cigarette tar extracts damage human alpha-1-proteinase inhibitor. *Chemico-Biological Interactions*, **1991**, 79, 151-64	5	22
2	A comparison of the free radical chemistry of tobacco-burning cigarettes and cigarettes that only heat tobacco. *Free Radical Biology and Medicine*, **1990**, 8, 275-9	7.8	52
1	Changes in the survival curve shape of E. coli cells following irradiation in the presence of uncouplers of oxidative phosphorylation. *International Journal of Radiation Biology and Related Studies in Physics, Chemistry, and Medicine*, **1985**, 48, 495-504		2