

Erika F Christensen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8940002/publications.pdf>

Version: 2024-02-01

81
papers

3,215
citations

279487

23
h-index

155451

55
g-index

84
all docs

84
docs citations

84
times ranked

3815
citing authors

#	ARTICLE	IF	CITATIONS
1	Ambivalence in nurses' use of the early warning score: A focussed ethnography in a hospital setting. <i>Journal of Advanced Nursing</i> , 2022, 78, 1461-1472.	1.5	2
2	Accuracy of a point-of-care blood lactate measurement device in a prehospital setting. <i>Journal of Clinical Monitoring and Computing</i> , 2022, 36, 1679-1687.	0.7	3
3	Non-medical factors in prehospital resuscitation decision-making: a mixed-methods systematic review. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2022, 30, 24.	1.1	9
4	Activation of Citizen Responders to Out-of-Hospital Cardiac Arrest During the COVID-19 Outbreak in Denmark 2020. <i>Journal of the American Heart Association</i> , 2022, 11, e024140.	1.6	6
5	Use of Helicopters to Reduce Health Care System Delay in Patients With ST-Elevation Myocardial Infarction Admitted to an Invasive Center. <i>American Journal of Cardiology</i> , 2022, 171, 7-14.	0.7	2
6	Socioeconomic Disparities in Prehospital Emergency Care in a Danish Tax-Financed Healthcare System: Nationwide Cohort Study. <i>Clinical Epidemiology</i> , 2022, Volume 14, 555-565.	1.5	1
7	Pediatric Emergencies in Helicopter Emergency Medical Services: A National Population-Based Cohort Study From Denmark. <i>Annals of Emergency Medicine</i> , 2022, 80, 143-153.	0.3	3
8	How Patients Who Are Transported by Ambulance Experience Dyspnea and the Use of a Dyspnea Scale: A Qualitative Study. <i>Healthcare (Switzerland)</i> , 2022, 10, 1208.	1.0	0
9	Socioeconomic inequality in telephone triage on triage response, hospitalization and 30-day mortality. <i>European Journal of Public Health</i> , 2021, 31, 703-705.	0.1	2
10	Understanding the Effect of Electronic Prehospital Medical Records in Ambulances: A Qualitative Observational Study in a Prehospital Setting. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 2330.	1.2	3
11	Emergency Medical Services response levels and subsequent emergency contacts among patients with a history of mental illness in Denmark: a nationwide study. <i>European Journal of Emergency Medicine</i> , 2021, 28, 363-372.	0.5	6
12	Which symptoms pose the highest risk in patients calling for an ambulance? A population-based cohort study from Denmark. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2021, 29, 59.	1.1	11
13	Understanding what matters most to patients in acute care in seven countries, using the flash mob study design. <i>BMC Health Services Research</i> , 2021, 21, 474.	0.9	9
14	Nationwide study on trends in unplanned hospital attendance and deaths during the 7 weeks after the onset of the COVID-19 pandemic in Denmark. <i>BMJ Quality and Safety</i> , 2021, 30, 986-995.	1.8	8
15	Can vital signs recorded in patients' homes aid decision making in emergency care? A Scoping Review. <i>Resuscitation Plus</i> , 2021, 6, 100116.	0.6	3
16	Documentation of ethically relevant information in out-of-hospital resuscitation is rare: a Danish nationwide observational study of 16,495 out-of-hospital cardiac arrests. <i>BMC Medical Ethics</i> , 2021, 22, 82.	1.0	7
17	Predicting outcome for ambulance patients with dyspnea: a prospective cohort study. <i>Journal of the American College of Emergency Physicians Open</i> , 2020, 1, 163-172.	0.4	4
18	Non-specific diagnoses are frequent in patients hospitalized after calling 112 and their mortality is high – a register-based Danish cohort study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2020, 28, 69.	1.1	6

#	ARTICLE	IF	CITATIONS
19	<p>Sociodemographic Characteristics Associated with Contacts to Emergency Medical Services and Out-of-Hours Primary Care: An Observational Study of 2.3 Million Citizens</p>. Clinical Epidemiology, 2020, Volume 12, 393-401.	1.5	13
20	Self-rated worry is associated with hospital admission in out-of-hours telephone triage â€“ a prospective cohort study. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2020, 28, 53.	1.1	13
21	Acute care pathways for patients calling the out-of-hours services. BMC Health Services Research, 2020, 20, 146.	0.9	3
22	An impedance threshold device did not improve carotid blood flow in a porcine model of prolonged cardiac arrest. Journal of Translational Medicine, 2020, 18, 83.	1.8	1
23	Out-of-hospital cardiac arrest across the World: First report from the International Liaison Committee on Resuscitation (ILCOR). Resuscitation, 2020, 152, 39-49.	1.3	295
24	Patient experience of severe acute dyspnoea and relief during treatment in ambulances: a prospective observational study. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2020, 28, 24.	1.1	4
25	Progression of vital signs during ambulance transport categorised by a paediatric triage model: a population-based historical cohort study. BMJ Open, 2020, 10, e042401.	0.8	0
26	Progression of vital signs during ambulance transport categorised by a paediatric triage model: a population-based historical cohort study. BMJ Open, 2020, 10, e042401.	0.8	6
27	Completeness in the recording of vital signs in ambulances increases over time. Danish Medical Journal, 2020, 67, .	0.5	2
28	Effect of remote ischaemic conditioning on clinical outcomes in patients with acute myocardial infarction (CONDI-2/ERIC-PPCI): a single-blind randomised controlled trial. Lancet, The, 2019, 394, 1415-1424.	6.3	223
29	Repeated ambulance use is associated with chronic diseases - a population-based historic cohort study of patientsâ€™ symptoms and diagnoses. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2019, 27, 46.	1.1	12
30	Prehospital intravenous fentanyl administered by ambulance personnel: a cluster-randomised comparison of two treatment protocols. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2019, 27, 11.	1.1	10
31	Symptom, diagnosis and mortality among respiratory emergency medical service patients. PLoS ONE, 2019, 14, e0213145.	1.1	23
32	Contacting out-of-hours primary care or emergency medical services for time-critical conditionsâ€™ impact on patient outcomes. BMC Health Services Research, 2019, 19, 813.	0.9	16
33	The Danish prehospital emergency healthcare system and research possibilities. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2019, 27, 100.	1.1	87
34	Mathematical arterialisation of peripheral venous blood gas for obtainment of arterial blood gas values: a methodological validation study in the clinical setting. Journal of Clinical Monitoring and Computing, 2019, 33, 733-740.	0.7	2
35	Self-rated worry in acute care telephone triage: a mixed-methods study. British Journal of General Practice, 2018, 68, e197-e203.	0.7	22
36	Severity of chronic obstructive pulmonary disease and presenting rhythm in patients with out-of-hospital cardiac arrest. Resuscitation, 2018, 126, 111-117.	1.3	11

#	ARTICLE	IF	CITATIONS
37	Prehospital triage of patients suffering severe dyspnoea using N-terminal pro-brain natriuretic peptide, the PreBNP trial: a randomised controlled clinical trial. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018, 7, 302-310.	0.4	7
38	Use of renal replacement therapy after out-of-hospital cardiac arrest in Denmark 2005–2013. <i>Scandinavian Cardiovascular Journal</i> , 2018, 52, 238-243.	0.4	8
39	Association between socioeconomic factors and ICD implantation in a publicly financed health care system: a Danish nationwide study. <i>Europace</i> , 2018, 20, 1129-1137.	0.7	10
40	Diagnosis and mortality of emergency department patients in the North Denmark region. <i>BMC Health Services Research</i> , 2018, 18, 548.	0.9	24
41	Severity of ischemic heart disease and presenting rhythm in patients with out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2018, 130, 174-181.	1.3	6
42	Acute pain in the prehospital setting: a register-based study of 41.241 patients. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2018, 26, 53.	1.1	33
43	Implantable cardioverter defibrillator and survival after out-of-hospital cardiac arrest due to acute myocardial infarction in Denmark in the years 2001–2012, a nationwide study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2017, 6, 144-154.	0.4	12
44	Long-Term Mortality of Emergency Medical Services Patients. <i>Annals of Emergency Medicine</i> , 2017, 70, 366-373.e3.	0.3	20
45	Prehospital intravenous fentanyl to patients with hip fracture: an observational cohort study of risk factors for analgesic non-treatment. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2017, 25, 5.	1.1	6
46	Distance to invasive heart centre, performance of acute coronary angiography, and angioplasty and associated outcome in out-of-hospital cardiac arrest: a nationwide study. <i>European Heart Journal</i> , 2017, 38, 1645-1652.	1.0	77
47	Location of cardiac arrest and impact of pre-arrest chronic disease and medication use on survival. <i>Resuscitation</i> , 2017, 114, 113-120.	1.3	10
48	Trends in diagnostic patterns and mortality in emergency ambulance service patients in 2007–2014: a population-based cohort study from the North Denmark Region. <i>BMJ Open</i> , 2017, 7, e014508.	0.8	28
49	The Danish quality database for prehospital emergency medical services. <i>Clinical Epidemiology</i> , 2016, Volume 8, 667-671.	1.5	24
50	Diagnosis and mortality in prehospital emergency patients transported to hospital: a population-based and registry-based cohort study. <i>BMJ Open</i> , 2016, 6, e011558.	0.8	49
51	Telemedicine-based physician consultation results in more patients treated and released by ambulance personnel. <i>European Journal of Emergency Medicine</i> , 2016, 25, 1.	0.5	13
52	Clinical predictors of shockable versus non-shockable rhythms in patients with out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2016, 108, 40-47.	1.3	56
53	Prehospital treatment with continuous positive airway pressure in patients with acute respiratory failure: a regional observational study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2016, 24, 121.	1.1	15
54	Dyspnea, a high-risk symptom in patients suspected of myocardial infarction in the ambulance? A population-based follow-up study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2016, 24, 15.	1.1	17

#	ARTICLE	IF	CITATIONS
55	Geographic information system data from ambulances applied in the emergency department: effects on patient reception. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2016, 24, 39.	1.1	10
56	Return to Work in Out-of-Hospital Cardiac Arrest Survivors. <i>Circulation</i> , 2015, 131, 1682-1690.	1.6	130
57	Out-of-hospital cardiac arrests in children and adolescents: Incidences, outcomes, and household socioeconomic status. <i>Resuscitation</i> , 2015, 88, 12-19.	1.3	68
58	Survival After Out-of-Hospital Cardiac Arrest in Relation to Age and Early Identification of Patients With Minimal Chance of Long-Term Survival. <i>Circulation</i> , 2015, 131, 1536-1545.	1.6	84
59	Continuous positive airway pressure and noninvasive ventilation in prehospital treatment of patients with acute respiratory failure: a systematic review of controlled studies. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2014, 22, 69.	1.1	31
60	Impact of Health Care System Delay in Patients With ST-Elevation Myocardial Infarction on Return to Labor Market and Work Retirement. <i>American Journal of Cardiology</i> , 2014, 114, 1810-1816.	0.7	25
61	Preventable deaths following emergency medical dispatch – an audit study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2014, 22, 74.	1.1	18
62	Diurnal variations in incidence and outcome of out-of-hospital cardiac arrest including prior comorbidity and pharmacotherapy: A nationwide study in Denmark. <i>Resuscitation</i> , 2014, 85, 1161-1168.	1.3	22
63	Survival after out-of-hospital cardiac arrest in relation to sex: A nationwide registry-based study. <i>Resuscitation</i> , 2014, 85, 1212-1218.	1.3	86
64	Implementing a nationwide criteria-based emergency medical dispatch system: A register-based follow-up study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2013, 21, 53.	1.1	115
65	Association of National Initiatives to Improve Cardiac Arrest Management With Rates of Bystander Intervention and Patient Survival After Out-of-Hospital Cardiac Arrest. <i>JAMA - Journal of the American Medical Association</i> , 2013, 310, 1377.	3.8	933
66	Quantitative Point-of-Care Troponin T Measurement for Diagnosis and Prognosis in Patients With a Suspected Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2013, 112, 1361-1366.	0.7	45
67	Long-Term Survival and Health-Related Quality of Life 6 to 9 Years After Trauma. <i>Journal of Trauma</i> , 2011, 71, 435-441.	2.3	28
68	Prehospital Troponin T Testing in the Diagnosis and Triage of Patients With Suspected Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2011, 107, 1436-1440.	0.7	53
69	Increase in pre-shock pause caused by drug administration before defibrillation: An observational, full-scale simulation study. <i>Resuscitation</i> , 2010, 81, 343-347.	1.3	6
70	A systematic review of controlled studies: do physicians increase survival with prehospital treatment?. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2009, 17, 12.	1.1	68
71	Fire fighters as basic life support responders: A study of successful implementation. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2009, 17, 16.	1.1	15
72	Junior physician skill and behaviour in resuscitation: A simulation study. <i>Resuscitation</i> , 2009, 80, 244-248.	1.3	37

#	ARTICLE	IF	CITATIONS
73	Retroperitoneal packing as part of damage control surgery in a Danish trauma centre – fast, effective, and cost-effective. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2008, 16, 4.	1.1	22
74	Adverse Design of Defibrillators: Turning Off the Machine When Trying to Shock. <i>Annals of Emergency Medicine</i> , 2008, 52, 512-514.	0.3	11
75	On-scene time in advanced trauma life support by anaesthesiologists. <i>European Journal of Emergency Medicine</i> , 2006, 13, 156-159.	0.5	17
76	Drug and alcohol use among patients admitted to a Danish trauma centre: a prospective study from a regional trauma centre in Scandinavia. <i>European Journal of Emergency Medicine</i> , 2004, 11, 318-322.	0.5	28
77	Prehospital tracheal intubation in severely injured patients: a Danish observational study. <i>BMJ: British Medical Journal</i> , 2003, 327, 533-534.	2.4	25
78	Inhaled β_2 -Agonist and Positive Expiratory Pressure in Bronchial Asthma. <i>Chest</i> , 1993, 104, 1108-1113.	0.4	5
79	Increased Urinary Loss of Uric Acid in Adults with Acute Respiratory Failure Requiring Mechanical Ventilation. <i>Chest</i> , 1992, 102, 556-559.	0.4	18
80	Treatment of chronic bronchitis with terbutaline inhaled from a cone spacer with and without positive expiratory pressure. <i>Lung</i> , 1991, 169, 325-333.	1.4	4
81	Long-Term Treatment of Chronic Bronchitis with Positive Expiratory Pressure Mask and Chest Physiotherapy. <i>Chest</i> , 1990, 97, 645-650.	0.4	57