

# AurÃ©lia Saraiva

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8940004/publications.pdf>

Version: 2024-02-01

52  
papers

724  
citations

567281

15  
h-index

610901

24  
g-index

52  
all docs

52  
docs citations

52  
times ranked

826  
citing authors

#	ARTICLE	IF	CITATIONS
1	Susceptibility of Sea Bream ( <i>Sparus aurata</i> ) to AIP56, an AB-Type Toxin Secreted by <i>Photobacterium damselae</i> subsp. <i>piscicida</i> . <i>Toxins</i> , 2022, 14, 119.	3.4	5
2	Phylogenetic Affinities and Infection Patterns of <i>Goussia</i> Infecting <i>Sardina pilchardus</i> from the NE Atlantic. <i>Acta Parasitologica</i> , 2021, 66, 693-698.	1.1	2
3	Survey of <i>Kudoa</i> spp. (Myxozoa, Cnidaria) in fishes from the Madeira Archipelago and the Portuguese mainland coast: detection of <i>Kudoa thyrsites</i> in new hosts <i>Scomber colias</i> and <i>Micromesistius poutassou</i> . <i>Folia Parasitologica</i> , 2021, 68, .	1.3	5
4	Synopsis of the species of <i>Myxobolus</i> (Cnidaria, Myxozoa, Myxosporaea) described between 2014 and 2020. <i>Folia Parasitologica</i> , 2021, 68, .	1.3	37
5	Effects of <i>Goussia</i> infecting the blue whiting and phylogenetic placement of <i>Goussia</i> infecting marine fish off Northern Portugal. <i>Parasitology Research</i> , 2020, 119, 2139-2147.	1.6	5
6	Performance of Electro-Fenton Water Treatment Technology in Decreasing Zebrafish Embryotoxicity Elicited by a Mixture of Organic Contaminants. <i>Advances in Science, Technology and Innovation</i> , 2020, , 243-246.	0.4	0
7	Seasonality of skipjack tuna parasites in the Eastern Atlantic provide an insight into its migratory patterns. <i>Fisheries Research</i> , 2019, 216, 167-173.	1.7	7
8	<i>Lymnaea stagnalis</i> as a freshwater model invertebrate for ecotoxicological studies. <i>Science of the Total Environment</i> , 2019, 669, 11-28.	8.0	62
9	<i>Didymozoids</i> in Muscle of Atlantic Chub Mackerel ( <i>Scomber colias</i> ). <i>Acta Parasitologica</i> , 2019, 64, 308-315.	1.1	1
10	Parasites of skipjack, <i>Katsuwonus pelamis</i> , from Madeira, Eastern Atlantic. <i>Parasitology Research</i> , 2018, 117, 1025-1033.	1.6	12
11	Synopsis of the species of <i>Ceratomyxa Th�lohan</i> , 1892 (Cnidaria, Myxosporaea, Ceratomyxidae) described between 2007 and 2017. <i>Systematic Parasitology</i> , 2018, 95, 427-446.	1.1	21
12	Parasites of amberjacks from the archipelago of Madeira, Eastern Atlantic. <i>Diseases of Aquatic Organisms</i> , 2018, 131, 133-142.	1.0	10
13	Histopathological changes and zootechnical performance in juvenile zebrafish ( <i>Danio rerio</i> ) under chronic exposure to nitrate. <i>Aquaculture</i> , 2017, 473, 197-205.	3.5	30
14	The use of parasites as biological tags for stock identification of blue jack mackerel, <i>Trachurus picturatus</i> , in the North-eastern Atlantic. <i>Fisheries Research</i> , 2017, 193, 1-6.	1.7	17
15	Observations on non-random distribution of spores of <i>Henneguya</i> spp. (Cnidaria: Myxosporaea: Tj ETQq1 1 0.784314 rgBT /Oylock 10	1.3	3
16	&lt;b&gt;Observations on the Infection by &lt;i&gt;Kudoa&lt;/i&gt; sp. (Myxozoa, Multivalvulida) in fishes caught off Rio Grande, Rio Grande do Sul State, Brazil. <i>Acta Scientiarum - Biological Sciences</i> , 2016, 38, 99.	0.3	3
17	Metazoan parasites of blue jack mackerel <i>Trachurus picturatus</i> (Perciformes: Carangidae) from Portuguese mainland waters. <i>Journal of Helminthology</i> , 2016, 90, 410-416.	1.0	10
18	Histological study as indicator of juveniles farmed turbot, <i>Scophthalmus maximus</i> L. health status. <i>Aquaculture</i> , 2016, 459, 210-215.	3.5	14

#	ARTICLE	IF	CITATIONS
19	Study of the gill health status of farmed sea bass ( <i>Dicentrarchus labrax</i> L., 1758) using different tools. <i>Aquaculture</i> , 2015, 441, 16-20.	3.5	16
20	A histology-based fish health assessment of farmed seabass ( <i>Dicentrarchus labrax</i> L.). <i>Aquaculture</i> , 2015, 448, 375-381.	3.5	46
21	Parasites of the Mutton Snapper <i>Lutjanus analis</i> (Perciformes: Lutjanidae) in Alagoas, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2014, 23, 241-243.	0.7	7
22	A note on the infection of <i>Scomberomorus brasiliensis</i> (Osteichthyes, Scombridae) by <i>Kudoa</i> sp. (Myxozoa: Multivalvulida). <i>Brazilian Journal of Biology</i> , 2014, 74, S164-S166.	0.9	8
23	Gastrointestinal helminth communities of the blackspot seabream <i>Pagellus bogaraveo</i> (Teleostei: Tj ETQq1 1 0.784314 rgBT/Overlock 1.0	1.0	4
24	Synopsis of the species of <i>Kudoa</i> Meglitsch, 1947 (Myxozoa: Myxosporea: Multivalvulida). <i>Systematic Parasitology</i> , 2014, 87, 153-180.	1.1	69
25	Ectoparasites of the blackspot seabream <i>Pagellus bogaraveo</i> (Teleostei: Sparidae) from Portuguese waters of the north-east Atlantic. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2013, 93, 503-510.	0.8	9
26	Reproductive biology of the Golden grey mullet <i>Liza aurata</i> , in the Gulf of Gabes (central) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 467 Td ( Science, 2013, 14, 409.	1.6	4
27	Granulomas caused by <i>Mycobacterium</i> sp. in farmed Turbot <i>Scophthalmus maximus</i> (Linnaeus, 1758). <i>Mediterranean Marine Science</i> , 2013, 14, 424.	1.6	3
28	Parasites as biological tags for stock identification of blackspot seabream, &lt;i>Pagellus bogaraveo&lt;/i>, in Portuguese northeast Atlantic waters. <i>Scientia Marina</i> , 2013, 77, 607-615.	0.6	15
29	Synopsis of the species of <i>Chloromyxum</i> Mingazinni, 1890 (Myxozoa: Myxosporea: Chloromyxidae). <i>Systematic Parasitology</i> , 2012, 83, 203-225.	1.1	18
30	Infection levels and diversity of anisakid nematodes in blackspot seabream, <i>Pagellus bogaraveo</i> , from Portuguese waters. <i>Parasitology Research</i> , 2012, 110, 1919-1928.	1.6	40
31	Distribution of <i>Hatschekia pagellibogneravei</i> (Copepoda: Hatschekiidae) on the gills of <i>Pagellus bogaraveo</i> (Teleostei: Sparidae) from Madeira, Portugal. <i>Folia Parasitologica</i> , 2012, 59, 148-152.	1.3	5
32	<i>Streptococcus parauberis</i> Infection in Turbot <i>Scophthalmus maximus</i> in Northern Portugal. <i>Fish Pathology</i> , 2012, 47, 80-82.	0.7	3
33	<i>Amyloodinium ocellatum</i> (Chromalveolata: Dinoflagellata) in farmed turbot. <i>Aquaculture</i> , 2011, 320, 34-36.	3.5	22
34	Polycystic liver in farmed turbot, <i>Scophthalmus maximus</i> (L.). <i>Journal of Fish Diseases</i> , 2011, 34, 937-938.	1.9	5
35	Synopsis of the species of <i>Myxidium</i> B&lt;sup>1&lt;/sup>tschli, 1882 (Myxozoa: Myxosporea: Bivalvulida). <i>Systematic Parasitology</i> , 2011, 80, 81-116.	1.1	31
36	Two species of <i>Rhabdochona</i> Railliet, 1916 (Nematoda: Rhabdochonidae) parasitising cyprinid fishes in Iraq, with a redescription of <i>R. Atigridis</i> Rahemo, 1978 (emend.). <i>Systematic Parasitology</i> , 2009, 74, 125-135.	1.1	4

#	ARTICLE	IF	CITATIONS
37	Use of parasites as biological tags in stock identification of the black scabbardfish, <i>Aphanopus carbo</i> (Lowe, 1839) (Osteichthyes: Trichiuridae) from Portuguese waters. <i>Scientia Marina</i> , 2009, 73, 55-62.	0.6	19
38	Stock structure of black scabbardfish ( <i>Aphanopus carbo</i> (Lowe, 1839)) in the southern northeast Atlantic. <i>Scientia Marina</i> , 2009, 73, 89-101.	0.6	7
39	Parasitic infection levels by <i>Anisakis</i> spp. larvae (Nematoda: Anisakidae) in the black scabbardfish <i>Aphanopus carbo</i> (Osteichthyes: Trichiuridae) from Portuguese waters. <i>Scientia Marina</i> , 2009, 73, 115-120.	0.6	12
40	First record of <i>Philometra ovata</i> (Nematoda) infection in <i>Gobio lozanoi</i> in Portugal. <i>Journal of Fish Biology</i> , 2008, 73, 2288-2292.	1.6	8
41	Metazoan parasites of <i>Cyprinus carpio</i> L. (Cyprinidae) from Mozambique. <i>Aquaculture</i> , 2008, 284, 59-61.	3.5	11
42	New Metacestodes of Gyporhynchid Tapeworms (Cestoda: Cyclophyllidae) from Carp ( <i>Cyprinus carpio</i> ) Tj ETQq0 0.0 rgBT /Overlock 10	0.4	6
43	Distribution of larval anisakids in blue whiting off Portuguese fish market. <i>Helminthologia</i> , 2007, 44, 21-24.	0.9	22
44	Scuticociliate infection and pathology in cultured turbot <i>Scophthalmus maximus</i> from the north of Portugal. <i>Diseases of Aquatic Organisms</i> , 2007, 74, 249-253.	1.0	42
45	<i>Neocucullanus neocucullanus</i> Travassos, Artigas et Pereira, 1928 (Nematoda: Cucullanidae) from the Characidae fish, <i>Brycon hilarii</i> Valenciennes, 1850, from Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2006, 101, 669-672.	1.6	2
46	Nematode parasites of the characid fish <i>Brycon hilarii</i> from the River Juba, Mato Grosso, Brazil. <i>Helminthologia</i> , 2006, 43, 158-160.	0.9	5
47	Occurrence of <i>Kudoa</i> sp. (Myxozoa) in <i>Trachurus trachurus</i> L. (Osteichthyes) in Portugal. <i>Parasite</i> , 2003, 10, 165-167.	2.0	5
48	Occurrence and maturation of <i>Rhabdochona gnedini</i> (Nematoda: Rhabdochonidae) in the barbels of the Sousa River, Portugal. <i>Parasite</i> , 2002, 9, 81-84.	2.0	4
49	Ecological Data of <i>Travassosnema travassosi travassosi</i> (Dracunculoidea: Guyanemidae) from the Humour of the Eyes of <i>Acestrorhynchus lacustris</i> from Tibagi River, Paraná, Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2002, 97, 51-52.	1.6	4
50	Development of <i>Spinitectus inermis</i> (Nematoda: Cystidicolidae), a parasite of eel, <i>Anguilla anguilla</i> , in Europe. <i>Folia Parasitologica</i> , 2002, 49, 118-126.	1.3	15
51	Observations on the occurrence and maturation of <i>Spinitectus inermis</i> (Nematoda: Cystidicolidae) in the Sousa River, Portugal. <i>Folia Parasitologica</i> , 2002, 49, 167-168.	1.3	5
52	A note on the Portuguese situation concerning some notifiable fish diseases. <i>Aquaculture</i> , 1987, 67, 279-281.	3.5	4