

Amalia Am Mattiello

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8941311/publications.pdf>

Version: 2024-02-01

254
papers

12,828
citations

17405

63
h-index

40881

93
g-index

264
all docs

264
docs citations

264
times ranked

20529
citing authors

#	ARTICLE	IF	CITATIONS
1	Differences in the prospective association between individual plasma phospholipid saturated fatty acids and incident type 2 diabetes: the EPIC-InterAct case-cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 810-818.	5.5	431
2	Physical Activity and Mortality in Individuals With Diabetes Mellitus. <i>Archives of Internal Medicine</i> , 2012, 172, 1285.	4.3	226
3	Reproductive risk factors and endometrial cancer: the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010, 127, 442-451.	2.3	223
4	Mediterranean dietary patterns and prospective weight change in participants of the EPIC-PANACEA project. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 912-921.	2.2	194
5	Plasma Adiponectin Levels and Endometrial Cancer Risk in Pre- and Postmenopausal Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 255-263.	1.8	191
6	Prediction of coronary events in a low incidence population. Assessing accuracy of the CUORE Cohort Study prediction equation. <i>International Journal of Epidemiology</i> , 2005, 34, 413-421.	0.9	187
7	Design and cohort description of the InterAct Project: an examination of the interaction of genetic and lifestyle factors on the incidence of type 2 diabetes in the EPIC Study. <i>Diabetologia</i> , 2011, 54, 2272-2282.	2.9	169
8	Yogurt consumption and risk of colorectal cancer in the Italian European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2011, 129, 2712-2719.	2.3	154
9	Fruit, vegetables, and olive oil and risk of coronary heart disease in Italian women: the EPICOR Study. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 275-283.	2.2	150
10	Anthropometric factors and risk of endometrial cancer: the European prospective investigation into cancer and nutrition. <i>Cancer Causes and Control</i> , 2007, 18, 399-413.	0.8	148
11	Long-Term Risk of Incident Type 2 Diabetes and Measures of Overall and Regional Obesity: The EPIC-InterAct Case-Cohort Study. <i>PLoS Medicine</i> , 2012, 9, e1001230.	3.9	147
12	Age at Menarche and Type 2 Diabetes Risk. <i>Diabetes Care</i> , 2013, 36, 3526-3534.	4.3	147
13	A Priori Defined Dietary Patterns Are Associated with Reduced Risk of Stroke in a Large Italian Cohort. <i>Journal of Nutrition</i> , 2011, 141, 1552-1558.	1.3	140
14	Prediagnostic body fat and risk of death from amyotrophic lateral sclerosis. <i>Neurology</i> , 2013, 80, 829-838.	1.5	138
15	Association between dietary meat consumption and incident type 2 diabetes: the EPIC-InterAct study. <i>Diabetologia</i> , 2013, 56, 47-59.	2.9	129
16	Life-course socioeconomic status and DNA methylation of genes regulating inflammation. <i>International Journal of Epidemiology</i> , 2015, 44, 1320-1330.	0.9	126
17	A Molecular Epidemiology Project on Diet and Cancer: The Epic-Italy Prospective Study. Design and Baseline Characteristics of Participants. <i>Tumori</i> , 2003, 89, 586-593.	0.6	120
18	Polyphenol metabolome in human urine and its association with intake of polyphenol-rich foods across European countries. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 905-913.	2.2	118

#	ARTICLE	IF	CITATIONS
19	Dietary Glycemic Load and Index and Risk of Coronary Heart Disease in a Large Italian Cohort. Archives of Internal Medicine, 2010, 170, 640-7.	4.3	116
20	Dietary Intakes of Individual Flavanols and Flavonols Are Inversely Associated with Incident Type 2 Diabetes in European Populations. Journal of Nutrition, 2014, 144, 335-343.	1.3	115
21	Fruit and vegetable intake and the risk of gastric adenocarcinoma: A reanalysis of the european prospective investigation into cancer and nutrition (EPICâ€œEURGAST) study after a longer followâ€œup. International Journal of Cancer, 2012, 131, 2910-2919.	2.3	114
22	Diabetes mellitus, insulin treatment, diabetes duration, and risk of biliary tract cancer and hepatocellular carcinoma in a European cohort. Annals of Oncology, 2013, 24, 2449-2455.	0.6	114
23	Reproductive Factors and Exogenous Hormone Use in Relation to Risk of Glioma and Meningioma in a Large European Cohort Study. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 2562-2569.	1.1	113
24	Physical activity and gain in abdominal adiposity and body weight: prospective cohort study in 288,498 men and women. American Journal of Clinical Nutrition, 2011, 93, 826-835.	2.2	112
25	Active and passive cigarette smoking and breast cancer risk: Results from the EPIC cohort. International Journal of Cancer, 2014, 134, 1871-1888.	2.3	112
26	Smoking and risk for amyotrophic lateral sclerosis: Analysis of the EPIC cohort. Annals of Neurology, 2009, 65, 378-385.	2.8	111
27	Anthropometry and Esophageal Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 2079-2089.	1.1	109
28	Estimation of the intake of anthocyanidins and their food sources in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. British Journal of Nutrition, 2011, 106, 1090-1099.	1.2	108
29	The Association Between Dietary Flavonoid and Lignan Intakes and Incident Type 2 Diabetes in European Populations. Diabetes Care, 2013, 36, 3961-3970.	4.3	108
30	Dietary fat intake in the European Prospective Investigation into Cancer and Nutrition: results from the 24-h dietary recalls. European Journal of Clinical Nutrition, 2009, 63, S61-S80.	1.3	107
31	Body size and risk of differentiated thyroid carcinomas: Findings from the EPIC study. International Journal of Cancer, 2012, 131, E1004-14.	2.3	104
32	Helicobacter pylori infection assessed by ELISA and by immunoblot and noncardia gastric cancer risk in a prospective study: the Eurgast-EPIC project. Annals of Oncology, 2012, 23, 1320-1324.	0.6	102
33	The Influence of Hormonal Factors on the Risk of Developing Cervical Cancer and Pre-Cancer: Results from the EPIC Cohort. PLoS ONE, 2016, 11, e0147029.	1.1	102
34	Total Antioxidant Capacity of the Diet Is Associated with Lower Risk of Ischemic Stroke in a Large Italian Cohort,. Journal of Nutrition, 2011, 141, 118-123.	1.3	97
35	Serum levels of C-peptide, IGFBP-1 and IGFBP-2 and endometrial cancer risk; Results from the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2007, 120, 2656-2664.	2.3	96
36	Epigenome-wide association study reveals decreased average methylation levels years before breast cancer diagnosis. Clinical Epigenetics, 2015, 7, 67.	1.8	95

#	ARTICLE	IF	CITATIONS
37	Lactase Persistence and Bitter Taste Response: Instrumental Variables and Mendelian Randomization in Epidemiologic Studies of Dietary Factors and Cancer Risk. <i>American Journal of Epidemiology</i> , 2007, 166, 576-581.	1.6	94
38	EPIC-Heart: The cardiovascular component of a prospective study of nutritional, lifestyle and biological factors in 520,000 middle-aged participants from 10 European countries. <i>European Journal of Epidemiology</i> , 2007, 22, 129-141.	2.5	91
39	Intake estimation of total and individual flavan-3-ols, proanthocyanidins and theaflavins, their food sources and determinants in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2012, 108, 1095-1108.	1.2	90
40	Dietary Fiber, Carbohydrate Quality and Quantity, and Mortality Risk of Individuals with Diabetes Mellitus. <i>PLoS ONE</i> , 2012, 7, e43127.	1.1	89
41	Serum Insulin-like Growth Factor (IGF)-I and IGF-Binding Protein-3 Concentrations and Prostate Cancer Risk: Results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 1121-1127.	1.1	88
42	Italian mediterranean index and risk of colorectal cancer in the Italian section of the EPIC cohort. <i>International Journal of Cancer</i> , 2013, 132, 1404-1411.	2.3	88
43	Total dietary carbohydrate, sugar, starch and fibre intakes in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 2009, 63, S37-S60.	1.3	87
44	Dietary flavonoid and lignan intake and gastric adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 1398-1408.	2.2	81
45	Adherence to a Mediterranean diet and long-term changes in weight and waist circumference in the EPIC-Italy cohort. <i>Nutrition and Diabetes</i> , 2018, 8, 22.	1.5	81
46	Fruit and vegetable consumption and prospective weight change in participants of the European Prospective Investigation into Cancer and Nutrition—Physical Activity, Nutrition, Alcohol, Cessation of Smoking, Eating Out of Home, and Obesity study. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 184-193.	2.2	79
47	Health effects associated with the disposal of solid waste in landfills and incinerators in populations living in surrounding areas: a systematic review. <i>International Journal of Public Health</i> , 2013, 58, 725-735.	1.0	79
48	Anthropometric characteristics and non-Hodgkin's lymphoma and multiple myeloma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Haematologica</i> , 2008, 93, 1666-1677.	1.7	78
49	Associations Between General and Abdominal Adiposity and Mortality in Individuals With Diabetes Mellitus. <i>American Journal of Epidemiology</i> , 2011, 174, 22-34.	1.6	78
50	Consumption and portion sizes of tree nuts, peanuts and seeds in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohorts from 10 European countries. <i>British Journal of Nutrition</i> , 2006, 96, S12-S23.	1.2	76
51	Reproductive factors and risk of hormone receptor positive and negative breast cancer: a cohort study. <i>BMC Cancer</i> , 2013, 13, 584.	1.1	74
52	Dietary glycemic index, glycemic load, and cancer risk: results from the EPIC-Italy study. <i>Scientific Reports</i> , 2017, 7, 9757.	1.6	74
53	Vitamin D Receptor and Calcium Sensing Receptor Polymorphisms and the Risk of Colorectal Cancer in European Populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 2485-2491.	1.1	73
54	The association of education with body mass index and waist circumference in the EPIC-PANACEA study. <i>BMC Public Health</i> , 2011, 11, 169.	1.2	72

#	ARTICLE	IF	CITATIONS
55	Total and high-molecular weight adiponectin and risk of colorectal cancer: the European Prospective Investigation into Cancer and Nutrition Study. <i>Carcinogenesis</i> , 2012, 33, 1211-1218.	1.3	72
56	Physical activity and risk of breast cancer overall and by hormone receptor status: The European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2013, 132, 1667-1678.	2.3	72
57	Pre-menopausal serum sex hormone levels in relation to breast cancer risk, overall and by hormone receptor status-Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 134, 1947-1957.	2.3	71
58	Physical Activity and Ovarian Cancer Risk: the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 351-354.	1.1	70
59	Risk of second primary malignancies in women with breast cancer: Results from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2015, 137, 940-948.	2.3	70
60	Exploring causality of the association between smoking and Parkinson's disease. <i>International Journal of Epidemiology</i> , 2019, 48, 912-925.	0.9	70
61	Fruit and vegetable consumption and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009, 124, 1926-1934.	2.3	69
62	Urinary excretions of 34 dietary polyphenols and their associations with lifestyle factors in the EPIC cohort study. <i>Scientific Reports</i> , 2016, 6, 26905.	1.6	69
63	Anthropometric measures and epithelial ovarian cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010, 126, 2404-2415.	2.3	68
64	Glycosylated Hemoglobin and Risk of Colorectal Cancer in Men and Women, the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 3108-3115.	1.1	67
65	Cross-Sectional Study on Acrylamide Hemoglobin Adducts in Subpopulations from the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 6046-6053.	2.4	66
66	Leptin and Soluble Leptin Receptor in Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>Cancer Research</i> , 2012, 72, 5328-5337.	0.4	65
67	Dietary flavonoid, lignan and antioxidant capacity and risk of hepatocellular carcinoma in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2013, 133, 2429-2443.	2.3	65
68	Association of Multiple Biomarkers of Iron Metabolism and Type 2 Diabetes: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2016, 39, 572-581.	4.3	65
69	Macronutrient Composition of the Diet and Prospective Weight Change in Participants of the EPIC-PANACEA Study. <i>PLoS ONE</i> , 2013, 8, e57300.	1.1	64
70	Fruit and vegetables consumption and breast cancer risk: the EPIC Italy study. <i>Breast Cancer Research and Treatment</i> , 2012, 132, 1127-1136.	1.1	63
71	Associations between dietary pattern and lifestyle, anthropometry and other health indicators in the elderly participants of the EPIC-Italy cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2006, 16, 186-201.	1.1	62
72	Dietary β -carotene, vitamin C and E intake and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Breast Cancer Research and Treatment</i> , 2010, 119, 753-765.	1.1	62

#	ARTICLE	IF	CITATIONS
73	Height, age at menarche and risk of hormone receptor-positive and -negative breast cancer: A cohort study. <i>International Journal of Cancer</i> , 2013, 132, 2619-2629.	2.3	62
74	Methodological Challenges in the Application of the Glycemic Index in Epidemiological Studies Using Data from the European Prospective Investigation into Cancer and Nutrition. <i>Journal of Nutrition</i> , 2009, 139, 568-575.	1.3	61
75	Cigarette Smoking and Colorectal Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition Study. <i>Clinical Gastroenterology and Hepatology</i> , 2011, 9, 137-144.	2.4	61
76	Gene-specific DNA methylation profiles and LINE-1 hypomethylation are associated with myocardial infarction risk. <i>Clinical Epigenetics</i> , 2015, 7, 133.	1.8	61
77	Weight change in middle adulthood and breast cancer risk in the EPIC-PANACEA study. <i>International Journal of Cancer</i> , 2014, 135, 2887-2899.	2.3	60
78	A dietary pattern rich in olive oil and raw vegetables is associated with lower mortality in Italian elderly subjects. <i>British Journal of Nutrition</i> , 2007, 98, 406-415.	1.2	59
79	Tea Consumption and Incidence of Type 2 Diabetes in Europe: The EPIC-InterAct Case-Cohort Study. <i>PLoS ONE</i> , 2012, 7, e36910.	1.1	59
80	Diabetes and onset of natural menopause: results from the European Prospective Investigation into Cancer and Nutrition. <i>Human Reproduction</i> , 2015, 30, 1491-1498.	0.4	59
81	Fluid intake and the risk of urothelial cell carcinomas in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2011, 128, 2695-2708.	2.3	58
82	Nut intake and 5-year changes in body weight and obesity risk in adults: results from the EPIC-PANACEA study. <i>European Journal of Nutrition</i> , 2018, 57, 2399-2408.	1.8	58
83	Prospective study of physical activity and risk of primary adenocarcinomas of the oesophagus and stomach in the EPIC (European Prospective Investigation into Cancer and nutrition) cohort. <i>Cancer Causes and Control</i> , 2010, 21, 657-669.	0.8	57
84	Coffee and tea consumption and the risk of ovarian cancer: a prospective cohort study and updated meta-analysis. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 1172-1181.	2.2	56
85	Genetic variation in alcohol dehydrogenase (ADH1A, ADH1B, ADH1C, ADH7) and aldehyde dehydrogenase (ALDH2), alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Carcinogenesis</i> , 2012, 33, 361-367.	1.3	55
86	Adult weight change and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Cancer</i> , 2013, 49, 3526-3536.	1.3	55
87	Metabolic Syndrome and Breast Cancer Risk: A Case-Cohort Study Nested in a Multicentre Italian Cohort. <i>PLoS ONE</i> , 2015, 10, e0128891.	1.1	55
88	Anthropometric Measures, Physical Activity, and Risk of Glioma and Meningioma in a Large Prospective Cohort Study. <i>Cancer Prevention Research</i> , 2011, 4, 1385-1392.	0.7	54
89	Lifestyle factors and mortality risk in individuals with diabetes mellitus: are the associations different from those in individuals without diabetes?. <i>Diabetologia</i> , 2014, 57, 63-72.	2.9	54
90	Dietary glycemic index and glycemic load and risk of colorectal cancer: results from the EPIC-Italy study. <i>International Journal of Cancer</i> , 2015, 136, 2923-2931.	2.3	54

#	ARTICLE	IF	CITATIONS
91	Reproductive and hormone-related risk factors for epithelial ovarian cancer by histologic pathways, invasiveness and histologic subtypes: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2015, 137, 1196-1208.	2.3	53
92	Dietary flavonoid and lignan intake and breast cancer risk according to menopause and hormone receptor status in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Breast Cancer Research and Treatment</i> , 2013, 139, 163-176.	1.1	52
93	Eating out, weight and weight gain. A cross-sectional and prospective analysis in the context of the EPIC-PANACEA study. <i>International Journal of Obesity</i> , 2011, 35, 416-426.	1.6	51
94	Concentrations of IGF-I and IGFBP-3 and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2012, 106, 1004-1010.	2.9	51
95	Inflammatory Markers and Risk of Epithelial Ovarian Cancer by Tumor Subtypes: The EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 951-961.	1.1	51
96	Flavonoid and lignan intake in relation to bladder cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Cancer</i> , 2014, 111, 1870-1880.	2.9	50
97	B-vitamins intake, DNA-methylation of One Carbon Metabolism and homocysteine pathway genes and myocardial infarction risk: The EPICOR study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014, 24, 483-488.	1.1	50
98	Plasma 25-hydroxyvitamin D and the risk of breast cancer in the European prospective investigation into cancer and nutrition: A nested case-control study. <i>International Journal of Cancer</i> , 2013, 133, 1689-1700.	2.3	49
99	Physical activity and risk of Amyotrophic Lateral Sclerosis in a prospective cohort study. <i>European Journal of Epidemiology</i> , 2016, 31, 255-266.	2.5	49
100	Comparison of standardised dietary folate intake across ten countries participating in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Nutrition</i> , 2012, 108, 552-569.	1.2	48
101	Dietary acrylamide intake of adults in the European Prospective Investigation into Cancer and Nutrition differs greatly according to geographical region. <i>European Journal of Nutrition</i> , 2013, 52, 1369-1380.	1.8	48
102	Colorectal cancer risk and dyslipidemia: A case-cohort study nested in an Italian multicentre cohort. <i>Cancer Epidemiology</i> , 2014, 38, 144-151.	0.8	47
103	High erythrocyte levels of the n-6 polyunsaturated fatty acid linoleic acid are associated with lower risk of subsequent rheumatoid arthritis in a southern European nested case-control study. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 981-987.	0.5	47
104	Risk of endometrial cancer in relationship to cigarette smoking: Results from the EPIC study. <i>International Journal of Cancer</i> , 2007, 121, 2741-2747.	2.3	46
105	Red Meat, Dietary Nitrosamines, and Heme Iron and Risk of Bladder Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 555-559.	1.1	45
106	Coffee and tea consumption and risk of pre- and postmenopausal breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>Breast Cancer Research</i> , 2015, 17, 15.	2.2	45
107	Definition of high risk individuals to optimise strategies for primary prevention of cardiovascular diseases. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2005, 15, 79-85.	1.1	44
108	Coffee and tea intake and risk of brain tumors in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 1145-1150.	2.2	44

#	ARTICLE	IF	CITATIONS
109	Food intake of individuals with and without diabetes across different countries and ethnic groups. <i>European Journal of Clinical Nutrition</i> , 2011, 65, 635-641.	1.3	44
110	Prospective seroepidemiologic study on the role of Human Papillomavirus and other infections in cervical carcinogenesis: Evidence from the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 135, 440-452.	2.3	44
111	Elevated levels of D-dimers increase the risk of ischaemic and haemorrhagic stroke. <i>Thrombosis and Haemostasis</i> , 2014, 112, 941-946.	1.8	44
112	The Contribution of Risk Factors to the Higher Incidence of Invasive and In Situ Breast Cancers in Women With Higher Levels of Education in the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2011, 173, 26-37.	1.6	43
113	The association of circulating adiponectin levels with pancreatic cancer risk: A study within the prospective EPIC cohort. <i>International Journal of Cancer</i> , 2012, 130, 2428-2437.	2.3	43
114	Dietary Total Antioxidant Capacity and Colorectal Cancer in the Italian EPIC Cohort. <i>PLoS ONE</i> , 2015, 10, e0142995.	1.1	42
115	Investigation of Dietary Factors and Endometrial Cancer Risk Using a Nutrient-wide Association Study Approach in the EPIC and Nurses' Health Study (NHS) and NHSII. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 466-471.	1.1	42
116	Diabetes and the risk of non-Hodgkin's lymphoma and multiple myeloma in the European Prospective Investigation into Cancer and Nutrition. <i>Haematologica</i> , 2008, 93, 842-850.	1.7	41
117	Plasma phospholipid fatty acid concentrations and risk of gastric adenocarcinomas in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>American Journal of Clinical Nutrition</i> , 2011, 94, 1304-1313.	2.2	41
118	Olive oil intake and breast cancer risk in the Mediterranean countries of the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2012, 131, 2465-2469.	2.3	41
119	An epidemiologic risk prediction model for ovarian cancer in Europe: the EPIC study. <i>British Journal of Cancer</i> , 2015, 112, 1257-1265.	2.9	40
120	The Associations of Advanced Glycation End Products and Its Soluble Receptor with Pancreatic Cancer Risk: A Caseâ€“Control Study within the Prospective EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 619-628.	1.1	39
121	Fish consumption and mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>European Journal of Epidemiology</i> , 2015, 30, 57-70.	2.5	39
122	Obesity, overweight, and weight gain over adult life are main determinants of elevated hs-CRP in a cohort of Mediterranean women. <i>European Journal of Clinical Nutrition</i> , 2010, 64, 873-878.	1.3	38
123	Menstrual and Reproductive Factors, Exogenous Hormone Use, and Gastric Cancer Risk in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2010, 172, 1384-1393.	1.6	38
124	Urokinase-mediated posttranscriptional regulation of urokinase-receptor expression in non small cell lung carcinoma. <i>International Journal of Cancer</i> , 2003, 105, 353-360.	2.3	37
125	High glycemic diet and breast cancer occurrence in the Italian EPIC cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013, 23, 628-634.	1.1	37
126	Smoking, <i>Porphyromonas gingivalis</i> and the immune response to citrullinated autoantigens before the clinical onset of rheumatoid arthritis in a Southern European nested caseâ€“control study. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 331.	0.8	37

#	ARTICLE	IF	CITATIONS
127	Plasma carotenoids, vitamin C, retinol and tocopherols levels and pancreatic cancer risk within the European Prospective Investigation into Cancer and Nutrition: A nested case-control study. International Journal of Cancer, 2015, 136, E665-76.	2.3	37
128	Smoking and Lymphoma Risk in the European Prospective Investigation into Cancer and Nutrition. American Journal of Epidemiology, 2008, 167, 1081-1089.	1.6	36
129	Adherence to the Mediterranean diet and risk of bladder cancer in the EPIC cohort study. International Journal of Cancer, 2014, 134, 2504-2511.	2.3	36
130	Endogenous androgens and risk of epithelial invasive ovarian cancer by tumor characteristics in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2015, 136, 399-410.	2.3	36
131	Differentially methylated microRNAs in prediagnostic samples of subjects who developed breast cancer in the European Prospective Investigation into Nutrition and Cancer (EPIC-Italy) cohort. Carcinogenesis, 2015, 36, 1144-1153.	1.3	36
132	Dietary Glycemic Load and Glycemic Index and Risk of Cerebrovascular Disease in the EPICOR Cohort. PLoS ONE, 2013, 8, e62625.	1.1	35
133	Espresso Coffee Consumption and Risk of Coronary Heart Disease in a Large Italian Cohort. PLoS ONE, 2015, 10, e0126550.	1.1	35
134	Consumption of meat and dairy and lymphoma risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2011, 128, 623-634.	2.3	34
135	Physical activity and lymphoid neoplasms in the European Prospective Investigation into Cancer and nutrition (EPIC). European Journal of Cancer, 2011, 47, 748-760.	1.3	33
136	Type 1 plasminogen activator inhibitor as a common risk factor for cancer and ischaemic vascular disease: the EPICOR study. BMJ Open, 2013, 3, e003725.	0.8	33
137	Weight change later in life and colon and rectal cancer risk in participants in the EPIC-PANACEA study. American Journal of Clinical Nutrition, 2014, 99, 139-147.	2.2	33
138	Carotid Artery Remodeling in Middle-Aged Women With the Metabolic Syndrome (from the "Progetto" Tj ETQq0,0,0 rgBTj/Overlock	0.7	32
139	A prospective analysis of the association between macronutrient intake and renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2009, 125, 982-987.	2.3	32
140	Pre-diagnostic polyphenol intake and breast cancer survival: the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. Breast Cancer Research and Treatment, 2015, 154, 389-401.	1.1	31
141	Sweet-beverage consumption and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). American Journal of Clinical Nutrition, 2016, 104, 760-768.	2.2	31
142	Associations of dairy product consumption with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC) Italy cohort. American Journal of Clinical Nutrition, 2019, 110, 1220-1230.	2.2	31
143	Concentrations of IGF-I and IGFBP-3 and Brain Tumor Risk in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 2174-2182.	1.1	30
144	Association between small dense LDL and early atherosclerosis in a sample of menopausal women. Clinica Chimica Acta, 2013, 426, 1-5.	0.5	30

#	ARTICLE	IF	CITATIONS
145	Dietary Intake of Vitamin D and Calcium and Breast Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Nutrition and Cancer</i> , 2013, 65, 178-187.	0.9	30
146	Circulating prolactin and in situ breast cancer risk in the European EPIC cohort: a case-control study. <i>Breast Cancer Research</i> , 2015, 17, 49.	2.2	30
147	Pre-diagnostic meat and fibre intakes in relation to colorectal cancer survival in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Nutrition</i> , 2016, 116, 316-325.	1.2	30
148	Fruit and vegetable consumption and lymphoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2007, 18, 537-549.	0.8	29
149	Small dense LDL particles and metabolic syndrome in a sample of middle-aged women. Findings from Progetto Atena. <i>Clinica Chimica Acta</i> , 2008, 388, 179-183.	0.5	29
150	Dietary Flavonoid Intake and Esophageal Cancer Risk in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>American Journal of Epidemiology</i> , 2013, 178, 570-581.	1.6	29
151	Plasma alkylresorcinol concentrations, biomarkers of whole-grain wheat and rye intake, in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>British Journal of Nutrition</i> , 2014, 111, 1881-1890.	1.2	29
152	Abdominal adiposity is an early marker of pulmonary function impairment: Findings from a Mediterranean Italian female cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016, 26, 643-648.	1.1	29
153	Nutrient-wide association study of 57 foods/nutrients and epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition study and the Netherlands Cohort Study. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 161-167.	2.2	29
154	Circulating RANKL and RANKL/OPG and Breast Cancer Risk by ER and PR Subtype: Results from the EPIC Cohort. <i>Cancer Prevention Research</i> , 2017, 10, 525-534.	0.7	29
155	Body iron status and gastric cancer risk in the <scp>EURGAST</scp> study. <i>International Journal of Cancer</i> , 2015, 137, 2904-2914.	2.3	28
156	Serum Endotoxins and Flagellin and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 291-301.	1.1	28
157	Endometrial cancer risk prediction including serum-based biomarkers: results from the EPIC cohort. <i>International Journal of Cancer</i> , 2017, 140, 1317-1323.	2.3	28
158	Anthropometric and reproductive factors and risk of esophageal and gastric cancer by subtype and subsite: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2020, 146, 929-942.	2.3	28
159	CDH1 gene polymorphisms, smoking, Helicobacter pylori infection and the risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>European Journal of Cancer</i> , 2008, 44, 774-780.	1.3	27
160	Plasma Elaidic Acid Level as Biomarker of Industrial Trans Fatty Acids and Risk of Weight Change: Report from the EPIC Study. <i>PLoS ONE</i> , 2015, 10, e0118206.	1.1	27
161	Exercise training improves cardiopulmonary and endothelial function in women with breast cancer: findings from the Diana-5 dietary intervention study. <i>Internal and Emergency Medicine</i> , 2016, 11, 183-189.	1.0	27
162	Acrylamide and Glycidamide Hemoglobin Adducts and Epithelial Ovarian Cancer: A Nested Caseâ€“Control Study in Nonsmoking Postmenopausal Women from the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 127-134.	1.1	27

#	ARTICLE	IF	CITATIONS
163	A Metabolomic Study of Biomarkers of Habitual Coffee Intake in Four European Countries. <i>Molecular Nutrition and Food Research</i> , 2019, 63, e1900659.	1.5	27
164	Fruit and vegetable consumption and risk of aggressive and non-aggressive urothelial cell carcinomas in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Cancer</i> , 2012, 48, 3267-3277.	1.3	26
165	Longitudinal changes in weight in relation to smoking cessation in participants of the EPIC-PANACEA study. <i>Preventive Medicine</i> , 2012, 54, 183-192.	1.6	26
166	Challenges in estimating the validity of dietary acrylamide measurements. <i>European Journal of Nutrition</i> , 2013, 52, 1503-1512.	1.8	26
167	Anthropometric measures and bladder cancer risk: A prospective study in the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 135, 2918-2929.	2.3	26
168	Urokinase-type plasminogen activator up-regulates the expression of its cellular receptor through a post-transcriptional mechanism. <i>FEBS Letters</i> , 2001, 508, 379-384.	1.3	25
169	The metabolic syndrome: A critical appraisal based on the CUORE epidemiologic study. <i>Preventive Medicine</i> , 2009, 48, 525-531.	1.6	25
170	Dietary intake of iron, heme-iron and magnesium and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2012, 131, E1134-47.	2.3	25
171	Eating at restaurants, at work or at home. Is there a difference? A study among adults of 11 European countries in the context of the HECTOR* project. <i>European Journal of Clinical Nutrition</i> , 2017, 71, 407-419.	1.3	25
172	Occupation and risk of lymphoma: a multicentre prospective cohort study (EPIC). <i>Occupational and Environmental Medicine</i> , 2011, 68, 77-81.	1.3	24
173	Dietary intake of acrylamide and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Annals of Oncology</i> , 2013, 24, 2645-2651.	0.6	24
174	Dietary Intakes and Risk of Lymphoid and Myeloid Leukemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Nutrition and Cancer</i> , 2014, 66, 14-28.	0.9	24
175	Energy and macronutrient intake and risk of differentiated thyroid carcinoma in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2016, 138, 65-73.	2.3	24
176	Ovarian cancer early detection by circulating CA125 in the context of anti-CA125 autoantibody levels: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2018, 142, 1355-1360.	2.3	24
177	Circulating Biomarkers of One-Carbon Metabolism in Relation to Renal Cell Carcinoma Incidence and Survival. <i>Journal of the National Cancer Institute</i> , 2014, 106, .	3.0	23
178	Mediterranean Dietary Pattern and Chronic Diseases. <i>Cancer Treatment and Research</i> , 2014, 159, 69-81.	0.2	23
179	Soluble B-cell activation marker of sCD27 and sCD30 and future risk of B-cell lymphomas: A nested case-control study and meta-analyses. <i>International Journal of Cancer</i> , 2016, 138, 2357-2367.	2.3	23
180	Correlates of Age at Natural Menopause in the Cohorts of Epic-Italy. <i>Tumori</i> , 2003, 89, 608-614.	0.6	22

#	ARTICLE	IF	CITATIONS
181	Smoking and body fatness measurements: A cross-sectional analysis in the EPIC“PANACEA study. Preventive Medicine, 2009, 49, 365-373.	1.6	22
182	Correlates of circulating ovarian cancer early detection markers and their contribution to discrimination of early detection models: results from the EPIC cohort. Journal of Ovarian Research, 2017, 10, 20.	1.3	22
183	Epidemiology of cardiovascular diseases in women in Europe. Nutrition, Metabolism and Cardiovascular Diseases, 2010, 20, 379-385.	1.1	21
184	Consumption of predefined “Nordic” dietary items in ten European countries “ an investigation in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. Public Health Nutrition, 2014, 17, 2650-2659.	1.1	21
185	Iso-caloric substitution of carbohydrates with protein: the association with weight change and mortality among patients with type 2 diabetes. Cardiovascular Diabetology, 2015, 14, 39.	2.7	21
186	Osteoprotegerin and breast cancer risk by hormone receptor subtype: a nested case-control study in the EPIC cohort. BMC Medicine, 2017, 15, 26.	2.3	21
187	Up to one-third of breast cancer cases in post-menopausal Mediterranean women might be avoided by modifying lifestyle habits: the EPIC Italy study. Breast Cancer Research and Treatment, 2017, 161, 311-320.	1.1	21
188	Epigenome-wide association study for lifetime estrogen exposure identifies an epigenetic signature associated with breast cancer risk. Clinical Epigenetics, 2019, 11, 66.	1.8	21
189	Preventive potential of body mass reduction to lower cardiovascular risk: The Italian Progetto CUORE study. Preventive Medicine, 2008, 47, 53-60.	1.6	20
190	Genetic variation in genes of the fatty acid synthesis pathway and breast cancer risk. Breast Cancer Research and Treatment, 2009, 118, 565-574.	1.1	20
191	Specific food group combinations explaining the variation in intakes of nutrients and other important food components in the European Prospective Investigation into Cancer and Nutrition: an application of the reduced rank regression method. European Journal of Clinical Nutrition, 2009, 63, S263-S274.	1.3	20
192	Lifestyle, dietary factors, and antibody levels to oral bacteria in cancer-free participants of a European cohort study. Cancer Causes and Control, 2013, 24, 1901-1909.	0.8	20
193	Dietary intake of acrylamide and esophageal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. Cancer Causes and Control, 2014, 25, 639-646.	0.8	20
194	Plasma fetuin-A concentration, genetic variation in the <i>AHSG</i> gene and risk of colorectal cancer. International Journal of Cancer, 2015, 137, 911-920.	2.3	20
195	Association between Lp (a) and atherosclerosis in menopausal women without metabolic syndrome. Biomarkers in Medicine, 2016, 10, 397-402.	0.6	20
196	Exercise training improves heart rate recovery in women with breast cancer. SpringerPlus, 2015, 4, 388.	1.2	19
197	Flavonoid and lignan intake and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. International Journal of Cancer, 2016, 139, 1480-1492.	2.3	19
198	Consumption of Fish Is Not Associated with Risk of Differentiated Thyroid Carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. Journal of Nutrition, 2017, 147, 1366-1373.	1.3	19

#	ARTICLE	IF	CITATIONS
199	DNA methylation, colon cancer and Mediterranean diet: results from the EPIC-Italy cohort. <i>Epigenetics</i> , 2019, 14, 977-988.	1.3	19
200	Glycemic index, glycemic load, and risk of coronary heart disease: a pan-European cohort study. <i>American Journal of Clinical Nutrition</i> , 2020, 112, 631-643.	2.2	19
201	Development and Validation of a Risk Score Predicting Substantial Weight Gain over 5 Years in Middle-Aged European Men and Women. <i>PLoS ONE</i> , 2013, 8, e67429.	1.1	17
202	Metabolic Mediators of the Association Between Adult Weight Gain and Colorectal Cancer: Data From the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>American Journal of Epidemiology</i> , 2017, 185, 751-764.	1.6	17
203	Circulating Fetuin-A and Risk of Type 2 Diabetes: A Mendelian Randomization Analysis. <i>Diabetes</i> , 2018, 67, 1200-1205.	0.3	17
204	Dietary fat intake and risk of epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology</i> , 2014, 38, 528-537.	0.8	16
205	Parkinson's Disease Case Ascertainment in the EPIC Cohort: The NeuroEPIC4PD Study. <i>Neurodegenerative Diseases</i> , 2015, 15, 331-338.	0.8	16
206	Dietary Intake of Acrylamide and Epithelial Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 291-297.	1.1	16
207	The association of education with long-term weight change in the EPIC-PANACEA cohort. <i>European Journal of Clinical Nutrition</i> , 2012, 66, 957-963.	1.3	15
208	Determinants of non- response to a second assessment of lifestyle factors and body weight in the EPIC-PANACEA study. <i>BMC Medical Research Methodology</i> , 2012, 12, 148.	1.4	15
209	Dietary vitamin D intake and risk of type 2 diabetes in the European Prospective Investigation into Cancer and Nutrition: the EPIC-InterAct study. <i>European Journal of Clinical Nutrition</i> , 2014, 68, 196-202.	1.3	15
210	Dietary and Circulating Fatty Acids and Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1739-1749.	1.1	15
211	Prospective Study on Physical Activity and Risk of In Situ Breast Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 2209-2219.	1.1	14
212	Association between body shape index and small dense LDL particles in a cohort of mediterranean women: findings from Progetto ATENA. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2017, 61, 130-134.	0.6	14
213	Persistent infection by HCV and EBV in peripheral blood mononuclear cells and risk of non-Hodgkin's lymphoma. <i>Cancer Epidemiology</i> , 2010, 34, 709-712.	0.8	13
214	Bulky DNA adducts and breast cancer risk in the prospective EPIC-Italy study. <i>Breast Cancer Research and Treatment</i> , 2011, 129, 477-484.	1.1	13
215	Exercise training reduces high mobility group box-1 protein levels in women with breast cancer: findings from the DIANA-5 study. <i>Monaldi Archives for Chest Disease</i> , 2015, 82, 61-7.	0.3	13
216	Relation of body mass index with carotid intima-media thickness and diameter is independent of metabolic syndrome in postmenopausal Mediterranean women. <i>Menopause</i> , 2012, 19, 1104-1108.	0.8	12

#	ARTICLE	IF	CITATIONS
217	Meat and haem iron intake in relation to glioma in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Cancer Prevention</i> , 2018, 27, 379-383.	0.6	12
218	Cross-Cancer Genome-Wide Association Study of Endometrial Cancer and Epithelial Ovarian Cancer Identifies Genetic Risk Regions Associated with Risk of Both Cancers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 217-228.	1.1	12
219	Menstrual cycle length, serum lipids and lipoproteins in a cohort of Italian Mediterranean women: Findings from Progetto ATENA. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2008, 18, 659-663.	1.1	11
220	HbA1c Measured in Stored Erythrocytes Is Positively Linearly Associated with Mortality in Individuals with Diabetes Mellitus. <i>PLoS ONE</i> , 2012, 7, e38877.	1.1	11
221	Lag Times between Lymphoproliferative Disorder and Clinical Diagnosis of Chronic Lymphocytic Leukemia: A Prospective Analysis Using Plasma Soluble CD23. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 538-545.	1.1	11
222	Plasma cotinine levels and pancreatic cancer in the EPIC cohort study. <i>International Journal of Cancer</i> , 2012, 131, 997-1002.	2.3	10
223	Prolactin Determinants in Healthy Women: A Large Cross-Sectional Study within the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2532-2542.	1.1	10
224	Plasma creatinine levels, estimated glomerular filtration rate and carotid intima media thickness in middle-aged women: A population based cohort study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014, 24, 677-680.	1.1	10
225	The Association between Educational Level and Cardiovascular and Cerebrovascular Diseases within the EPICOR Study: New Evidence for an Old Inequality Problem. <i>PLoS ONE</i> , 2016, 11, e0164130.	1.1	10
226	Association between Very Low-Density Lipoprotein Cholesterol (VLDL-C) and Carotid Intima-Media Thickness in Postmenopausal Women Without Overt Cardiovascular Disease and on LDL-C Target Levels. <i>Journal of Clinical Medicine</i> , 2020, 9, 1422.	1.0	10
227	Dietary glycemic load and risk of cognitive impairment in women: findings from the EPIC-Naples cohort. <i>European Journal of Epidemiology</i> , 2015, 30, 425-433.	2.5	9
228	Cellular immune activity biomarker neopterin is associated hyperlipidemia: results from a large population-based study. <i>Immunity and Ageing</i> , 2016, 13, 5.	1.8	9
229	Determinants of Exposure to Environmental Tobacco Smoke in 21,588 Italian Non-Smokers. <i>Tumori</i> , 2003, 89, 665-668.	0.6	8
230	No association between educational level and pancreatic cancer incidence in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology</i> , 2010, 34, 696-701.	0.8	8
231	Alcohol consumption and mortality in individuals with diabetes mellitus. <i>British Journal of Nutrition</i> , 2012, 108, 1307-1315.	1.2	8
232	Hepcidin levels and gastric cancer risk in the EPICâ€EurGast study. <i>International Journal of Cancer</i> , 2017, 141, 945-951.	2.3	8
233	Circulating Tissue Factor Levels and Risk of Stroke. <i>Stroke</i> , 2015, 46, 1501-1507.	1.0	7
234	Atherogenic Lipoprotein Subfractions and Carotid Atherosclerosis in Menopausal Women. <i>Angiology</i> , 2018, 69, 666-671.	0.8	7

#	ARTICLE	IF	CITATIONS
235	Lipoprotein (a) is an independent predictor of cardiovascular events in Mediterranean women (Progetto Atena). <i>European Journal of Preventive Cardiology</i> , 2020, 27, 2248-2250.	0.8	7
236	Abdominal adiposity is not a mediator of the protective effect of Mediterranean diet on colorectal cancer. <i>International Journal of Cancer</i> , 2017, 140, 2265-2271.	2.3	6
237	Azelastine in the Prophylactic Treatment of Bronchial Asthma: An Italian Multicentre Comparison with Ketotifen. <i>Journal of International Medical Research</i> , 1989, 17, 218-225.	0.4	5
238	Plasma Phospholipid Long-Chain n-3 Polyunsaturated Fatty Acids and Body Weight Change. <i>Obesity Facts</i> , 2011, 4, 312-318.	1.6	5
239	Impact of preventable risk factors on stroke in the EPICOR study: does gender matter?. <i>International Journal of Public Health</i> , 2017, 62, 775-786.	1.0	5
240	Alcohol, smoking and rectal cancer risk in a Mediterranean cohort of adults: the European Prospective Investigation into Cancer and Nutrition (EPIC)-Italy cohort.. <i>European Journal of Gastroenterology and Hepatology</i> , 2020, 32, 475-483.	0.8	5
241	Association between atherogenic index of plasma and carotid intima-media thickness in a cohort of Mediterranean women. <i>Acta Cardiologica</i> , 2021, 76, 987-992.	0.3	5
242	Vascular preventive measures: the progression from asymptomatic to symptomatic atherosclerosis management. Evidence on usefulness of early diagnosis in women and children. <i>Future Cardiology</i> , 2010, 6, 211-220.	0.5	4
243	Pre-diagnosis insulin-like growth factor-I and risk of epithelial invasive ovarian cancer by histological subtypes: A collaborative re-analysis from the Ovarian Cancer Cohort Consortium. <i>Cancer Causes and Control</i> , 2017, 28, 429-435.	0.8	3
244	Dialogic reading in the rehabilitation of Children with Hearing Loss and the "Born to Read" Project: A pilot study. <i>Scandinavian Journal of Psychology</i> , 2018, 59, 518-523.	0.8	3
245	Macronutrient composition of the diet and long-term changes in weight and waist circumference in the EPIC-Italy cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 67-75.	1.1	3
246	A1.5...Smoking is a risk factor for ACPA prior to onset of symptoms of rheumatoid arthritis in a cohort from southern europe. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, A2.3-A3.	0.5	2
247	Association between Lp(a) and small dense LDL in menopausal women without metabolic syndrome. <i>Acta Cardiologica</i> , 2019, 74, 232-236.	0.3	1
248	W12-P-062 The relationship between BMI and common carotid plaques or apo B and bifurcation plaques are independent of HS-CRP concentration. <i>Atherosclerosis Supplements</i> , 2005, 6, 77.	1.2	0
249	Mo-P1:46 Body mass index and HS-CRP in a cohort of mediterranean women: Findings from progetto atena. <i>Atherosclerosis Supplements</i> , 2006, 7, 56.	1.2	0
250	EFFECTS OF WEIGHT MODIFICATION ON HS-CRP IN A COHORT OF MEDITERRANEAN WOMEN: FINDINGS FROM PROGETTO ATENA. <i>Atherosclerosis Supplements</i> , 2008, 9, 124.	1.2	0
251	PS8 - 37. Physical Activity and Mortality in Individuals With Diabetes Mellitus: A Prospective Study and Meta-analysis. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2012, 10, 123-124.	0.0	0
252	Association of lifecourse socioeconomic status with DNA methylation of genes regulating inflammation. <i>European Journal of Public Health</i> , 2014, 24, .	0.1	0

#	ARTICLE	IF	CITATIONS
253	Diabetes and Onset of Natural Menopause. Obstetrical and Gynecological Survey, 2015, 70, 507-508.	0.2	0
254	Abstract LB-188: Epigenome-wide study in prediagnostic samples from the European Prospective Investigation into Nutrition and Cancer (EPIC-Italy) cohort: Differentially methylated microRNAs in subjects who developed breast cancer. , 2015, , .		0