

Amalia Am Mattiello

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8941311/amalia-am-mattiello-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

248
papers

10,273
citations

56
h-index

83
g-index

264
ext. papers

11,600
ext. citations

5.1
avg, IF

4.74
L-index

#	Paper	IF	Citations
248	Association between atherogenic index of plasma and carotid intima-media thickness in a cohort of Mediterranean women. <i>Acta Cardiologica</i> , 2021 , 76, 987-992	0.9	2
247	Cross-Cancer Genome-Wide Association Study of Endometrial Cancer and Epithelial Ovarian Cancer Identifies Genetic Risk Regions Associated with Risk of Both Cancers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 217-228	4	7
246	Macronutrient composition of the diet and long-term changes in weight and waist circumference in the EPIC-Italy cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 67-75	4.5	1
245	Association between Very Low-Density Lipoprotein Cholesterol (VLDL-C) and Carotid Intima-Media Thickness in Postmenopausal Women Without Overt Cardiovascular Disease and on LDL-C Target Levels. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	4
244	Dietary and Circulating Fatty Acids and Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 1739-1749	4.749	6
243	Glycemic index, glycemic load, and risk of coronary heart disease: a pan-European cohort study. <i>American Journal of Clinical Nutrition</i> , 2020 , 112, 631-643	7	10
242	Lipoprotein (a) is an independent predictor of cardiovascular events in Mediterranean women (Progetto Atena). <i>European Journal of Preventive Cardiology</i> , 2020 , 27, 2248-2250	3.9	3
241	Alcohol, smoking and rectal cancer risk in a Mediterranean cohort of adults: the European Prospective Investigation into Cancer and Nutrition (EPIC)-Italy cohort. <i>European Journal of Gastroenterology and Hepatology</i> , 2020 , 32, 475-483	2.2	4
240	Anthropometric and reproductive factors and risk of esophageal and gastric cancer by subtype and subsite: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2020 , 146, 929-942	7.5	13
239	DNA methylation, colon cancer and Mediterranean diet: results from the EPIC-Italy cohort. <i>Epigenetics</i> , 2019 , 14, 977-988	5.7	12
238	Epigenome-wide association study for lifetime estrogen exposure identifies an epigenetic signature associated with breast cancer risk. <i>Clinical Epigenetics</i> , 2019 , 11, 66	7.7	12
237	Association between Lp(a) and small dense LDL in menopausal women without metabolic syndrome. <i>Acta Cardiologica</i> , 2019 , 74, 232-236	0.9	1
236	Associations of dairy product consumption with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Italy cohort. <i>American Journal of Clinical Nutrition</i> , 2019 , 110, 1220-1230	7	17
235	A Metabolomic Study of Biomarkers of Habitual Coffee Intake in Four European Countries. <i>Molecular Nutrition and Food Research</i> , 2019 , 63, e1900659	5.9	20
234	Exploring causality of the association between smoking and Parkinson's disease. <i>International Journal of Epidemiology</i> , 2019 , 48, 912-925	7.8	38
233	High erythrocyte levels of the n-6 polyunsaturated fatty acid linoleic acid are associated with lower risk of subsequent rheumatoid arthritis in a southern European nested case-control study. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 981-987	2.4	28
232	Adherence to a Mediterranean diet and long-term changes in weight and waist circumference in the EPIC-Italy cohort. <i>Nutrition and Diabetes</i> , 2018 , 8, 22	4.7	58

231	Circulating Fetuin-A and Risk of Type 2 Diabetes: A Mendelian Randomization Analysis. <i>Diabetes</i> , 2018 , 67, 1200-1205	0.9	13
230	Meat and haem iron intake in relation to glioma in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Cancer Prevention</i> , 2018 , 27, 379-383	2	8
229	Nut intake and 5-year changes in body weight and obesity risk in adults: results from the EPIC-PANACEA study. <i>European Journal of Nutrition</i> , 2018 , 57, 2399-2408	5.2	42
228	Dialogic reading in the rehabilitation of Children with Hearing Loss and the "Born to Read" Project: A pilot study. <i>Scandinavian Journal of Psychology</i> , 2018 , 59, 518-523	2.2	2
227	Atherogenic Lipoprotein Subfractions and Carotid Atherosclerosis in Menopausal Women. <i>Angiology</i> , 2018 , 69, 666-671	2.1	4
226	Ovarian cancer early detection by circulating CA125 in the context of anti-CA125 autoantibody levels: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2018 , 142, 1355-1360	7.5	16
225	Pre-diagnosis insulin-like growth factor-I and risk of epithelial invasive ovarian cancer by histological subtypes: A collaborative re-analysis from the Ovarian Cancer Cohort Consortium. <i>Cancer Causes and Control</i> , 2017 , 28, 429-435	2.8	2
224	Abdominal adiposity is not a mediator of the protective effect of Mediterranean diet on colorectal cancer. <i>International Journal of Cancer</i> , 2017 , 140, 2265-2271	7.5	6
223	Osteoprotegerin and breast cancer risk by hormone receptor subtype: a nested case-control study in the EPIC cohort. <i>BMC Medicine</i> , 2017 , 15, 26	11.4	18
222	Correlates of circulating ovarian cancer early detection markers and their contribution to discrimination of early detection models: results from the EPIC cohort. <i>Journal of Ovarian Research</i> , 2017 , 10, 20	5.5	14
221	Hepcidin levels and gastric cancer risk in the EPIC-EurGast study. <i>International Journal of Cancer</i> , 2017 , 141, 945-951	7.5	6
220	Consumption of Fish Is Not Associated with Risk of Differentiated Thyroid Carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Nutrition</i> , 2017 , 147, 1366-1373	4.1	10
219	Metabolic Mediators of the Association Between Adult Weight Gain and Colorectal Cancer: Data From the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>American Journal of Epidemiology</i> , 2017 , 185, 751-764	3.8	14
218	Endometrial cancer risk prediction including serum-based biomarkers: results from the EPIC cohort. <i>International Journal of Cancer</i> , 2017 , 140, 1317-1323	7.5	17
217	Eating at restaurants, at work or at home. Is there a difference? A study among adults of 11 European countries in the context of the HECTOR* project. <i>European Journal of Clinical Nutrition</i> , 2017 , 71, 407-419	5.2	17
216	Association between body shape index and small dense LDL particles in a cohort of mediterranean women: findings from Progetto ATENA. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2017 , 61, 130-134	3.1	10
215	Dietary glycemic index, glycemic load, and cancer risk: results from the EPIC-Italy study. <i>Scientific Reports</i> , 2017 , 7, 9757	4.9	46
214	Circulating RANKL and RANKL/OPG and Breast Cancer Risk by ER and PR Subtype: Results from the EPIC Cohort. <i>Cancer Prevention Research</i> , 2017 , 10, 525-534	3.2	22

213	Impact of preventable risk factors on stroke in the EPICOR study: does gender matter? <i>International Journal of Public Health</i> , 2017 , 62, 775-786	4	3
212	Up to one-third of breast cancer cases in post-menopausal Mediterranean women might be avoided by modifying lifestyle habits: the EPIC Italy study. <i>Breast Cancer Research and Treatment</i> , 2017 , 161, 311-320	4.4	14
211	Urinary excretions of 34 dietary polyphenols and their associations with lifestyle factors in the EPIC cohort study. <i>Scientific Reports</i> , 2016 , 6, 26905	4.9	51
210	Pre-diagnostic meat and fibre intakes in relation to colorectal cancer survival in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Nutrition</i> , 2016 , 116, 316-25	3.6	20
209	Exercise training improves cardiopulmonary and endothelial function in women with breast cancer: findings from the Diana-5 dietary intervention study. <i>Internal and Emergency Medicine</i> , 2016 , 11, 183-9	3.7	19
208	Acrylamide and Glycidamide Hemoglobin Adducts and Epithelial Ovarian Cancer: A Nested Case-Control Study in Nonsmoking Postmenopausal Women from the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016 , 25, 127-34	4	21
207	Physical activity and risk of Amyotrophic Lateral Sclerosis in a prospective cohort study. <i>European Journal of Epidemiology</i> , 2016 , 31, 255-66	12.1	36
206	Energy and macronutrient intake and risk of differentiated thyroid carcinoma in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2016 , 138, 65-73	7.5	16
205	Association of Multiple Biomarkers of Iron Metabolism and Type 2 Diabetes: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2016 , 39, 572-81	14.6	48
204	Serum Endotoxins and Flagellin and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016 , 25, 291-301	4	23
203	Nutrient-wide association study of 57 foods/nutrients and epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition study and the Netherlands Cohort Study. <i>American Journal of Clinical Nutrition</i> , 2016 , 103, 161-7	7	22
202	The Association between Educational Level and Cardiovascular and Cerebrovascular Diseases within the EPICOR Study: New Evidence for an Old Inequality Problem. <i>PLoS ONE</i> , 2016 , 11, e0164130	3.7	4
201	The Influence of Hormonal Factors on the Risk of Developing Cervical Cancer and Pre-Cancer: Results from the EPIC Cohort. <i>PLoS ONE</i> , 2016 , 11, e0147029	3.7	68
200	Soluble B-cell activation marker of sCD27 and sCD30 and future risk of B-cell lymphomas: A nested case-control study and meta-analyses. <i>International Journal of Cancer</i> , 2016 , 138, 2357-67	7.5	17
199	Abdominal adiposity is an early marker of pulmonary function impairment: Findings from a Mediterranean Italian female cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016 , 26, 643-648	4.5	21
198	Cellular immune activity biomarker neopterin is associated hyperlipidemia: results from a large population-based study. <i>Immunity and Ageing</i> , 2016 , 13, 5	9.7	9
197	Association between Lp (a) and atherosclerosis in menopausal women without metabolic syndrome. <i>Biomarkers in Medicine</i> , 2016 , 10, 397-402	2.3	12
196	Sweet-beverage consumption and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2016 , 104, 760-8	7	20

195	Flavonoid and lignan intake and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2016 , 139, 1480-92	7.5	14
194	An epidemiologic risk prediction model for ovarian cancer in Europe: the EPIC study. <i>British Journal of Cancer</i> , 2015 , 112, 1257-65	8.7	28
193	Lag times between lymphoproliferative disorder and clinical diagnosis of chronic lymphocytic leukemia: a prospective analysis using plasma soluble CD23. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 538-45	4	9
192	Differentially methylated microRNAs in prediagnostic samples of subjects who developed breast cancer in the European Prospective Investigation into Nutrition and Cancer (EPIC-Italy) cohort. <i>Carcinogenesis</i> , 2015 , 36, 1144-53	4.6	26
191	Inflammatory Markers and Risk of Epithelial Ovarian Cancer by Tumor Subtypes: The EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 951-61	4	43
190	Diabetes and onset of natural menopause: results from the European Prospective Investigation into Cancer and Nutrition. <i>Human Reproduction</i> , 2015 , 30, 1491-8	5.7	37
189	Dietary glycemic load and risk of cognitive impairment in women: findings from the EPIC-Naples cohort. <i>European Journal of Epidemiology</i> , 2015 , 30, 425-33	12.1	8
188	Coffee and tea consumption and risk of pre- and postmenopausal breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>Breast Cancer Research</i> , 2015 , 17, 15	8.3	39
187	Dietary intake of acrylamide and epithelial ovarian cancer risk in the european prospective investigation into cancer and nutrition (EPIC) cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 291-7	4	14
186	Circulating Tissue Factor Levels and Risk of Stroke: Findings From the EPICOR Study. <i>Stroke</i> , 2015 , 46, 1501-7	6.7	6
185	Life-course socioeconomic status and DNA methylation of genes regulating inflammation. <i>International Journal of Epidemiology</i> , 2015 , 44, 1320-30	7.8	96
184	Polyphenol metabolome in human urine and its association with intake of polyphenol-rich foods across European countries. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 905-13	7	100
183	Dietary glycemic index and glycemic load and risk of colorectal cancer: results from the EPIC-Italy study. <i>International Journal of Cancer</i> , 2015 , 136, 2923-31	7.5	43
182	Fish consumption and mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>European Journal of Epidemiology</i> , 2015 , 30, 57-70	12.1	33
181	Plasma carotenoids, vitamin C, retinol and tocopherols levels and pancreatic cancer risk within the European Prospective Investigation into Cancer and Nutrition: a nested case-control study: plasma micronutrients and pancreatic cancer risk. <i>International Journal of Cancer</i> , 2015 , 136, E665-76	7.5	33
180	Endogenous androgens and risk of epithelial invasive ovarian cancer by tumor characteristics in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015 , 136, 399-410	7.5	26
179	Smoking, Porphyromonas gingivalis and the immune response to citrullinated autoantigens before the clinical onset of rheumatoid arthritis in a Southern European nested case-control study. <i>BMC Musculoskeletal Disorders</i> , 2015 , 16, 331	2.8	28
178	Circulating prolactin and in situ breast cancer risk in the European EPIC cohort: a case-control study. <i>Breast Cancer Research</i> , 2015 , 17, 49	8.3	25

177	Epigenome-wide association study reveals decreased average methylation levels years before breast cancer diagnosis. <i>Clinical Epigenetics</i> , 2015 , 7, 67	7.7	78
176	Gene-specific DNA methylation profiles and LINE-1 hypomethylation are associated with myocardial infarction risk. <i>Clinical Epigenetics</i> , 2015 , 7, 133	7.7	45
175	Body iron status and gastric cancer risk in the EURGAST study. <i>International Journal of Cancer</i> , 2015 , 137, 2904-14	7.5	16
174	Plasma elaidic acid level as biomarker of industrial trans fatty acids and risk of weight change: report from the EPIC study. <i>PLoS ONE</i> , 2015 , 10, e0118206	3.7	24
173	Dietary Total Antioxidant Capacity and Colorectal Cancer in the Italian EPIC Cohort. <i>PLoS ONE</i> , 2015 , 10, e0142995	3.7	36
172	Reproductive and hormone-related risk factors for epithelial ovarian cancer by histologic pathways, invasiveness and histologic subtypes: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2015 , 137, 1196-208	7.5	45
171	Iso-caloric substitution of carbohydrates with protein: the association with weight change and mortality among patients with type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2015 , 14, 39	8.7	16
170	Investigation of dietary factors and endometrial cancer risk using a nutrient-wide association study approach in the EPIC and NursesRHealth Study (NHS) and NHSII. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 466-71	4	35
169	Parkinson's Disease Case Ascertainment in the EPIC Cohort: The NeuroEPIC4PD Study. <i>Neurodegenerative Diseases</i> , 2015 , 15, 331-8	2.3	8
168	Pre-diagnostic polyphenol intake and breast cancer survival: the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Breast Cancer Research and Treatment</i> , 2015 , 154, 389-401	4.4	24
167	Exercise training improves heart rate recovery in women with breast cancer. <i>SpringerPlus</i> , 2015 , 4, 388		16
166	Plasma fetuin-A concentration, genetic variation in the AHSR gene and risk of colorectal cancer. <i>International Journal of Cancer</i> , 2015 , 137, 911-20	7.5	12
165	Risk of second primary malignancies in women with breast cancer: Results from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2015 , 137, 940-8	7.5	43
164	Espresso coffee consumption and risk of coronary heart disease in a large Italian cohort. <i>PLoS ONE</i> , 2015 , 10, e0126550	3.7	26
163	Metabolic syndrome and breast cancer risk: a case-cohort study nested in a multicentre Italian cohort. <i>PLoS ONE</i> , 2015 , 10, e0128891	3.7	44
162	Dietary intake of acrylamide and esophageal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Cancer Causes and Control</i> , 2014 , 25, 639-46	2.8	16
161	Active and passive cigarette smoking and breast cancer risk: results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 134, 1871-88	7.5	89
160	Weight change in middle adulthood and breast cancer risk in the EPIC-PANACEA study. <i>International Journal of Cancer</i> , 2014 , 135, 2887-99	7.5	47

159	Premenopausal serum sex hormone levels in relation to breast cancer risk, overall and by hormone receptor status - results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 134, 1947-57	7.5	54
158	Prospective seroepidemiologic study on the role of Human Papillomavirus and other infections in cervical carcinogenesis: evidence from the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 135, 440-52	7.5	35
157	Anthropometric measures and bladder cancer risk: a prospective study in the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 135, 2918-29	7.5	22
156	Dietary vitamin D intake and risk of type 2 diabetes in the European Prospective Investigation into Cancer and Nutrition: the EPIC-InterAct study. <i>European Journal of Clinical Nutrition</i> , 2014 , 68, 196-202	5.2	12
155	Dietary fat intake and risk of epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology</i> , 2014 , 38, 528-37	2.8	10
154	Differences in the prospective association between individual plasma phospholipid saturated fatty acids and incident type 2 diabetes: the EPIC-InterAct case-cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2014 , 2, 810-8	18.1	330
153	Colorectal cancer risk and dyslipidemia: a case-cohort study nested in an Italian multicentre cohort. <i>Cancer Epidemiology</i> , 2014 , 38, 144-51	2.8	34
152	Weight change later in life and colon and rectal cancer risk in participants in the EPIC-PANACEA study. <i>American Journal of Clinical Nutrition</i> , 2014 , 99, 139-47	7	25
151	B-vitamins intake, DNA-methylation of One Carbon Metabolism and homocysteine pathway genes and myocardial infarction risk: the EPICOR study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014 , 24, 483-8	4.5	43
150	Plasma creatinine levels, estimated glomerular filtration rate and carotid intima media thickness in middle-aged women: a population based cohort study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014 , 24, 677-80	4.5	9
149	A1.5 Smoking is a risk factor for ACPA prior to onset of symptoms of rheumatoid arthritis in a cohort from southern europe. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, A2.3-A3	2.4	1
148	Elevated levels of D-dimers increase the risk of ischaemic and haemorrhagic stroke. Findings from the EPICOR Study. <i>Thrombosis and Haemostasis</i> , 2014 , 112, 941-6	7	28
147	Exercise training reduces high mobility group box-1 protein levels in women with breast cancer: findings from the DIANA-5 study. <i>Monaldi Archives for Chest Disease</i> , 2014 , 82, 61-7	2.7	11
146	Plasma alkylresorcinol concentrations, biomarkers of whole-grain wheat and rye intake, in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>British Journal of Nutrition</i> , 2014 , 111, 1881-90	3.6	29
145	Circulating biomarkers of one-carbon metabolism in relation to renal cell carcinoma incidence and survival. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	19
144	Dietary intakes of individual flavanols and flavonols are inversely associated with incident type 2 diabetes in European populations. <i>Journal of Nutrition</i> , 2014 , 144, 335-43	4.1	95
143	Adherence to the Mediterranean diet and risk of bladder cancer in the EPIC cohort study. <i>International Journal of Cancer</i> , 2014 , 134, 2504-11	7.5	29
142	Flavonoid and lignan intake in relation to bladder cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Cancer</i> , 2014 , 111, 1870-80	8.7	41

141	Dietary intakes and risk of lymphoid and myeloid leukemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Nutrition and Cancer</i> , 2014 , 66, 14-28	2.8	20
140	Consumption of predefined Nordic dietary items in ten European countries - an investigation in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Public Health Nutrition</i> , 2014 , 17, 2650-9	3.3	17
139	Mediterranean dietary pattern and chronic diseases. <i>Cancer Treatment and Research</i> , 2014 , 159, 69-81	3.5	18
138	Prolactin determinants in healthy women: A large cross-sectional study within the EPIC cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 2532-42	4	8
137	Lifestyle factors and mortality risk in individuals with diabetes mellitus: are the associations different from those in individuals without diabetes?. <i>Diabetologia</i> , 2014 , 57, 63-72	10.3	41
136	Association between dietary meat consumption and incident type 2 diabetes: the EPIC-InterAct study. <i>Diabetologia</i> , 2013 , 56, 47-59	10.3	101
135	Lifestyle, dietary factors, and antibody levels to oral bacteria in cancer-free participants of a European cohort study. <i>Cancer Causes and Control</i> , 2013 , 24, 1901-9	2.8	18
134	Health effects associated with the disposal of solid waste in landfills and incinerators in populations living in surrounding areas: a systematic review. <i>International Journal of Public Health</i> , 2013 , 58, 725-35	4	55
133	Challenges in estimating the validity of dietary acrylamide measurements. <i>European Journal of Nutrition</i> , 2013 , 52, 1503-12	5.2	22
132	Dietary acrylamide intake of adults in the European Prospective Investigation into Cancer and Nutrition differs greatly according to geographical region. <i>European Journal of Nutrition</i> , 2013 , 52, 1369-80	5.2	38
131	Adult weight change and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Cancer</i> , 2013 , 49, 3526-36	7.5	47
130	Dietary intake of acrylamide and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Annals of Oncology</i> , 2013 , 24, 2645-2651	10.3	20
129	Dietary flavonoid and lignan intake and breast cancer risk according to menopause and hormone receptor status in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Breast Cancer Research and Treatment</i> , 2013 , 139, 163-76	4.4	44
128	Reproductive factors and risk of hormone receptor positive and negative breast cancer: a cohort study. <i>BMC Cancer</i> , 2013 , 13, 584	4.8	56
127	Association between small dense LDL and early atherosclerosis in a sample of menopausal women. <i>Clinica Chimica Acta</i> , 2013 , 426, 1-5	6.2	26
126	High glycemic diet and breast cancer occurrence in the Italian EPIC cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013 , 23, 628-34	4.5	31
125	Italian Mediterranean Index and risk of colorectal cancer in the Italian section of the EPIC cohort. <i>International Journal of Cancer</i> , 2013 , 132, 1404-11	7.5	74
124	Physical activity and risk of breast cancer overall and by hormone receptor status: the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2013 , 132, 1667-78	7.5	54

123	Type 1 plasminogen activator inhibitor as a common risk factor for cancer and ischaemic vascular disease: the EPICOR study. <i>BMJ Open</i> , 2013 , 3, e003725	3	23
122	Prediagnostic body fat and risk of death from amyotrophic lateral sclerosis: the EPIC cohort. <i>Neurology</i> , 2013 , 80, 829-38	6.5	103
121	Dietary flavonoid intake and esophageal cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>American Journal of Epidemiology</i> , 2013 , 178, 570-81	3.8	29
120	Diabetes mellitus, insulin treatment, diabetes duration, and risk of biliary tract cancer and hepatocellular carcinoma in a European cohort. <i>Annals of Oncology</i> , 2013 , 24, 2449-55	10.3	86
119	The association between dietary flavonoid and lignan intakes and incident type 2 diabetes in European populations: the EPIC-InterAct study. <i>Diabetes Care</i> , 2013 , 36, 3961-70	14.6	89
118	Plasma 25-hydroxyvitamin D and the risk of breast cancer in the European prospective investigation into cancer and nutrition: a nested case-control study. <i>International Journal of Cancer</i> , 2013 , 133, 1689-700	7.5	44
117	Dietary flavonoid, lignan and antioxidant capacity and risk of hepatocellular carcinoma in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2013 , 133, 2429-43	7.5	54
116	Height, age at menarche and risk of hormone receptor-positive and -negative breast cancer: a cohort study. <i>International Journal of Cancer</i> , 2013 , 132, 2619-29	7.5	48
115	Age at menarche and type 2 diabetes risk: the EPIC-InterAct study. <i>Diabetes Care</i> , 2013 , 36, 3526-34	14.6	114
114	Dietary intake of vitamin D and calcium and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>Nutrition and Cancer</i> , 2013 , 65, 178-87	2.8	28
113	Dietary glycemic load and glycemic index and risk of cerebrovascular disease in the EPICOR cohort. <i>PLoS ONE</i> , 2013 , 8, e62625	3.7	29
112	Development and validation of a risk score predicting substantial weight gain over 5 years in middle-aged European men and women. <i>PLoS ONE</i> , 2013 , 8, e67429	3.7	14
111	Macronutrient composition of the diet and prospective weight change in participants of the EPIC-PANACEA study. <i>PLoS ONE</i> , 2013 , 8, e57300	3.7	54
110	Longitudinal changes in weight in relation to smoking cessation in participants of the EPIC-PANACEA study. <i>Preventive Medicine</i> , 2012 , 54, 183-92	4.3	24
109	Dietary flavonoid and lignan intake and gastric adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 1398-408	7	71
108	Fruit and vegetable consumption and risk of aggressive and non-aggressive urothelial cell carcinomas in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Cancer</i> , 2012 , 48, 3267-77	7.5	22
107	Determinants of non- response to a second assessment of lifestyle factors and body weight in the EPIC-PANACEA study. <i>BMC Medical Research Methodology</i> , 2012 , 12, 148	4.7	9
106	Tea consumption and incidence of type 2 diabetes in Europe: the EPIC-InterAct case-cohort study. <i>PLoS ONE</i> , 2012 , 7, e36910	3.7	44

105	HbA1c measured in stored erythrocytes is positively linearly associated with mortality in individuals with diabetes mellitus. <i>PLoS ONE</i> , 2012 , 7, e38877	3.7	11
104	The association of circulating adiponectin levels with pancreatic cancer risk: a study within the prospective EPIC cohort. <i>International Journal of Cancer</i> , 2012 , 130, 2428-37	7.5	29
103	Plasma cotinine levels and pancreatic cancer in the EPIC cohort study. <i>International Journal of Cancer</i> , 2012 , 131, 997-1002	7.5	7
102	Olive oil intake and breast cancer risk in the Mediterranean countries of the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2012 , 131, 2465-9	7.5	33
101	Dietary intake of iron, heme-iron and magnesium and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2012 , 131, E1134-47	7.5	24
100	Fruit and vegetable intake and the risk of gastric adenocarcinoma: a reanalysis of the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST) study after a longer follow-up. <i>International Journal of Cancer</i> , 2012 , 131, 2910-9	7.5	93
99	Body size and risk of differentiated thyroid carcinomas: findings from the EPIC study. <i>International Journal of Cancer</i> , 2012 , 131, E1004-14	7.5	84
98	Fruit and vegetables consumption and breast cancer risk: the EPIC Italy study. <i>Breast Cancer Research and Treatment</i> , 2012 , 132, 1127-36	4.4	52
97	Genetic variation in alcohol dehydrogenase (ADH1A, ADH1B, ADH1C, ADH7) and aldehyde dehydrogenase (ALDH2), alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Carcinogenesis</i> , 2012 , 33, 361-7	4.6	48
96	Long-term risk of incident type 2 diabetes and measures of overall and regional obesity: the EPIC-InterAct case-cohort study. <i>PLoS Medicine</i> , 2012 , 9, e1001230	11.6	118
95	Fruit and vegetable consumption and prospective weight change in participants of the European Prospective Investigation into Cancer and Nutrition-Physical Activity, Nutrition, Alcohol, Cessation of Smoking, Eating Out of Home, and Obesity study. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 184-93	7	69
94	Prospective study on physical activity and risk of in situ breast cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 2209-19	4	13
93	Physical Activity and Mortality in Individuals With Diabetes Mellitus: A Prospective Study and Meta-analysis. <i>Archives of Internal Medicine</i> , 2012 , 172, 1285-95		156
92	PS8 - 37. Physical Activity and Mortality in Individuals With Diabetes Mellitus: A Prospective Study and Meta-analysis. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2012 , 10, 123-124	0	
91	Comparison of standardised dietary folate intake across ten countries participating in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Nutrition</i> , 2012 , 108, 552-69	3.6	39
90	Alcohol consumption and mortality in individuals with diabetes mellitus. <i>British Journal of Nutrition</i> , 2012 , 108, 1307-15	3.6	7
89	Total and high-molecular weight adiponectin and risk of colorectal cancer: the European Prospective Investigation into Cancer and Nutrition Study. <i>Carcinogenesis</i> , 2012 , 33, 1211-8	4.6	65
88	The association of education with long-term weight change in the EPIC-PANACEA cohort. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 957-63	5.2	13

87	Concentrations of IGF-I and IGFBP-3 and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2012 , 106, 1004-10	8.7	40
86	The associations of advanced glycation end products and its soluble receptor with pancreatic cancer risk: a case-control study within the prospective EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 619-28	4	32
85	Intake estimation of total and individual flavan-3-ols, proanthocyanidins and theaflavins, their food sources and determinants in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2012 , 108, 1095-108	3.6	81
84	Coffee and tea consumption and the risk of ovarian cancer: a prospective cohort study and updated meta-analysis. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 1172-81	7	48
83	Leptin and soluble leptin receptor in risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Cancer Research</i> , 2012 , 72, 5328-37	10.1	53
82	Helicobacter pylori infection assessed by ELISA and by immunoblot and noncardia gastric cancer risk in a prospective study: the Eurgast-EPIC project. <i>Annals of Oncology</i> , 2012 , 23, 1320-1324	10.3	71
81	Relation of body mass index with carotid intima-media thickness and diameter is independent of metabolic syndrome in postmenopausal Mediterranean women. <i>Menopause</i> , 2012 , 19, 1104-8	2.5	9
80	Dietary fiber, carbohydrate quality and quantity, and mortality risk of individuals with diabetes mellitus. <i>PLoS ONE</i> , 2012 , 7, e43127	3.7	65
79	Cigarette smoking and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition study. <i>Clinical Gastroenterology and Hepatology</i> , 2011 , 9, 137-44	6.9	56
78	Physical activity and lymphoid neoplasms in the European Prospective Investigation into Cancer and nutrition (EPIC). <i>European Journal of Cancer</i> , 2011 , 47, 748-60	7.5	22
77	Food intake of individuals with and without diabetes across different countries and ethnic groups. <i>European Journal of Clinical Nutrition</i> , 2011 , 65, 635-41	5.2	35
76	Eating out, weight and weight gain. A cross-sectional and prospective analysis in the context of the EPIC-PANACEA study. <i>International Journal of Obesity</i> , 2011 , 35, 416-26	5.5	41
75	Bulky DNA adducts and breast cancer risk in the prospective EPIC-Italy study. <i>Breast Cancer Research and Treatment</i> , 2011 , 129, 477-84	4.4	11
74	Design and cohort description of the InterAct Project: an examination of the interaction of genetic and lifestyle factors on the incidence of type 2 diabetes in the EPIC Study. <i>Diabetologia</i> , 2011 , 54, 2272-82	10.3	155
73	The association of education with body mass index and waist circumference in the EPIC-PANACEA study. <i>BMC Public Health</i> , 2011 , 11, 169	4.1	56
72	Consumption of meat and dairy and lymphoma risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011 , 128, 623-34	7.5	30
71	Fluid intake and the risk of urothelial cell carcinomas in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2011 , 128, 2695-708	7.5	45
70	Yogurt consumption and risk of colorectal cancer in the Italian European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2011 , 129, 2712-9	7.5	119

69	A priori-defined dietary patterns are associated with reduced risk of stroke in a large Italian cohort. <i>Journal of Nutrition</i> , 2011 , 141, 1552-8	4.1	121
68	Physical activity and gain in abdominal adiposity and body weight: prospective cohort study in 288,498 men and women. <i>American Journal of Clinical Nutrition</i> , 2011 , 93, 826-35	7	95
67	Fruit, vegetables, and olive oil and risk of coronary heart disease in Italian women: the EPICOR Study. <i>American Journal of Clinical Nutrition</i> , 2011 , 93, 275-83	7	129
66	Plasma phospholipid fatty acid concentrations and risk of gastric adenocarcinomas in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 1304-13	7	34
65	Concentrations of IGF-I and IGFBP-3 and brain tumor risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 2174-82	4	25
64	The contribution of risk factors to the higher incidence of invasive and in situ breast cancers in women with higher levels of education in the European prospective investigation into cancer and nutrition. <i>American Journal of Epidemiology</i> , 2011 , 173, 26-37	3.8	36
63	Associations between general and abdominal adiposity and mortality in individuals with diabetes mellitus. <i>American Journal of Epidemiology</i> , 2011 , 174, 22-34	3.8	62
62	Plasma phospholipid long-chain n-3 polyunsaturated fatty acids and body weight change. <i>Obesity Facts</i> , 2011 , 4, 312-8	5.1	5
61	Occupation and risk of lymphoma: a multicentre prospective cohort study (EPIC). <i>Occupational and Environmental Medicine</i> , 2011 , 68, 77-81	2.1	22
60	Estimation of the intake of anthocyanidins and their food sources in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2011 , 106, 1090-9	3.6	85
59	Total antioxidant capacity of the diet is associated with lower risk of ischemic stroke in a large Italian cohort. <i>Journal of Nutrition</i> , 2011 , 141, 118-23	4.1	78
58	Anthropometric measures, physical activity, and risk of glioma and meningioma in a large prospective cohort study. <i>Cancer Prevention Research</i> , 2011 , 4, 1385-92	3.2	48
57	Red meat, dietary nitrosamines, and heme iron and risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 555-9	4	37
56	Obesity, overweight, and weight gain over adult life are main determinants of elevated hs-CRP in a cohort of Mediterranean women. <i>European Journal of Clinical Nutrition</i> , 2010 , 64, 873-8	5.2	33
55	Menstrual and reproductive factors, exogenous hormone use, and gastric cancer risk in a cohort of women from the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2010 , 172, 1384-93	3.8	29
54	Reproductive factors and exogenous hormone use in relation to risk of glioma and meningioma in a large European cohort study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2562-9	4	94
53	Coffee and tea intake and risk of brain tumors in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 1145-50	7	42
52	Mediterranean dietary patterns and prospective weight change in participants of the EPIC-PANACEA project. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 912-21	7	163

51	Vascular preventive measures: the progression from asymptomatic to symptomatic atherosclerosis management. Evidence on usefulness of early diagnosis in women and children. <i>Future Cardiology</i> , 2010 , 6, 211-20	1.3	4
50	Epidemiology of cardiovascular diseases in women in Europe. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2010 , 20, 379-85	4.5	20
49	Anthropometric measures and epithelial ovarian cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010 , 126, 2404-15	7.5	60
48	Dietary glycemic load and index and risk of coronary heart disease in a large Italian cohort: the EPICOR study. <i>Archives of Internal Medicine</i> , 2010 , 170, 640-7		101
47	Dietary beta-carotene, vitamin C and E intake and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Breast Cancer Research and Treatment</i> , 2010 , 119, 753-65	4.4	52
46	Prospective study of physical activity and risk of primary adenocarcinomas of the oesophagus and stomach in the EPIC (European Prospective Investigation into Cancer and nutrition) cohort. <i>Cancer Causes and Control</i> , 2010 , 21, 657-69	2.8	48
45	Reproductive risk factors and endometrial cancer: the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010 , 127, 442-51	7.5	180
44	Persistent infection by HCV and EBV in peripheral blood mononuclear cells and risk of non-Hodgkin's lymphoma. <i>Cancer Epidemiology</i> , 2010 , 34, 709-12	2.8	13
43	No association between educational level and pancreatic cancer incidence in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology</i> , 2010 , 34, 696-701	2.8	8
42	Methodological challenges in the application of the glycemic index in epidemiological studies using data from the European Prospective Investigation into Cancer and Nutrition. <i>Journal of Nutrition</i> , 2009 , 139, 568-75	4.1	51
41	Vitamin D receptor and calcium sensing receptor polymorphisms and the risk of colorectal cancer in European populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 2485-91	4	65
40	Physical activity and ovarian cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 351-4	4	36
39	Anthropometry and esophageal cancer risk in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 2079-89	4	98
38	Smoking and risk for amyotrophic lateral sclerosis: analysis of the EPIC cohort. <i>Annals of Neurology</i> , 2009 , 65, 378-85	9.4	96
37	Fruit and vegetable consumption and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009 , 124, 1926-34	7.5	63
36	A prospective analysis of the association between macronutrient intake and renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009 , 125, 982-7	7.5	23
35	Genetic variation in genes of the fatty acid synthesis pathway and breast cancer risk. <i>Breast Cancer Research and Treatment</i> , 2009 , 118, 565-74	4.4	19
34	Total dietary carbohydrate, sugar, starch and fibre intakes in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S37-60	5.2	75

33	Dietary fat intake in the European Prospective Investigation into Cancer and Nutrition: results from the 24-h dietary recalls. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S61-80	5.2	83
32	Specific food group combinations explaining the variation in intakes of nutrients and other important food components in the European Prospective Investigation into Cancer and Nutrition: an application of the reduced rank regression method. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S263-74	5.2	17
31	The metabolic syndrome: a critical appraisal based on the CUORE epidemiologic study. <i>Preventive Medicine</i> , 2009 , 48, 525-31	4.3	22
30	Smoking and body fatness measurements: a cross-sectional analysis in the EPIC-PANACEA study. <i>Preventive Medicine</i> , 2009 , 49, 365-73	4.3	22
29	Menstrual cycle length, serum lipids and lipoproteins in a cohort of Italian Mediterranean women: findings from Progetto ATENA. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2008 , 18, 659-63	4.5	10
28	Preventive potential of body mass reduction to lower cardiovascular risk: the Italian Progetto CUORE study. <i>Preventive Medicine</i> , 2008 , 47, 53-60	4.3	16
27	CDH1 gene polymorphisms, smoking, Helicobacter pylori infection and the risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>European Journal of Cancer</i> , 2008 , 44, 774-80	7.5	26
26	Small dense LDL particles and metabolic syndrome in a sample of middle-aged women. Findings from Progetto Atena. <i>Clinica Chimica Acta</i> , 2008 , 388, 179-83	6.2	27
25	Glycosylated hemoglobin and risk of colorectal cancer in men and women, the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 3108-15	4	59
24	Cross-sectional study on acrylamide hemoglobin adducts in subpopulations from the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 6046-53	5.7	56
23	Smoking and lymphoma risk in the European prospective investigation into cancer and nutrition. <i>American Journal of Epidemiology</i> , 2008 , 167, 1081-9	3.8	32
22	Anthropometric characteristics and non-Hodgkin's lymphoma and multiple myeloma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Haematologica</i> , 2008 , 93, 1666-77	6.6	68
21	Diabetes and the risk of non-Hodgkin's lymphoma and multiple myeloma in the European Prospective Investigation into Cancer and Nutrition. <i>Haematologica</i> , 2008 , 93, 842-50	6.6	33
20	Plasma adiponectin levels and endometrial cancer risk in pre- and postmenopausal women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 255-63	5.6	169
19	Serum levels of C-peptide, IGFBP-1 and IGFBP-2 and endometrial cancer risk; results from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007 , 120, 2656-64	7.5	85
18	Risk of endometrial cancer in relationship to cigarette smoking: results from the EPIC study. <i>International Journal of Cancer</i> , 2007 , 121, 2741-7	7.5	38
17	EPIC-Heart: the cardiovascular component of a prospective study of nutritional, lifestyle and biological factors in 520,000 middle-aged participants from 10 European countries. <i>European Journal of Epidemiology</i> , 2007 , 22, 129-41	12.1	69
16	Anthropometric factors and risk of endometrial cancer: the European prospective investigation into cancer and nutrition. <i>Cancer Causes and Control</i> , 2007 , 18, 399-413	2.8	136

15	Fruit and vegetable consumption and lymphoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2007 , 18, 537-49	2.8	26
14	Serum insulin-like growth factor (IGF)-I and IGF-binding protein-3 concentrations and prostate cancer risk: results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 1121-7	4	79
13	Lactase persistence and bitter taste response: instrumental variables and mendelian randomization in epidemiologic studies of dietary factors and cancer risk. <i>American Journal of Epidemiology</i> , 2007 , 166, 576-81	3.8	77
12	A dietary pattern rich in olive oil and raw vegetables is associated with lower mortality in Italian elderly subjects. <i>British Journal of Nutrition</i> , 2007 , 98, 406-15	3.6	51
11	Associations between dietary pattern and lifestyle, anthropometry and other health indicators in the elderly participants of the EPIC-Italy cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2006 , 16, 186-201	4.5	50
10	Consumption and portion sizes of tree nuts, peanuts and seeds in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohorts from 10 European countries. <i>British Journal of Nutrition</i> , 2006 , 96 Suppl 2, S12-23	3.6	68
9	Definition of high risk individuals to optimise strategies for primary prevention of cardiovascular diseases. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2005 , 15, 79-85	4.5	34
8	Carotid artery remodeling in middle-aged women with the metabolic syndrome (from the "Progetto ATENA" study). <i>American Journal of Cardiology</i> , 2005 , 96, 1162-5	3	32
7	Prediction of coronary events in a low incidence population. Assessing accuracy of the CUORE Cohort Study prediction equation. <i>International Journal of Epidemiology</i> , 2005 , 34, 413-21	7.8	160
6	Correlates of Age at Natural Menopause in the Cohorts of Epic-Italy. <i>Tumori</i> , 2003 , 89, 608-614	1.7	19
5	A Molecular Epidemiology Project on Diet and Cancer: The Epic-Italy Prospective Study. Design and Baseline Characteristics of Participants. <i>Tumori</i> , 2003 , 89, 586-593	1.7	99
4	Determinants of Exposure to Environmental Tobacco Smoke in 21,588 Italian Non-Smokers. <i>Tumori</i> , 2003 , 89, 665-668	1.7	7
3	Urokinase-mediated posttranscriptional regulation of urokinase-receptor expression in non small cell lung carcinoma. <i>International Journal of Cancer</i> , 2003 , 105, 353-60	7.5	32
2	Urokinase-type plasminogen activator up-regulates the expression of its cellular receptor through a post-transcriptional mechanism. <i>FEBS Letters</i> , 2001 , 508, 379-84	3.8	19
1	Azelastine in the prophylactic treatment of bronchial asthma: an Italian multicentre comparison with ketotifen. <i>Journal of International Medical Research</i> , 1989 , 17, 218-25	1.4	4