

Amalia Am Mattiello

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8941311/publications.pdf>

Version: 2024-02-01

254
papers

12,828
citations

17405

63
h-index

40881

93
g-index

264
all docs

264
docs citations

264
times ranked

20529
citing authors

#	ARTICLE	IF	CITATIONS
1	Association between atherogenic index of plasma and carotid intima-media thickness in a cohort of Mediterranean women. <i>Acta Cardiologica</i> , 2021, 76, 987-992.	0.3	5
2	Cross-Cancer Genome-Wide Association Study of Endometrial Cancer and Epithelial Ovarian Cancer Identifies Genetic Risk Regions Associated with Risk of Both Cancers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 217-228.	1.1	12
3	Macronutrient composition of the diet and long-term changes in weight and waist circumference in the EPIC-Italy cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 67-75.	1.1	3
4	Anthropometric and reproductive factors and risk of esophageal and gastric cancer by subtype and subsite: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2020, 146, 929-942.	2.3	28
5	Lipoprotein (a) is an independent predictor of cardiovascular events in Mediterranean women (Progetto Atena). <i>European Journal of Preventive Cardiology</i> , 2020, 27, 2248-2250.	0.8	7
6	Alcohol, smoking and rectal cancer risk in a Mediterranean cohort of adults: the European Prospective Investigation into Cancer and Nutrition (EPIC)-Italy cohort.. <i>European Journal of Gastroenterology and Hepatology</i> , 2020, 32, 475-483.	0.8	5
7	Association between Very Low-Density Lipoprotein Cholesterol (VLDL-C) and Carotid Intima-Media Thickness in Postmenopausal Women Without Overt Cardiovascular Disease and on LDL-C Target Levels. <i>Journal of Clinical Medicine</i> , 2020, 9, 1422.	1.0	10
8	Dietary and Circulating Fatty Acids and Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1739-1749.	1.1	15
9	Glycemic index, glycemic load, and risk of coronary heart disease: a pan-European cohort study. <i>American Journal of Clinical Nutrition</i> , 2020, 112, 631-643.	2.2	19
10	Exploring causality of the association between smoking and Parkinson's disease. <i>International Journal of Epidemiology</i> , 2019, 48, 912-925.	0.9	70
11	Association between Lp(a) and small dense LDL in menopausal women without metabolic syndrome. <i>Acta Cardiologica</i> , 2019, 74, 232-236.	0.3	1
12	Associations of dairy product consumption with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Italy cohort. <i>American Journal of Clinical Nutrition</i> , 2019, 110, 1220-1230.	2.2	31
13	A Metabolomic Study of Biomarkers of Habitual Coffee Intake in Four European Countries. <i>Molecular Nutrition and Food Research</i> , 2019, 63, e1900659.	1.5	27
14	DNA methylation, colon cancer and Mediterranean diet: results from the EPIC-Italy cohort. <i>Epigenetics</i> , 2019, 14, 977-988.	1.3	19
15	Epigenome-wide association study for lifetime estrogen exposure identifies an epigenetic signature associated with breast cancer risk. <i>Clinical Epigenetics</i> , 2019, 11, 66.	1.8	21
16	High erythrocyte levels of the n-6 polyunsaturated fatty acid linoleic acid are associated with lower risk of subsequent rheumatoid arthritis in a southern European nested case-control study. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 981-987.	0.5	47
17	Adherence to a Mediterranean diet and long-term changes in weight and waist circumference in the EPIC-Italy cohort. <i>Nutrition and Diabetes</i> , 2018, 8, 22.	1.5	81
18	Circulating Fetuin-A and Risk of Type 2 Diabetes: A Mendelian Randomization Analysis. <i>Diabetes</i> , 2018, 67, 1200-1205.	0.3	17

#	ARTICLE	IF	CITATIONS
19	Meat and haem iron intake in relation to glioma in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Cancer Prevention</i> , 2018, 27, 379-383.	0.6	12
20	Nut intake and 5-year changes in body weight and obesity risk in adults: results from the EPIC-PANACEA study. <i>European Journal of Nutrition</i> , 2018, 57, 2399-2408.	1.8	58
21	Atherogenic Lipoprotein Subfractions and Carotid Atherosclerosis in Menopausal Women. <i>Angiology</i> , 2018, 69, 666-671.	0.8	7
22	Ovarian cancer early detection by circulating CA125 in the context of anti-CA125 autoantibody levels: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2018, 142, 1355-1360.	2.3	24
23	Dialogic reading in the rehabilitation of Children with Hearing Loss and the "Born to Read" Project: A pilot study. <i>Scandinavian Journal of Psychology</i> , 2018, 59, 518-523.	0.8	3
24	Pre-diagnosis insulin-like growth factor-I and risk of epithelial invasive ovarian cancer by histological subtypes: A collaborative re-analysis from the Ovarian Cancer Cohort Consortium. <i>Cancer Causes and Control</i> , 2017, 28, 429-435.	0.8	3
25	Abdominal adiposity is not a mediator of the protective effect of Mediterranean diet on colorectal cancer. <i>International Journal of Cancer</i> , 2017, 140, 2265-2271.	2.3	6
26	Osteoprotegerin and breast cancer risk by hormone receptor subtype: a nested case-control study in the EPIC cohort. <i>BMC Medicine</i> , 2017, 15, 26.	2.3	21
27	Correlates of circulating ovarian cancer early detection markers and their contribution to discrimination of early detection models: results from the EPIC cohort. <i>Journal of Ovarian Research</i> , 2017, 10, 20.	1.3	22
28	Hepcidin levels and gastric cancer risk in the EPIC-EurGast study. <i>International Journal of Cancer</i> , 2017, 141, 945-951.	2.3	8
29	Consumption of Fish Is Not Associated with Risk of Differentiated Thyroid Carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Nutrition</i> , 2017, 147, 1366-1373.	1.3	19
30	Metabolic Mediators of the Association Between Adult Weight Gain and Colorectal Cancer: Data From the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>American Journal of Epidemiology</i> , 2017, 185, 751-764.	1.6	17
31	Endometrial cancer risk prediction including serum-based biomarkers: results from the EPIC cohort. <i>International Journal of Cancer</i> , 2017, 140, 1317-1323.	2.3	28
32	Eating at restaurants, at work or at home. Is there a difference? A study among adults of 11 European countries in the context of the HECTOR* project. <i>European Journal of Clinical Nutrition</i> , 2017, 71, 407-419.	1.3	25
33	Dietary glycemic index, glycemic load, and cancer risk: results from the EPIC-Italy study. <i>Scientific Reports</i> , 2017, 7, 9757.	1.6	74
34	Circulating RANKL and RANKL/OPG and Breast Cancer Risk by ER and PR Subtype: Results from the EPIC Cohort. <i>Cancer Prevention Research</i> , 2017, 10, 525-534.	0.7	29
35	Impact of preventable risk factors on stroke in the EPICOR study: does gender matter?. <i>International Journal of Public Health</i> , 2017, 62, 775-786.	1.0	5
36	Up to one-third of breast cancer cases in post-menopausal Mediterranean women might be avoided by modifying lifestyle habits: the EPIC Italy study. <i>Breast Cancer Research and Treatment</i> , 2017, 161, 311-320.	1.1	21

#	ARTICLE	IF	CITATIONS
37	Association between body shape index and small dense LDL particles in a cohort of mediterranean women: findings from Progetto ATENA. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2017, 61, 130-134.	0.6	14
38	The Association between Educational Level and Cardiovascular and Cerebrovascular Diseases within the EPICOR Study: New Evidence for an Old Inequality Problem. <i>PLoS ONE</i> , 2016, 11, e0164130.	1.1	10
39	The Influence of Hormonal Factors on the Risk of Developing Cervical Cancer and Pre-Cancer: Results from the EPIC Cohort. <i>PLoS ONE</i> , 2016, 11, e0147029.	1.1	102
40	Soluble Bâ€cell activation marker of sCD27 and sCD30 and future risk of Bâ€cell lymphomas: A nested caseâ€control study and metaâ€analyses. <i>International Journal of Cancer</i> , 2016, 138, 2357-2367.	2.3	23
41	Abdominal adiposity is an early marker of pulmonary function impairment: Findings from a Mediterranean Italian female cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016, 26, 643-648.	1.1	29
42	Cellular immune activity biomarker neopterin is associated hyperlipidemia: results from a large population-based study. <i>Immunity and Ageing</i> , 2016, 13, 5.	1.8	9
43	Association between Lp (a) and atherosclerosis in menopausal women without metabolic syndrome. <i>Biomarkers in Medicine</i> , 2016, 10, 397-402.	0.6	20
44	Sweet-beverage consumption and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2016, 104, 760-768.	2.2	31
45	Flavonoid and lignan intake and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2016, 139, 1480-1492.	2.3	19
46	Urinary excretions of 34 dietary polyphenols and their associations with lifestyle factors in the EPIC cohort study. <i>Scientific Reports</i> , 2016, 6, 26905.	1.6	69
47	Pre-diagnostic meat and fibre intakes in relation to colorectal cancer survival in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Nutrition</i> , 2016, 116, 316-325.	1.2	30
48	Exercise training improves cardiopulmonary and endothelial function in women with breast cancer: findings from the Diana-5 dietary intervention study. <i>Internal and Emergency Medicine</i> , 2016, 11, 183-189.	1.0	27
49	Acrylamide and Glycidamide Hemoglobin Adducts and Epithelial Ovarian Cancer: A Nested Caseâ€Control Study in Nonsmoking Postmenopausal Women from the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 127-134.	1.1	27
50	Physical activity and risk of Amyotrophic Lateral Sclerosis in a prospective cohort study. <i>European Journal of Epidemiology</i> , 2016, 31, 255-266.	2.5	49
51	Energy and macronutrient intake and risk of differentiated thyroid carcinoma in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2016, 138, 65-73.	2.3	24
52	Association of Multiple Biomarkers of Iron Metabolism and Type 2 Diabetes: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2016, 39, 572-581.	4.3	65
53	Serum Endotoxins and Flagellin and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 291-301.	1.1	28
54	Nutrient-wide association study of 57 foods/nutrients and epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition study and the Netherlands Cohort Study. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 161-167.	2.2	29

#	ARTICLE	IF	CITATIONS
55	Endogenous androgens and risk of epithelial invasive ovarian cancer by tumor characteristics in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015, 136, 399-410.	2.3	36
56	Smoking, <i>Porphyromonas gingivalis</i> and the immune response to citrullinated autoantigens before the clinical onset of rheumatoid arthritis in a Southern European nested case-control study. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 331.	0.8	37
57	Circulating prolactin and in situ breast cancer risk in the European EPIC cohort: a case-control study. <i>Breast Cancer Research</i> , 2015, 17, 49.	2.2	30
58	Epigenome-wide association study reveals decreased average methylation levels years before breast cancer diagnosis. <i>Clinical Epigenetics</i> , 2015, 7, 67.	1.8	95
59	Gene-specific DNA methylation profiles and LINE-1 hypomethylation are associated with myocardial infarction risk. <i>Clinical Epigenetics</i> , 2015, 7, 133.	1.8	61
60	Body iron status and gastric cancer risk in the EURGAST study. <i>International Journal of Cancer</i> , 2015, 137, 2904-2914.	2.3	28
61	Diabetes and Onset of Natural Menopause. <i>Obstetrical and Gynecological Survey</i> , 2015, 70, 507-508.	0.2	0
62	Exercise training reduces high mobility group box-1 protein levels in women with breast cancer: findings from the DIANA-5 study. <i>Monaldi Archives for Chest Disease</i> , 2015, 82, 61-7.	0.3	13
63	Plasma Elaidic Acid Level as Biomarker of Industrial Trans Fatty Acids and Risk of Weight Change: Report from the EPIC Study. <i>PLoS ONE</i> , 2015, 10, e0118206.	1.1	27
64	Dietary Total Antioxidant Capacity and Colorectal Cancer in the Italian EPIC Cohort. <i>PLoS ONE</i> , 2015, 10, e0142995.	1.1	42
65	Reproductive and hormone-related risk factors for epithelial ovarian cancer by histologic pathways, invasiveness and histologic subtypes: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2015, 137, 1196-1208.	2.3	53
66	Isocaloric substitution of carbohydrates with protein: the association with weight change and mortality among patients with type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2015, 14, 39.	2.7	21
67	Investigation of Dietary Factors and Endometrial Cancer Risk Using a Nutrient-wide Association Study Approach in the EPIC and Nurses' Health Study (NHS) and NHSII. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 466-471.	1.1	42
68	Parkinson's Disease Case Ascertainment in the EPIC Cohort: The NeuroEPIC4PD Study. <i>Neurodegenerative Diseases</i> , 2015, 15, 331-338.	0.8	16
69	Pre-diagnostic polyphenol intake and breast cancer survival: the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Breast Cancer Research and Treatment</i> , 2015, 154, 389-401.	1.1	31
70	Exercise training improves heart rate recovery in women with breast cancer. <i>SpringerPlus</i> , 2015, 4, 388.	1.2	19
71	Plasma fetuin-A concentration, genetic variation in the <i>AHSG</i> gene and risk of colorectal cancer. <i>International Journal of Cancer</i> , 2015, 137, 911-920.	2.3	20
72	Risk of second primary malignancies in women with breast cancer: Results from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2015, 137, 940-948.	2.3	70

#	ARTICLE	IF	CITATIONS
73	An epidemiologic risk prediction model for ovarian cancer in Europe: the EPIC study. <i>British Journal of Cancer</i> , 2015, 112, 1257-1265.	2.9	40
74	Lag Times between Lymphoproliferative Disorder and Clinical Diagnosis of Chronic Lymphocytic Leukemia: A Prospective Analysis Using Plasma Soluble CD23. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 538-545.	1.1	11
75	Differentially methylated microRNAs in prediagnostic samples of subjects who developed breast cancer in the European Prospective Investigation into Nutrition and Cancer (EPIC-Italy) cohort. <i>Carcinogenesis</i> , 2015, 36, 1144-1153.	1.3	36
76	Inflammatory Markers and Risk of Epithelial Ovarian Cancer by Tumor Subtypes: The EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 951-961.	1.1	51
77	Diabetes and onset of natural menopause: results from the European Prospective Investigation into Cancer and Nutrition. <i>Human Reproduction</i> , 2015, 30, 1491-1498.	0.4	59
78	Dietary glycemic load and risk of cognitive impairment in women: findings from the EPIC-Naples cohort. <i>European Journal of Epidemiology</i> , 2015, 30, 425-433.	2.5	9
79	Coffee and tea consumption and risk of pre- and postmenopausal breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>Breast Cancer Research</i> , 2015, 17, 15.	2.2	45
80	Dietary Intake of Acrylamide and Epithelial Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 291-297.	1.1	16
81	Circulating Tissue Factor Levels and Risk of Stroke. <i>Stroke</i> , 2015, 46, 1501-1507.	1.0	7
82	Life-course socioeconomic status and DNA methylation of genes regulating inflammation. <i>International Journal of Epidemiology</i> , 2015, 44, 1320-1330.	0.9	126
83	Polyphenol metabolome in human urine and its association with intake of polyphenol-rich foods across European countries. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 905-913.	2.2	118
84	Dietary glycemic index and glycemic load and risk of colorectal cancer: results from the EPIC-Italy study. <i>International Journal of Cancer</i> , 2015, 136, 2923-2931.	2.3	54
85	Fish consumption and mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>European Journal of Epidemiology</i> , 2015, 30, 57-70.	2.5	39
86	Plasma carotenoids, vitamin C, retinol and tocopherols levels and pancreatic cancer risk within the European Prospective Investigation into Cancer and Nutrition: A nested case-control study. <i>International Journal of Cancer</i> , 2015, 136, E665-76.	2.3	37
87	Espresso Coffee Consumption and Risk of Coronary Heart Disease in a Large Italian Cohort. <i>PLoS ONE</i> , 2015, 10, e0126550.	1.1	35
88	Metabolic Syndrome and Breast Cancer Risk: A Case-Cohort Study Nested in a Multicentre Italian Cohort. <i>PLoS ONE</i> , 2015, 10, e0128891.	1.1	55
89	Abstract LB-188: Epigenome-wide study in prediagnostic samples from the European Prospective Investigation into Nutrition and Cancer (EPIC-Italy) cohort: Differentially methylated microRNAs in subjects who developed breast cancer. , 2015, , .		0
90	Association of lifecourse socioeconomic status with DNA methylation of genes regulating inflammation. <i>European Journal of Public Health</i> , 2014, 24, .	0.1	0

#	ARTICLE	IF	CITATIONS
91	Plasma alkylresorcinol concentrations, biomarkers of whole-grain wheat and rye intake, in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>British Journal of Nutrition</i> , 2014, 111, 1881-1890.	1.2	29
92	Circulating Biomarkers of One-Carbon Metabolism in Relation to Renal Cell Carcinoma Incidence and Survival. <i>Journal of the National Cancer Institute</i> , 2014, 106, .	3.0	23
93	Dietary Intakes of Individual Flavanols and Flavonols Are Inversely Associated with Incident Type 2 Diabetes in European Populations. <i>Journal of Nutrition</i> , 2014, 144, 335-343.	1.3	115
94	Adherence to the Mediterranean diet and risk of bladder cancer in the EPIC cohort study. <i>International Journal of Cancer</i> , 2014, 134, 2504-2511.	2.3	36
95	Flavonoid and lignan intake in relation to bladder cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Cancer</i> , 2014, 111, 1870-1880.	2.9	50
96	Dietary Intakes and Risk of Lymphoid and Myeloid Leukemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Nutrition and Cancer</i> , 2014, 66, 14-28.	0.9	24
97	Consumption of predefined "Nordic" dietary items in ten European countries " an investigation in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Public Health Nutrition</i> , 2014, 17, 2650-2659.	1.1	21
98	Mediterranean Dietary Pattern and Chronic Diseases. <i>Cancer Treatment and Research</i> , 2014, 159, 69-81.	0.2	23
99	Prolactin Determinants in Healthy Women: A Large Cross-Sectional Study within the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2532-2542.	1.1	10
100	Lifestyle factors and mortality risk in individuals with diabetes mellitus: are the associations different from those in individuals without diabetes?. <i>Diabetologia</i> , 2014, 57, 63-72.	2.9	54
101	Dietary intake of acrylamide and esophageal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Cancer Causes and Control</i> , 2014, 25, 639-646.	0.8	20
102	Active and passive cigarette smoking and breast cancer risk: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 134, 1871-1888.	2.3	112
103	Weight change in middle adulthood and breast cancer risk in the EPIC-PANACEA study. <i>International Journal of Cancer</i> , 2014, 135, 2887-2899.	2.3	60
104	Pre-menopausal serum sex hormone levels in relation to breast cancer risk, overall and by hormone receptor status-Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 134, 1947-1957.	2.3	71
105	Prospective seroepidemiologic study on the role of Human Papillomavirus and other infections in cervical carcinogenesis: Evidence from the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 135, 440-452.	2.3	44
106	Anthropometric measures and bladder cancer risk: A prospective study in the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 135, 2918-2929.	2.3	26
107	Dietary vitamin D intake and risk of type 2 diabetes in the European Prospective Investigation into Cancer and Nutrition: the EPIC-InterAct study. <i>European Journal of Clinical Nutrition</i> , 2014, 68, 196-202.	1.3	15
108	Dietary fat intake and risk of epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology</i> , 2014, 38, 528-537.	0.8	16

#	ARTICLE	IF	CITATIONS
109	Differences in the prospective association between individual plasma phospholipid saturated fatty acids and incident type 2 diabetes: the EPIC-InterAct case-cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 810-818.	5.5	431
110	Colorectal cancer risk and dyslipidemia: A case-cohort study nested in an Italian multicentre cohort. <i>Cancer Epidemiology</i> , 2014, 38, 144-151.	0.8	47
111	Weight change later in life and colon and rectal cancer risk in participants in the EPIC-PANACEA study. <i>American Journal of Clinical Nutrition</i> , 2014, 99, 139-147.	2.2	33
112	B-vitamins intake, DNA-methylation of One Carbon Metabolism and homocysteine pathway genes and myocardial infarction risk: The EPICOR study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014, 24, 483-488.	1.1	50
113	Plasma creatinine levels, estimated glomerular filtration rate and carotid intima media thickness in middle-aged women: A population based cohort study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014, 24, 677-680.	1.1	10
114	Al.5 Smoking is a risk factor for ACPA prior to onset of symptoms of rheumatoid arthritis in a cohort from southern europe. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, A2.3-A3.	0.5	2
115	Elevated levels of D-dimers increase the risk of ischaemic and haemorrhagic stroke. <i>Thrombosis and Haemostasis</i> , 2014, 112, 941-946.	1.8	44
116	Association between dietary meat consumption and incident type 2 diabetes: the EPIC-InterAct study. <i>Diabetologia</i> , 2013, 56, 47-59.	2.9	129
117	Lifestyle, dietary factors, and antibody levels to oral bacteria in cancer-free participants of a European cohort study. <i>Cancer Causes and Control</i> , 2013, 24, 1901-1909.	0.8	20
118	Health effects associated with the disposal of solid waste in landfills and incinerators in populations living in surrounding areas: a systematic review. <i>International Journal of Public Health</i> , 2013, 58, 725-735.	1.0	79
119	Challenges in estimating the validity of dietary acrylamide measurements. <i>European Journal of Nutrition</i> , 2013, 52, 1503-1512.	1.8	26
120	Dietary acrylamide intake of adults in the European Prospective Investigation into Cancer and Nutrition differs greatly according to geographical region. <i>European Journal of Nutrition</i> , 2013, 52, 1369-1380.	1.8	48
121	Adult weight change and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Cancer</i> , 2013, 49, 3526-3536.	1.3	55
122	Dietary intake of acrylamide and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Annals of Oncology</i> , 2013, 24, 2645-2651.	0.6	24
123	Dietary flavonoid and lignan intake and breast cancer risk according to menopause and hormone receptor status in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Breast Cancer Research and Treatment</i> , 2013, 139, 163-176.	1.1	52
124	Reproductive factors and risk of hormone receptor positive and negative breast cancer: a cohort study. <i>BMC Cancer</i> , 2013, 13, 584.	1.1	74
125	Association between small dense LDL and early atherosclerosis in a sample of menopausal women. <i>Clinica Chimica Acta</i> , 2013, 426, 1-5.	0.5	30
126	High glycemic diet and breast cancer occurrence in the Italian EPIC cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013, 23, 628-634.	1.1	37

#	ARTICLE	IF	CITATIONS
127	Italian mediterranean index and risk of colorectal cancer in the Italian section of the EPIC cohort. <i>International Journal of Cancer</i> , 2013, 132, 1404-1411.	2.3	88
128	Physical activity and risk of breast cancer overall and by hormone receptor status: The European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2013, 132, 1667-1678.	2.3	72
129	Type 1 plasminogen activator inhibitor as a common risk factor for cancer and ischaemic vascular disease: the EPICOR study. <i>BMJ Open</i> , 2013, 3, e003725.	0.8	33
130	Prediagnostic body fat and risk of death from amyotrophic lateral sclerosis. <i>Neurology</i> , 2013, 80, 829-838.	1.5	138
131	Dietary Flavonoid Intake and Esophageal Cancer Risk in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>American Journal of Epidemiology</i> , 2013, 178, 570-581.	1.6	29
132	Diabetes mellitus, insulin treatment, diabetes duration, and risk of biliary tract cancer and hepatocellular carcinoma in a European cohort. <i>Annals of Oncology</i> , 2013, 24, 2449-2455.	0.6	114
133	The Association Between Dietary Flavonoid and Lignan Intakes and Incident Type 2 Diabetes in European Populations. <i>Diabetes Care</i> , 2013, 36, 3961-3970.	4.3	108
134	Plasma 25-hydroxyvitamin D and the risk of breast cancer in the European prospective investigation into cancer and nutrition: A nested case-control study. <i>International Journal of Cancer</i> , 2013, 133, 1689-1700.	2.3	49
135	Dietary flavonoid, lignan and antioxidant capacity and risk of hepatocellular carcinoma in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2013, 133, 2429-2443.	2.3	65
136	Height, age at menarche and risk of hormone receptor-positive and -negative breast cancer: A cohort study. <i>International Journal of Cancer</i> , 2013, 132, 2619-2629.	2.3	62
137	Age at Menarche and Type 2 Diabetes Risk. <i>Diabetes Care</i> , 2013, 36, 3526-3534.	4.3	147
138	Dietary Intake of Vitamin D and Calcium and Breast Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Nutrition and Cancer</i> , 2013, 65, 178-187.	0.9	30
139	Dietary Glycemic Load and Glycemic Index and Risk of Cerebrovascular Disease in the EPICOR Cohort. <i>PLoS ONE</i> , 2013, 8, e62625.	1.1	35
140	Development and Validation of a Risk Score Predicting Substantial Weight Gain over 5 Years in Middle-Aged European Men and Women. <i>PLoS ONE</i> , 2013, 8, e67429.	1.1	17
141	Macronutrient Composition of the Diet and Prospective Weight Change in Participants of the EPIC-PANACEA Study. <i>PLoS ONE</i> , 2013, 8, e57300.	1.1	64
142	Genetic variation in alcohol dehydrogenase (ADH1A, ADH1B, ADH1C, ADH7) and aldehyde dehydrogenase (ALDH2), alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Carcinogenesis</i> , 2012, 33, 361-367.	1.3	55
143	Long-Term Risk of Incident Type 2 Diabetes and Measures of Overall and Regional Obesity: The EPIC-InterAct Case-Cohort Study. <i>PLoS Medicine</i> , 2012, 9, e1001230.	3.9	147
144	Fruit and vegetable consumption and prospective weight change in participants of the European Prospective Investigation into Cancer and Nutrition-Physical Activity, Nutrition, Alcohol, Cessation of Smoking, Eating Out of Home, and Obesity study. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 184-193.	2.2	79

#	ARTICLE	IF	CITATIONS
145	Prospective Study on Physical Activity and Risk of In Situ Breast Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 2209-2219.	1.1	14
146	Physical Activity and Mortality in Individuals With Diabetes Mellitus. <i>Archives of Internal Medicine</i> , 2012, 172, 1285.	4.3	226
147	PS8 - 37. Physical Activity and Mortality in Individuals With Diabetes Mellitus: A Prospective Study and Meta-analysis. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2012, 10, 123-124.	0.0	0
148	Comparison of standardised dietary folate intake across ten countries participating in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Nutrition</i> , 2012, 108, 552-569.	1.2	48
149	Alcohol consumption and mortality in individuals with diabetes mellitus. <i>British Journal of Nutrition</i> , 2012, 108, 1307-1315.	1.2	8
150	Total and high-molecular weight adiponectin and risk of colorectal cancer: the European Prospective Investigation into Cancer and Nutrition Study. <i>Carcinogenesis</i> , 2012, 33, 1211-1218.	1.3	72
151	The association of education with long-term weight change in the EPIC-PANACEA cohort. <i>European Journal of Clinical Nutrition</i> , 2012, 66, 957-963.	1.3	15
152	Concentrations of IGF-I and IGFBP-3 and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2012, 106, 1004-1010.	2.9	51
153	The Associations of Advanced Glycation End Products and Its Soluble Receptor with Pancreatic Cancer Risk: A Case-Control Study within the Prospective EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 619-628.	1.1	39
154	Intake estimation of total and individual flavan-3-ols, proanthocyanidins and theaflavins, their food sources and determinants in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2012, 108, 1095-1108.	1.2	90
155	Coffee and tea consumption and the risk of ovarian cancer: a prospective cohort study and updated meta-analysis. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 1172-1181.	2.2	56
156	Leptin and Soluble Leptin Receptor in Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>Cancer Research</i> , 2012, 72, 5328-5337.	0.4	65
157	<i>Helicobacter pylori</i> infection assessed by ELISA and by immunoblot and noncardia gastric cancer risk in a prospective study: the Eurgast-EPIC project. <i>Annals of Oncology</i> , 2012, 23, 1320-1324.	0.6	102
158	Relation of body mass index with carotid intima-media thickness and diameter is independent of metabolic syndrome in postmenopausal Mediterranean women. <i>Menopause</i> , 2012, 19, 1104-1108.	0.8	12
159	Dietary flavonoid and lignan intake and gastric adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 1398-1408.	2.2	81
160	Fruit and vegetable consumption and risk of aggressive and non-aggressive urothelial cell carcinomas in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Cancer</i> , 2012, 48, 3267-3277.	1.3	26
161	Determinants of non-response to a second assessment of lifestyle factors and body weight in the EPIC-PANACEA study. <i>BMC Medical Research Methodology</i> , 2012, 12, 148.	1.4	15
162	Tea Consumption and Incidence of Type 2 Diabetes in Europe: The EPIC-InterAct Case-Cohort Study. <i>PLoS ONE</i> , 2012, 7, e36910.	1.1	59

#	ARTICLE	IF	CITATIONS
163	HbA1c Measured in Stored Erythrocytes Is Positively Linearly Associated with Mortality in Individuals with Diabetes Mellitus. PLoS ONE, 2012, 7, e38877.	1.1	11
164	The association of circulating adiponectin levels with pancreatic cancer risk: A study within the prospective EPIC cohort. International Journal of Cancer, 2012, 130, 2428-2437.	2.3	43
165	Plasma cotinine levels and pancreatic cancer in the EPIC cohort study. International Journal of Cancer, 2012, 131, 997-1002.	2.3	10
166	Olive oil intake and breast cancer risk in the Mediterranean countries of the European Prospective Investigation into Cancer and Nutrition study. International Journal of Cancer, 2012, 131, 2465-2469.	2.3	41
167	Dietary intake of iron, heme-iron and magnesium and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. International Journal of Cancer, 2012, 131, E1134-47.	2.3	25
168	Fruit and vegetable intake and the risk of gastric adenocarcinoma: A reanalysis of the european prospective investigation into cancer and nutrition (EPIC-URGAST) study after a longer follow-up. International Journal of Cancer, 2012, 131, 2910-2919.	2.3	114
169	Body size and risk of differentiated thyroid carcinomas: Findings from the EPIC study. International Journal of Cancer, 2012, 131, E1004-14.	2.3	104
170	Fruit and vegetables consumption and breast cancer risk: the EPIC Italy study. Breast Cancer Research and Treatment, 2012, 132, 1127-1136.	1.1	63
171	Longitudinal changes in weight in relation to smoking cessation in participants of the EPIC-PANACEA study. Preventive Medicine, 2012, 54, 183-192.	1.6	26
172	Dietary Fiber, Carbohydrate Quality and Quantity, and Mortality Risk of Individuals with Diabetes Mellitus. PLoS ONE, 2012, 7, e43127.	1.1	89
173	Cigarette Smoking and Colorectal Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition Study. Clinical Gastroenterology and Hepatology, 2011, 9, 137-144.	2.4	61
174	Physical activity and lymphoid neoplasms in the European Prospective Investigation into Cancer and nutrition (EPIC). European Journal of Cancer, 2011, 47, 748-760.	1.3	33
175	Food intake of individuals with and without diabetes across different countries and ethnic groups. European Journal of Clinical Nutrition, 2011, 65, 635-641.	1.3	44
176	Eating out, weight and weight gain. A cross-sectional and prospective analysis in the context of the EPIC-PANACEA study. International Journal of Obesity, 2011, 35, 416-426.	1.6	51
177	Bulky DNA adducts and breast cancer risk in the prospective EPIC-Italy study. Breast Cancer Research and Treatment, 2011, 129, 477-484.	1.1	13
178	Design and cohort description of the InterAct Project: an examination of the interaction of genetic and lifestyle factors on the incidence of type 2 diabetes in the EPIC Study. Diabetologia, 2011, 54, 2272-2282.	2.9	169
179	The association of education with body mass index and waist circumference in the EPIC-PANACEA study. BMC Public Health, 2011, 11, 169.	1.2	72
180	Consumption of meat and dairy and lymphoma risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2011, 128, 623-634.	2.3	34

#	ARTICLE	IF	CITATIONS
181	Fluid intake and the risk of urothelial cell carcinomas in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2011, 128, 2695-2708.	2.3	58
182	Yogurt consumption and risk of colorectal cancer in the Italian European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2011, 129, 2712-2719.	2.3	154
183	A Priori Defined Dietary Patterns Are Associated with Reduced Risk of Stroke in a Large Italian Cohort. <i>Journal of Nutrition</i> , 2011, 141, 1552-1558.	1.3	140
184	Physical activity and gain in abdominal adiposity and body weight: prospective cohort study in 288,498 men and women. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 826-835.	2.2	112
185	Fruit, vegetables, and olive oil and risk of coronary heart disease in Italian women: the EPICOR Study. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 275-283.	2.2	150
186	Plasma phospholipid fatty acid concentrations and risk of gastric adenocarcinomas in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>American Journal of Clinical Nutrition</i> , 2011, 94, 1304-1313.	2.2	41
187	Concentrations of IGF-I and IGFBP-3 and Brain Tumor Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 2174-2182.	1.1	30
188	The Contribution of Risk Factors to the Higher Incidence of Invasive and In Situ Breast Cancers in Women With Higher Levels of Education in the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2011, 173, 26-37.	1.6	43
189	Associations Between General and Abdominal Adiposity and Mortality in Individuals With Diabetes Mellitus. <i>American Journal of Epidemiology</i> , 2011, 174, 22-34.	1.6	78
190	Plasma Phospholipid Long-Chain n-3 Polyunsaturated Fatty Acids and Body Weight Change. <i>Obesity Facts</i> , 2011, 4, 312-318.	1.6	5
191	Occupation and risk of lymphoma: a multicentre prospective cohort study (EPIC). <i>Occupational and Environmental Medicine</i> , 2011, 68, 77-81.	1.3	24
192	Estimation of the intake of anthocyanidins and their food sources in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2011, 106, 1090-1099.	1.2	108
193	Total Antioxidant Capacity of the Diet Is Associated with Lower Risk of Ischemic Stroke in a Large Italian Cohort. <i>Journal of Nutrition</i> , 2011, 141, 118-123.	1.3	97
194	Anthropometric Measures, Physical Activity, and Risk of Glioma and Meningioma in a Large Prospective Cohort Study. <i>Cancer Prevention Research</i> , 2011, 4, 1385-1392.	0.7	54
195	Red Meat, Dietary Nitrosamines, and Heme Iron and Risk of Bladder Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 555-559.	1.1	45
196	Anthropometric measures and epithelial ovarian cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010, 126, 2404-2415.	2.3	68
197	Dietary Glycemic Load and Index and Risk of Coronary Heart Disease in a Large Italian Cohort. <i>Archives of Internal Medicine</i> , 2010, 170, 640-7.	4.3	116
198	Dietary β -carotene, vitamin C and E intake and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Breast Cancer Research and Treatment</i> , 2010, 119, 753-765.	1.1	62

#	ARTICLE	IF	CITATIONS
199	Prospective study of physical activity and risk of primary adenocarcinomas of the oesophagus and stomach in the EPIC (European Prospective Investigation into Cancer and nutrition) cohort. <i>Cancer Causes and Control</i> , 2010, 21, 657-669.	0.8	57
200	Reproductive risk factors and endometrial cancer: the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010, 127, 442-451.	2.3	223
201	Persistent infection by HCV and EBV in peripheral blood mononuclear cells and risk of non-Hodgkin's lymphoma. <i>Cancer Epidemiology</i> , 2010, 34, 709-712.	0.8	13
202	No association between educational level and pancreatic cancer incidence in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology</i> , 2010, 34, 696-701.	0.8	8
203	Obesity, overweight, and weight gain over adult life are main determinants of elevated hs-CRP in a cohort of Mediterranean women. <i>European Journal of Clinical Nutrition</i> , 2010, 64, 873-878.	1.3	38
204	Menstrual and Reproductive Factors, Exogenous Hormone Use, and Gastric Cancer Risk in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2010, 172, 1384-1393.	1.6	38
205	Reproductive Factors and Exogenous Hormone Use in Relation to Risk of Glioma and Meningioma in a Large European Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2562-2569.	1.1	113
206	Coffee and tea intake and risk of brain tumors in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 1145-1150.	2.2	44
207	Mediterranean dietary patterns and prospective weight change in participants of the EPIC-PANACEA project. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 912-921.	2.2	194
208	Vascular preventive measures: the progression from asymptomatic to symptomatic atherosclerosis management. Evidence on usefulness of early diagnosis in women and children. <i>Future Cardiology</i> , 2010, 6, 211-220.	0.5	4
209	Epidemiology of cardiovascular diseases in women in Europe. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2010, 20, 379-385.	1.1	21
210	Methodological Challenges in the Application of the Glycemic Index in Epidemiological Studies Using Data from the European Prospective Investigation into Cancer and Nutrition. <i>Journal of Nutrition</i> , 2009, 139, 568-575.	1.3	61
211	Vitamin D Receptor and Calcium Sensing Receptor Polymorphisms and the Risk of Colorectal Cancer in European Populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 2485-2491.	1.1	73
212	Physical Activity and Ovarian Cancer Risk: the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 351-354.	1.1	70
213	Anthropometry and Esophageal Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 2079-2089.	1.1	109
214	Smoking and risk for amyotrophic lateral sclerosis: Analysis of the EPIC cohort. <i>Annals of Neurology</i> , 2009, 65, 378-385.	2.8	111
215	Fruit and vegetable consumption and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009, 124, 1926-1934.	2.3	69
216	A prospective analysis of the association between macronutrient intake and renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009, 125, 982-987.	2.3	32

#	ARTICLE	IF	CITATIONS
217	Genetic variation in genes of the fatty acid synthesis pathway and breast cancer risk. <i>Breast Cancer Research and Treatment</i> , 2009, 118, 565-574.	1.1	20
218	Total dietary carbohydrate, sugar, starch and fibre intakes in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 2009, 63, S37-S60.	1.3	87
219	Dietary fat intake in the European Prospective Investigation into Cancer and Nutrition: results from the 24-h dietary recalls. <i>European Journal of Clinical Nutrition</i> , 2009, 63, S61-S80.	1.3	107
220	Specific food group combinations explaining the variation in intakes of nutrients and other important food components in the European Prospective Investigation into Cancer and Nutrition: an application of the reduced rank regression method. <i>European Journal of Clinical Nutrition</i> , 2009, 63, S263-S274.	1.3	20
221	The metabolic syndrome: A critical appraisal based on the CUORE epidemiologic study. <i>Preventive Medicine</i> , 2009, 48, 525-531.	1.6	25
222	Smoking and body fatness measurements: A cross-sectional analysis in the EPIC-PANACEA study. <i>Preventive Medicine</i> , 2009, 49, 365-373.	1.6	22
223	Menstrual cycle length, serum lipids and lipoproteins in a cohort of Italian Mediterranean women: Findings from Progetto ATENA. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2008, 18, 659-663.	1.1	11
224	Preventive potential of body mass reduction to lower cardiovascular risk: The Italian Progetto CUORE study. <i>Preventive Medicine</i> , 2008, 47, 53-60.	1.6	20
225	CDH1 gene polymorphisms, smoking, Helicobacter pylori infection and the risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>European Journal of Cancer</i> , 2008, 44, 774-780.	1.3	27
226	Small dense LDL particles and metabolic syndrome in a sample of middle-aged women. Findings from Progetto Atena. <i>Clinica Chimica Acta</i> , 2008, 388, 179-183.	0.5	29
227	EFFECTS OF WEIGHT MODIFICATION ON HS-CRP IN A COHORT OF MEDITERRANEAN WOMEN: FINDINGS FROM PROGETTO ATENA. <i>Atherosclerosis Supplements</i> , 2008, 9, 124.	1.2	0
228	Glycosylated Hemoglobin and Risk of Colorectal Cancer in Men and Women, the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 3108-3115.	1.1	67
229	Cross-Sectional Study on Acrylamide Hemoglobin Adducts in Subpopulations from the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 6046-6053.	2.4	66
230	Smoking and Lymphoma Risk in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2008, 167, 1081-1089.	1.6	36
231	Anthropometric characteristics and non-Hodgkin's lymphoma and multiple myeloma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Haematologica</i> , 2008, 93, 1666-1677.	1.7	78
232	Diabetes and the risk of non-Hodgkin's lymphoma and multiple myeloma in the European Prospective Investigation into Cancer and Nutrition. <i>Haematologica</i> , 2008, 93, 842-850.	1.7	41
233	Serum Insulin-like Growth Factor (IGF)-I and IGF-Binding Protein-3 Concentrations and Prostate Cancer Risk: Results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 1121-1127.	1.1	88
234	Lactase Persistence and Bitter Taste Response: Instrumental Variables and Mendelian Randomization in Epidemiologic Studies of Dietary Factors and Cancer Risk. <i>American Journal of Epidemiology</i> , 2007, 166, 576-581.	1.6	94

#	ARTICLE	IF	CITATIONS
235	A dietary pattern rich in olive oil and raw vegetables is associated with lower mortality in Italian elderly subjects. <i>British Journal of Nutrition</i> , 2007, 98, 406-415.	1.2	59
236	Plasma Adiponectin Levels and Endometrial Cancer Risk in Pre- and Postmenopausal Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 255-263.	1.8	191
237	Serum levels of C-peptide, IGFBP-1 and IGFBP-2 and endometrial cancer risk; Results from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007, 120, 2656-2664.	2.3	96
238	Risk of endometrial cancer in relationship to cigarette smoking: Results from the EPIC study. <i>International Journal of Cancer</i> , 2007, 121, 2741-2747.	2.3	46
239	EPIC-Heart: The cardiovascular component of a prospective study of nutritional, lifestyle and biological factors in 520,000 middle-aged participants from 10 European countries. <i>European Journal of Epidemiology</i> , 2007, 22, 129-141.	2.5	91
240	Anthropometric factors and risk of endometrial cancer: the European prospective investigation into cancer and nutrition. <i>Cancer Causes and Control</i> , 2007, 18, 399-413.	0.8	148
241	Fruit and vegetable consumption and lymphoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2007, 18, 537-549.	0.8	29
242	Mo-P1:46 Body mass index and HS-CRP in a cohort of mediterranean women: Findings from progetto atena. <i>Atherosclerosis Supplements</i> , 2006, 7, 56.	1.2	0
243	Associations between dietary pattern and lifestyle, anthropometry and other health indicators in the elderly participants of the EPIC-Italy cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2006, 16, 186-201.	1.1	62
244	Consumption and portion sizes of tree nuts, peanuts and seeds in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohorts from 10 European countries. <i>British Journal of Nutrition</i> , 2006, 96, S12-S23.	1.2	76
245	Carotid Artery Remodeling in Middle-Aged Women With the Metabolic Syndrome (from the "Progetto) Tj ETQq 1, 1 0.784314 rgBT 0.7 32	1.1	32
246	Prediction of coronary events in a low incidence population. Assessing accuracy of the CUORE Cohort Study prediction equation. <i>International Journal of Epidemiology</i> , 2005, 34, 413-421.	0.9	187
247	W12-P-062 The relationship between BMI and common carotid plaques or apo B and bifurcation plaques are independent of HS-CRP concentration. <i>Atherosclerosis Supplements</i> , 2005, 6, 77.	1.2	0
248	Definition of high risk individuals to optimise strategies for primary prevention of cardiovascular diseases. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2005, 15, 79-85.	1.1	44
249	Urokinase-mediated posttranscriptional regulation of urokinase-receptor expression in non small cell lung carcinoma. <i>International Journal of Cancer</i> , 2003, 105, 353-360.	2.3	37
250	Correlates of Age at Natural Menopause in the Cohorts of Epic-Italy. <i>Tumori</i> , 2003, 89, 608-614.	0.6	22
251	A Molecular Epidemiology Project on Diet and Cancer: The Epic-Italy Prospective Study. Design and Baseline Characteristics of Participants. <i>Tumori</i> , 2003, 89, 586-593.	0.6	120
252	Determinants of Exposure to Environmental Tobacco Smoke in 21,588 Italian Non-Smokers. <i>Tumori</i> , 2003, 89, 665-668.	0.6	8

#	ARTICLE	IF	CITATIONS
253	Urokinase-type plasminogen activator up-regulates the expression of its cellular receptor through a post-transcriptional mechanism. FEBS Letters, 2001, 508, 379-384.	1.3	25
254	Azelastine in the Prophylactic Treatment of Bronchial Asthma: An Italian Multicentre Comparison with Ketotifen. Journal of International Medical Research, 1989, 17, 218-225.	0.4	5