

# Konstantinos G Stylianou

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8942380/publications.pdf>

Version: 2024-02-01

87  
papers

1,380  
citations

377584

21  
h-index

425179

34  
g-index

89  
all docs

89  
docs citations

89  
times ranked

2392  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | A systematic review of the natural history and biomarkers of primary lecithin:cholesterol acyltransferase deficiency. <i>Journal of Lipid Research</i> , 2022, 63, 100169.   | 2.0 | 8         |
| 2  | Validation of the International IgA Nephropathy Prediction Tool in the Greek Registry of IgA Nephropathy. <i>Frontiers in Medicine</i> , 2022, 9, 778464.  | 1.2 | 6         |
| 3  | Two cases of glomerular involvement after vaccination against COVID-19: epiphenomenon or causality?. <i>CKJ: Clinical Kidney Journal</i> , 2022, 15, 574-575.  | 1.4 | 9         |
| 4  | Dent-2 disease with a Bartter-like phenotype caused by the Asp631Glu mutation in the OCRL gene. <i>BMC Nephrology</i> , 2022, 23, 182.   | 0.8 | 1         |
| 5  | The p.Pro482Ala Variant in the CNNM2 Gene Causes Severe Hypomagnesemia Amenable to Treatment with Spironolactone. <i>International Journal of Molecular Sciences</i> , 2022, 23, 7284.                             | 1.8 | 3         |
| 6  | Role of Inherited Thrombophilia Risk Factors in Patients with CKD-5 Receiving Haemodialysis. <i>Acta Haematologica</i> , 2021, 144, 190-201.   | 0.7 | 3         |
| 7  | Intense immunostaining of heat shock protein 70 within renal interstitium associates with long-term renal survival in an ANCA-associated vasculitis cohort. <i>Cell Stress and Chaperones</i> , 2021, 26, 51-65.   | 1.2 | 4         |
| 8  | A glycine substitution in the collagenous domain of Col4a3 in mice recapitulates late onset Alport syndrome. <i>Matrix Biology Plus</i> , 2021, 9, 100053.   | 1.9 | 3         |
| 9  | The Pathophysiological Role of Heat Shock Response in Autoimmunity: A Literature Review. <i>Cells</i> , 2021, 10, 2626.  | 1.8 | 14        |
| 10 | Irrigating Acetic Acid Solution During Colonoscopy for the Detection of Sessile Serrated Neoplasia: A Randomized Controlled Trial. <i>Digestive Diseases and Sciences</i> , 2021, , 1.                             | 1.1 | 4         |
| 11 | P1167SERUM MAGNESIUM IS INVERSELY CORRELATED WITH MEAN PLATELET VOLUME IN PERITONEAL DIALYSIS PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .   | 0.4 | 0         |
| 12 | P0482INTERSTITIAL HSP70 EXPRESSION AT DIAGNOSIS ASSOCIATES WITH LONG TERM RENAL SURVIVAL IN AN ANCA VASCULITIS COHORT. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .                                    | 0.4 | 0         |
| 13 | P1168ABDOMINAL AORTIC CALCIFICATION SCORE MODIFIES THE PROGNOSTIC VALUE OF SERUM MAGNESIUM LEVELS ON ALL CAUSE MORTALITY IN PERITONEAL DIALYSIS PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, . | 0.4 | 2         |
| 14 | Current Concepts on the Reno-Protective Effects of Phosphodiesterase 5 Inhibitors in Acute Kidney Injury: Systematic Search and Review. <i>Journal of Clinical Medicine</i> , 2020, 9, 1284.                       | 1.0 | 32        |
| 15 | AMY1 diploid copy number among end-stage renal disease patients. <i>Hormones</i> , 2020, 19, 369-376.  | 0.9 | 2         |
| 16 | The Association Between Handgrip Strength and Predialysis Serum Sodium Level in Patients With Chronic Kidney Disease Stage 5D. <i>Frontiers in Medicine</i> , 2020, 7, 610659.                                     | 1.2 | 5         |
| 17 | Immunosuppressive regimens based on Cyclophosphamide or Calcineurin inhibitors: Comparison of their effect in the long term outcome of Primary Membranous Nephropathy. <i>PLoS ONE</i> , 2019, 14, e0217116.       | 1.1 | 5         |
| 18 | PLA2R-Negative Membranous Nephropathy Presenting as a Prodrome of IgG4-Related Autoimmune Pancreatitis. <i>Case Reports in Nephrology and Dialysis</i> , 2019, 9, 85-91.   | 0.3 | 1         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Histological grading in primary membranous nephropathy is essential for clinical management and predicts outcome of patients. <i>Histopathology</i> , 2019, 75, 660-671.  | 1.6 | 20        |
| 20 | SP498IMPACT OF DIALYSATE MAGNESIUM ON ALL CAUSE MORTALITY IN PERITONEAL DIALYSIS PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .   | 0.4 | 0         |
| 21 | The P274S Mutation of Lecithin-Cholesterol Acyltransferase (LCAT) and Its Clinical Manifestations in a Large Kindred. <i>American Journal of Kidney Diseases</i> , 2019, 74, 510-522.   | 2.1 | 10        |
| 22 | Liver Transplantation for Familial Amyloid Polyneuropathy (Val30Met): Long-Term Follow-up Prospective Study in a Nontransplant Center. <i>Transplantation Proceedings</i> , 2019, 51, 429-432.  | 0.3 | 5         |
| 23 | Renal artery stenting for atherosclerotic renal artery stenosis identified in patients with coronary artery disease: Does captopril renal scintigraphy predict outcomes?. <i>Journal of Clinical Hypertension</i> , 2018, 20, 373-381.              | 1.0 | 10        |
| 24 | SP668THE ASSOCIATION BETWEEN SERUM MAGNESIUM AND TELOMERE LENGTH IN HEMODIALYSIS PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i570-i571.  | 0.4 | 0         |
| 25 | Novel pathogenic GLA mutations revealed in a Greek population study for Fabry disease. <i>Molecular Genetics and Metabolism</i> , 2018, 123, S81.   | 0.5 | 0         |
| 26 | Preoperative Albuminuria and Intraoperative Chloride Load: Predictors of Acute Kidney Injury Following Major Abdominal Surgery. <i>Journal of Clinical Medicine</i> , 2018, 7, 431.   | 1.0 | 7         |
| 27 | Microscopic polyangiitis after streptococcal pharyngitis in a young woman. <i>Postgraduate Medical Journal</i> , 2018, 94, 728-728.   | 0.9 | 0         |
| 28 | SP542LOWER SERUM MAGNESIUM (SMG) IS A STRONG PREDICTOR OF LEFT VENTRICULAR HYPERTROPHY (LVH) AND PATTERNS OF LV REMODELING IN PATIENTS WITH STAGE 5 CHRONIC KIDNEY DISEASE (CKD). <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i531-i531. | 0.4 | 1         |
| 29 | Calcium sequestration by fungal melanin inhibits calcium-calmodulin signalling to prevent LC3-associated phagocytosis. <i>Nature Microbiology</i> , 2018, 3, 791-803.   | 5.9 | 66        |
| 30 | IgA nephropathy in Greece: data from the registry of the Hellenic Society of Nephrology. <i>CKJ: Clinical Kidney Journal</i> , 2018, 11, 38-45.   | 1.4 | 2         |
| 31 | Iron restriction inside macrophages regulates pulmonary host defense against <i>Rhizopus</i> species. <i>Nature Communications</i> , 2018, 9, 3333.   | 5.8 | 85        |
| 32 | Renal Effects of SGLT2 Inhibitors and Other Antidiabetic Drugs: Clinical Relevance and Potential Risks. <i>Clinical Pharmacology and Therapeutics</i> , 2017, 102, 470-480.   | 2.3 | 3         |
| 33 | The Effect of Sodium-Glucose Co-transporter-2 (SGLT-2) Inhibitors on Cardiometabolic Profile; Beyond the Hypoglycaemic Action. <i>Cardiovascular Drugs and Therapy</i> , 2017, 31, 215-225.   | 1.3 | 9         |
| 34 | Frequent COL4A3BP mutations in familial microhematuria accompanied by later-onset Alport nephropathy due to focal segmental glomerulosclerosis. <i>Clinical Genetics</i> , 2017, 92, 517-527.   | 1.0 | 35        |
| 35 | TO025PROTEIN-ENERGY WASTING IN PATIENTS WITH END-STAGE RENAL DISEASE: A CLINICAL PROTEOMICS STUDY. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, iii88-iii88.  | 0.4 | 0         |
| 36 | Fabry disease due to D313Y and novel GLA mutations. <i>BMJ Open</i> , 2017, 7, e017098.   | 0.8 | 33        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | SP694TELOMERE LENGTH OF HEMODIALYSIS PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, iii371-iii371.   | 0.4 | 0         |
| 38 | MP577HIGH SERUM MAGNESIUM LEVELS AND CINACALCET USE ARE ASSOCIATED WITH LOWER ABDOMINAL AORTIC CALCIFICATION SCORES IN PERITONEAL DIALYSIS PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, iii641-iii641.                                     | 0.4 | 0         |
| 39 | A functional variant in NEPH3 gene confers high risk of renal failure in primary hematuric glomerulopathies. Evidence for predisposition to microalbuminuria in the general population. <i>PLoS ONE</i> , 2017, 12, e0174274.                                  | 1.1 | 20        |
| 40 | SP626EFFECT OF DIALYSATE CALCIUM CONCENTRATION (DCA) ON PHASE ANGLE (PA), AS ASSESSED BY BIOELECTRICAL IMPEDANCE ANALYSIS (BIA), IN HEMODIALYSIS (HD) AND PERITONEAL DIALYSIS (PD) PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i304-i304. | 0.4 | 0         |
| 41 | A Case of Pulmonary-Renal Syndrome Leading to the Diagnosis of Legionnairesâ€™ Disease. <i>Case Reports in Nephrology</i> , 2016, 2016, 1-5.   | 0.2 | 3         |
| 42 | MP036A NOVEL KNOCKIN MOUSE MODEL FOR ALPORT SYNDROME. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i354-i354.  | 0.4 | 0         |
| 43 | Associations of adiponectin and leptin levels with protein-energy wasting, in end stage renal disease patients. <i>Endocrinología Y Nutrición (English Edition)</i> , 2016, 63, 449-457.   | 0.5 | 2         |
| 44 | Associations of adiponectin and leptin levels with protein-energy wasting, in end stage renal disease patients. <i>Endocrinología Y Nutricion: Organo De La Sociedad Espanola De Endocrinología Y Nutricion</i> , 2016, 63, 449-457.                           | 0.8 | 14        |
| 45 | MP660LONGITUDINAL INFLUENCE OF THE EXTRACELLULAR WATER (ECW) / TOTAL BODY WATER (TBW) RATIO ON PROTEIN-ENERGY WASTING (PEW) IN PATIENTS WITH STAGE 5 CHRONIC KIDNEY DISEASE (CKD). <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i559-i560.           | 0.4 | 0         |
| 46 | Acute Interstitial Nephritis and Membranous Nephropathy in the Context of IgG4-Related Disease. <i>Case Reports in Nephrology and Dialysis</i> , 2015, 5, 44-48.   | 0.3 | 13        |
| 47 | Vanishing urate, acute kidney injury episodes and a homozygous SLC2A9 mutation. <i>International Urology and Nephrology</i> , 2015, 47, 1035-1036.   | 0.6 | 7         |
| 48 | Increased Urinary Excretion of Podocyte Markers in Normoalbuminuric Patients with Diabetes. <i>Nephron</i> , 2015, 131, 34-42.   | 0.9 | 24        |
| 49 | The complement interference phenomenon as a cause of underestimation of high titer anti-HLA antibodies in a renal transplant recipient. <i>Human Immunology</i> , 2015, 76, 42.  | 1.2 | 16        |
| 50 | The use of pulse wave velocity in predicting pre-eclampsia in high-risk women. <i>Hypertension Research</i> , 2014, 37, 733-740.   | 1.5 | 26        |
| 51 | Selecting the optimal peritoneal dialysis catheter. <i>Kidney International</i> , 2014, 85, 741-743.   | 2.6 | 7         |
| 52 | Evidence for Activation of the Unfolded Protein Response in Collagen IV Nephropathies. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 260-275.   | 3.0 | 71        |
| 53 | Human TTRV30M localization within podocytes in a transgenic mouse model of transthyretin related amyloidosis: does the environment play a role?. <i>Transgenic Research</i> , 2013, 22, 101-116.   | 1.3 | 3         |
| 54 | Losartan Affects Glomerular AKT and mTOR Phosphorylation in an Experimental Model of Type 1 Diabetic Nephropathy. <i>Journal of Histochemistry and Cytochemistry</i> , 2013, 61, 433-443.  | 1.3 | 26        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Hsf-1 affects podocyte markers NPHS1, NPHS2 and WT1 in a transgenic mouse model of TTRVal30Met-related amyloidosis. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2013, 20, 164-172. | 1.4 | 2         |
| 56 | Refractory and Massive Lymphocele in a Transplant Patient With Encapsulating Peritoneal Sclerosis Treated With a Single Infusion of Bleomycin: A Case Report. <i>Transplantation Proceedings</i> , 2013, 45, 2831-2833.   | 0.3 | 1         |
| 57 | A Patient Presenting with Bilateral Lung Lesions, Pleural Effusion, and Proteinuria. <i>Case Reports in Medicine</i> , 2013, 2013, 1-4.   | 0.3 | 5         |
| 58 | Incidence, Clinical, Microbiological Features and Outcome of Bloodstream Infections in Patients Undergoing Hemodialysis. <i>International Journal of Medical Sciences</i> , 2013, 10, 1632-1638.  | 1.1 | 63        |
| 59 | Rapamycin Ameliorates Proteinuria and Restores Nephric and Podocin Expression in Experimental Membranous Nephropathy. <i>Clinical and Developmental Immunology</i> , 2013, 2013, 1-8.   | 3.3 | 11        |
| 60 | Epistatic Role of the MYH9/APOL1 Region on Familial Hematuria Genes. <i>PLoS ONE</i> , 2013, 8, e57925.   | 1.1 | 11        |
| 61 | Residual Renal Function in Hemodialysis Patients: The Role of Angiotensin-Converting Enzyme Inhibitor in Its Preservation. <i>ISRN Nephrology</i> , 2013, 2013, 1-5.  | 1.2 | 14        |
| 62 | Prolactin Levels, Endothelial Dysfunction, and the Risk of Cardiovascular Events and Mortality in Patients with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 207-215.   | 2.2 | 96        |
| 63 | Rapamycin induced ultrastructural and molecular alterations in glomerular podocytes in healthy mice. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 3141-3148.  | 0.4 | 10        |
| 64 | The Role of Serum Magnesium and Calcium on the Association between Adiponectin Levels and All-Cause Mortality in End-Stage Renal Disease Patients. <i>PLoS ONE</i> , 2012, 7, e52350.   | 1.1 | 38        |
| 65 | X-linked Alport syndrome in Hellenic families: Phenotypic heterogeneity and mutations near interruptions of the collagen domain in COL4A5. <i>Clinical Genetics</i> , 2012, 81, 240-248.  | 1.0 | 38        |
| 66 | Blocking glomerular immunoglobulin deposits in a mouse model of lupus nephritis on indirect immunofluorescence with the use of Fab fragments. <i>Journal of Immunological Methods</i> , 2012, 376, 139-142.   | 0.6 | 1         |
| 67 | The PI3K/Akt/mTOR pathway is activated in murine lupus nephritis and downregulated by rapamycin. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 498-508.  | 0.4 | 89        |
| 68 | Crescentic glomerulonephritis associated with vascular endothelial growth factor (VEGF) inhibitor and bisphosphonate administration. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 1742-1745.  | 0.4 | 21        |
| 69 | Coexistence of Plasma Cell Dyscrasia with Prefibrotic Stage of Primary Myelofibrosis: A Case Report. <i>ISRN Hematology</i> , 2011, 2011, 1-3.  | 1.6 | 1         |
| 70 | Low serum testosterone, arterial stiffness and mortality in male haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 2971-2977.  | 0.4 | 82        |
| 71 | First case of resistance to tigecycline by <i>Klebsiella pneumoniae</i> in a European University Hospital. <i>Indian Journal of Medical Microbiology</i> , 2011, 29, 78-79.   | 0.3 | 20        |
| 72 | The prognostic value of biomarkers for acute kidney injury after major surgery. <i>European Journal of Anaesthesiology</i> , 2010, 27, 32.  | 0.7 | 0         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Biopsy-proven resolution of renal light-chain deposition disease after autologous stem cell transplantation. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 2020-2023.  | 0.4 | 8         |
| 74 | Membranous nephropathy and lupus-like syndrome after hematopoietic cell transplantation: a case report. <i>Journal of Medical Case Reports</i> , 2010, 4, 303.  | 0.4 | 4         |
| 75 | Refractory thrombotic thrombocytopenic purpura associated with oral contraceptives and factor V Leiden: a case report. <i>Cases Journal</i> , 2009, 2, 6611.  | 0.4 | 4         |
| 76 | Long-Term Complication Rates and Survival of Peritoneal Dialysis Catheters: The Role of Percutaneous Versus Surgical Placement. <i>Seminars in Dialysis</i> , 2009, 22, 569-575.  | 0.7 | 37        |
| 77 | Pyomyositis caused by <i>Klebsiella pneumoniae</i> , in a Patient with Nephrotic Syndrome. <i>Kidney</i> , 2008, 17, 165-166.   | 0.1 | 0         |
| 78 | <i>Listeria Monocytogenes</i> Peritonitis in a Peritoneal Dialysis Patient with Severe Heart Failure. <i>Kidney</i> , 2008, 17, 238-240.  | 0.1 | 5         |
| 79 | Percutaneous ethanol injection therapy: a surgery-sparing treatment for primary hyperparathyroidism. <i>Clinical Endocrinology</i> , 2008, 69, 542-548.   | 1.2 | 32        |
| 80 | Arterial Stiffness Alterations during Hemodialysis: The Role of Dialysate Calcium. <i>Nephron Clinical Practice</i> , 2007, 106, c34-c42.   | 2.3 | 22        |
| 81 | Acute Renal Failure, Translocational Hyponatremia and Hyperkalemia following Intravenous Immunoglobulin Therapy. <i>Nephron Clinical Practice</i> , 2007, 106, c143-c148.   | 2.3 | 35        |
| 82 | Can a left internal jugular catheter be used in the hemodialysis of a patient with persistent left superior vena cava?. <i>Hemodialysis International</i> , 2007, 11, 42-5.   | 0.4 | 23        |
| 83 | Parathyromatosis and the Challenge of Treatment. <i>American Journal of Kidney Diseases</i> , 2006, 48, 502-505.  | 2.1 | 26        |
| 84 | Salvage chemotherapy with high-dose leucovorin (LV) and 48-hour continuous infusion (CI) of 5-fluorouracil (5-FU) in combination with conventional doses of cyclophosphamide (CPM) in patients with metastatic breast cancer (MBC) pretreated with anthracycline and taxanes. <i>British Journal of Cancer</i> , 2001, 85, 798-802. | 2.9 | 7         |
| 85 | Epstein-Barr Virus-Associated High-Grade Anaplastic Plasmacytoma in a Renal Transplant Patient. <i>Leukemia and Lymphoma</i> , 2000, 36, 411-415.   | 0.6 | 41        |
| 86 | Acute angulation of the left renal artery imitating renal artery stenosis in a patient with neurofibromatosis type 1. <i>Nephrology Dialysis Transplantation</i> , 1999, 14, 1767-1770.   | 0.4 | 3         |
| 87 | Hypoglycemic coma as first manifestation of primary adrenal insufficiency in a septic patient with severe hypokalemia and hypomagnesemia. <i>Endocrine Abstracts</i> , 0, , .   | 0.0 | 0         |