Konstantinos G Stylianou

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8942380/publications.pdf

Version: 2024-02-01

87 papers 1,380 citations

331670 21 h-index 34 g-index

89 all docs 89 docs citations

89 times ranked 2287 citing authors

#	Article	IF	CITATIONS
1	A systematic review of the natural history and biomarkers of primary lecithin:cholesterol acyltransferase deficiency. Journal of Lipid Research, 2022, 63, 100169.	4.2	8
2	Validation of the International IgA Nephropathy Prediction Tool in the Greek Registry of IgA Nephropathy. Frontiers in Medicine, 2022, 9, 778464.	2.6	6
3	Two cases of glomerular involvement after vaccination against COVID-19: epiphenomenon or causality?. CKJ: Clinical Kidney Journal, 2022, 15, 574-575.	2.9	9
4	Dent-2 disease with a Bartter-like phenotype caused by the Asp631Glu mutation in the OCRL gene. BMC Nephrology, 2022, 23, 182.	1.8	1
5	The p.Pro482Ala Variant in the CNNM2 Gene Causes Severe Hypomagnesemia Amenable to Treatment with Spironolactone. International Journal of Molecular Sciences, 2022, 23, 7284.	4.1	3
6	Role of Inherited Thrombophilia Risk Factors in Patients with CKD-5 Receiving Haemodialysis. Acta Haematologica, 2021, 144, 190-201.	1.4	3
7	Intense immunostaining of heat shock protein 70 within renal interstitium associates with long-term renal survival in an ANCA-associated vasculitis cohort. Cell Stress and Chaperones, 2021, 26, 51-65.	2.9	4
8	A glycine substitution in the collagenous domain of Col4a3 in mice recapitulates late onset Alport syndrome. Matrix Biology Plus, 2021, 9, 100053.	3.5	3
9	The Pathophysiological Role of Heat Shock Response in Autoimmunity: A Literature Review. Cells, 2021, 10, 2626.	4.1	14
10	Irrigating Acetic Acid Solution During Colonoscopy for the Detection of Sessile Serrated Neoplasia: A Randomized Controlled Trial. Digestive Diseases and Sciences, 2021, , 1.	2.3	4
11	P1167SERUM MAGNESIUM IS INVERSELY CORRELATED WITH MEAN PLATELET VOLUME IN PERITONEAL DIALYSIS PATIENTS. Nephrology Dialysis Transplantation, 2020, 35, .	0.7	0
12	PO482INTERSTITIAL HSP70 EXPRESSION AT DIAGNOSIS ASSOCIATES WITH LONG TERM RENAL SURVIVAL IN AN ANCA VASCULITIS COHORT. Nephrology Dialysis Transplantation, 2020, 35, .	0.7	0
13	P1168ABDOMINAL AORTIC CALCIFICATION SCORE MODIFIES THE PROGNOSTIC VALUE OF SERUM MAGNESIUM LEVELS ON ALL CAUSE MORTALITY IN PERITONEAL DIALYSIS PATIENTS. Nephrology Dialysis Transplantation, 2020, 35, .	0.7	2
14	Current Concepts on the Reno-Protective Effects of Phosphodiesterase 5 Inhibitors in Acute Kidney Injury: Systematic Search and Review. Journal of Clinical Medicine, 2020, 9, 1284.	2.4	32
15	AMY1 diploid copy number among end-stage renal disease patients. Hormones, 2020, 19, 369-376.	1.9	2
16	The Association Between Handgrip Strength and Predialysis Serum Sodium Level in Patients With Chronic Kidney Disease Stage 5D. Frontiers in Medicine, 2020, 7, 610659.	2.6	5
17	Immunosuppressive regimens based on Cyclophospamide or Calcineurin inhibitors: Comparison of their effect in the long term outcome of Primary Membranous Nephropathy. PLoS ONE, 2019, 14, e0217116.	2.5	5
18	PLA2R-Negative Membranous Nephropathy Presenting as a Prodrome of IgG4-Related Autoimmune Pancreatitis. Case Reports in Nephrology and Dialysis, 2019, 9, 85-91.	0.6	1

#	Article	IF	CITATIONS
19	Histological grading in primary membranous nephropathy is essential for clinical management and predicts outcome of patients. Histopathology, 2019, 75, 660-671.	2.9	20
20	SP498IMPACT OF DIALYSATE MAGNESIUM ON ALL CAUSE MORTALITY IN PERITONEAL DIALYSIS PATIENTS. Nephrology Dialysis Transplantation, 2019, 34, .	0.7	0
21	The P274S Mutation of Lecithin-Cholesterol Acyltransferase (LCAT) and Its Clinical Manifestations in a Large Kindred. American Journal of Kidney Diseases, 2019, 74, 510-522.	1.9	10
22	Liver Transplantation for Familial Amyloid Polyneuropathy (Val30Met): Long-Term Follow-up Prospective Study in a Nontransplant Center. Transplantation Proceedings, 2019, 51, 429-432.	0.6	5
23	Renal artery stenting for atherosclerotic renal artery stenosis identified in patients with coronary artery disease: Does captopril renal scintigraphy predict outcomes?. Journal of Clinical Hypertension, 2018, 20, 373-381.	2.0	10
24	SP668THE ASSOCIATION BETWEEN SERUM MAGNESIUM AND TELOMERE LENTH IN HEMODIALYSIS PATIENTS. Nephrology Dialysis Transplantation, 2018, 33, i570-i571.	0.7	0
25	Novel pathogenic GLA mutations revealed in a Greek population study for Fabry disease. Molecular Genetics and Metabolism, 2018, 123, S81.	1.1	0
26	Preoperative Albuminuria and Intraoperative Chloride Load: Predictors of Acute Kidney Injury Following Major Abdominal Surgery. Journal of Clinical Medicine, 2018, 7, 431.	2.4	7
27	Microscopic polyangiitis after streptococcal pharyngitis in a young woman. Postgraduate Medical Journal, 2018, 94, 728-728.	1.8	0
28	SP542LOWER SERUM MAGNESIUM (SMG) IS A STRONG PREDICTOR OF LEFT VENTRICULAR HYPERTROPHY (LVH) AND PATTERNS OF LV REMODELING IN PATIENTS WITH STAGE 5 CHRONIC KIDNEY DISEASE (CKD). Nephrology Dialysis Transplantation, 2018, 33, i531-i531.	0.7	1
29	Calcium sequestration by fungal melanin inhibits calcium–calmodulin signalling to prevent LC3-associated phagocytosis. Nature Microbiology, 2018, 3, 791-803.	13.3	66
30	IgA nephropathy in Greece: data from the registry of the Hellenic Society of Nephrology. CKJ: Clinical Kidney Journal, 2018, 11, 38-45.	2.9	2
31	Iron restriction inside macrophages regulates pulmonary host defense against Rhizopus species. Nature Communications, 2018, 9, 3333.	12.8	85
32	Renal Effects of SGLTâ€2 Inhibitors and Other Antiâ€diabetic Drugs: Clinical Relevance and Potential Risks. Clinical Pharmacology and Therapeutics, 2017, 102, 470-480.	4.7	3
33	The Effect of Sodium-Glucose Co-transporter-2 (SGLT-2) Inhibitors on Cardiometabolic Profile; Beyond the Hypoglycaemic Action. Cardiovascular Drugs and Therapy, 2017, 31, 215-225.	2.6	9
34	Frequent <i> <scp>COL4</scp> </i> mutations in familial microhematuria accompanied by laterâ€onset Alport nephropathy due to focal segmental glomerulosclerosis. Clinical Genetics, 2017, 92, 517-527.	2.0	35
35	TO025PROTEIN-ENERGY WASTING IN PATIENTS WITH END-STAGE RENAL DISEASE: A CLINICAL PROTEOMICS STUDY. Nephrology Dialysis Transplantation, 2017, 32, iii88-iii88.	0.7	0
36	Fabry disease due to D313Y and novel GLA mutations. BMJ Open, 2017, 7, e017098.	1.9	33

#	Article	IF	CITATIONS
37	SP694TELOMERE LENGTH OF HEMODIALYSIS PATIENTS. Nephrology Dialysis Transplantation, 2017, 32, iii371-iii371.	0.7	o
38	MP577HIGH SERUM MAGNESIUM LEVELS AND CINACALCET USE ARE ASSOCIATED WITH LOWER ABDOMINAL AORTIC CALCIFICATION SCORES IN PERITONEAL DIALYSIS PATIENTS. Nephrology Dialysis Transplantation, 2017, 32, iii641-iii641.	0.7	0
39	A functional variant in NEPH3 gene confers high risk of renal failure in primary hematuric glomerulopathies. Evidence for predisposition to microalbuminuria in the general population. PLoS ONE, 2017, 12, e0174274.	2.5	20
40	SP626EFFECT OF DIALYSATE CALCIUM CONCENTRATION (DCA) ON PHASE ANGLE (PA), AS ASSESSED BY BIOELECTRICAL IMPEDANCE ANALYSIS (BIA), IN HEMODIALYSIS (HD) AND PERITONEAL DIALYSIS (PD) PATIENTS. Nephrology Dialysis Transplantation, 2016, 31, i304-i304.	0.7	0
41	A Case of Pulmonary-Renal Syndrome Leading to the Diagnosis of Legionnaires' Disease. Case Reports in Nephrology, 2016, 2016, 1-5.	0.4	3
42	MP036A NOVEL KNOCKIN MOUSE MODEL FOR ALPORT SYNDROME. Nephrology Dialysis Transplantation, 2016, 31, i354-i354.	0.7	0
43	Associations of adiponectin and leptin levels with protein-energy wasting, in end stage renal disease patients. EndocrinologÃa Y Nutrición (English Edition), 2016, 63, 449-457.	0.5	2
44	Associations of adiponectin and leptin levels with protein-energy wasting, in end stage renal disease patients. Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion, 2016, 63, 449-457.	0.8	14
45	MP660LONGITUDINAL INFLUENCE OF THE EXTRACELLULAR WATER (ECW) / TOTAL BODY WATER (TBW) RATIO ON PROTEIN-ENERGY WASTING (PEW) IN PATIENTS WITH STAGE 5 CHRONIC KIDNEY DISEASE (CKD). Nephrology Dialysis Transplantation, 2016, 31, i559-i560.	0.7	0
46	Acute Interstitial Nephritis and Membranous Nephropathy in the Context of IgG4-Related Disease. Case Reports in Nephrology and Dialysis, 2015, 5, 44-48.	0.6	13
47	Vanishing urate, acute kidney injury episodes and a homozygous SLC2A9 mutation. International Urology and Nephrology, 2015, 47, 1035-1036.	1.4	7
48	Increased Urinary Excretion of Podocyte Markers in Normoalbuminuric Patients with Diabetes. Nephron, 2015, 131, 34-42.	1.8	24
49	The complement interference phenomenon as a cause of underestimation of high titer anti-HLA antibodies in a renal transplant recipient. Human Immunology, 2015, 76, 42.	2.4	16
50	The use of pulse wave velocity in predicting pre-eclampsia in high-risk women. Hypertension Research, 2014, 37, 733-740.	2.7	26
51	Selecting the optimal peritoneal dialysis catheter. Kidney International, 2014, 85, 741-743.	5.2	7
52	Evidence for Activation of the Unfolded Protein Response in Collagen IV Nephropathies. Journal of the American Society of Nephrology: JASN, 2014, 25, 260-275.	6.1	71
53	Human TTRV30M localization within podocytes in a transgenic mouse model of transthyretin related amyloidosis: does the environment play a role?. Transgenic Research, 2013, 22, 101-116.	2.4	3
54	Losartan Affects Glomerular AKT and mTOR Phosphorylation in an Experimental Model of Type 1 Diabetic Nephropathy. Journal of Histochemistry and Cytochemistry, 2013, 61, 433-443.	2.5	26

#	Article	IF	CITATIONS
55	Hsf-1 affects podocyte markers NPHS1, NPHS2 and WT1 in a transgenic mouse model of TTRVal30Met-related amyloidosis. Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis, 2013, 20, 164-172.	3.0	2
56	Refractory and Massive Lymphocele in a Transplant Patient With Encapsulating Peritoneal Sclerosis Treated With a Single Infusion of Bleomycin: A Case Report. Transplantation Proceedings, 2013, 45, 2831-2833.	0.6	1
57	A Patient Presenting with Bilateral Lung Lesions, Pleural Effusion, and Proteinuria. Case Reports in Medicine, 2013, 2013, 1-4.	0.7	5
58	Incidence, Clinical, Microbiological Features and Outcome of Bloodstream Infections in Patients Undergoing Hemodialysis. International Journal of Medical Sciences, 2013, 10, 1632-1638.	2.5	63
59	Rapamycin Ameliorates Proteinuria and Restores Nephrin and Podocin Expression in Experimental Membranous Nephropathy. Clinical and Developmental Immunology, 2013, 2013, 1-8.	3.3	11
60	Epistatic Role of the MYH9/APOL1 Region on Familial Hematuria Genes. PLoS ONE, 2013, 8, e57925.	2.5	11
61	Residual Renal Function in Hemodialysis Patients: The Role of Angiotensin-Converting Enzyme Inhibitor in Its Preservation. ISRN Nephrology, 2013, 2013, 1-5.	1.2	14
62	Prolactin Levels, Endothelial Dysfunction, and the Risk of Cardiovascular Events and Mortality in Patients with CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2012, 7, 207-215.	4.5	96
63	Rapamycin induced ultrastructural and molecular alterations in glomerular podocytes in healthy mice. Nephrology Dialysis Transplantation, 2012, 27, 3141-3148.	0.7	10
64	The Role of Serum Magnesium and Calcium on the Association between Adiponectin Levels and All-Cause Mortality in End-Stage Renal Disease Patients. PLoS ONE, 2012, 7, e52350.	2.5	38
65	Xâ€inked Alport syndrome in Hellenic families: Phenotypic heterogeneity and mutations near interruptions of the collagen domain in <i>COL4A5</i> . Clinical Genetics, 2012, 81, 240-248.	2.0	38
66	Blocking glomerular immunoglobulin deposits in a mouse model of lupus nephritis on indirect immunofluorescence with the use of Fab fragments. Journal of Immunological Methods, 2012, 376, 139-142.	1.4	1
67	The PI3K/Akt/mTOR pathway is activated in murine lupus nephritis and downregulated by rapamycin. Nephrology Dialysis Transplantation, 2011, 26, 498-508.	0.7	89
68	Crescentic glomerulonephritis associated with vascular endothelial growth factor (VEGF) inhibitor and bisphosphonate administration. Nephrology Dialysis Transplantation, 2011, 26, 1742-1745.	0.7	21
69	Coexistence of Plasma Cell Dyscrasia with Prefibrotic Stage of Primary Myelofibrosis: A Case Report. ISRN Hematology, 2011, 2011, 1-3.	1.6	1
70	Low serum testosterone, arterial stiffness and mortality in male haemodialysis patients. Nephrology Dialysis Transplantation, 2011, 26, 2971-2977.	0.7	82
71	First case of resistance to tigecycline by Klebsiella pneumoniae in a European University Hospital. Indian Journal of Medical Microbiology, 2011, 29, 78-79.	0.8	20
72	The prognostic value of biomarkers for acute kidney injury after major surgery. European Journal of Anaesthesiology, 2010, 27, 32.	1.7	0

#	Article	IF	CITATIONS
73	Biopsy-proven resolution of renal light-chain deposition disease after autologous stem cell transplantation. Nephrology Dialysis Transplantation, 2010, 25, 2020-2023.	0.7	8
74	Membranous nephropathy and lupus-like syndrome after hematopoietic cell transplantation: a case report. Journal of Medical Case Reports, 2010, 4, 303.	0.8	4
75	Refractory thrombotic thrombocytopenic purpura associated with oral contraceptives and factor V Leiden: a case report. Cases Journal, 2009, 2, 6611.	0.4	4
76	Longâ€Term Complication Rates and Survival of Peritoneal Dialysis Catheters: The Role of Percutaneous Versus Surgical Placement. Seminars in Dialysis, 2009, 22, 569-575.	1.3	37
77	Pyomyositis caused by Klebsiella pneumoniae, in a Patient with Nephrotic Syndrome. Kidney, 2008, 17, 165-166.	0.0	0
78	Listeria Monocytogenes Peritonitis in a Peritoneal Dialysis Patient with Severe Heart Failure. Kidney, 2008, 17, 238-240.	0.0	5
79	Percutaneous ethanol injection therapy: a surgeryâ€sparing treatment for primary hyperparathyroidism. Clinical Endocrinology, 2008, 69, 542-548.	2.4	32
80	Arterial Stiffness Alterations during Hemodialysis: The Role of Dialysate Calcium. Nephron Clinical Practice, 2007, 106, c34-c42.	2.3	22
81	Acute Renal Failure, Translocational Hyponatremia and Hyperkalemia following Intravenous Immunoglobulin Therapy. Nephron Clinical Practice, 2007, 106, c143-c148.	2.3	35
82	Can a left internal jugular catheter be used in the hemodialysis of a patient with persistent left superior vena cava?. Hemodialysis International, 2007, 11, 42-5.	0.9	23
83	Parathyromatosis and the Challenge of Treatment. American Journal of Kidney Diseases, 2006, 48, 502-505.	1.9	26
84	Salvage chemotherapy with high-dose leucovorin (LV) and 48-hour continuous infusion (CI) of 5-fluorouracil (5-FU) in combination with conventional doses of cyclophosphamide (CPM) in patients with metastatic breast cancer (MBC) pretreated with anthracycline and taxanes. British Journal of Cancer, 2001, 85, 798-802.	6.4	7
85	Epstein-Barr Virus-Associated High-Grade Anaplastic Plasmacytoma in a Renal Transplant Patient. Leukemia and Lymphoma, 2000, 36, 411-415.	1.3	41
86	Acute angulation of the left renal artery imitating renal artery stenosis in a patient with neurofibromatosis type 1. Nephrology Dialysis Transplantation, 1999, 14, 1767-1770.	0.7	3
87	Hypoglycemic coma as first manifestation of primary adrenal insufficiency in a septic patient with severe hypokalemia and hypomagnesemia. Endocrine Abstracts, 0, , .	0.0	0