Marcin Slojewski

List of Publications by Citations

Source: https://exaly.com/author-pdf/8942746/marcin-slojewski-publications-by-citations.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67
papers

454
citations

h-index

77
ext. papers

567
ext. citations

2.5
avg, IF

18
g-index

3.49
L-index

#	Paper	IF	Citations
67	Laparoscopic Partial Nephrectomy Supported by Training Involving Personalized Silicone Replica Poured in Three-Dimensional Printed Casting Mold. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2017 , 27, 420-422	2.1	33
66	Smoking related cancers and loci at chromosomes 15q25, 5p15, 6p22.1 and 6p21.33 in the Polish population. <i>PLoS ONE</i> , 2011 , 6, e25057	3.7	31
65	Germline mutations in the CHEK2 kinase gene are associated with an increased risk of bladder cancer. <i>International Journal of Cancer</i> , 2008 , 122, 583-6	7.5	24
64	Common variants of xeroderma pigmentosum genes and prostate cancer risk. <i>Gene</i> , 2014 , 546, 156-61	3.8	23
63	Microelements in stones, urine, and hair of stone formers: a new key to the puzzle of lithogenesis?. <i>Biological Trace Element Research</i> , 2010 , 137, 301-16	4.5	22
62	Cadmium, lead and mercury concentrations in pathologically altered human kidneys. <i>Environmental Geochemistry and Health</i> , 2017 , 39, 889-899	4.7	21
61	Major and trace elements in lithogenesis. <i>Central European Journal of Urology</i> , 2011 , 64, 58-61	0.9	21
60	A common nonsense mutation of the BLM gene and prostate cancer risk and survival. <i>Gene</i> , 2013 , 532, 173-6	3.8	20
59	Nuclear factor E2-related factor-2 (Nrf2) expression and regulation in male reproductive tract. <i>Pharmacological Reports</i> , 2016 , 68, 101-8	3.9	17
58	The Learning Curve for Transurethral Resection of Bladder Tumour: How Many is Enough to be Independent, Safe and Effective Surgeon?. <i>Journal of Surgical Education</i> , 2020 , 77, 978-985	3.4	14
57	Does smoking have any effect on urinary stone composition and the distribution of trace elements in urine and stones?. <i>Urological Research</i> , 2009 , 37, 317-22		14
56	Post-Operative Infections among Patients Undergoing Radical Cystectomy at a Tertiary Center. Surgical Infections, 2018 , 19, 451-458	2	14
55	Metabolic syndrome and benign prostatic hyperplasia: association or coincidence?. <i>Diabetology and Metabolic Syndrome</i> , 2015 , 7, 94	5.6	13
54	Three-Dimensional Printing as an Interdisciplinary Communication Tool: Preparing for Removal of a Giant Renal Tumor and Atrium Neoplastic Mass. <i>Heart Surgery Forum</i> , 2016 , 19, E185-6	0.7	13
53	Evidence-based recommendations on androgen deprivation therapy for localized and advanced prostate cancer. <i>Central European Journal of Urology</i> , 2016 , 69, 131-8	0.9	13
52	Percutaneous Nephrolithotomy Using an Individual 3-Dimensionally Printed Surgical Guide. <i>Urologia Internationalis</i> , 2018 , 100, 485-487	1.9	11
51	Molecular Analysis of the SRD5A1 and SRD5A2 Genes in Patients with Benign Prostatic Hyperplasia with Regard to Metabolic Parameters and Selected Hormone Levels. <i>International Journal of Environmental Research and Public Health.</i> 2017 . 14.	4.6	9

(2015-2003)

50	Laparoscopy as a treatment for intraperitoneal bladder injury. <i>Scandinavian Journal of Urology and Nephrology</i> , 2003 , 37, 339-41		9
49	Hormone concentration, metabolic disorders and immunoexpression of androgen and estrogen-alpha receptors in men with benign prostatic hyperplasia and testosterone deficiency syndrome. <i>Folia Histochemica Et Cytobiologica</i> , 2015 , 53, 227-35	1.4	9
48	Laparoscopic radical nephrectomy for T3b tumor. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2010 , 20, 47-9	2.1	8
47	Impact of "non-clamping technique" on intra- and postoperative course after laparoscopic partial nephrectomy. <i>Wideochirurgia I Inne Techniki Maloinwazyjne</i> , 2012 , 7, 275-9	1.4	7
46	CHEK2 germline mutations correlate with recurrence rate in patients with superficial bladder cancer. <i>Annales Academiae Medicae Stetinensis</i> , 2008 , 54, 115-21		7
45	The Concentration of Vanadium in Pathologically Altered Human Kidneys. <i>Biological Trace Element Research</i> , 2017 , 180, 1-5	4.5	6
44	Can metabolic disorders in aging men contribute to prostatic hyperplasia eligible for transurethral resection of the prostate (TURP)?. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 3327-42	4.6	6
43	Correlation between malnutrition, body mass index and complications in patients with urinary bladder cancer who underwent radical cystectomy. <i>Advances in Clinical and Experimental Medicine</i> , 2018 , 27, 1141-1147	1.8	6
42	Extended Boari-flap technique as a reconstruction method of total ureteric avulsion. <i>Central European Journal of Urology</i> , 2017 , 70, 188-191	0.9	6
41	Urethral stone of unexpected size: case report and short literature review. <i>Open Medicine (Poland)</i> , 2016 , 11, 7-10	2.2	6
40	Prediction of the risk of surgical complications in patients undergoing monopolar transurethral resection of bladder tumour - a prospective multicentre observational study. <i>Archives of Medical Science</i> , 2020 , 16, 863-870	2.9	5
39	The presence of prostate cancer at biopsy is predicted by a number of genetic variants. <i>International Journal of Cancer</i> , 2014 , 134, 1139-46	7.5	5
38	Assessment of the infiltrative character of bladder cancer at the time of transurethral resection: a single center study. <i>Central European Journal of Urology</i> , 2017 , 70, 22-26	0.9	5
37	Comparison between selected hormone and protein levels in serum and prostate tissue homogenates in men with benign prostatic hyperplasia and metabolic disorders. <i>Clinical Interventions in Aging</i> , 2018 , 13, 1375-1382	4	4
36	Endoscopic simple prostatectomy. Central European Journal of Urology, 2014, 67, 377-84	0.9	4
35	Alterations in fecal short chain fatty acids (SCFAs) and branched short-chain fatty acids (BCFAs) in men with benign prostatic hyperplasia (BPH) and metabolic syndrome (MetS). <i>Aging</i> , 2021 , 13, 10934-1	10954	4
34	The Relationship between Eicosanoid Levels and Serum Levels of Metabolic and Hormonal Parameters Depending on the Presence of Metabolic Syndrome in Patients with Benign Prostatic Hyperplasia. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	3
33	The variant allele of the rs188140481 polymorphism confers a moderate increase in the risk of prostate cancer in Polish men. <i>European Journal of Cancer Prevention</i> , 2015 , 24, 122-7	2	3

32	Simplified laparoscopic technique for the treatment of long distal ureteral stenosis. <i>Wideochirurgia I Inne Techniki Maloinwazyjne</i> , 2013 , 8, 346-51	1.4	3
31	Single-session laparoscopic cystectomy and nephroureterectomy. <i>Wideochirurgia I Inne Techniki Maloinwazyjne</i> , 2013 , 8, 158-61	1.4	3
30	Retroperitoneoscopic nephropexy in the treatment of symptomatic nephroptosis with 2-point renal fixation. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2009 , 19, 356-9	1.3	3
29	Influence of metabolic syndrome on the relationship between fatty acids and the selected parameters in men with benign prostatic hyperplasia. <i>Aging</i> , 2019 , 11, 1524-1536	5.6	3
28	Laparoscopic pyeloplasty with concomitant pyelolithotomy - too much of a good thing?. <i>Central European Journal of Urology</i> , 2014 , 66, 445	0.9	3
27	Changing patterns of urologic emergency visits and admissions during the COVID-19 pandemic: a retrospective, multicenter, nationwide study. <i>Archives of Medical Science</i> , 2021 , 17, 1262-1276	2.9	3
26	Apoptosis and proliferation of the prostate cells in men with benign prostatic hyperplasia and concomitant metabolic disorders. <i>Histology and Histopathology</i> , 2018 , 33, 389-397	1.4	3
25	Comparison of Copper Concentration Between Rejected Renal Grafts and Cancerous Kidneys. Biological Trace Element Research, 2019 , 191, 300-305	4.5	2
24	Neoadjuvant chemotherapy with dose dense MVAC is associated with improved survival after radical cystectomy compared to other cytotoxic regimens: A tertiary center experience. <i>PLoS ONE</i> , 2021 , 16, e0259526	3.7	2
23	Carcinoma in the inactive bladder - the dilemma of the forgotten organ. <i>Central European Journal of Urology</i> , 2012 , 65, 38-9	0.9	2
22	Retroperitoneoscopic ureterocutaneostomy as a method of urinary diversion in case of complicated urinary fistula after radiotherapy. <i>Central European Journal of Urology</i> , 2011 , 64, 180-1	0.9	2
21	Retroperitoneoscopic renal pelvis resection as treatment of the urothelial tumor in a solitary kidney. <i>Central European Journal of Urology</i> , 2013 , 66, 299-302	0.9	1
20	Preoperative pyuria predicts the presence of high-grade bladder carcinoma in patients with bladder tumors. <i>Central European Journal of Urology</i> , 2020 , 73, 423-436	0.9	1
19	The Influence of Lymph Node Count on Oncological Outcome of Radical Cystectomy in Chemotherapy Pre-Treated and Chemotherapy-Nalle Patients with Muscle Invasive Bladder Cancer. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
18	Impact of ureteric stent on outcome of extracorporeal shockwave lithotripsy: A propensity score analysis. <i>Central European Journal of Urology</i> , 2016 , 69, 184-9	0.9	1
17	Program of laparoscopic living-donor nephrectomy with retroperitoneoscopic access - a Polish single-center experience - success or disappointment?. <i>Annals of Transplantation</i> , 2013 , 18, 82-7	1.4	1
16	Who needs numbers more: patients or doctors?. <i>Urologia Polska</i> , 2013 , 66, 8-9		1
15	When Bodybuilding Goes Wrong-Bilateral Renal Artery Thrombosis in a Long-Term Misuser of Anabolic Steroids Treated with AngioJet Rheolytic Thrombectomy <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19,	4.6	1

LIST OF PUBLICATIONS

14	Increased One-Year Mortality Among Elderly Patients After Radical Cystectomy for Muscle-Invasive Bladder Cancer: A Retrospective, Observational Comparative Study <i>Clinical Interventions in Aging</i> , 2022 , 17, 255-263	4	1
13	Educational and Psychological Support Combined with Minimally Invasive Surgical Technique Reduces Perioperative Depression and Anxiety in Patients with Bladder Cancer Undergoing Radical Cystectomy International Journal of Environmental Research and Public Health, 2021, 18,	4.6	1
12	Cell phones give more benefits than risks, but□ <i>Urologia Polska</i> , 2013 , 66, 54-5		O
11	Survival differences of patients with ureteral versus pelvicalyceal tumours: a systematic review and meta-analysis. <i>Archives of Medical Science</i> , 2021 , 17, 603-612	2.9	O
10	Survival of bladder or renal cancer in patients with CHEK2 mutations. <i>PLoS ONE</i> , 2021 , 16, e0257132	3.7	O
9	Management with Santorini Plexus Should Be Personalized during Prostatectomy. <i>Journal of Personalized Medicine</i> , 2022 , 12, 769	3.6	O
8	Dorso-ventral buccal mucosal graft for treating gunshot bulbar urethral damage. <i>ANZ Journal of Surgery</i> , 2014 , 84, 590-2	1	
7	AUTHOR'S REPLY. Central European Journal of Urology, 2017 , 70, 29	0.9	
7	AUTHOR'S REPLY. Central European Journal of Urology, 2017, 70, 29 18F-choline positron emission tomography/computed tomography guided laparoscopic salvage lymph node dissection in patients after radical prostatectomy. Wideochirurgia I Inne Techniki Maloinwazyjne, 2021, 16, 403-408	0.9	
	18F-choline positron emission tomography/computed tomography guided laparoscopic salvage lymph node dissection in patients after radical prostatectomy. <i>Wideochirurgia I Inne Techniki</i>	1.4	
6	18F-choline positron emission tomography/computed tomography guided laparoscopic salvage lymph node dissection in patients after radical prostatectomy. <i>Wideochirurgia I Inne Techniki Maloinwazyjne</i> , 2021 , 16, 403-408	1.4	
6	18F-choline positron emission tomography/computed tomography guided laparoscopic salvage lymph node dissection in patients after radical prostatectomy. <i>Wideochirurgia I Inne Techniki Maloinwazyjne</i> , 2021 , 16, 403-408 Sometimes the communications are of special value. <i>Central European Journal of Urology</i> , 2013 , 66, 369-86. Recurrent PALB2 mutations and the risk of cancers of bladder or kidney in Polish population.	1.4 -709	
6 5 4	18F-choline positron emission tomography/computed tomography guided laparoscopic salvage lymph node dissection in patients after radical prostatectomy. Wideochirurgia I Inne Techniki Maloinwazyjne, 2021, 16, 403-408 Sometimes the communications are of special value. Central European Journal of Urology, 2013, 66, 369. Recurrent PALB2 mutations and the risk of cancers of bladder or kidney in Polish population. Hereditary Cancer in Clinical Practice, 2021, 19, 6 Laparoscopic live-donor nephrectomy with retroperitoneoscopic access - first case experience.	1.4 -70 ₉	