

Marcin Slojewski

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8942746/marcin-slojewski-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67

papers

454

citations

13

h-index

18

g-index

77

ext. papers

567

ext. citations

2.5

avg, IF

3.49

L-index

#	Paper	IF	Citations
67	When Bodybuilding Goes Wrong-Bilateral Renal Artery Thrombosis in a Long-Term Misuser of Anabolic Steroids Treated with AngioJet Rheolytic Thrombectomy.. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19,	4.6	1
66	Increased One-Year Mortality Among Elderly Patients After Radical Cystectomy for Muscle-Invasive Bladder Cancer: A Retrospective, Observational Comparative Study.. <i>Clinical Interventions in Aging</i> , 2022 , 17, 255-263	4	1
65	Diagnostic Performance of Preoperative Choline-PET/CT in Patients Undergoing Salvage Lymph Node Dissection for Recurrent Prostate Cancer: A Multicenter Experience.. <i>Tomography</i> , 2022 , 8, 1090-1096	10.16	0
64	Management with Santorini's Plexus Should Be Personalized during Prostatectomy. <i>Journal of Personalized Medicine</i> , 2022 , 12, 769	3.6	0
63	Neoadjuvant chemotherapy with dose dense MVAC is associated with improved survival after radical cystectomy compared to other cytotoxic regimens: A tertiary center experience. <i>PLoS ONE</i> , 2021 , 16, e0259526	3.7	2
62	The Influence of Lymph Node Count on Oncological Outcome of Radical Cystectomy in Chemotherapy Pre-Treated and Chemotherapy-Naïve Patients with Muscle Invasive Bladder Cancer. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
61	18F-choline positron emission tomography/computed tomography guided laparoscopic salvage lymph node dissection in patients after radical prostatectomy. <i>Wideochirurgia I Inne Techniki Maloinwazyjne</i> , 2021 , 16, 403-408	1.4	0
60	Changing patterns of urologic emergency visits and admissions during the COVID-19 pandemic: a retrospective, multicenter, nationwide study. <i>Archives of Medical Science</i> , 2021 , 17, 1262-1276	2.9	3
59	Alterations in fecal short chain fatty acids (SCFAs) and branched short-chain fatty acids (BCFAs) in men with benign prostatic hyperplasia (BPH) and metabolic syndrome (MetS). <i>Aging</i> , 2021 , 13, 10934-10954	5.6	4
58	Survival differences of patients with ureteral versus pelvicalyceal tumours: a systematic review and meta-analysis. <i>Archives of Medical Science</i> , 2021 , 17, 603-612	2.9	0
57	Recurrent PALB2 mutations and the risk of cancers of bladder or kidney in Polish population. <i>Hereditary Cancer in Clinical Practice</i> , 2021 , 19, 6	2.3	0
56	Survival of bladder or renal cancer in patients with CHEK2 mutations. <i>PLoS ONE</i> , 2021 , 16, e0257132	3.7	0
55	Educational and Psychological Support Combined with Minimally Invasive Surgical Technique Reduces Perioperative Depression and Anxiety in Patients with Bladder Cancer Undergoing Radical Cystectomy.. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
54	Prediction of the risk of surgical complications in patients undergoing monopolar transurethral resection of bladder tumour - a prospective multicentre observational study. <i>Archives of Medical Science</i> , 2020 , 16, 863-870	2.9	5
53	The Learning Curve for Transurethral Resection of Bladder Tumour: How Many is Enough to be Independent, Safe and Effective Surgeon?. <i>Journal of Surgical Education</i> , 2020 , 77, 978-985	3.4	14
52	Preoperative pyuria predicts the presence of high-grade bladder carcinoma in patients with bladder tumors. <i>Central European Journal of Urology</i> , 2020 , 73, 423-436	0.9	1
51	Comparison of Copper Concentration Between Rejected Renal Grafts and Cancerous Kidneys. <i>Biological Trace Element Research</i> , 2019 , 191, 300-305	4.5	2

50	The Relationship between Eicosanoid Levels and Serum Levels of Metabolic and Hormonal Parameters Depending on the Presence of Metabolic Syndrome in Patients with Benign Prostatic Hyperplasia. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	3
49	Influence of metabolic syndrome on the relationship between fatty acids and the selected parameters in men with benign prostatic hyperplasia. <i>Aging</i> , 2019 , 11, 1524-1536	5.6	3
48	Percutaneous Nephrolithotomy Using an Individual 3-Dimensionally Printed Surgical Guide. <i>Urologia Internationalis</i> , 2018 , 100, 485-487	1.9	11
47	Comparison between selected hormone and protein levels in serum and prostate tissue homogenates in men with benign prostatic hyperplasia and metabolic disorders. <i>Clinical Interventions in Aging</i> , 2018 , 13, 1375-1382	4	4
46	Correlation between malnutrition, body mass index and complications in patients with urinary bladder cancer who underwent radical cystectomy. <i>Advances in Clinical and Experimental Medicine</i> , 2018 , 27, 1141-1147	1.8	6
45	Post-Operative Infections among Patients Undergoing Radical Cystectomy at a Tertiary Center. <i>Surgical Infections</i> , 2018 , 19, 451-458	2	14
44	Apoptosis and proliferation of the prostate cells in men with benign prostatic hyperplasia and concomitant metabolic disorders. <i>Histology and Histopathology</i> , 2018 , 33, 389-397	1.4	3
43	Laparoscopic Partial Nephrectomy Supported by Training Involving Personalized Silicone Replica Poured in Three-Dimensional Printed Casting Mold. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2017 , 27, 420-422	2.1	33
42	The Concentration of Vanadium in Pathologically Altered Human Kidneys. <i>Biological Trace Element Research</i> , 2017 , 180, 1-5	4.5	6
41	Cadmium, lead and mercury concentrations in pathologically altered human kidneys. <i>Environmental Geochemistry and Health</i> , 2017 , 39, 889-899	4.7	21
40	Molecular Analysis of the SRD5A1 and SRD5A2 Genes in Patients with Benign Prostatic Hyperplasia with Regard to Metabolic Parameters and Selected Hormone Levels. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	9
39	Assessment of the infiltrative character of bladder cancer at the time of transurethral resection: a single center study. <i>Central European Journal of Urology</i> , 2017 , 70, 22-26	0.9	5
38	AUTHOR'S REPLY. <i>Central European Journal of Urology</i> , 2017 , 70, 29	0.9	
37	Extended Boari-flap technique as a reconstruction method of total ureteric avulsion. <i>Central European Journal of Urology</i> , 2017 , 70, 188-191	0.9	6
36	Nuclear factor E2-related factor-2 (Nrf2) expression and regulation in male reproductive tract. <i>Pharmacological Reports</i> , 2016 , 68, 101-8	3.9	17
35	Three-Dimensional Printing as an Interdisciplinary Communication Tool: Preparing for Removal of a Giant Renal Tumor and Atrium Neoplastic Mass. <i>Heart Surgery Forum</i> , 2016 , 19, E185-6	0.7	13
34	Impact of ureteric stent on outcome of extracorporeal shockwave lithotripsy: A propensity score analysis. <i>Central European Journal of Urology</i> , 2016 , 69, 184-9	0.9	1
33	Evidence-based recommendations on androgen deprivation therapy for localized and advanced prostate cancer. <i>Central European Journal of Urology</i> , 2016 , 69, 131-8	0.9	13

32	Urethral stone of unexpected size: case report and short literature review. <i>Open Medicine (Poland)</i> , 2016 , 11, 7-10	2.2	6
31	The variant allele of the rs188140481 polymorphism confers a moderate increase in the risk of prostate cancer in Polish men. <i>European Journal of Cancer Prevention</i> , 2015 , 24, 122-7	2	3
30	Can metabolic disorders in aging men contribute to prostatic hyperplasia eligible for transurethral resection of the prostate (TURP)?. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 3327-42	4.6	6
29	Metabolic syndrome and benign prostatic hyperplasia: association or coincidence?. <i>Diabetology and Metabolic Syndrome</i> , 2015 , 7, 94	5.6	13
28	Hormone concentration, metabolic disorders and immunoexpression of androgen and estrogen-alpha receptors in men with benign prostatic hyperplasia and testosterone deficiency syndrome. <i>Folia Histochemica Et Cytobiologica</i> , 2015 , 53, 227-35	1.4	9
27	Common variants of xeroderma pigmentosum genes and prostate cancer risk. <i>Gene</i> , 2014 , 546, 156-61	3.8	23
26	Dorso-ventral buccal mucosal graft for treating gunshot bulbar urethral damage. <i>ANZ Journal of Surgery</i> , 2014 , 84, 590-2	1	
25	The presence of prostate cancer at biopsy is predicted by a number of genetic variants. <i>International Journal of Cancer</i> , 2014 , 134, 1139-46	7.5	5
24	Laparoscopic pyeloplasty with concomitant pyelolithotomy - too much of a good thing?. <i>Central European Journal of Urology</i> , 2014 , 66, 445	0.9	3
23	Endoscopic simple prostatectomy. <i>Central European Journal of Urology</i> , 2014 , 67, 377-84	0.9	4
22	A common nonsense mutation of the BLM gene and prostate cancer risk and survival. <i>Gene</i> , 2013 , 532, 173-6	3.8	20
21	Simplified laparoscopic technique for the treatment of long distal ureteral stenosis. <i>Wideochirurgia I Inne Techniki Maloinwazyjne</i> , 2013 , 8, 346-51	1.4	3
20	Single-session laparoscopic cystectomy and nephroureterectomy. <i>Wideochirurgia I Inne Techniki Maloinwazyjne</i> , 2013 , 8, 158-61	1.4	3
19	Cell phones give more benefits than risks, but... <i>Urologia Polska</i> , 2013 , 66, 54-5		0
18	Retroperitoneoscopic renal pelvis resection as treatment of the urothelial tumor in a solitary kidney. <i>Central European Journal of Urology</i> , 2013 , 66, 299-302	0.9	1
17	Program of laparoscopic living-donor nephrectomy with retroperitoneoscopic access - a Polish single-center experience - success or disappointment?. <i>Annals of Transplantation</i> , 2013 , 18, 82-7	1.4	1
16	Who needs numbers more: patients or doctors?. <i>Urologia Polska</i> , 2013 , 66, 8-9		1
15	Sometimes the communications are of special value. <i>Central European Journal of Urology</i> , 2013 , 66, 369-70		

14	Impact of "non-clamping technique" on intra- and postoperative course after laparoscopic partial nephrectomy. <i>Wideochirurgia I Inne Techniki Maloinwazyjne</i> , 2012 , 7, 275-9	1.4	7
13	Carcinoma in the inactive bladder - the dilemma of the forgotten organ. <i>Central European Journal of Urology</i> , 2012 , 65, 38-9	0.9	2
12	Can we predict urinary stone composition based on an analysis of microelement concentration in the hair and urine?. <i>Advances in Clinical and Experimental Medicine</i> , 2012 , 21, 469-75	1.8	
11	Major and trace elements in lithogenesis. <i>Central European Journal of Urology</i> , 2011 , 64, 58-61	0.9	21
10	Smoking related cancers and loci at chromosomes 15q25, 5p15, 6p22.1 and 6p21.33 in the Polish population. <i>PLoS ONE</i> , 2011 , 6, e25057	3.7	31
9	Retroperitoneoscopic ureterocutaneostomy as a method of urinary diversion in case of complicated urinary fistula after radiotherapy. <i>Central European Journal of Urology</i> , 2011 , 64, 180-1	0.9	2
8	Laparoscopic radical nephrectomy for T3b tumor. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2010 , 20, 47-9	2.1	8
7	Microelements in stones, urine, and hair of stone formers: a new key to the puzzle of lithogenesis?. <i>Biological Trace Element Research</i> , 2010 , 137, 301-16	4.5	22
6	Does smoking have any effect on urinary stone composition and the distribution of trace elements in urine and stones?. <i>Urological Research</i> , 2009 , 37, 317-22		14
5	Retroperitoneoscopic nephropexy in the treatment of symptomatic nephroptosis with 2-point renal fixation. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2009 , 19, 356-9	1.3	3
4	Germline mutations in the CHEK2 kinase gene are associated with an increased risk of bladder cancer. <i>International Journal of Cancer</i> , 2008 , 122, 583-6	7.5	24
3	Laparoscopic live-donor nephrectomy with retroperitoneoscopic access - first case experience. <i>Annals of Transplantation</i> , 2008 , 13, 23-6	1.4	
2	CHEK2 germline mutations correlate with recurrence rate in patients with superficial bladder cancer. <i>Annales Academiae Medicae Stetinensis</i> , 2008 , 54, 115-21		7
1	Laparoscopy as a treatment for intraperitoneal bladder injury. <i>Scandinavian Journal of Urology and Nephrology</i> , 2003 , 37, 339-41		9