Neil Cameron

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8942759/neil-cameron-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

9,609 165 96 53 h-index g-index citations papers 6.46 6.7 10,472 177 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
165	Thiolene- and Polycaprolactone Methacrylate-Based Polymerized High Internal Phase Emulsion (PolyHIPE) Scaffolds for Tissue Engineering. <i>Biomacromolecules</i> , 2021 ,	6.9	3
164	Solvent-Independent Molecular Weight Determination of Polymers Based on a Truly Universal Calibration. <i>Angewandte Chemie - International Edition</i> , 2021 ,	16.4	3
163	Porous Polymers from High Internal Phase Emulsions as Scaffolds for Biological Applications. <i>Polymers</i> , 2021 , 13,	4.5	12
162	Influence of the tetraalkoxysilane crosslinker on the properties of polysiloxane-based elastomers prepared by the Lewis acid-catalysed Piers-Rubinsztajn reaction. <i>Polymer Chemistry</i> , 2021 , 12, 4934-494	1 ^{4.9}	0
161	Glycopolymer Functionalized Nanoparticles and Their Applications 2021 , 209-249		
160	A platelet-derived hydrogel improves neovascularisation in full thickness wounds. <i>Acta Biomaterialia</i> , 2021 , 136, 199-209	10.8	1
159	Nerve guidance conduit development for primary treatment of peripheral nerve transection injuries: A commercial perspective. <i>Acta Biomaterialia</i> , 2021 , 135, 64-86	10.8	9
158	Branched macromonomers from catalytic chain transfer polymerisation (CCTP) as precursors for emulsion-templated porous polymers. <i>Polymer Chemistry</i> , 2020 , 11, 3841-3848	4.9	4
157	A Comparative Study of Engineered Dermal Templates for Skin Wound Repair in a Mouse Model. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	5
156	Enhanced Flocculation Efficiency in a High-Ionic-Strength Environment by the Aid of Anionic ABA Triblock Copolymers. <i>Langmuir</i> , 2020 , 36, 1538-1551	4	4
155	Avoiding the Pitfalls of siRNA Delivery to the Retinal Pigment Epithelium with Physiologically Relevant Cell Models. <i>Pharmaceutics</i> , 2020 , 12,	6.4	4
154	Linear Coordination Polymer Synthesis from Bis-Catechol Functionalized RAFT Polymers. <i>Macromolecular Rapid Communications</i> , 2020 , 41, e2000366	4.8	1
153	Glycanglycan interactions determine Leishmania attachment to the midgut of permissive sand fly vectors. <i>Chemical Science</i> , 2020 , 11, 10973-10983	9.4	3
152	Hierarchically Engineered Nanocarbon Florets as Bifunctional Electrode Materials for Adsorptive and Intercalative Energy Storage. <i>ACS Applied Materials & District Research</i> , 12, 42669-42677	9.5	12
151	Skin-Like Stretchable Fuel Cell Based on Gold-Nanowire-Impregnated Porous Polymer Scaffolds. <i>Small</i> , 2020 , 16, e2003269	11	9
150	Three-dimensional differentiation of human pluripotent stem cell-derived neural precursor cells using tailored porous polymer scaffolds. <i>Acta Biomaterialia</i> , 2020 , 101, 102-116	10.8	17
149	Ex vivo culture of adult CD34 stem cells using functional highly porous polymer scaffolds to establish biomimicry of the bone marrow niche. <i>Biomaterials</i> , 2019 , 225, 119533	15.6	17

(2017-2019)

148	Polydimethylsiloxane-Based Giant Glycosylated Polymersomes with Tunable Bacterial Affinity. <i>Biomacromolecules</i> , 2019 , 20, 1297-1307	6.9	9
147	Ultra-high molecular weight linear coordination polymers with terpyridine ligands. <i>Chemical Science</i> , 2019 , 10, 6174-6183	9.4	13
146	Optimized peptide functionalization of thiol-acrylate emulsion-templated porous polymers leads to expansion of human pluripotent stem cells in 3D culture. <i>Journal of Polymer Science Part A</i> , 2019 , 57, 1974-1981	2.5	10
145	Synthesis of UHMW Star-Shaped AB Block Copolymers and Their Flocculation Efficiency in High-Ionic-Strength Environments. <i>Macromolecules</i> , 2019 , 52, 7613-7624	5.5	9
144	Covalent Attachment of Fibronectin onto Emulsion-Templated Porous Polymer Scaffolds Enhances Human Endometrial Stromal Cell Adhesion, Infiltration, and Function. <i>Macromolecular Bioscience</i> , 2019 , 19, e1800351	5.5	17
143	Imaging Proton Transport in Giant Vesicles through Cyclic Peptide-Polymer Conjugate Nanotube Transmembrane Ion Channels. <i>Macromolecular Rapid Communications</i> , 2018 , 39, e1700831	4.8	8
142	Ultra-fast aqueous polymerisation of acrylamides by high power visible light direct photoactivation RAFT polymerisation. <i>Polymer Chemistry</i> , 2018 , 9, 60-68	4.9	23
141	Short elastin-like peptide-functionalized gold nanoparticles that are temperature responsive under near-physiological conditions. <i>Journal of Materials Chemistry B</i> , 2018 , 6, 6667-6674	7.3	8
140	Preparation of novel film-forming armoured latexes using silica nanoparticles as a pickering emulsion stabiliser. <i>Journal of Colloid and Interface Science</i> , 2018 , 528, 289-300	9.3	6
139	Enhanced Differentiation Potential of Primary Human Endometrial Cells Cultured on 3D Scaffolds. <i>Biomacromolecules</i> , 2018 , 19, 3343-3350	6.9	20
138	Scaffolds for 3D in vitro culture of neural lineage cells. <i>Acta Biomaterialia</i> , 2017 , 54, 1-20	10.8	94
137	Evaluation of polyesteramide (PEA) and polyester (PLGA) microspheres as intravitreal drug delivery systems in albino rats. <i>Biomaterials</i> , 2017 , 124, 157-168	15.6	28
136	Emulsion-templated porous polymers prepared by thiol-ene and thiol-yne photopolymerisation using multifunctional acrylate and non-acrylate monomers. <i>Polymer</i> , 2017 , 126, 395-401	3.9	27
135	Cleavage of macromolecular RAFT chain transfer agents by sodium azide during characterization by aqueous GPC. <i>Polymer Chemistry</i> , 2017 , 8, 3702-3711	4.9	12
134	Peptide-functionalized gold nanoparticles: versatile biomaterials for diagnostic and therapeutic applications. <i>Biomaterials Science</i> , 2017 , 5, 872-886	7.4	109
133	Tailored emulsion-templated porous polymer scaffolds for iPSC-derived human neural precursor cell culture. <i>Polymer Chemistry</i> , 2017 , 8, 6617-6627	4.9	23
132	Synthesis of ultra-high molecular weight ABA triblock copolymers via aqueous RAFT-mediated gel polymerisation, end group modification and chain coupling. <i>Polymer Chemistry</i> , 2017 , 8, 6834-6843	4.9	17
131	Reversible surface functionalisation of emulsion-templated porous polymers using dithiophenol maleimide functional macromolecules. <i>Chemical Communications</i> , 2017 , 53, 9789-9792	5.8	8

130	Bio-inks for 3D bioprinting: recent advances and future prospects. <i>Polymer Chemistry</i> , 2017 , 8, 4451-44	71 4.9	189
129	Bioceramic nanocomposite thiol-acrylate polyHIPE scaffolds for enhanced osteoblastic cell culture in 3D. <i>Biomaterials Science</i> , 2017 , 5, 2035-2047	7.4	26
128	Polymeric Drift Control Adjuvants for Agricultural Spraying. <i>Macromolecular Chemistry and Physics</i> , 2016 , 217, 2223-2242	2.6	11
127	Glycosylated Nanoparticles as Efficient Antimicrobial Delivery Agents. <i>Biomacromolecules</i> , 2016 , 17, 26	78 .9	27
126	Noncovalent PEGylation via Lectin-Glycopolymer Interactions. <i>Biomacromolecules</i> , 2016 , 17, 2719-25	6.9	19
125	Synthesis, properties and performance of organic polymers employed in flocculation applications. <i>Polymer Chemistry</i> , 2016 , 7, 11-25	4.9	86
124	Chapter 14:Materials for Tissue Engineering and 3D Cell Culture. <i>RSC Polymer Chemistry Series</i> , 2016 , 460-489	1.3	1
123	Giant Polymersome Protocells Dock with Virus Particle Mimics via Multivalent Glycan-Lectin Interactions. <i>Scientific Reports</i> , 2016 , 6, 32414	4.9	22
122	Readylset, flow: simple fabrication of microdroplet generators and their use in the synthesis of PolyHIPE microspheres. <i>Journal of Micromechanics and Microengineering</i> , 2015 , 25, 035011	2	11
121	Rational, yet simple, design and synthesis of an antifreeze-protein inspired polymer for cellular cryopreservation. <i>Chemical Communications</i> , 2015 , 51, 12977-80	5.8	53
120	Novel biodegradable polyesteramide microspheres for controlled drug delivery in Ophthalmology. Journal of Controlled Release, 2015 , 211, 105-17	11.7	73
119	Preparation of an Antibacterial Poly(ionic liquid) Graft Copolymer of Hydroxyethyl Cellulose. <i>Biomacromolecules</i> , 2015 , 16, 3970-9	6.9	25
118	Graft copolymers of hydroxyethyl cellulose by a <code>grafting</code> tolmethod: 15N labelling as a powerful characterisation tool in <code>Blickl</code> polymer chemistry. <i>Polymer Chemistry</i> , 2015 , 6, 1567-1575	4.9	4
117	Preparation, properties, and antibacterial behavior of a novel cellulose derivative containing lactam groups. <i>Journal of Polymer Science Part A</i> , 2015 , 53, 68-78	2.5	4
116	Fully biodegradable and biocompatible emulsion templated polymer scaffolds by thiol-acrylate polymerization of polycaprolactone macromonomers. <i>Polymer Chemistry</i> , 2015 , 6, 7256-7263	4.9	43
115	Preparation of hybrid thiol-acrylate emulsion-templated porous polymers by interfacial copolymerization of high internal phase emulsions. <i>Macromolecular Rapid Communications</i> , 2015 , 36, 834-9	4.8	14
114	Block copolypeptide nanoparticles for the delivery of ocular therapeutics. <i>Macromolecular Bioscience</i> , 2015 , 15, 138-45	5.5	7
113	Amine-functionalization of glycidyl methacrylate-containing emulsion-templated porous polymers and immobilization of proteinase K for biocatalysis. <i>Polymer</i> , 2014 , 55, 416-425	3.9	61

112	Solution homopolymerizations of n-butyl acrylate and styrene mediated using 2,2,5-trimethyl-4-tert-butyl-3-azahexane-3-oxyl (TITNO). <i>Polymer</i> , 2014 , 55, 772-781	3.9	5
111	Chemical functionalization of emulsion-templated porous polymers by thiol@ne ElickEhemistry. <i>Polymer Chemistry</i> , 2014 , 5, 6200-6206	4.9	31
110	3D Surface Functionalization of Emulsion-Templated Polymeric Foams. <i>Macromolecules</i> , 2014 , 47, 7091	-750598	60
109	The preparation of graft copolymers of cellulose and cellulose derivatives using ATRP under homogeneous reaction conditions. <i>Chemical Society Reviews</i> , 2014 , 43, 7217-35	58.5	61
108	Recent advances in drug delivery systems based on polypeptides prepared from N-carboxyanhydrides. <i>Polymer International</i> , 2014 , 63, 943-954	3.3	33
107	Recent advances in 2D and 3D in vitro systems using primary hepatocytes, alternative hepatocyte sources and non-parenchymal liver cells and their use in investigating mechanisms of hepatotoxicity, cell signaling and ADME. <i>Archives of Toxicology</i> , 2013 , 87, 1315-530	5.8	837
106	Reactive thiol-ene emulsion-templated porous polymers incorporating pentafluorophenyl acrylate. <i>Polymer</i> , 2013 , 54, 1755-1761	3.9	29
105	Enzyme-degradable self-assembled hydrogels from polyalanine-modified poly(ethylene glycol) star polymers. <i>Macromolecular Rapid Communications</i> , 2013 , 34, 257-62	4.8	36
104	Acrylic-acid-functionalized PolyHIPE scaffolds for use in 3D cell culture. <i>Macromolecular Rapid Communications</i> , 2013 , 34, 1844-9	4.8	48
103	Galactose-functionalized polyHIPE scaffolds for use in routine three dimensional culture of mammalian hepatocytes. <i>Biomacromolecules</i> , 2013 , 14, 4271-7	6.9	51
102	Functionalization of Porous Polymers from High-Internal-Phase Emulsions and Their Applications 2013 , 333-352		5
101	'Multicopy multivalent' glycopolymer-stabilized gold nanoparticles as potential synthetic cancer vaccines. <i>Journal of the American Chemical Society</i> , 2013 , 135, 9362-5	16.4	174
100	Micro-Stereolithography: Macrostructuring of Emulsion-templated Porous Polymers by 3D Laser Patterning (Adv. Mater. 23/2013). <i>Advanced Materials</i> , 2013 , 25, 3177-3177	24	
99	Macrostructuring of emulsion-templated porous polymers by 3D laser patterning. <i>Advanced Materials</i> , 2013 , 25, 3178-81	24	62
98	Polymersome-forming amphiphilic glycosylated polymers: Synthesis and characterization. <i>Journal of Polymer Science Part A</i> , 2013 , 51, 5184-5193	2.5	19
97	Glycopolymer Conjugates. Advances in Polymer Science, 2012, 71-114	1.3	24
96	A Nitroxide for Effecting Controlled Nitroxide-Mediated Radical Polymerization at Temperatures 90 °C. ACS Macro Letters, 2012 , 1, 1262-1265	6.6	10
95	Photopolymerised methacrylate-based emulsion-templated porous polymers. <i>Reactive and Functional Polymers</i> , 2012 , 72, 947-954	4.6	30

94	Evaluating Atmospheric pressure Solids Analysis Probe (ASAP) mass spectrometry for the analysis of low molecular weight synthetic polymers. <i>Analyst, The</i> , 2012 , 137, 4524-30	5	48
93	Degradable emulsion-templated scaffolds for tissue engineering from thiol目ne photopolymerisation. <i>Soft Matter</i> , 2012 , 8, 10344	3.6	85
92	The binding of polyvalent galactosides to the lectin Ricinus communis agglutinin 120 (RCA120): an ITC and SPR study. <i>Polymer Chemistry</i> , 2011 , 2, 1552	4.9	37
91	A spoonful of sugar: the application of glycopolymers in therapeutics. <i>Polymer Chemistry</i> , 2011 , 2, 60-6	8 4.9	151
90	Preparation of emulsion-templated porous polymers using thiol@ne and thiol@ne chemistry. <i>Polymer Chemistry</i> , 2011 , 2, 559-562	4.9	87
89	Porous Polymers from Self-Assembled Structures 2011 , 31-78		6
88	High-Performance Microelectronics 2011 , 359-385		1
87	Templates for Porous Inorganics 2011 , 435-446		1
86	Nondestructive Evaluation of Critical Properties of Thin Porous Films 2011 , 205-245		2
85	Microscopy Characterization of Porous Polymer Materials 2011 , 247-274		
84	Biomedical Devices 2011 , 323-357		3
83	Separation Membranes 2011 , 275-321		1
82	Porogen Incorporation and Phase Inversion 2011 , 79-117		3
81	Colloidal Templating 2011 , 119-172		16
80	Cellular integration and vascularisation promoted by a resorbable, particulate-leached, cross-linked poly(Eaprolactone) scaffold. <i>Macromolecular Bioscience</i> , 2011 , 11, 618-27	5.5	9
79	Functional Porous Polymers by Emulsion Templating: Recent Advances. <i>Advanced Functional Materials</i> , 2011 , 21, 211-225	15.6	326
78	Synthetic Polymers for Simultaneous Bacterial Sequestration and Quorum Sense Interference. <i>Angewandte Chemie</i> , 2011 , 123, 10026-10030	3.6	5
77	Synthetic polymers for simultaneous bacterial sequestration and quorum sense interference. <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 9852-6	16.4	30

76	Surface Area and Porosity Characterization of Porous Polymers 2011 , 173-203		О
75	Polymer-supported Reagents and Catalysts 2011 , 387-434		1
74	Polymers with Inherent Microporosity 2011 , 1-29		2
73	PolyHIPEs [Porous Polymers from High Internal Phase Emulsions 2010 ,		10
72	Ultra-high surface area functional porous polymers by emulsion templating and hypercrosslinking: efficient nucleophilic catalyst supports. <i>Chemistry - A European Journal</i> , 2010 , 16, 2350-4	4.8	121
71	Reversible Immobilization onto PEG-based Emulsion-templated Porous Polymers by Co-assembly of Stimuli Responsive Polymers. <i>Advanced Materials</i> , 2009 , 21, 55-59	24	57
70	Experimentally facile controlled polymerization of N-carboxyanhydrides (NCAs), including O-benzyl-L-threonine NCA. <i>Journal of Polymer Science Part A</i> , 2009 , 47, 2882-2891	2.5	33
69	The relationship between the mechanical properties and cell behaviour on PLGA and PCL scaffolds for bladder tissue engineering. <i>Biomaterials</i> , 2009 , 30, 1321-8	15.6	175
68	Inhibition of ice crystal growth by synthetic glycopolymers: implications for the rational design of antifreeze glycoprotein mimics. <i>Biomacromolecules</i> , 2009 , 10, 328-33	6.9	90
67	Heparin functionalisation of porous PLGA scaffolds for controlled, biologically relevant delivery of growth factors for soft tissue engineering. <i>Journal of Materials Chemistry</i> , 2009 , 19, 9265		28
66	Synthesis of well-defined glycopolymers and some studies of their aqueous solution behaviour. <i>Faraday Discussions</i> , 2008 , 139, 359-68; discussion 399-417, 419-20	3.6	37
65	Fine-tuning the transition temperature of a stimuli-responsive polymer by a simple blending procedure. <i>Chemical Communications</i> , 2008 , 2230-2	5.8	42
64	Organogelation of sheet-helix diblock copolypeptides. <i>Angewandte Chemie - International Edition</i> , 2008 , 47, 5160-2	16.4	42
63	Elastin-Based Side-Chain Polymers: Improved Synthesis via RAFT and Stimulus Responsive Behavior. <i>Macromolecules</i> , 2007 , 40, 6094-6099	5.5	78
62	RAFT Polymerization of Methyl 6-O-Methacryloyl-Ed-glucoside in Homogeneous Aqueous Medium. A Detailed Kinetic Study at the Low Molecular Weight Limit of the Process. <i>Macromolecules</i> , 2007 , 40, 6082-6093	5.5	51
61	Biodegradable fumarate-based polyHIPEs as tissue engineering scaffolds. <i>Biomacromolecules</i> , 2007 , 8, 3806-14	6.9	132
60	Emulsion-templated porous polymers as scaffolds for three dimensional cell culture: effect of synthesis parameters on scaffold formation and homogeneity. <i>Journal of Materials Chemistry</i> , 2007 , 17, 4088		86
59	Influence of the physical properties of two-dimensional polyester substrates on the growth of normal human urothelial and urinary smooth muscle cells in vitro. <i>Biomaterials</i> , 2007 , 28, 2264-74	15.6	57

58	Recent advances in the synthesis of well-defined glycopolymers. <i>Journal of Polymer Science Part A</i> , 2007 , 45, 2059-2072	2.5	218
57	2,4,6-trichlorophenyl acrylate emulsion-templated porous polymers (PolyHIPEs). Morphology and reactivity studies. <i>Journal of Polymer Science Part A</i> , 2007 , 45, 4043-4053	2.5	40
56	A virus-based biocatalyst. <i>Nature Nanotechnology</i> , 2007 , 2, 226-9	28.7	104
55	Culture of HepG2 liver cells on three dimensional polystyrene scaffolds enhances cell structure and function during toxicological challenge. <i>Journal of Anatomy</i> , 2007 , 211, 567-76	2.9	136
54	Emulsion-templated porous materials (PolyHIPEs) for selective ion and molecular recognition and transport: applications in electrochemical sensing. <i>Journal of Materials Chemistry</i> , 2007 , 17, 2446		136
53	Novel cell culture device enabling three-dimensional cell growth and improved cell function. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 354, 1095-100	3.4	96
52	Improved synthesis of O-linked, and first synthesis of S- linked, carbohydrate functionalised N-carboxyanhydrides (glycoNCAs). <i>Organic and Biomolecular Chemistry</i> , 2007 , 5, 2756-7	3.9	33
51	Covalent Enzyme Immobilization onto Photopolymerized Highly Porous Monoliths. <i>Advanced Materials</i> , 2006 , 18, 1822-1826	24	156
50	Tailoring the morphology of emulsion-templated porous polymers. <i>Soft Matter</i> , 2006 , 2, 608-616	3.6	165
49	Facile in situ preparation of biologically active multivalent glyconanoparticles. <i>Chemical Communications</i> , 2006 , 4198-200	5.8	79
48	Novel acyclic nitroxides for nitroxide-mediated polymerization: Kinetic, electron paramagnetic resonance spectroscopic, X-ray diffraction, and molecular modeling investigations. <i>Journal of Polymer Science Part A</i> , 2006 , 44, 1926-1940	2.5	28
47	Hydroxy-derivatised emulsion templated porous polymers (PolyHIPEs): Versatile supports for solid and solution phase organic synthesis. <i>Reactive and Functional Polymers</i> , 2006 , 66, 81-91	4.6	53
46	Investigation of the interaction between peanut agglutinin and synthetic glycopolymeric multivalent ligands. <i>Organic and Biomolecular Chemistry</i> , 2005 , 3, 1476-80	3.9	78
45	Growth of human stem cell-derived neurons on solid three-dimensional polymers. <i>Journal of Proteomics</i> , 2005 , 62, 231-40		119
44	Lectins: tools for the molecular understanding of the glycocode. <i>Organic and Biomolecular Chemistry</i> , 2005 , 3, 1593-608	3.9	399
43	Porous Polymers by Emulsion Templating. <i>Macromolecular Symposia</i> , 2005 , 226, 203-212	0.8	26
42	High internal phase emulsion templating as a route to well-defined porous polymers. <i>Polymer</i> , 2005 , 46, 1439-1449	3.9	584
41	Jim Feast: a career in polymer science. <i>Polymer</i> , 2005 , 46, 1427-1438	3.9	2

(2002-2005)

40	PolyHIPE Supports in Batch and Flow-Through Suzuki Cross-Coupling Reactions. <i>Industrial & Engineering Chemistry Research</i> , 2005 , 44, 8565-8572	3.9	71
39	A carbohydrate-antioxidant hybrid polymer reduces oxidative damage in spermatozoa and enhances fertility. <i>Nature Chemical Biology</i> , 2005 , 1, 270-4	11.7	61
38	2-tert-Butoxy-1-phenyl-1-(2,2,6,6-tetramethylpiperidin-1-yloxy)ethane. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005 , 61, o716-o717		
37	Aryl acrylate based high-internal-phase emulsions as precursors for reactive monolithic polymer supports. <i>Journal of Polymer Science Part A</i> , 2005 , 43, 296-303	2.5	52
36	Comparison of the effect of pore architecture and bead size on the extent of plasmachemical amine functionalisation of poly(styrene-co-divinylbenzene) permanently porous resins. <i>Polymer</i> , 2004 , 45, 2185-2192	3.9	17
35	Polymerised bicontinuous microemulsions as stationary phases for capillary electrochromatography. Effect of pore size on chromatographic performance. <i>Journal of Chromatography A</i> , 2004 , 1044, 245-52	4.5	7
34	Plasmachemical surface functionalised beads: versatile tailored supports for polymer assisted organic synthesis. <i>Chemical Communications</i> , 2004 , 1402-3	5.8	2
33	Platinum catalysed 3,4- and 1,4-diboration of alpha,beta-unsaturated carbonyl compounds using bis-pinacolatodiboron. <i>Chemical Communications</i> , 2004 , 1854-5	5.8	109
32	Morphology and Surface Area of Emulsion-Derived (PolyHIPE) Solid Foams Prepared with Oil-Phase Soluble Porogenic Solvents: Span 80 as Surfactant. <i>Macromolecules</i> , 2004 , 37, 3188-3201	5.5	253
31	Morphology and Surface Area of Emulsion-Derived (PolyHIPE) Solid Foams Prepared with Oil-Phase Soluble Porogenic Solvents: Three-Component Surfactant System. <i>Macromolecules</i> , 2004 , 37, 3202-327	13 ^{5.5}	143
30	Enhanced neurite outgrowth by human neurons grown on solid three-dimensional scaffolds. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 314, 483-8	3.4	89
29	The Use of PROXYL Nitroxides in Nitroxide-Mediated Polymerization. ACS Symposium Series, 2003, 452	-46.5	5
28	Polymerised bicontinuous microemulsions as stationary phases for capillary electrochromatography. <i>Chromatographia</i> , 2003 , 57, 203-206	2.1	10
27	Homolysis and Decomposition of Alkoxyamines Containing PROXYL and TEMPO Residues: A Comparison. <i>Macromolecular Chemistry and Physics</i> , 2003 , 204, 1923-1932	2.6	14
26	Polymerized High Internal Phase Emulsion Monoliths. <i>Journal of Chromatography Library</i> , 2003 , 255-27	6	6
25	Plasmachemical Amine Functionalization of Porous Polystyrene Spheres: The Importance of Particle Size. <i>Journal of Physical Chemistry B</i> , 2003 , 107, 3496-3499	3.4	28
24	Tissue engineering matrixes by emulsion templating. <i>Polymer International</i> , 2002 , 51, 871-881	3.3	110
23	The synthesis of oligomers related to poly(ethyleneglycol terephthalate). <i>Polymer</i> , 2002 , 43, 1139-1154	4 3.9	5

22	Transition from miscibility to immiscibility in blends of poly(methyl methacrylate) and styrenell crylonitrile copolymers with varying copolymer composition: a DSC study. <i>European Polymer Journal</i> , 2002 , 38, 597-605	5.2	31
21	Plasmachemical Amine Functionalization of Porous Polystyrene Beads: The Importance of Pore Architecture. <i>Langmuir</i> , 2002 , 18, 8996-8999	4	28
20	Monolithic scavenger resins by amine functionalizations of poly(4-vinylbenzyl chloride-co-divinylbenzene) PolyHIPE materials. <i>Organic Letters</i> , 2002 , 4, 2497-500	6.2	132
19	n-Butyl Acrylate Polymerization Mediated by a PROXYL Nitroxide. <i>Macromolecules</i> , 2002 , 35, 9890-9895	5 5.5	25
18	Influence of preparation procedure on polymer composition: synthesis and characterisation of polymethacrylates bearing ID-glucopyranoside and ID-galactopyranoside residues. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2002 , 45-52		7
17	A simple method for the quantitative analysis of resin bound thiol groups. <i>Tetrahedron Letters</i> , 2001 , 42, 8531-8533	2	49
16	Enthalpy relaxation of styrenethaleic anhydride (SMA) copolymers. 2. Blends with poly(methyl methacrylate) (PMMA). <i>Polymer</i> , 2001 , 42, 6991-6997	3.9	14
15	Emulsion-derived foams (PolyHIPEs) containing poly(epsilon-caprolactone) as matrixes for tissue engineering. <i>Biomacromolecules</i> , 2001 , 2, 154-64	6.9	182
14	Studies on controlled radical polymerisation using 5-membered cyclic PROXYL nitroxides and corresponding alkoxyamines. <i>Macromolecular Chemistry and Physics</i> , 2000 , 201, 2510-2518	2.6	15
13	Enthalpy relaxation of styrenethaleic anhydride (SMA) copolymers Part 1. Single component systems. <i>Polymer</i> , 2000 , 41, 7255-7262	3.9	28
12	High internal phase emulsions (HIPEs) containing divinylbenzene and 4-vinylbenzyl chloride and the morphology of the resulting PolyHIPE materials. <i>Chemical Communications</i> , 2000 , 221-222	5.8	129
11	PolyHipe: A New Polymeric Support for Heterogeneous Catalytic Reactions: Kinetics of Hydration of Cyclohexene in Two- and Three-Phase Systems over a Strongly Acidic Sulfonated PolyHipe. <i>Industrial & Engineering Chemistry Research</i> , 2000 , 39, 259-266	3.9	65
10	The influence of porogen type on the porosity, surface area and morphology of poly(divinylbenzene) PolyHIPE foams. <i>Journal of Materials Chemistry</i> , 2000 , 10, 2466-2471		114
9	Preparation and glass transition temperatures of elastomeric PolyHIPE materials. <i>Journal of Materials Chemistry</i> , 1997 , 7, 2209-2212		79
8	Synthesis and Characterization of Poly(aryl ether sulfone) PolyHIPE Materials. <i>Macromolecules</i> , 1997 , 30, 5860-5869	5.5	65
7	High internal phase emulsions (HIPEs) lbtructure, properties and use in polymer preparation. <i>Advances in Polymer Science</i> , 1996 , 163-214	1.3	304
6	Non-aqueous high internal phase emulsions. Preparation and stability. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1996 , 92, 1543		49
5	Chemical modification of monolithic poly(styrenedivinylbenzene) polyHIPE materials. <i>Journal of Materials Chemistry</i> , 1996 , 6, 719-726		54

LIST OF PUBLICATIONS

4	Study of the formation of the open-cellular morphology of poly(styrene/divinylbenzene) polyHIPE materials by cryo-SEM. <i>Colloid and Polymer Science</i> , 1996 , 274, 592-595	2.4	204
3	A Switchable Liquid Crystal Impregnated Porous Polymer Device. <i>Molecular Crystals and Liquid Crystals</i> , 1995 , 263, 567-575		1
2	One-Pot Multifunctional Polyesters by Continuous Flow Organocatalysed Ring-Opening Polymerisation for Targeted and Tunable Materials Design. <i>Polymer Chemistry</i> ,	4.9	1
1	The effects of molecular weight dispersity on block copolymer self-assembly. <i>Polymer Chemistry</i> ,	4.9	1