

Burkhard Brandt

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8943531/publications.pdf>

Version: 2024-02-01

94
papers

7,985
citations

87401

40
h-index

56606

87
g-index

97
all docs

97
docs citations

97
times ranked

12362
citing authors

#	ARTICLE	IF	CITATIONS
1	The Long-Term Prognostic Significance of Circulating Tumor Cells in Ovarian Cancer—A Study of the OVCAD Consortium. <i>Cancers</i> , 2021, 13, 2613.	1.7	10
2	Longitudinal Analysis of Circulating Tumor Cells in Colorectal Cancer Patients by a Cytological and Molecular Approach: Feasibility and Clinical Application. <i>Frontiers in Oncology</i> , 2021, 11, 646885.	1.3	10
3	Low Tumor-to-Stroma Ratio Reflects Protective Role of Stroma against Prostate Cancer Progression. <i>Journal of Personalized Medicine</i> , 2021, 11, 1088.	1.1	3
4	EGFR as a stable marker of prostate cancer dissemination to bones. <i>British Journal of Cancer</i> , 2020, 123, 1767-1774.	2.9	27
5	Low Numbers of Vascular Vessels Correlate to Progression in Hormone-Naïve Prostate Carcinomas Undergoing Radical Prostatectomy. <i>Cancers</i> , 2019, 11, 1356.	1.7	7
6	ALDH1-positive intratumoral stromal cells indicate differentiated epithelial-like phenotype and good prognosis in prostate cancer. <i>Translational Research</i> , 2019, 203, 49-56.	2.2	13
7	Somatic aberrations of BRCA1 gene are associated with ALDH1, EGFR, and tumor progression in prostate cancer. <i>International Journal of Cancer</i> , 2019, 144, 607-614.	2.3	11
8	BRCAness in prostate cancer. <i>Oncotarget</i> , 2019, 10, 2421-2422.	0.8	6
9	Circulating tumor cells: potential markers of minimal residual disease in ovarian cancer? a study of the OVCAD consortium. <i>Oncotarget</i> , 2017, 8, 106415-106428.	0.8	42
10	Exploring Prostate Cancer Genome Reveals Simultaneous Losses of PTEN, FAS and PAPSS2 in Patients with PSA Recurrence after Radical Prostatectomy. <i>International Journal of Molecular Sciences</i> , 2015, 16, 3856-3869.	1.8	15
11	EGFR intron-1 CA repeat polymorphism is a predictor of relapse and survival in complete resected only surgically treated esophageal cancer. <i>Targeted Oncology</i> , 2014, 9, 43-52.	1.7	5
12	AKT3 regulates ErbB2, ErbB3 and estrogen receptor α expression and contributes to endocrine therapy resistance of ErbB2+ breast tumor cells from Balb-neuT mice. <i>Cellular Signalling</i> , 2014, 26, 1021-1029.	1.7	37
13	Frequent Genetic Alterations in EGFR- and HER2-Driven Pathways in Breast Cancer Brain Metastases. <i>American Journal of Pathology</i> , 2013, 183, 83-95.	1.9	63
14	Genome-Wide Investigation of Multifocal and Unifocal Prostate Cancer — Are They Genetically Different?. <i>International Journal of Molecular Sciences</i> , 2013, 14, 11816-11829.	1.8	18
15	Systematic analysis of in vitro chemosensitivity and mib-1 expression in molecular breast cancer subtypes. <i>European Journal of Cancer</i> , 2012, 48, 2066-2074.	1.3	7
16	15 α -Hydroxyprostaglandin dehydrogenase associates with poor prognosis in breast cancer, induces epithelial-mesenchymal transition, and promotes cell migration in cultured breast cancer cells. <i>Journal of Pathology</i> , 2012, 226, 674-686.	2.1	32
17	Site-specific chromatin immunoprecipitation: a selective method to individually analyze neighboring transcription factor binding sites in vivo. <i>BMC Research Notes</i> , 2012, 5, 109.	0.6	10
18	Pro-Inflammatory wnt5a and Anti-Inflammatory sFRP5 Are Differentially Regulated by Nutritional Factors in Obese Human Subjects. <i>PLoS ONE</i> , 2012, 7, e32437.	1.1	108

#	ARTICLE	IF	CITATIONS
19	Quantitative High-Resolution Genomic Analysis of Single Cancer Cells. <i>PLoS ONE</i> , 2011, 6, e26362.	1.1	30
20	Distinct functional roles of Akt isoforms for proliferation, survival, migration and EGF-mediated signalling in lung cancer derived disseminated tumor cells. <i>Cellular Signalling</i> , 2011, 23, 1952-1960.	1.7	76
21	Detection and clinical relevance of early disseminated breast cancer cells depend on their cytokeratin expression pattern. <i>Breast Cancer Research and Treatment</i> , 2011, 125, 729-738.	1.1	33
22	Characterization of hybrid cells derived from spontaneous fusion events between breast epithelial cells exhibiting stem-like characteristics and breast cancer cells. <i>Clinical and Experimental Metastasis</i> , 2011, 28, 75-90.	1.7	63
23	Influence of whole arm loss of chromosome 16q on gene expression patterns in oestrogen receptor- ϵ positive, invasive breast cancer. <i>Journal of Pathology</i> , 2011, 224, 517-528.	2.1	28
24	Cellular and Tumor Radiosensitivity is Correlated to Epidermal Growth Factor Receptor Protein Expression Level in Tumors Without EGFR Amplification. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 80, 1181-1188.	0.4	38
25	Discovery of a Novel Unfolded Protein Response Phenotype of Cancer Stem/Progenitor Cells from the Bone Marrow of Breast Cancer Patients. <i>Journal of Proteome Research</i> , 2010, 9, 3158-3168.	1.8	89
26	Selective regain of egfr gene copies in CD44+/CD24-/low breast cancer cellular model MDA-MB-468. <i>BMC Cancer</i> , 2010, 10, 78.	1.1	19
27	<i>BRCA1</i> Loss Preexisting in Small Subpopulations of Prostate Cancer Is Associated with Advanced Disease and Metastatic Spread to Lymph Nodes and Peripheral Blood. <i>Clinical Cancer Research</i> , 2010, 16, 3340-3348.	3.2	73
28	Inositol 1,4,5-Trisphosphate 3-Kinase-A is a New Cell Motility-promoting Protein That Increases the Metastatic Potential of Tumor Cells by Two Functional Activities. <i>Journal of Biological Chemistry</i> , 2010, 285, 5541-5554.	1.6	40
29	TOB1 Is Regulated by EGF-Dependent HER2 and EGFR Signaling, Is Highly Phosphorylated, and Indicates Poor Prognosis in Node-Negative Breast Cancer. <i>Cancer Research</i> , 2009, 69, 5049-5056.	0.4	37
30	Two-Dimensional Differential Gel Electrophoresis of a Cell Line Derived from a Breast Cancer Micrometastasis Revealed a Stem/Progenitor Cell Protein Profile. <i>Journal of Proteome Research</i> , 2009, 8, 2004-2014.	1.8	48
31	Biological importance of a polymorphic CA sequence within intron 1 of the epidermal growth factor receptor gene (<i>EGFR</i>) in high grade central osteosarcomas. <i>Genes Chromosomes and Cancer</i> , 2008, 47, 657-664.	1.5	26
32	Squalene epoxidase, located on chromosome 8q24.1, is upregulated in 8q+ breast cancer and indicates poor clinical outcome in stage I and II disease. <i>British Journal of Cancer</i> , 2008, 99, 774-780.	2.9	47
33	Detection, clinical relevance and specific biological properties of disseminating tumour cells. <i>Nature Reviews Cancer</i> , 2008, 8, 329-340.	12.8	1,037
34	Risk estimation of distant metastasis in node-negative, estrogen receptor-positive breast cancer patients using an RT-PCR based prognostic expression signature. <i>BMC Cancer</i> , 2008, 8, 339.	1.1	47
35	Molecular targeted therapies for breast cancer treatment. <i>Breast Cancer Research</i> , 2008, 10, 211.	2.2	63
36	Allelic Imbalances of the egfr Gene as Key Events in Breast Cancer Progression – the Concept of Committed Progenitor Cells. <i>Current Cancer Drug Targets</i> , 2008, 8, 431-445.	0.8	21

#	ARTICLE	IF	CITATIONS
37	Epidermal Growth Factor Receptor Expression in High-Grade Osteosarcomas Is Associated with a Good Clinical Outcome. <i>Clinical Cancer Research</i> , 2007, 13, 2998-3005.	3.2	38
38	Cell cycle regulating proteins p21 and p27 in prognosis of oral squamous cell carcinomas. <i>Oncology Reports</i> , 2007, 17, 355-9.	1.2	44
39	Cytokeratin alteration in oral leukoplakia and oral squamous cell carcinoma. <i>Oncology Reports</i> , 2007, 18, 639-43.	1.2	41
40	(CA)n Microsatellite polymorphism of ERBB-1 in breast cancer. <i>European Journal of Cancer</i> , 2006, 42, 1698-1701.	1.3	2
41	The Expression and Action of Decay-Accelerating Factor (CD55) in Human Malignancies and Cancer Therapy. <i>Analytical Cellular Pathology</i> , 2006, 28, 223-232.	0.7	21
42	Amplifications of the epidermal growth factor receptor gene (egfr) are common in phyllodes tumors of the breast and are associated with tumor progression. <i>Laboratory Investigation</i> , 2006, 86, 54-61.	1.7	73
43	Decay-accelerating factor (CD55): A versatile acting molecule in human malignancies. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2006, 1766, 42-52.	3.3	30
44	Cytokeratin 8/18 expression indicates a poor prognosis in squamous cell carcinomas of the oral cavity. <i>BMC Cancer</i> , 2006, 6, 10.	1.1	99
45	Improvements in the Analysis Strategy Make Single Nucleotide Polymorphism Analysis a Powerful Tool in the Detection and Characterization of Amplified Chromosomal Regions in Human Tumors. <i>Pathobiology</i> , 2006, 73, 18-25.	1.9	1
46	HER2-Positive Circulating Tumor Cells Indicate Poor Clinical Outcome in Stage I to III Breast Cancer Patients. <i>Clinical Cancer Research</i> , 2006, 12, 1715-1720.	3.2	249
47	Mechanisms of egfr Gene Transcription Modulation: Relationship to Cancer Risk and Therapy Response. <i>Clinical Cancer Research</i> , 2006, 12, 7252-7260.	3.2	101
48	Asynchronous Growth of Prostate Cancer Is Reflected by Circulating Tumor Cells Delivered from Distinct, Even Small Foci, Harboring Loss of Heterozygosity of the PTEN Gene. <i>Cancer Research</i> , 2006, 66, 8959-8965.	0.4	65
49	3D-extravasation model "selection of highly motile and metastatic cancer cells. <i>Seminars in Cancer Biology</i> , 2005, 15, 387-395.	4.3	19
50	In vitro and in vivo imaging of cell migration: Two interdepending methods to unravel metastasis formation. <i>Seminars in Cancer Biology</i> , 2005, 15, 396-404.	4.3	33
51	HIF1-alpha overexpression indicates a good prognosis in early stage squamous cell carcinomas of the oral floor. <i>BMC Cancer</i> , 2005, 5, 84.	1.1	115
52	Effectiveness of hydroxyapatite-vancomycin bone cement in the treatment of Staphylococcus aureus induced chronic osteomyelitis. <i>Biomaterials</i> , 2005, 26, 5251-5258.	5.7	157
53	The origin of vimentin expression in invasive breast cancer: epithelial "mesenchymal transition, myoepithelial histogenesis or histogenesis from progenitor cells with bilinear differentiation potential?. <i>Journal of Pathology</i> , 2005, 206, 451-457.	2.1	189
54	Expression of early placenta insulin-like growth factor in breast cancer cells provides an autocrine loop that predominantly enhances invasiveness and motility. <i>Endocrine-Related Cancer</i> , 2005, 12, 823-837.	1.6	29

#	ARTICLE	IF	CITATIONS
55	Catenin expression in T1/2 carcinomas of the floor of the mouth. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2005, 34, 907-911.	0.7	12
56	Selective expression of a splice variant of decay-accelerating factor in c-erbB-2-positive mammary carcinoma cells showing increased transendothelial invasiveness. <i>Biochemical and Biophysical Research Communications</i> , 2005, 329, 318-323.	1.0	8
57	Modification of Breast Cancer Risk in Young Women by a Polymorphic Sequence in the egfr Gene. <i>Cancer Research</i> , 2004, 64, 7-12.	0.4	73
58	Antitumour effects of PLC- β 1-(SH2)2-TAT fusion proteins on EGFR/c-erbB-2-positive breast cancer cells. <i>British Journal of Cancer</i> , 2004, 90, 230-235.	2.9	39
59	Deciphering a subgroup of breast carcinomas with putative progression of grade during carcinogenesis revealed by comparative genomic hybridisation (CGH) and immunohistochemistry. <i>British Journal of Cancer</i> , 2004, 90, 1422-1428.	2.9	32
60	Gene dosage PCR and fluorescence in situ hybridization reveal low frequency of egfr amplifications despite protein overexpression in invasive breast carcinoma. <i>Laboratory Investigation</i> , 2004, 84, 582-587.	1.7	71
61	Allelic length of a CA dinucleotide repeat in the egfr gene correlates with the frequency of amplifications of this sequence—first results of an inter-ethnic breast cancer study. <i>Journal of Pathology</i> , 2004, 203, 545-550.	2.1	94
62	Evaluation of an in situ setting injectable calcium phosphate as a new carrier material for gentamicin in the treatment of chronic osteomyelitis: Studies in vitro and in vivo. <i>Biomaterials</i> , 2004, 25, 4287-4295.	5.7	87
63	Semi-Quantitative Immunochromatographic Test for Prostate Specific Antigen in Whole Blood: Tossing the Coin to Predict Prostate Cancer?. <i>European Urology</i> , 2003, 43, 478-484.	0.9	31
64	MALAT-1, a novel noncoding RNA, and thymosin β 4 predict metastasis and survival in early-stage non-small cell lung cancer. <i>Oncogene</i> , 2003, 22, 8031-8041.	2.6	1,986
65	A New Modification of the Chiron ACS Assay for Total Prostate-Specific Antigen Achieves Equimolar Response Characteristics and Improves the Detection of Prostate Cancer. <i>Clinical Chemistry and Laboratory Medicine</i> , 2003, 41, 90-4.	1.4	8
66	Distinct amplification of an untranslated regulatory sequence in the egfr gene contributes to early steps in breast cancer development. <i>Cancer Research</i> , 2003, 63, 1172-8.	0.4	61
67	Cancer Cell Motility—On the Road from c-erbB-2 Receptor Steered Signaling to Actin Reorganization. <i>Experimental Cell Research</i> , 2002, 272, 93-108.	1.2	97
68	Prognostic impact of Cyfra21-1 and other serum markers in completely resected non-small cell lung cancer. <i>Lung Cancer</i> , 2002, 36, 265-270.	0.9	79
69	Combining Free and Total Prostate Specific Antigen Assays from Different Manufacturers: The Pitfalls. <i>European Urology</i> , 2002, 42, 577-582.	0.9	12
70	Trimodality treatment in Stage III nonsmall cell lung carcinoma. <i>Cancer</i> , 2002, 94, 2055-2062.	2.0	51
71	Common Adult Stem Cells in the Human Breast Give Rise to Glandular and Myoepithelial Cell Lineages: A New Cell Biological Concept. <i>Laboratory Investigation</i> , 2002, 82, 737-745.	1.7	252
72	Cytogenetic Alterations and Cytokeratin Expression Patterns in Breast Cancer: Integrating a New Model of Breast Differentiation into Cytogenetic Pathways of Breast Carcinogenesis. <i>Laboratory Investigation</i> , 2002, 82, 1525-1533.	1.7	221

#	ARTICLE	IF	CITATIONS
73	Early placenta insulin-like growth factor (pro-EPIL) is overexpressed and secreted by c-erbB-2-positive cells with high invasion potential. <i>Cancer Research</i> , 2002, 62, 1020-4.	0.4	19
74	Do Modifications of Nonequimolar Assays for Total Prostate-specific Antigen Improve Detection of Prostate Cancer?. <i>Clinical Chemistry</i> , 2001, 47, 1472-1475.	1.5	26
75	The clinical impact of different assays for prostate specific antigen. <i>BJU International</i> , 2001, 86, 590-597.	1.3	40
76	Ploidy, expression of erbB1, erbB2, P53 and amplification of erbB1, erbB2 and erbB3 in non-small cell lung cancer. <i>European Respiratory Journal</i> , 2000, 16, 991-996.	3.1	48
77	Recombinant antibody toxins specific for ErbB2 and EGF receptor inhibit their in vitro growth of human head and neck cancer cells and cause rapid tumor regression in vivo. , 2000, 86, 269-275.		92
78	Comparative methodological analysis of erbB-2/HER-2 gene dosage, chromosomal copy number and protein overexpression in breast carcinoma tissues for diagnostic use. <i>Histopathology</i> , 2000, 37, 411-419.	1.6	63
79	Recombinant antibody toxins specific for ErbB2 and EGF receptor inhibit the in vitro growth of human head and neck cancer cells and cause rapid tumor regression in vivo. , 2000, 86, 269.		1
80	Modulation of Epidermal Growth Factor Receptor Gene Transcription by a Polymorphic Dinucleotide Repeat in Intron 1. <i>Journal of Biological Chemistry</i> , 1999, 274, 13176-13180.	1.6	338
81	Density Gradient Centrifugation of Colonic Fluid After Segmental Lavage: A Method of Purification of Exfoliative Epithelial Colonic Cells for Cytological Interpretation and Image Cytometry in Patients With Long-Standing Ulcerative Colitis. <i>American Journal of Gastroenterology</i> , 1999, 94, 404-409.	0.2	6
82	Isolation of blood-borne epithelium-derived c-erbB-2 oncoprotein-positive clustered cells from the peripheral blood of breast cancer patients. , 1998, 76, 824-828.		70
83	Differential Expression of Alternatively Spliced c-erbB-2 mRNA in Primary Tumors, Lymph Node Metastases, and Bone Marrow Micrometastases from Breast Cancer Patients. <i>Biochemical and Biophysical Research Communications</i> , 1998, 247, 319-323.	1.0	24
84	Selection of Potentially Metastatic Subpopulations Expressing c-erbB-2 from Breast Cancer Tissue by Use of an Extravasation Model. <i>American Journal of Pathology</i> , 1998, 153, 1797-1806.	1.9	58
85	Competitive-Differential Polymerase Chain Reaction for Gene Dosage Estimation of erbB-1 (egfr), erbB-2, and erbB-3 Oncogenes. <i>DNA and Cell Biology</i> , 1997, 16, 443-448.	0.9	20
86	Comparison of prostate-specific antigen (PSA) measured by four combinations of free PSA and total PSA assays. <i>Clinical Chemistry</i> , 1997, 43, 1588-1594.	1.5	33
87	Impact of free prostate-specific antigen on discordant measurement results of assays for total prostate-specific antigen. <i>Urology</i> , 1996, 48, 10-15.	0.5	81
88	The erbB oncogenes as prognostic markers in oral squamous cell carcinomas. <i>American Journal of Surgery</i> , 1996, 172, 681-683.	0.9	39
89	Discordance of assay methods creates pitfalls for the interpretation of prostate-specific antigen values. <i>Prostate</i> , 1996, 29, 3-16.	1.2	70
90	Detection of the metastatic potential of blood-borne and immunomagnetically enriched epithelial cells by quantitative erbB-2 RT-PCR. <i>Clinical and Experimental Metastasis</i> , 1996, 14, 399-408.	1.7	8

#	ARTICLE	IF	CITATIONS
91	Immunophenotyping of Lymphocytes in Bronchoalveolar Lavage Fluid. Chest, 1995, 108, 464-469.	0.4	20
92	Double-differential PCR for gene dosage estimation of erbB oncogenes in benign and cancer tissues and comparison to cellular DNA content. Gene, 1995, 159, 29-34.	1.0	32
93	Prognostic relevance of aberrations in the erbB oncogenes from breast, ovarian, oral and lung cancers: Double-differential polymerase chain reaction (ddPCR) for clinical diagnosis. Gene, 1995, 159, 35-42.	1.0	42
94	An immunological enrichment method for epithelial cells from peripheral blood. Journal of Immunological Methods, 1995, 183, 251-265.	0.6	83