

Chris J Mcneil

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8943589/publications.pdf>

Version: 2024-02-01

50
papers

1,470
citations

331670

21
h-index

330143

37
g-index

50
all docs

50
docs citations

50
times ranked

1296
citing authors

#	ARTICLE	IF	CITATIONS
1	Testing the excitability of human motoneurons. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 152.	2.0	163
2	The response to paired motor cortical stimuli is abolished at a spinal level during human muscle fatigue. <i>Journal of Physiology</i> , 2009, 587, 5601-5612.	2.9	112
3	Behaviour of the motoneurone pool in a fatiguing submaximal contraction. <i>Journal of Physiology</i> , 2011, 589, 3533-3544.	2.9	110
4	Peripheral impairments cause a progressive age-related loss of strength and velocity-dependent power in the dorsiflexors. <i>Journal of Applied Physiology</i> , 2007, 102, 1962-1968.	2.5	97
5	Fatigability Is Increased With Age During Velocity-Dependent Contractions of the Dorsiflexors. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2007, 62, 624-629.	3.6	82
6	Fatigue-related group III/IV muscle afferent feedback facilitates intracortical inhibition during locomotor exercise. <i>Journal of Physiology</i> , 2018, 596, 4789-4801.	2.9	64
7	Differential changes in muscle oxygenation between voluntary and stimulated isometric fatigue of human dorsiflexors. <i>Journal of Applied Physiology</i> , 2006, 100, 890-895.	2.5	54
8	Motoneuron responsiveness to corticospinal tract stimulation during the silent period induced by transcranial magnetic stimulation. <i>Experimental Brain Research</i> , 2016, 234, 3457-3463.	1.5	54
9	Fatigue-related firing of distal muscle nociceptors reduces voluntary activation of proximal muscles of the same limb. <i>Journal of Applied Physiology</i> , 2014, 116, 385-394.	2.5	52
10	Short-interval cortical inhibition and intracortical facilitation during submaximal voluntary contractions changes with fatigue. <i>Experimental Brain Research</i> , 2016, 234, 2541-2551.	1.5	52
11	The reduction in human motoneurone responsiveness during muscle fatigue is not prevented by increased muscle spindle discharge. <i>Journal of Physiology</i> , 2011, 589, 3731-3738.	2.9	50
12	Blood flow and muscle oxygenation during low, moderate, and maximal sustained isometric contractions. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2015, 309, R475-R481.	1.8	50
13	Firing of antagonist small-diameter muscle afferents reduces voluntary activation and torque of elbow flexors. <i>Journal of Physiology</i> , 2013, 591, 3591-3604.	2.9	49
14	Long-interval intracortical inhibition in a human hand muscle. <i>Experimental Brain Research</i> , 2011, 209, 287-297.	1.5	47
15	Effects of fatigue on corticospinal excitability of the human knee extensors. <i>Experimental Physiology</i> , 2016, 101, 1552-1564.	2.0	43
16	Effects of aging and sex on voluntary activation and peak relaxation rate of human elbow flexors studied with motor cortical stimulation. <i>Age</i> , 2013, 35, 1327-1337.	3.0	38
17	Geometry of a Weight-Bearing and Non-Weight-Bearing Bone in the Legs of Young, Old, and Very Old Men. <i>Calcified Tissue International</i> , 2009, 85, 22-30.	3.1	34
18	The effect of contraction intensity on motor unit number estimates of the tibialis anterior. <i>Clinical Neurophysiology</i> , 2005, 116, 1342-1347.	1.5	33

#	ARTICLE	IF	CITATIONS
19	Effect of experimental muscle pain on maximal voluntary activation of human biceps brachii muscle. <i>Journal of Applied Physiology</i> , 2011, 111, 743-750.	2.5	33
20	Neuromuscular adaptations to healthy aging. <i>Applied Physiology, Nutrition and Metabolism</i> , 2018, 43, 1158-1165.	1.9	26
21	UBCâ€™Nepal expedition: acclimatization to highâ€™altitude increases spinal motoneurone excitability during fatigue in humans. <i>Journal of Physiology</i> , 2018, 596, 3327-3339.	2.9	22
22	Development and recovery time of mental fatigue and its impact on motor function. <i>Biological Psychology</i> , 2021, 161, 108076.	2.2	14
23	The influence of residual force enhancement on spinal and supraspinal excitability. <i>PeerJ</i> , 2018, 6, e5421.	2.0	14
24	Prolonged low-frequency force depression is underestimated when assessed with doublets compared with tetani in the dorsiflexors. <i>Journal of Applied Physiology</i> , 2019, 126, 1352-1359.	2.5	12
25	Torque loss induced by repetitive maximal eccentric contractions is marginally influenced by work-to-rest ratio. <i>European Journal of Applied Physiology</i> , 2004, 91, 579-585.	2.5	11
26	The Effects of Sex and Motoneuron Pool on Central Fatigue. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 1061-1069.	0.4	11
27	Neuromuscular fatigability at high altitude: Lowlanders with acute and chronic exposure, and native highlanders. <i>Acta Physiologica</i> , 2022, 234, e13788.	3.8	11
28	Torque depression following active shortening is associated with a modulation of cortical and spinal excitation: a history-dependent study. <i>Physiological Reports</i> , 2017, 5, e13367.	1.7	10
29	Spinal excitability is increased in the torque-depressed isometric steady state following active muscle shortening. <i>Royal Society Open Science</i> , 2017, 4, 171101.	2.4	10
30	Sustained Maximal Voluntary Contractions Elicit Different Neurophysiological Responses in Upper- and Lower-Limb Muscles in Men. <i>Neuroscience</i> , 2019, 422, 88-98.	2.3	10
31	High-Altitude Acclimatization Improves Recovery from Muscle Fatigue. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 161-169.	0.4	10
32	Motor unit contributions to activation reduction and torque steadiness following active lengthening: a study of residual torque enhancement. <i>Journal of Neurophysiology</i> , 2020, 123, 2209-2216.	1.8	10
33	UBCâ€™Nepal expedition: peripheral fatigue recovers faster in Sherpa than lowlanders at high altitude. <i>Journal of Physiology</i> , 2018, 596, 5365-5377.	2.9	9
34	The influence of motor cortical stimulus intensity on the relaxation rate of human lower limb muscles. <i>Experimental Brain Research</i> , 2013, 228, 235-242.	1.5	8
35	Corticospinal excitability is enhanced while preparing for complex movements. <i>Experimental Brain Research</i> , 2019, 237, 829-837.	1.5	8
36	Neural effects of sleep deprivation on inhibitory control and emotion processing. <i>Behavioural Brain Research</i> , 2022, 426, 113845.	2.2	7

#	ARTICLE	IF	CITATIONS
37	Supraspinal Fatigue and Neural-evoked Responses in Lowlanders and Sherpa at 5050 m. <i>Medicine and Science in Sports and Exercise</i> , 2019, 51, 183-192.	0.4	6
38	The effect of muscle length on transcranial magnetic stimulation-induced relaxation rate in the plantar flexors. <i>Physiological Reports</i> , 2017, 5, e13442.	1.7	5
39	Time course of neuromuscular responses to acute hypoxia during voluntary contractions. <i>Experimental Physiology</i> , 2020, 105, 1855-1868.	2.0	5
40	Electrically evoked force loss of the knee extensors is equivalent for young and old females and males. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020, 45, 1270-1276.	1.9	5
41	A novel way to test human motoneurone behaviour during muscle fatigue. , 2011, , 29-31.		5
42	Severe acute hypoxia impairs recovery of voluntary muscle activation after sustained submaximal elbow flexion. <i>Journal of Physiology</i> , 2021, 599, 5379-5395.	2.9	5
43	Central contributions to torque depression: an antagonist perspective. <i>Experimental Brain Research</i> , 2019, 237, 443-452.	1.5	4
44	Maximal results with minimal stimuli: the fewest high-frequency pulses needed to measure or model prolonged low-frequency force depression in the dorsiflexors. <i>Journal of Applied Physiology</i> , 2021, 131, 716-728.	2.5	4
45	Modulation of vestibular-evoked responses prior to simple and complex arm movements. <i>Experimental Brain Research</i> , 2020, 238, 869-881.	1.5	3
46	Intrinsic Neuromuscular Fatigability in Humans: The Critical Role of Stimulus Frequency. <i>Exercise and Sport Sciences Reviews</i> , 2022, 50, 97-103.	3.0	3
47	The Time Course of Motoneuronal Excitability during the Preparation of Complex Movements. <i>Journal of Cognitive Neuroscience</i> , 2019, 31, 781-790.	2.3	2
48	Post-fatigue ability to activate muscle is compromised across a wide range of torques during acute hypoxic exposure. <i>European Journal of Neuroscience</i> , 2022, 56, 4653-4668.	2.6	2
49	The inclusion of interstimulus interval variability does not mitigate electrically-evoked fatigue of the knee extensors. <i>European Journal of Applied Physiology</i> , 2020, 120, 2649-2656.	2.5	1
50	Reply from Luca Ruggiero, Alexandra F. Yacyshyn, Jane Nettleton and Chris J. McNeil. <i>Journal of Physiology</i> , 2018, 596, 3427-3427.	2.9	0