Wenbin Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8943931/publications.pdf

Version: 2024-02-01

		1306789	1199166	
13	341	7	12	
papers	citations	h-index	g-index	
13	13	13	461	
all docs	docs citations	times ranked	citing authors	

#	Article	IF	CITATIONS
1	Recombinant expression and immunogenicity evaluation of a TonB-dependent receptor of Vibrio parahaemolyticus. Protein Expression and Purification, 2022, , 106111.	0.6	0
2	Identification of novel monoclonal antibodies targeting the outer membrane protein C and lipopolysaccharides for $\langle i \rangle$ Escherichia coli $\langle i \rangle$ O157:H7 detection. Journal of Applied Microbiology, 2021, 130, 1245-1258.	1.4	6
3	Comparative immunogenicity of outer membrane protein K and wholeâ€eell antigens of <i>Vibrio parahaemolyticus</i> for diagnosis. Letters in Applied Microbiology, 2021, 73, 460-470.	1.0	5
4	Identification of a specific surface epitope of OmpC for Escherichia coli O157:H7 with protein topology facilitated affinity mass spectrometry. Applied Microbiology and Biotechnology, 2021, 105, 6819-6833.	1.7	1
5	Drying and disinfection of off-ground harvested almonds using step-down temperature hot air heating. LWT - Food Science and Technology, 2021, 152, 112282.	2.5	6
6	Identification of twelve Aeromonas spp. species with monoclonal antibody-based immunoassay in water and fish samples. Aquaculture, 2020, 516, 734646.	1.7	8
7	Gold nanoparticle-based paper sensor for multiple detection of 12 Listeria spp. by P60-mediated monoclonal antibody. Food and Agricultural Immunology, 2017, 28, 274-287.	0.7	37
8	Identification and quantification of eight Listeria monocytogene serotypes from Listeria spp. using a gold nanoparticle-based lateral flow assay. Mikrochimica Acta, 2017, 184, 715-724.	2.5	58
9	Goldâ€Nanoparticleâ€Based Multiplexed Immunochromatographic Strip for Simultaneous Detection of Staphylococcal Enterotoxin A, B, C, D, and E. Particle and Particle Systems Characterization, 2016, 33, 388-395.	1.2	48
10	Nanoshell-Enhanced Raman Spectroscopy on a Microplate for Staphylococcal Enterotoxin B Sensing. ACS Applied Materials & Sensing: 15591-15597.	4.0	60
11	A Highly Sensitive ELISA and Immunochromatographic Strip for the Detection of Salmonella typhimurium in Milk Samples. Sensors, 2015, 15, 5281-5292.	2.1	63
12	Monoclonal antibody-based cross-reactive sandwich ELISA for the detection of Salmonella spp. in milk samples. Analytical Methods, 2015, 7, 9047-9053.	1.3	29
13	Detection of \hat{l}^2 -Lactamase Residues in Milk by Sandwich ELISA. International Journal of Environmental Research and Public Health, 2013, 10, 2688-2698.	1.2	20