

Nicola Fazio

List of Publications by Citations

Source: <https://exaly.com/author-pdf/894409/nicola-fazio-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

215
papers

5,724
citations

39
h-index

69
g-index

232
ext. papers

6,912
ext. citations

5.1
avg. IF

5.35
L-index

#	Paper	IF	Citations
215	Everolimus for the treatment of advanced, non-functional neuroendocrine tumours of the lung or gastrointestinal tract (RADIANT-4): a randomised, placebo-controlled, phase 3 study. <i>Lancet, The</i> , 2016 , 387, 968-977	40	694
214	Peptide receptor radionuclide therapy with ¹⁷⁷ Lu-DOTATATE: the IEO phase I-II study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011 , 38, 2125-35	8.8	287
213	Docetaxel, cisplatin, and fluorouracil; docetaxel and cisplatin; and epirubicin, cisplatin, and fluorouracil as systemic treatment for advanced gastric carcinoma: a randomized phase II trial of the Swiss Group for Clinical Cancer Research. <i>Journal of Clinical Oncology</i> , 2007 , 25, 3217-23	2.2	219
212	Metastatic and locally advanced pancreatic endocrine carcinomas: analysis of factors associated with disease progression. <i>Journal of Clinical Oncology</i> , 2011 , 29, 2372-7	2.2	216
211	ENETS Consensus Guidelines for the Standards of Care in Neuroendocrine Tumors: Radiological, Nuclear Medicine & Hybrid Imaging. <i>Neuroendocrinology</i> , 2017 , 105, 212-244	5.6	196
210	Best choice of central venous insertion site for the prevention of catheter-related complications in adult patients who need cancer therapy: a randomized trial. <i>Annals of Oncology</i> , 2009 , 20, 935-40	10.3	157
209	Docetaxel (Taxotere)-cisplatin (TC): an effective drug combination in gastric carcinoma. Swiss Group for Clinical Cancer Research (SAKK), and the European Institute of Oncology (EIO). <i>Annals of Oncology</i> , 2000 , 11, 301-6	10.3	156
208	The Clinicopathologic Heterogeneity of Grade 3 Gastroenteropancreatic Neuroendocrine Neoplasms: Morphological Differentiation and Proliferation Identify Different Prognostic Categories. <i>Neuroendocrinology</i> , 2017 , 104, 85-93	5.6	137
207	Everolimus plus octreotide long-acting repeatable in patients with advanced lung neuroendocrine tumors: analysis of the phase 3, randomized, placebo-controlled RADIANT-2 study. <i>Chest</i> , 2013 , 143, 955-962	5.3	95
206	Randomized Phase III Trial of Pegvorhalyuronidase Alfa With Nab-Paclitaxel Plus Gemcitabine for Patients With Hyaluronan-High Metastatic Pancreatic Adenocarcinoma. <i>Journal of Clinical Oncology</i> , 2020 , 38, 3185-3194	2.2	92
205	ENETS Consensus Guidelines for the Standards of Care in Neuroendocrine Neoplasms: Systemic Therapy - Biotherapy and Novel Targeted Agents. <i>Neuroendocrinology</i> , 2017 , 105, 266-280	5.6	82
204	HER2/HER3 pathway in biliary tract malignancies; systematic review and meta-analysis: a potential therapeutic target?. <i>Cancer and Metastasis Reviews</i> , 2017 , 36, 141-157	9.6	79
203	Long-term results of PRRT in advanced bronchopulmonary carcinoid. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016 , 43, 441-52	8.8	78
202	Interferon-alpha and somatostatin analog in patients with gastroenteropancreatic neuroendocrine carcinoma: single agent or combination?. <i>Annals of Oncology</i> , 2007 , 18, 13-19	10.3	70
201	Peptide receptor radionuclide therapy in gastroenteropancreatic NEN G3: a multicenter cohort study. <i>Endocrine-Related Cancer</i> , 2019 , 26, 227-239	5.7	67
200	ENETS Consensus Guidelines for the Standards of Care in Neuroendocrine Neoplasms. Systemic Therapy 2: Chemotherapy. <i>Neuroendocrinology</i> , 2017 , 105, 281-294	5.6	66
199	Real-world study of everolimus in advanced progressive neuroendocrine tumors. <i>Oncologist</i> , 2014 , 19, 966-74	5.7	66

198	Heterogeneity of grade 3 gastroenteropancreatic neuroendocrine carcinomas: New insights and treatment implications. <i>Cancer Treatment Reviews</i> , 2016 , 50, 61-67	14.4	64
197	A randomized, open-label, phase 2 study of everolimus in combination with pasireotide LAR or everolimus alone in advanced, well-differentiated, progressive pancreatic neuroendocrine tumors: COOPERATE-2 trial. <i>Annals of Oncology</i> , 2017 , 28, 1309-1315	10.3	63
196	A Delphic consensus assessment: imaging and biomarkers in gastroenteropancreatic neuroendocrine tumor disease management. <i>Endocrine Connections</i> , 2016 , 5, 174-87	3.5	63
195	Surgical outcomes for colon and rectal cancer over a decade: results from a consecutive monocentric experience in 902 unselected patients. <i>World Journal of Surgical Oncology</i> , 2007 , 5, 73	3.4	63
194	Randomized trial on adjuvant treatment with FOLFIRI followed by docetaxel and cisplatin versus 5-fluorouracil and folinic acid for radically resected gastric cancer. <i>Annals of Oncology</i> , 2014 , 25, 1373-1378	10.3	61
193	Bevacizumab plus octreotide and metronomic capecitabine in patients with metastatic well-to-moderately differentiated neuroendocrine tumors: the XELBEVOCT study. <i>BMC Cancer</i> , 2014 , 14, 184	4.8	61
192	Adjuvant colon cancer chemotherapy: where we are and where we'll go. <i>Cancer Treatment Reviews</i> , 2010 , 36 Suppl 3, S34-41	14.4	58
191	A Phase II Study of BEZ235 in Patients with Everolimus-resistant, Advanced Pancreatic Neuroendocrine Tumours. <i>Anticancer Research</i> , 2016 , 36, 713-9	2.3	57
190	Surgical outcome after docetaxel-based neoadjuvant chemotherapy in locally-advanced gastric cancer. <i>World Journal of Gastroenterology</i> , 2010 , 16, 868-74	5.6	56
189	Ki67 proliferative index of the neuroendocrine component drives MANEC prognosis. <i>Endocrine-Related Cancer</i> , 2018 , 25, 583-593	5.7	55
188	Resection of the primary pancreatic neuroendocrine tumor in patients with unresectable liver metastases: possible indications for a multimodal approach. <i>Surgery</i> , 2014 , 155, 607-14	3.6	55
187	Everolimus in combination with octreotide long-acting repeatable in a first-line setting for patients with neuroendocrine tumors: an ITMO group study. <i>Cancer</i> , 2014 , 120, 2457-63	6.4	52
186	Chemotherapy in gastroenteropancreatic (GEP) neuroendocrine carcinomas (NEC): a critical view. <i>Cancer Treatment Reviews</i> , 2013 , 39, 270-4	14.4	51
185	Health-related quality of life for everolimus versus placebo in patients with advanced, non-functional, well-differentiated gastrointestinal or lung neuroendocrine tumours (RADIANT-4): a multicentre, randomised, double-blind, placebo-controlled, phase 3 trial. <i>Lancet Oncology</i> , 2017 , 18, 1411-1422	21.7	49
184	Molecularly targeted endocrine therapies for breast cancer. <i>Cancer Treatment Reviews</i> , 2010 , 36 Suppl 3, S67-71	14.4	49
183	Temozolomide in Advanced Neuroendocrine Neoplasms: Pharmacological and Clinical Aspects. <i>Neuroendocrinology</i> , 2015 , 101, 274-88	5.6	48
182	Peptide receptor radionuclide therapy as neoadjuvant therapy for resectable or potentially resectable pancreatic neuroendocrine neoplasms. <i>Surgery</i> , 2018 , 163, 761-767	3.6	47
181	Risk factors for disease progression in advanced jejunoileal neuroendocrine tumors. <i>Neuroendocrinology</i> , 2012 , 96, 32-40	5.6	44

180	Activity & safety of spartalizumab (PDR001) in patients (pts) with advanced neuroendocrine tumors (NET) of pancreatic (Pan), gastrointestinal (GI), or thoracic (T) origin, & gastroenteropancreatic neuroendocrine carcinoma (GEP NEC) who have progressed on prior treatment (Tx). <i>Annals of Oncology</i> , 2018 , 29, viii467-viii468	10.3	44
179	Resection of the Primary Tumor Followed by Peptide Receptor Radionuclide Therapy as Upfront Strategy for the Treatment of G1-G2 Pancreatic Neuroendocrine Tumors with Unresectable Liver Metastases. <i>Annals of Surgical Oncology</i> , 2016 , 23, 981-989	3.1	42
178	Everolimus in advanced, progressive, well-differentiated, non-functional neuroendocrine tumors: RADIANT-4 lung subgroup analysis. <i>Cancer Science</i> , 2018 , 109, 174-181	6.9	42
177	ENETS consensus guidelines for the management of peritoneal carcinomatosis from neuroendocrine tumors. <i>Neuroendocrinology</i> , 2010 , 91, 333-40	5.6	41
176	Prognostic factors in ectopic Cushing's syndrome due to neuroendocrine tumors: a multicenter study. <i>European Journal of Endocrinology</i> , 2017 , 176, 453-461	6.5	39
175	CD99 immunoreactivity in gastrointestinal and pulmonary neuroendocrine tumours. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2000 , 437, 270-4	5.1	39
174	Oxaliplatin-Based Chemotherapy in Advanced Neuroendocrine Tumors: Clinical Outcomes and Preliminary Correlation with Biological Factors. <i>Neuroendocrinology</i> , 2016 , 103, 806-14	5.6	38
173	Assessing the role of primary tumour resection in patients with synchronous unresectable liver metastases from pancreatic neuroendocrine tumour of the body and tail. A propensity score survival evaluation. <i>European Journal of Surgical Oncology</i> , 2017 , 43, 372-379	3.6	38
172	5-Fluorouracil as protracted continuous intravenous infusion can be added to full-dose docetaxel (Taxotere)-cisplatin in advanced gastric carcinoma: a phase I-II trial. <i>Annals of Oncology</i> , 2004 , 15, 759-64	10.3	38
171	Everolimus in Pancreatic Neuroendocrine Carcinomas G3. <i>Pancreas</i> , 2017 , 46, 302-305	2.6	37
170	ERCC1 predicts outcome in patients with gastric cancer treated with adjuvant cisplatin-based chemotherapy. <i>Cancer Chemotherapy and Pharmacology</i> , 2013 , 72, 159-65	3.5	37
169	Dual modulation of MCL-1 and mTOR determines the response to sunitinib. <i>Journal of Clinical Investigation</i> , 2017 , 127, 153-168	15.9	37
168	Metformin Use Is Associated With Longer Progression-Free Survival of Patients With Diabetes and Pancreatic Neuroendocrine Tumors Receiving Everolimus and/or Somatostatin Analogues. <i>Gastroenterology</i> , 2018 , 155, 479-489.e7	13.3	36
167	Neuroendocrine neoplasms of rectum: A management update. <i>Cancer Treatment Reviews</i> , 2018 , 66, 45-55	14.4	35
166	Efficacy and Safety of Sunitinib in Patients with Well-Differentiated Pancreatic Neuroendocrine Tumours. <i>Neuroendocrinology</i> , 2018 , 107, 237-245	5.6	32
165	Molecular target therapy for gastroenteropancreatic endocrine tumours: biological rationale and clinical perspectives. <i>Critical Reviews in Oncology/Hematology</i> , 2009 , 72, 110-24	7	32
164	Clinical management of patients with gastric neuroendocrine neoplasms associated with chronic atrophic gastritis: a retrospective, multicentre study. <i>Endocrine</i> , 2016 , 51, 131-9	4	31
163	Biological targeted therapies in patients with advanced enteropancreatic neuroendocrine carcinomas. <i>Cancer Treatment Reviews</i> , 2010 , 36 Suppl 3, S87-94	14.4	31

162	High-dose ifosfamide plus adriamycin in the treatment of adult advanced soft tissue sarcomas: is it feasible?. <i>Annals of Oncology</i> , 1998 , 9, 917-9	10.3	31
161	Capecitabine initially concomitant to radiotherapy then perioperatively administered in locally advanced rectal cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009 , 75, 421-7	4	30
160	Long-term endoscopic and clinical follow-up of untreated type 1 gastric neuroendocrine tumours. <i>Digestive and Liver Disease</i> , 2007 , 39, 537-43	3.3	30
159	Lung and thymic carcinoids: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. <i>Annals of Oncology</i> , 2021 , 32, 439-451	10.3	30
158	Preoperative versus postoperative docetaxel-cisplatin-fluorouracil (TCF) chemotherapy in locally advanced resectable gastric carcinoma: 10-year follow-up of the SAKK 43/99 phase III trial. <i>Annals of Oncology</i> , 2016 , 27, 668-73	10.3	28
157	HALO 109-301: A randomized, double-blind, placebo-controlled, phase 3 study of pegvorhialuronidase alfa (PEGPH20) + nab-paclitaxel/gemcitabine (AG) in patients (pts) with previously untreated hyaluronan (HA)-high metastatic pancreatic ductal adenocarcinoma (mPDA).. <i>Journal of Clinical Oncology</i> , 2020 , 38, 628-638	2.2	28
156	The management of colorectal liver metastases: Expanding the role of hepatic resection in the age of multimodal therapy. <i>Critical Reviews in Oncology/Hematology</i> , 2009 , 72, 65-75	7	27
155	Morphological Factors Related to Nodal Metastases in Neuroendocrine Tumors of the Appendix: A Multicentric Retrospective Study. <i>Annals of Surgery</i> , 2020 , 271, 527-533	7.8	27
154	Risk factors of type 1 gastric neuroendocrine neoplasia in patients with chronic atrophic gastritis. A retrospective, multicentre study. <i>Endocrine</i> , 2017 , 56, 633-638	4	25
153	Natural history of malignant bone disease in hepatocellular carcinoma: final results of a multicenter bone metastasis survey. <i>PLoS ONE</i> , 2014 , 9, e105268	3.7	25
152	Lessons from the Fourth Metronomic and Anti-angiogenic Therapy Meeting, 24-25 June 2014, Milan. <i>Ecancermedalscience</i> , 2014 , 8, 463	2.7	25
151	Treatments for colorectal liver metastases: A new focus on a familiar concept. <i>Critical Reviews in Oncology/Hematology</i> , 2016 , 108, 154-163	7	25
150	Unmet Needs in Functional and Nonfunctional Pancreatic Neuroendocrine Neoplasms. <i>Neuroendocrinology</i> , 2019 , 108, 26-36	5.6	25
149	Everolimus in Neuroendocrine Tumors of the Gastrointestinal Tract and Unknown Primary. <i>Neuroendocrinology</i> , 2018 , 106, 211-220	5.6	24
148	Cost effectiveness of different central venous approaches for port placement and use in adult oncology patients: evidence from a randomized three-arm trial. <i>Annals of Surgical Oncology</i> , 2014 , 21, 3725-31	3.1	24
147	Should platinum-based chemotherapy be preferred for germline BRCA1 and 2-mutated pancreatic ductal adenocarcinoma (PDAC) patients? A systematic review and meta-analysis. <i>Cancer Treatment Reviews</i> , 2019 , 80, 101895	14.4	22
146	Gastroenteropancreatic High-Grade Neuroendocrine Neoplasms: Histology and Molecular Analysis, Two Sides of the Same Coin. <i>Neuroendocrinology</i> , 2020 , 110, 616-629	5.6	22
145	Docetaxel in advanced gastric cancer--review of the main clinical trials. <i>Acta Oncologica</i> , 2003 , 42, 693-700	3.2	21

144	Grading lung neuroendocrine tumors: Controversies in search of a solution. <i>Histology and Histopathology</i> , 2017 , 32, 223-241	1.4	21
143	Prognostic value of human papillomavirus in anal squamous cell carcinoma. <i>Cancer Chemotherapy and Pharmacology</i> , 2014 , 74, 1033-8	3.5	20
142	Perfusion computed tomography in patients with hepatocellular carcinoma treated with thalidomide: initial experience. <i>Journal of Computer Assisted Tomography</i> , 2011 , 35, 195-201	2.2	20
141	High intensity focused ultrasound ablation of pancreatic neuroendocrine tumours: report of two cases. <i>CardioVascular and Interventional Radiology</i> , 2011 , 34, 419-23	2.7	20
140	Dual inhibition of mTOR pathway and VEGF signalling in neuroendocrine neoplasms: from bench to bedside. <i>Cancer Treatment Reviews</i> , 2015 , 41, 754-60	14.4	19
139	Extrapulmonary neuroendocrine small and large cell carcinomas: a review of controversial diagnostic and therapeutic issues. <i>Human Pathology</i> , 2014 , 45, 665-73	3.7	19
138	Final results of the TALENT trial (GETNE1509): a prospective multicohort phase II study of lenvatinib in patients (pts) with G1/G2 advanced pancreatic (panNETs) and gastrointestinal (giNETs) neuroendocrine tumors (NETs).. <i>Journal of Clinical Oncology</i> , 2019 , 37, 4106-4106	2.2	19
137	Genomic profiling of NETs: a comprehensive analysis of the RADIANT trials. <i>Endocrine-Related Cancer</i> , 2019 , 26, 391-403	5.7	19
136	Risk and Protective Factors for Small Intestine Neuroendocrine Tumors: A Prospective Case-Control Study. <i>Neuroendocrinology</i> , 2016 , 103, 531-7	5.6	18
135	Practical considerations in the treatment of hepatocellular carcinoma. <i>Drugs</i> , 1998 , 55, 367-82	12.1	18
134	Results of treatment of distal rectal carcinoma since the introduction of total mesorectal excision: a single unit experience, 1994-2003. <i>International Journal of Colorectal Disease</i> , 2005 , 20, 221-30	3	17
133	Neuroendocrine tumour arising inside a retro-rectal tailgut cyst: report of two cases and a review of the literature. <i>Ecancermedicalscience</i> , 2011 , 5, 201	2.7	17
132	Systemic therapy beyond first-line in advanced gastric cancer: An overview of the main randomized clinical trials. <i>Critical Reviews in Oncology/Hematology</i> , 2016 , 99, 1-12	7	16
131	RAF signaling in neuroendocrine neoplasms: from bench to bedside. <i>Cancer Treatment Reviews</i> , 2014 , 40, 974-9	14.4	16
130	Italian Association of Clinical Endocrinologists (AME) position statement: a stepwise clinical approach to the diagnosis of gastroenteropancreatic neuroendocrine neoplasms. <i>Journal of Endocrinological Investigation</i> , 2014 , 37, 875-909	5.2	16
129	Small intestinal neuroendocrine tumors with liver metastases and resection of the primary: Prognostic factors for decision making. <i>International Journal of Surgery</i> , 2015 , 20, 58-64	7.5	15
128	Predictive Markers of Response to Everolimus and Sunitinib in Neuroendocrine Tumors. <i>Targeted Oncology</i> , 2017 , 12, 611-622	5	14
127	Carboplatin in Combination with Oral or Intravenous Etoposide for Extra-Pulmonary, Poorly-Differentiated Neuroendocrine Carcinomas. <i>Neuroendocrinology</i> , 2019 , 109, 100-112	5.6	14

126	The role of multimodal treatment in patients with advanced lung neuroendocrine tumors. <i>Journal of Thoracic Disease</i> , 2017 , 9, S1501-S1510	2.6	14
125	Sunitinib in patients with pre-treated pancreatic neuroendocrine tumors: A real-world study. <i>Pancreatology</i> , 2018 , 18, 198-203	3.8	14
124	Spartalizumab in metastatic, well/poorly-differentiated neuroendocrine neoplasms. <i>Endocrine-Related Cancer</i> , 2021 ,	5.7	14
123	A classification prognostic score to predict OS in stage IV well-differentiated neuroendocrine tumors. <i>Endocrine-Related Cancer</i> , 2018 , 25, 607-618	5.7	13
122	No impact of central venous insertion site on oncology patients' quality of life and psychological distress. A randomized three-arm trial. <i>Supportive Care in Cancer</i> , 2011 , 19, 1573-80	3.9	13
121	Efficacy of lenvatinib in patients with advanced pancreatic (panNETs) and gastrointestinal (giNETs) grade 1/2 (G1/G2) neuroendocrine tumors: Results of the international phase II TALENT trial (GETNE 1509). <i>Annals of Oncology</i> , 2018 , 29, viii467	10.3	13
120	Life-threatening toxic epidermal necrolysis during voriconazole therapy for invasive aspergillosis after chemotherapy. <i>Annals of Oncology</i> , 2006 , 17, 1174-5	10.3	12
119	Breast and ovarian metastatic localization of signet-ring cell gastric carcinoma. <i>Annals of Oncology</i> , 2003 , 14, 803-4	10.3	12
118	Unmet Needs in Appendiceal Neuroendocrine Neoplasms. <i>Neuroendocrinology</i> , 2019 , 108, 37-44	5.6	12
117	Systemic therapies in patients with advanced well-differentiated pancreatic neuroendocrine tumors (PanNETs): When cytoreduction is the aim. A critical review with meta-analysis. <i>Cancer Treatment Reviews</i> , 2018 , 71, 39-46	14.4	12
116	Critical focus on mechanisms of resistance and toxicity of m-TOR inhibitors in pancreatic neuroendocrine tumors. <i>Cancer Treatment Reviews</i> , 2017 , 57, 28-35	14.4	11
115	Clinico-pathological features, treatments and survival of malignant insulinomas: a multicenter study. <i>European Journal of Endocrinology</i> , 2020 , 182, 439-446	6.5	11
114	Neuroendocrine tumors resistant to mammalian target of rapamycin inhibitors: A difficult conversion from biology to the clinic. <i>World Journal of Clinical Oncology</i> , 2015 , 6, 194-7	2.5	11
113	A single-institution retrospective analysis of metachronous and synchronous metastatic bronchial neuroendocrine tumors. <i>Journal of Thoracic Disease</i> , 2018 , 10, 3928-3939	2.6	11
112	Epidermal growth factor receptor serum (sEGFR) level may predict response in patients with EGFR-positive advanced colorectal cancer treated with gefitinib?. <i>Cancer Chemotherapy and Pharmacology</i> , 2008 , 63, 139-48	3.5	10
111	Prognostic impact of the cumulative dose and dose intensity of everolimus in patients with pancreatic neuroendocrine tumors. <i>Cancer Medicine</i> , 2017 , 6, 1493-1499	4.8	9
110	Simplified FOLFIRI in pre-treated patients with metastatic gastric cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2009 , 64, 301-6	3.5	9
109	First-line gefitinib combined with simplified FOLFOX-6 in patients with epidermal growth factor receptor-positive advanced colorectal cancer. <i>Journal of Clinical Oncology</i> , 2005 , 23, 3659-3659	2.2	9

108	Phase II studies of BEZ235 in patients with advanced pancreatic neuroendocrine tumors (pNET).. <i>Journal of Clinical Oncology</i> , 2015 , 33, 4102-4102	2.2	9
107	Lung carcinoids with high proliferative activity: Further support for the identification of a new tumor category in the classification of lung neuroendocrine neoplasms. <i>Lung Cancer</i> , 2020 , 148, 149-158 ^{5,9}		9
106	First-line avelumab in a cohort of 116 patients with metastatic Merkel cell carcinoma (JAVELIN Merkel 200): primary and biomarker analyses of a phase II study 2021 , 9,		9
105	Pharmacodynamics, clinical findings and approval status of current and emerging tyrosine-kinase inhibitors for pancreatic neuroendocrine tumors. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2019 , 15, 993-1004	5.5	9
104	Optimizing treatment of hepatic metastases from colorectal cancer: Resection or resection plus ablation?. <i>International Journal of Oncology</i> , 2016 , 48, 1280-9	4.4	8
103	Human papillomavirus in anal squamous cell carcinoma: an angel rather than a devil?. <i>Ecancermedalscience</i> , 2015 , 9, 529	2.7	8
102	Molecular targeted therapy in enteropancreatic neuroendocrine tumors: from biology to clinical practice. <i>Current Medicinal Chemistry</i> , 2014 , 21, 1017-25	4.3	8
101	Lenvatinib in Patients With Advanced Grade 1/2 Pancreatic and Gastrointestinal Neuroendocrine Tumors: Results of the Phase II TALENT Trial (GETNE1509). <i>Journal of Clinical Oncology</i> , 2021 , 39, 2304-2312	2.7	8
100	Successful palliative approach with high-intensity focused ultrasound in a patient with metastatic anaplastic pancreatic carcinoma: a case report. <i>Ecancermedalscience</i> , 2016 , 10, 635	2.7	8
99	Fluorodeoxyglucose positron emission tomography in pulmonary carcinoid tumors. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2015 , 59, 446-54	1.4	8
98	Gastroenteropancreatic Neuroendocrine Carcinomas: The NET G3 Subcategory Is a Reality. <i>Oncologist</i> , 2017 , 22, 359	5.7	7
97	Capecitabine plus temozolomide (CAP-TEM) in patients with advanced neuroendocrine neoplasms (NEN): An Italian multicenter retrospective analysis.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 281-281	2.2	7
96	Updated Efficacy and Safety Outcomes for Patients with Well-Differentiated Pancreatic Neuroendocrine Tumors Treated with Sunitinib. <i>Targeted Oncology</i> , 2021 , 16, 27-35	5	7
95	Miliary hepatic metastases from neuroendocrine carcinoma. <i>Digestive Surgery</i> , 2008 , 25, 330	2.5	6
94	Successful chemotherapy and 90Y-DOTATOC in a patient with mediastinal highly aggressive neuroendocrine carcinoma. <i>Acta Oncologica</i> , 2006 , 45, 627-9	3.2	6
93	Oral administration of vinorelbine can overcome intractable endovenous-vinorelbine-associated acute tumor pain. <i>Supportive Care in Cancer</i> , 2005 , 13, 194-5	3.9	6
92	5FU as protracted continuous IV infusion (5FU _{piv}) can be added to full dose taxotere-cisplatin (TC) in advanced gastric carcinoma (AGC). <i>European Journal of Cancer</i> , 1999 , 35, S139	7.5	6
91	Biology and Systemic Treatment of Advanced Gastroenteropancreatic Neuroendocrine Tumors. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2018 , 38, 292-299	7.1	6

90	A rationale multidisciplinary approach for treatment of esophageal and gastroesophageal junction cancer: Accurate review of management and perspectives. <i>Critical Reviews in Oncology/Hematology</i> , 2018 , 132, 161-168	7	6
89	Metronomic and metronomic-like therapies in neuroendocrine tumors - Rationale and clinical perspectives. <i>Cancer Treatment Reviews</i> , 2017 , 55, 46-56	14.4	5
88	Cisplatin Plus Gemcitabine as Standard of Care for Germline -Mutated Pancreatic Adenocarcinoma: Are We Moving Too Fast?. <i>Journal of Clinical Oncology</i> , 2020 , 38, 2466-2467	2.2	5
87	Impact of prior therapies on everolimus activity: an exploratory analysis of RADIANT-4. <i>OncoTargets and Therapy</i> , 2017 , 10, 5013-5030	4.4	5
86	Complete pathological response of hepatocellular carcinoma with systemic combination chemotherapy. <i>Anti-Cancer Drugs</i> , 2008 , 19, 837-40	2.4	5
85	Everolimus (EVE) in advanced, nonfunctional, well-differentiated neuroendocrine tumors (NET) of gastrointestinal (GI) or lung origin: Second interim overall survival (OS) results from the RADIANT-4 study.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 4090-4090	2.2	5
84	The efficacy and safety of sunitinib in patients with advanced well-differentiated pancreatic neuroendocrine tumors.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 380-380	2.2	5
83	Alpelisib in combination with everolimus and exemestane in solid tumours: Phase Ib randomised, open-label, multicentre study. <i>European Journal of Cancer</i> , 2021 , 151, 49-62	7.5	5
82	Hepatic intra-arterial chemotherapy using a percutaneous catheter in pretreated patients with metastatic colorectal carcinoma. <i>Anticancer Research</i> , 2003 , 23, 5023-30	2.3	5
81	Regression of advanced neuroendocrine tumors among patients receiving placebo. <i>Endocrine-Related Cancer</i> , 2017 , 24, L13-L16	5.7	4
80	Successful Treatment with GEMOX in Patient with Metastatic Pancreatic Adenosquamous Carcinoma. <i>Tumori</i> , 2011 , 97, 239-242	1.7	4
79	Re: Adjuvant treatment of high-risk, radically resected gastric cancer patients with 5-fluorouracil, leucovorin, cisplatin, and epidoxorubicin in a randomized controlled trial. <i>Journal of the National Cancer Institute</i> , 2007 , 99, 1345-6; author reply 1346-7	9.7	4
78	Temsirolimus for advanced renal-cell carcinoma. <i>New England Journal of Medicine</i> , 2007 , 357, 1050; author reply 1050-1	59.2	4
77	Prospective, randomized, multicenter trial on the antiproliferative effect of lanreotide, interferon alfa, and their combination for therapy of metastatic neuroendocrine gastroenteropancreatic tumors. <i>Journal of Clinical Oncology</i> , 2004 , 22, 573-4; author reply 574-5	2.2	4
76	Progression-free survival (PFS) and subgroups analyses of lenvatinib in patients (pts) with G1/G2 advanced pancreatic (panNETs) and gastrointestinal (giNETs) neuroendocrine tumors (NETs): Updated results from the phase II TALENT trial (GETNE 1509).. <i>Journal of Clinical Oncology</i> , 2019 , 37, 332-332	2.2	4
75	The rare entity of bilateral and unilateral neuroendocrine metastases to the breast: a case series and literature review. <i>Ecancermedicalscience</i> , 2020 , 14, 1123	2.7	4
74	Results of Surgical Resection of Locally Advanced Pulmonary Neuroendocrine Tumors. <i>Annals of Thoracic Surgery</i> , 2021 , 112, 405-414	2.7	4
73	Ivosidenib for advanced IDH1-mutant cholangiocarcinoma. <i>Lancet Oncology</i> , 2020 , 21, e370	21.7	4

72	Gastroenteropancreatic grade 3 neuroendocrine tumors: a single entity or a heterogeneous group? A retrospective analysis. <i>Journal of Endocrinological Investigation</i> , 2021 , 1	5.2	4
71	Temozolomide alone or in combination with capecitabine in patients with advanced neuroendocrine neoplasms: an Italian multicenter real-world analysis. <i>Endocrine</i> , 2021 , 72, 268-278	4	4
70	ENETS standardized (synoptic) reporting for endoscopy in neuroendocrine tumors.. <i>Journal of Neuroendocrinology</i> , 2022 , e13105	3.8	4
69	G3 GEP NENs category: are basic and clinical investigations well integrated?. <i>Endocrine</i> , 2018 , 60, 28-30	4	3
68	: Assessment of Response to Treatment and Follow-Up in Gastroenteropancreatic Neuroendocrine Neoplasms. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2018 , 18, 419-449	2.2	3
67	Carboplatin with etoposide in patients with extrapulmonary aggressive neuroendocrine carcinoma.. <i>Journal of Clinical Oncology</i> , 2010 , 28, e13072-e13072	2.2	3
66	Pregnant with metastatic neuroendocrine tumour of the ovary: what now?. <i>Ecancermedicalscience</i> , 2012 , 6, 240	2.7	3
65	A possible connective tissue primary lymphoepithelioma-like carcinoma (LELC). <i>Ecancermedicalscience</i> , 2010 , 4, 197	2.7	3
64	Carcinoid Syndrome and Hyperinsulinemic Hypoglycemia Associated with Neuroendocrine Neoplasms: A Critical Review on Clinical and Pharmacological Management. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	3
63	Pharmacogenomic analyses of sunitinib in patients with pancreatic neuroendocrine tumors. <i>Future Oncology</i> , 2019 , 15, 1997-2007	3.6	2
62	Clinical Response after Sorafenib for Hepatocellular Carcinoma in Elderly Patients: A Report of Two Cases. <i>Tumori</i> , 2012 , 98, e53-e56	1.7	2
61	Successful treatment with low-dose oral chemotherapy in a patient with metastatic hepatocellular carcinoma. <i>Acta Oncologica</i> , 2007 , 46, 1205-6	3.2	2
60	Target-treatment and patients' selection: can we still neglect the timing of tissue collection?. <i>Journal of Clinical Oncology</i> , 2005 , 23, 6274-5; author reply 6275-6	2.2	2
59	Activity and Tolerability of Courses of Intra-Arterial Chemotherapy Followed by Chemoembolization in Unresectable Hepatocellular Carcinoma. <i>Tumori</i> , 1998 , 84, 673-676	1.7	2
58	Thalidomide in patients with advanced hepatocellular carcinoma: A clinical/biological study. <i>Journal of Clinical Oncology</i> , 2007 , 25, 15076-15076	2.2	2
57	Everolimus in combination with octreotide LAR as the first-line treatment for advanced neuroendocrine tumors: A phase II trial of the I.T.M.O. (Italian Trials in Medical Oncology) group.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 4136-4136	2.2	2
56	Impact of gender on multikinase inhibitors (MKIs) toxicity in patients (pts) with advanced pancreatic and gastrointestinal neuroendocrine tumors (NETs): A pooled analysis of two phase II trials with pazopanib and lenvatinib.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 4109-4109	2.2	2
55	Hepatic intra-arterial chemotherapy in patients with advanced primary liver tumours. <i>Ecancermedicalscience</i> , 2012 , 6, 280	2.7	2

54	SARS-CoV-2-related pneumonia can be successfully managed in patients with metastatic neuroendocrine tumors: a critical point of view. <i>Endocrine</i> , 2020 , 70, 6-10	4	2
53	Clinical Evaluation of Everolimus in the Treatment of Neuroendocrine Tumors of the Lung: Patient Selection and Special Considerations. A Systematic and Critical Review of the Literature. <i>Lung Cancer: Targets and Therapy</i> , 2020 , 11, 41-52	2.9	2
52	A Machine Learning Decision Support System (DSS) for Neuroendocrine Tumor Patients Treated with Somatostatin Analog (SSA) Therapy. <i>Diagnostics</i> , 2021 , 11,	3.8	2
51	Relationship between metabolic toxicity and efficacy of everolimus in patients with neuroendocrine tumors: A pooled analysis from the randomized, phase 3 RADIANT-3 and RADIANT-4 trials. <i>Cancer</i> , 2021 , 127, 2674-2682	6.4	2
50	First Results of Radioguided Surgery in Small Intestine Neuroendocrine Tumors with Y-DOTATOC. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2021 , 36, 397-406	3.9	2
49	Multidisciplinary team approach for Merkel cell carcinoma: the European Institute of Oncology experience with focus on radiotherapy. <i>Tumori</i> , 2021 , 107, 145-149	1.7	2
48	Should temozolomide be used on the basis of O-methylguanine DNA methyltransferase status in patients with advanced neuroendocrine tumors? A systematic review and meta-analysis. <i>Cancer Treatment Reviews</i> , 2021 , 99, 102261	14.4	2
47	Coronavirus disease 2019 in patients with neuroendocrine neoplasms: Preliminary results of the INTENSIVE study. <i>European Journal of Cancer</i> , 2021 , 154, 246-252	7.5	2
46	Clinical Management of Neuroendocrine Neoplasms in Clinical Practice: A Formal Consensus Exercise. <i>Cancers</i> , 2022 , 14, 2501	6.6	2
45	When Should Everolimus Be Administered in the Natural History of Pancreatic Neuroendocrine Tumors?. <i>Journal of Clinical Oncology</i> , 2017 , 35, 1487-1488	2.2	1
44	Langerhans' cell histiocytosis. <i>Lancet, The</i> , 2005 , 365, 598	40	1
43	CDX-2 should be included in the work-up of patients with lung metastases from unknown primary. <i>Annals of Oncology</i> , 2004 , 15, 1850	10.3	1
42	No effect of cloricromen on some coagulation parameters in patients with ischaemic cerebrovascular disease. <i>Journal of International Medical Research</i> , 1994 , 22, 287-91	1.4	1
41	ENETS standardized (synoptic) reporting for neuroendocrine tumour pathology.. <i>Journal of Neuroendocrinology</i> , 2022 , e13100	3.8	1
40	Chemotherapy in pancreatic ductal adenocarcinoma: When cytoreduction is the aim. A systematic review and meta-analysis.. <i>Cancer Treatment Reviews</i> , 2022 , 104, 102338	14.4	1
39	Health-related quality of life trajectory of treatment-naive patients with Merkel cell carcinoma receiving avelumab. <i>Future Oncology</i> , 2020 , 16, 2089-2099	3.6	1
38	Knowns and unknowns of bone metastases in patients with neuroendocrine neoplasms: A systematic review and meta-analysis. <i>Cancer Treatment Reviews</i> , 2021 , 94, 102168	14.4	1
37	Outcomes of small-cell versus large-cell gastroenteropancreatic neuroendocrine carcinomas: A population-based study. <i>Journal of Neuroendocrinology</i> , 2021 , 33, e12971	3.8	1

36	Sex-Based Differences in Prognosis of Patients With Gastroenteropancreatic-Neuroendocrine Neoplasms: A Population-Based Study. <i>Pancreas</i> , 2021 , 50, 727-731	2.6	1
35	Plasma biomarker study of lenvatinib in gastroenteropancreatic neuroendocrine tumors reveals Ang2 and FGF2 as predictors of treatment response: Results from the international phase II TALENT trial (GETNE 1509).. <i>Journal of Clinical Oncology</i> , 2021 , 39, 4113-4113	2.2	1
34	Immunotherapy in Neuroendocrine Neoplasms: Where Are We Now?. <i>Current Treatment Options in Oncology</i> , 2021 , 22, 19	5.4	1
33	Avelumab treatment in Italian patients with metastatic Merkel cell carcinoma: experience from an expanded access program. <i>Journal of Translational Medicine</i> , 2021 , 19, 70	8.5	1
32	Prognostic features of gastro-entero-pancreatic neuroendocrine neoplasms in primary and metastatic sites: Grade, mesenteric tumour deposits and emerging novelties. <i>Journal of Neuroendocrinology</i> , 2021 , 33, e13000	3.8	1
31	Biomarker evaluation in radically resectable locally advanced gastric cancer treated with neoadjuvant chemotherapy: an evidence reappraisal. <i>Therapeutic Advances in Medical Oncology</i> , 2021 , 13, 17588359211029559	5.4	1
30	Personalizing Multimodal Treatment in Patients With Pancreatic Neuroendocrine Tumors. <i>JCO Oncology Practice</i> , 2020 , 16, 729-730	2.3	0
29	Cyclin-dependent Kinases 4/6 Inhibitors in Neuroendocrine Neoplasms: from Bench to Bedside.. <i>Current Oncology Reports</i> , 2022 , 1	6.3	0
28	Everolimus-related adverse events in neuroendocrine tumors and comparative considerations with breast and renal cancer: a critical overview. <i>Expert Opinion on Orphan Drugs</i> , 2017 , 5, 525-536	1.1	
27	High-risk human papillomavirus in anal squamous cell carcinoma: a 'conservative' leading role. <i>Annals of Oncology</i> , 2017 , 28, 1160	10.3	
26	Nonfunctioning Pancreatic Neuroendocrine Tumors 2015 , 275-298		
25	Medical Therapy of Pancreatic Neuroendocrine Neoplasms 2015 , 191-195		
24	La terapia medica dei tumori neuroendocrini. <i>L Endocrinologo</i> , 2012 , 13, 158-162	0	
23	Right pelvic mass in a patient with a radically resected carcinoid of the appendix. <i>Gut</i> , 2009 , 58, 1200, 1259	19.2	
22	Neuroendocrine Neoplasms (NENs). <i>UNIPA Springer Series</i> , 2021 , 1061-1089	0.1	
21	Irinotecan combined with infusional 5-fluorouracil and folinic acid (folfiri) in patients with metastatic gastric cancer resistant to cisplatin-containing chemotherapy. <i>Journal of Clinical Oncology</i> , 2004 , 22, 4146-4146	2.2	
20	Should interferon- and somatostatin analogs be combined in gastroenteropancreatic neuroendocrine tumor therapy?. <i>Therapy: Open Access in Clinical Medicine</i> , 2005 , 2, 229-235		
19	Hepatic intra-arterial chemotherapy in patients with metastatic breast cancer. <i>Journal of Clinical Oncology</i> , 2006 , 24, 10581-10581	2.2	

18	Therapy for Metastatic Disease with Unknown Primary Tumor 2018 , 335-342	
17	Sunitinib in patients with pancreatic neuroendocrine tumors (panNETs): Exploratory pharmacogenomic analyses.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 255-255	2.2
16	Ten years-experience of sunitinib in the treatment of advanced pan-NETs: an update on safety profile. <i>Expert Opinion on Drug Safety</i> , 2021 , 1-8	4.1
15	Updated overall survival and time to progression results in NETs treated with everolimus combination with octreotide LAR as first-line treatment.. <i>Journal of Clinical Oncology</i> , 2014 , 32, e15160-e15160	2.2
14	Everolimus in combination with Octreotide LAR in first line setting for patients with neuroendocrine tumors (I.T.M.O. study): A 5-years update.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 4092-4092	2.2
13	Resection of colorectal liver metastases following neoadjuvant chemotherapy. <i>Ecancermedicalscience</i> , 2007 , 1, 58	2.7
12	Vinorelbine, cisplatin, and continuous infusion of 5-fluorouracil (ViFuP regimen) in carcinoma of unknown primary. <i>Journal of Clinical Oncology</i> , 2009 , 27, e20682-e20682	2.2
11	Merkel cell polyomavirus in gastrointestinal neuroendocrine tumors.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 4120-4120	2.2
10	Long-term survival after multidisciplinary treatment of small-bowel neuroendocrine tumors with synchronous liver metastases. A single-institute experience.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 299-299	2.2
9	Long-term survival after multidisciplinary treatment of small-bowel neuroendocrine tumors with synchronous liver metastases: A single-institute experience.. <i>Journal of Clinical Oncology</i> , 2013 , 31, e15147-e15147	2.2
8	Use of octreotide long acting repeatable (LAR) as second-line therapy in advanced neuroendocrine tumors in different clinical settings: an Italian Delphi survey. <i>Expert Opinion on Pharmacotherapy</i> , 2020 , 21, 2317-2324	4
7	New Approaches in Medical Therapies 2021 , 129-136	
6	Mixed Neuroendocrine and Non-neuroendocrine Neoplasms (Mi NEN) 2021 , 269-282	
5	Liver Resection or Resection plus Intraoperative Echo-Guided Ablation in the Treatment of Colorectal Metastases: We are Evaluating Their Effect for Cure. <i>American Surgeon</i> , 2018 , 84, 1509-1517	0.8
4	Reply to comments on 'COVID-19 in patients with neuroendocrine neoplasms: Preliminary results of a worldwide survey (The INTENSIVE study)'. <i>European Journal of Cancer</i> , 2021 , 157, 531-532	7.5
3	Predicting resectability of primary tumor and mesenteric lymph-node masses in patients with small-intestine neuroendocrine tumors.. <i>Updates in Surgery</i> , 2022 , 1	2.9
2	Irinotecan combined with infusional 5-fluorouracil and folinic acid (folfiri) in patients with metastatic gastric cancer resistant to cisplatin-containing chemotherapy. <i>Journal of Clinical Oncology</i> , 2004 , 22, 4146-4146	2.2
1	Clinical response after sorafenib for hepatocellular carcinoma in elderly patients: a report of two cases. <i>Tumori</i> , 2012 , 98, 53e-56e	1.7

