

# Philip M Kim

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8944396/publications.pdf>

Version: 2024-02-01

60  
papers

4,451  
citations

185998

28  
h-index

138251

58  
g-index

63  
all docs

63  
docs citations

63  
times ranked

7287  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | The Importance of Bottlenecks in Protein Networks: Correlation with Gene Essentiality and Expression Dynamics. <i>PLoS Computational Biology</i> , 2007, 3, e59.  | 1.5 | 849       |
| 2  | Relating Three-Dimensional Structures to Protein Networks Provides Evolutionary Insights. <i>Science</i> , 2006, 314, 1938-1941.  | 6.0 | 447       |
| 3  | Deciphering Protein Kinase Specificity Through Large-Scale Analysis of Yeast Phosphorylation Site Motifs. <i>Science Signaling</i> , 2010, 3, ra12.   | 1.6 | 341       |
| 4  | C2H2 zinc finger proteins greatly expand the human regulatory lexicon. <i>Nature Biotechnology</i> , 2015, 33, 555-562.   | 9.4 | 271       |
| 5  | The role of disorder in interaction networks: a structural analysis. <i>Molecular Systems Biology</i> , 2008, 4, 179.   | 3.2 | 206       |
| 6  | Bayesian Modeling of the Yeast SH3 Domain Interactome Predicts Spatiotemporal Dynamics of Endocytosis Proteins. <i>PLoS Biology</i> , 2009, 7, e1000218.  | 2.6 | 172       |
| 7  | Positive selection at the protein network periphery: Evaluation in terms of structural constraints and cellular context. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 20274-20279.       | 3.3 | 132       |
| 8  | Analysis of copy number variants and segmental duplications in the human genome: Evidence for a change in the process of formation in recent evolutionary history. <i>Genome Research</i> , 2008, 18, 1865-1874.                                | 2.4 | 126       |
| 9  | Large-scale interaction profiling of PDZ domains through proteomic peptide-phage display using human and viral phage peptidomes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 2542-2547. | 3.3 | 124       |
| 10 | Fast and Flexible Protein Design Using Deep Graph Neural Networks. <i>Cell Systems</i> , 2020, 11, 402-411.e4.  | 2.9 | 121       |
| 11 | Coevolution of PDZ domain–ligand interactions analyzed by high-throughput phage display and deep sequencing. <i>Molecular BioSystems</i> , 2010, 6, 1782.   | 2.9 | 107       |
| 12 | Comprehensive Analysis of the Human SH3 Domain Family Reveals a Wide Variety of Non-canonical Specificities. <i>Structure</i> , 2017, 25, 1598-1610.e3.   | 1.6 | 105       |
| 13 | A systematic approach to identify novel cancer drug targets using machine learning, inhibitor design and high-throughput screening. <i>Genome Medicine</i> , 2014, 6, 57.   | 3.6 | 101       |
| 14 | Quantitative Genome-Wide Genetic Interaction Screens Reveal Global Epistatic Relationships of Protein Complexes in <i>Escherichia coli</i> . <i>PLoS Genetics</i> , 2014, 10, e1004120.   | 1.5 | 96        |
| 15 | Method to generate highly stable D-amino acid analogs of bioactive helical peptides using a mirror image of the entire PDB. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 1505-1510.      | 3.3 | 89        |
| 16 | The multiple–specificity landscape of modular peptide recognition domains. <i>Molecular Systems Biology</i> , 2011, 7, 484.   | 3.2 | 78        |
| 17 | Motif mediated protein-protein interactions as drug targets. <i>Cell Communication and Signaling</i> , 2016, 14, 8.   | 2.7 | 76        |
| 18 | Combining Structural Modeling with Ensemble Machine Learning to Accurately Predict Protein Fold Stability and Binding Affinity Effects upon Mutation. <i>PLoS ONE</i> , 2014, 9, e107353.   | 1.1 | 71        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Distinct Types of Disorder in the Human Proteome: Functional Implications for Alternative Splicing. <i>PLoS Computational Biology</i> , 2013, 9, e1003030.                              | 1.5 | 62        |
| 20 | ELASPIC web-server: proteome-wide structure-based prediction of mutation effects on protein stability and binding affinity. <i>Bioinformatics</i> , 2016, 32, 1589-1591.                | 1.8 | 55        |
| 21 | Computational analysis of interactomes: Current and future perspectives for bioinformatics approaches to model the host-pathogen interaction space. <i>Methods</i> , 2012, 57, 508-518. | 1.9 | 49        |
| 22 | A structural approach reveals how neighbouring C2H2 zinc fingers influence DNA binding specificity. <i>Nucleic Acids Research</i> , 2015, 43, 9147-9157.                                | 6.5 | 44        |
| 23 | Elucidation of the binding preferences of peptide recognition modules: SH3 and PDZ domains. <i>FEBS Letters</i> , 2012, 586, 2631-2637.   | 1.3 | 43        |
| 24 | Deep generative modeling for protein design. <i>Current Opinion in Structural Biology</i> , 2022, 72, 226-236.  | 2.6 | 39        |
| 25 | Pooled screening for antiproliferative inhibitors of protein-protein interactions. <i>Nature Chemical Biology</i> , 2016, 12, 275-281.  | 3.9 | 37        |
| 26 | Strategies to Develop Inhibitors of Motif-Mediated Protein-Protein Interactions as Drug Leads. <i>Annual Review of Pharmacology and Toxicology</i> , 2017, 57, 39-60.                   | 4.2 | 37        |
| 27 | Non-base-contacting residues enable kaleidoscopic evolution of metazoan C2H2 zinc finger DNA binding. <i>Genome Biology</i> , 2017, 18, 167.  | 3.8 | 33        |
| 28 | Protein engineering by highly parallel screening of computationally designed variants. <i>Science Advances</i> , 2016, 2, e1600692.   | 4.7 | 32        |
| 29 | A PxL motif promotes timely cell cycle substrate dephosphorylation by the Cdc14 phosphatase. <i>Nature Structural and Molecular Biology</i> , 2018, 25, 1093-1102.                      | 3.6 | 31        |
| 30 | Network Evolution: Rewiring and Signatures of Conservation in Signaling. <i>PLoS Computational Biology</i> , 2012, 8, e1002411.   | 1.5 | 30        |
| 31 | The Chemical Fluctuation Theorem governing gene expression. <i>Nature Communications</i> , 2018, 9, 297.  | 5.8 | 29        |
| 32 | MOTIPS: Automated Motif Analysis for Predicting Targets of Modular Protein Domains. <i>BMC Bioinformatics</i> , 2010, 11, 243.  | 1.2 | 28        |
| 33 | Predicting changes in protein stability caused by mutation using sequence and structure-based methods in a CAGI5 blind challenge. <i>Human Mutation</i> , 2019, 40, 1414-1423.          | 1.1 | 28        |
| 34 | Computational Design of Potent D-Peptide Inhibitors of SARS-CoV-2. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 14955-14967.   | 2.9 | 28        |
| 35 | Proteomic peptide phage display uncovers novel interactions of the PDZ1 supramodule of syntenin. <i>FEBS Letters</i> , 2016, 590, 3-12.   | 1.3 | 24        |
| 36 | ELASPIC2 (EL2): Combining Contextualized Language Models and Graph Neural Networks to Predict Effects of Mutations. <i>Journal of Molecular Biology</i> , 2021, 433, 166810.            | 2.0 | 24        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | The present and the future of motif-mediated protein-protein interactions. <i>Current Opinion in Structural Biology</i> , 2018, 50, 162-170.   | 2.6 | 23        |
| 38 | Semi-supervised Learning Predicts Approximately One Third of the Alternative Splicing Isoforms as Functional Proteins. <i>Cell Reports</i> , 2015, 12, 183-189.                                  | 2.9 | 22        |
| 39 | A high-throughput pipeline for the production of synthetic antibodies for analysis of ribonucleoprotein complexes. <i>Rna</i> , 2016, 22, 636-655.   | 1.6 | 22        |
| 40 | Large-scale survey and database of high affinity ligands for peptide recognition modules. <i>Molecular Systems Biology</i> , 2020, 16, e9310.  | 3.2 | 22        |
| 41 | Allosteric Modulation of Binding Specificity by Alternative Packing of Protein Cores. <i>Journal of Molecular Biology</i> , 2019, 431, 336-350.  | 2.0 | 20        |
| 42 | Identification of specificity determining residues in peptide recognition domains using an information theoretic approach applied to large-scale binding maps. <i>BMC Biology</i> , 2011, 9, 53. | 1.7 | 16        |
| 43 | Evaluating the predictions of the protein stability change upon single amino acid substitutions for the FXN CAG15 challenge. <i>Human Mutation</i> , 2019, 40, 1392-1399.                        | 1.1 | 16        |
| 44 | PepNN: a deep attention model for the identification of peptide binding sites. <i>Communications Biology</i> , 2022, 5, .  | 2.0 | 16        |
| 45 | Computational structural analysis of protein interactions and networks. <i>Proteomics</i> , 2012, 12, 1697-1705.   | 1.3 | 14        |
| 46 | Data driven flexible backbone protein design. <i>PLoS Computational Biology</i> , 2017, 13, e1005722.  | 1.5 | 13        |
| 47 | An omics perspective of protein disorder. <i>Molecular BioSystems</i> , 2012, 8, 185-193.  | 2.9 | 12        |
| 48 | Predicting the Effect of Mutations on Protein Folding and Protein-Protein Interactions. <i>Methods in Molecular Biology</i> , 2019, 1851, 1-17.  | 0.4 | 12        |
| 49 | JBASE: Joint Bayesian Analysis of Subphenotypes and Epistasis. <i>Bioinformatics</i> , 2016, 32, 203-210.  | 1.8 | 8         |
| 50 | A computational approach for designing D-proteins with non-canonical amino acid optimised binding affinity. <i>PLoS ONE</i> , 2017, 12, e0187524.  | 1.1 | 8         |
| 51 | Interpreting protein networks with three-dimensional structures. <i>Nature Methods</i> , 2013, 10, 43-44.  | 9.0 | 7         |
| 52 | Rapid and accurate structure-based therapeutic peptide design using GPU accelerated thermodynamic integration. <i>Proteins: Structure, Function and Bioinformatics</i> , 2019, 87, 236-244.      | 1.5 | 7         |
| 53 | A Multireporter Bacterial 2-Hybrid Assay for the High-Throughput and Dynamic Assay of PDZ Domain-Peptide Interactions. <i>ACS Synthetic Biology</i> , 2019, 8, 918-928.                          | 1.9 | 6         |
| 54 | A Method to Calculate the Relative Binding Free Energy Differences of $\alpha$ -Helical Stapled Peptides. <i>Journal of Organic Chemistry</i> , 2020, 85, 1644-1651.                             | 1.7 | 5         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Computational generation of proteins with predetermined three-dimensional shapes using ProteinSolver. STAR Protocols, 2021, 2, 100505.  | 0.5 | 5         |
| 56 | The geometric influence on the Cys2His2 zinc finger domain and functional plasticity. Nucleic Acids Research, 2020, 48, 6382-6402.  | 6.5 | 4         |
| 57 | Phage display identification of nanomolar ligands for human NEDD4-WW3: Energetic and dynamic implications for the development of broad-spectrum antivirals. International Journal of Biological Macromolecules, 2022, 207, 308-323. | 3.6 | 3         |
| 58 | Large-Scale Interaction Profiling of Protein Domains Through Proteomic Peptide-Phage Display Using Custom Peptidomes. Methods in Molecular Biology, 2017, 1518, 213-226.  | 0.4 | 1         |
| 59 | PAT: predictor for structured units and its application for the optimization of target molecules for the generation of synthetic antibodies. BMC Bioinformatics, 2016, 17, 150.   | 1.2 | 0         |
| 60 | Rapid protein model refinement by deep learning. Nature Computational Science, 2021, 1, 456-457.  | 3.8 | 0         |