Andrea Giacomelli

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8945455/andrea-giacomelli-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

115
papers

1,940
citations

18
h-index

9-index

129
ext. papers

2,666
ext. citations

6.1
avg, IF
L-index

#	Paper	IF	Citations
115	Bacterial Coinfections in COVID-19 Patients without a Positive Microbiologic Result: a Word of Caution <i>Antimicrobial Agents and Chemotherapy</i> , 2022 , aac0229621	5.9	1
114	Mortality among Italians and immigrants with COVID-19 hospitalised in Milan, Italy: data from the Luigi Sacco Hospital registry <i>BMC Infectious Diseases</i> , 2022 , 22, 63	4	1
113	Epidemiology of SARS-CoV-2 Infection in Italy Using Real-World Data: Methodology and Cohort Description of the Second Phase of Web-Based EPICOVID19 Study <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19,	4.6	2
112	Sex- and gender-related differences linked to SARS-CoV-2 infection among the participants in the web-based EPICOVID19 survey: the hormonal hypothesis <i>Maturitas</i> , 2022 , 158, 61-69	5	2
111	The value of lamp to rule out imported malaria diagnosis: a retrospective observational study in Milan, Italy <i>Infectious Diseases</i> , 2022 , 1-8	3.1	
110	Influenza Vaccination Uptake in the General Italian Population during the 2020-2021 Flu Season: Data from the EPICOVID-19 Online Web-Based Survey <i>Vaccines</i> , 2022 , 10,	5.3	2
109	Endemic mycoses: geographical distribution is still a work in progress <i>Lancet Infectious Diseases, The</i> , 2022 , 22, 451	25.5	
108	Mortality rates among COVID-19 patients hospitalised during the first three waves of the epidemic in Milan, Italy: A prospective observational study <i>PLoS ONE</i> , 2022 , 17, e0263548	3.7	5
107	Has COVID-19 changed the approach to HIV diagnosis?. <i>Medicine (United States)</i> , 2021 , 100, e27418	1.8	O
106	Correlation between continuous Positive end-expiratory pressure (PEEP) values and occurrence of Pneumothorax and Pneumomediastinum in SARS-CoV2 patients during non-invasive ventilation with Helmet. <i>Sarcoidosis Vasculitis and Diffuse Lung Diseases</i> , 2021 , 38, e2021017	1.1	2
105	Has COVID-19 changed the approach to HIV diagnosis?: A multicentric Italian experience. <i>Medicine</i> (United States), 2021 , 100, e27418	1.8	
104	Differences in the Prevalence of SARS-CoV-2 Infection and Access to Care between Italians and Non-Italians in a Social-Housing Neighbourhood of Milan, Italy. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
103	Accessibility to SARS-CoV-2 swab test during the Covid-19 pandemic: Did age make the difference?. <i>Health Policy</i> , 2021 , 125, 1580-1586	3.2	1
102	Cryptococcal meningitis: a review for emergency clinicians-comment. <i>Internal and Emergency Medicine</i> , 2021 , 1	3.7	
101	Invasive Fungal Infections Complicating COVID-19: A Narrative Review. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021 , 7,	5.6	8
100	Unexpectedly High Frequency of Enterococcal Bloodstream Infections in Coronavirus Disease 2019 Patients Admitted to an Italian ICU: An Observational Study. <i>Critical Care Medicine</i> , 2021 , 49, e31-e40	1.4	39
99	Impressive Boosting of Anti-S1/S2 Immunoglobulin G Production in Coronavirus Disease 2019 (COVID-19)-experienced Patients After the First Shot of the BNT162b2 Messenger RNA COVID-19 Vaccine. <i>Clinical Infectious Diseases</i> , 2021 , 73, e1402-e1403	11.6	6

(2021-2021)

98	Fear of COVID-19 for Individuals and Family Members: Indications from the National Cross-Sectional Study of the EPICOVID19 Web-Based Survey. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	16
97	Impact of gender on patients hospitalized for SARS-COV-2 infection: A prospective observational study. <i>Journal of Medical Virology</i> , 2021 , 93, 4597-4602	19.7	4
96	Nucleoside Reverse-Transcriptase Inhibitor Resistance Mutations Predict Virological Failure in Human Immunodeficiency Virus-Positive Patients During Lamivudine Plus Dolutegravir Maintenance Therapy in Clinical Practice. <i>Open Forum Infectious Diseases</i> , 2021 , 8, ofab103	1	О
95	Association Between Smoking and SARS-CoV-2 Infection: Cross-sectional Study of the EPICOVID19 Internet-Based Survey. <i>JMIR Public Health and Surveillance</i> , 2021 , 7, e27091	11.4	9
94	Diabetes and Overweight/Obesity Are Independent, Nonadditive Risk Factors for In-Hospital Severity of COVID-19: An International, Multicenter Retrospective Meta-analysis. <i>Diabetes Care</i> , 2021 , 44, 1281-1290	14.6	23
93	Low influenza vaccination coverage among hospitalized COVID-19 patients in Milan: A gap to be urgently filled. <i>European Journal of Internal Medicine</i> , 2021 , 86, 100-101	3.9	1
92	Tuberculosis treatment outcomes in a rural area of Senegal: a decade of experience from 2010 to 2019 by StopTB Italia. <i>Future Microbiology</i> , 2021 , 16, 399-407	2.9	
91	Age-Related Changes in Clinical Presentation of Covid-19: the EPICOVID19 Web-Based Survey. <i>European Journal of Internal Medicine</i> , 2021 , 86, 41-47	3.9	10
90	Risks of potential drug-drug interactions in COVID-19 patients treated with corticosteroids: a single-center experience. <i>Journal of Endocrinological Investigation</i> , 2021 , 44, 2849-2851	5.2	1
89	HIV and COVID-19 pandemic collision: turning challenges into opportunity. <i>Future Virology</i> , 2021 , 16, 311-313	2.4	1
88	Is COVID-19 severity associated with anti-spike antibody duration? Data from the ARCOVID prospective observational study. <i>Journal of Infection</i> , 2021 , 82, e28-e30	18.9	3
87	Impact of switching to TAF/FTC/RPV, TAF/FTC/EVG/cobi and ABC/3TC/DTG on cardiovascular risk and lipid profile in people living with HIV: a retrospective cohort study. <i>BMC Infectious Diseases</i> , 2021 , 21, 595	4	1
86	Brief Report: Impact of the COVID-19 Pandemic on Virological Suppression in People Living With HIV Attending a Large Italian HIV Clinic. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021 , 88, 299-304	3.1	1
85	Rabies in Europe: An epidemiological and clinical update. <i>European Journal of Internal Medicine</i> , 2021 , 88, 15-20	3.9	O
84	Histoplasmosis Diagnosed in Europe and Israel: A Case Report and Systematic Review of the Literature from 2005 to 2020. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021 , 7,	5.6	4
83	Efficacy and durability of two- vs. three-drug integrase inhibitor-based regimens in virologically suppressed HIV-infected patients: Data from real-life ODOACRE cohort. HIV Medicine, 2021 , 22, 843-853	3 ^{2.7}	3
82	Ritonavir/Cobicistat-Induced Cushing Syndrome in HIV Patients Treated With Non-Oral Corticosteroids: A Call for Action?. <i>American Journal of the Medical Sciences</i> , 2021 , 361, 137-139	2.2	О
81	Early administration of lopinavir/ritonavir plus hydroxychloroquine does not alter the clinical course of SARS-CoV-2 infection: A retrospective cohort study. <i>Journal of Medical Virology</i> , 2021 , 93, 142	1-9:72	7 17

80	Prevalence and factors associated with HIV-1 multi-drug resistance over the past two decades in the Italian ARCA database. <i>International Journal of Antimicrobial Agents</i> , 2021 , 57, 106252	14.3	5
79	Missed opportunities in tb clinical practice: How to bend the curve? A medical, social, economic and ethical point of view. <i>Tuberculosis</i> , 2021 , 126, 102041	2.6	Ο
78	Trypanosoma cruzi infection in Latin American pregnant women living outside endemic countries and frequency of congenital transmission: a systematic review and meta-analysis. <i>Journal of Travel Medicine</i> , 2021 , 28,	12.9	7
77	Rapid COVID-19 Screening Based on Self-Reported Symptoms: Psychometric Assessment and Validation of the EPICOVID19 Short Diagnostic Scale. <i>Journal of Medical Internet Research</i> , 2021 , 23, ex	23897	15
76	Fungal Meningitis 2021 ,		
75	The Impact of the SARS-CoV-2 Outbreak on the Psychological Flexibility and Behaviour of Cancelling Medical Appointments of Italian Patients with Pre-Existing Medical Condition: The "ImpACT-COVID-19 for Patients" Multi-Centre Observational Study. <i>International Journal of</i>	4.6	4
74	Comment on: Effectiveness of remdesivir in patients with COVID-19 under mechanical ventilation in an Italian ICU. <i>Journal of Antimicrobial Chemotherapy</i> , 2021 , 76, 1650-1651	5.1	1
73	Liver Injury After Dietary Supplements in Patients Living With HIV: A Call to Action. <i>Clinical Gastroenterology and Hepatology</i> , 2021 ,	6.9	
72	Prevalence of SARS-CoV-2 in an area of unrestricted viral circulation: Mass seroepidemiological screening in Castiglione dRAdda, Italy. <i>PLoS ONE</i> , 2021 , 16, e0246513	3.7	7
71	Consumption of antibiotics at an Italian university hospital during the early months of the COVID-19 pandemic: Were all antibiotic prescriptions appropriate?. <i>Pharmacological Research</i> , 2021 , 164, 105403	10.2	7
70	Detecting HCV infection by means of mass population SARS-CoV-2 screening: A pilot experience in Northern Italy. <i>Journal of Hepatology</i> , 2021 , 75, 484-486	13.4	8
69	Remdesivir in moderate to severe COVID-19: A matter of time?. <i>Pharmacological Research</i> , 2021 , 170, 105711	10.2	
68	Five Years With Dolutegravir Plus Lamivudine as a Switch Strategy: Much More Than a Positive Finding. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021 , 88, 234-237	3.1	2
67	Retinal vessels modifications in acute and post-COVID-19. <i>Scientific Reports</i> , 2021 , 11, 19373	4.9	7
66	Rapid lateral-flow immunochromatographic tests to assess anti N/S IgG seropositivity after BNT162b2 vaccine: A cross-sectional study: Rapid lateral-flow immunochromatographic tests after BNT162b2 vaccine. <i>Journal of Infection</i> , 2021 , 83, 381-412	18.9	О
65	Does Syphilis Increase the Risk of HIV-RNA Elevation >200 Copies/mL in HIV-Positive Patients Under Effective Antiretroviral Treatment? Data From the ICONA Cohort. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021 , 88, 132-137	3.1	4
64	The importance of anamnesis in differential diagnosis: a case of SARS-CoV-2 and dengue virus co-infection. <i>Infezioni in Medicina</i> , 2021 , 29, 114-116	3.6	
63	Compassionate remdesivir treatment of severe Covid-19 pneumonia in intensive care unit (ICU) and Non-ICU patients: Clinical outcome and differences in post-treatment hospitalisation status. Pharmacological Research 2020, 158, 104899	10.2	118

(2020-2020)

62	Clinical Features and Outcomes of Patients With Human Immunodeficiency Virus With COVID-19. <i>Clinical Infectious Diseases</i> , 2020 , 71, 2276-2278	11.6	114
61	Invasive fungal diseases in patients with rheumatic diseases. <i>Handbook of Systemic Autoimmune Diseases</i> , 2020 , 16, 13-48	0.3	1
60	Clofazimine: an old drug for never-ending diseases. Future Microbiology, 2020, 15, 557-566	2.9	9
59	The crosstalk between antiretrovirals pharmacology and HIV drug resistance. <i>Expert Review of Clinical Pharmacology</i> , 2020 , 13, 739-760	3.8	6
58	Self-reported Olfactory and Taste Disorders in Patients With Severe Acute Respiratory Coronavirus 2 Infection: A Cross-sectional Study. <i>Clinical Infectious Diseases</i> , 2020 , 71, 889-890	11.6	754
57	CRISPR in HIV: dangers of CCR5 deletion. <i>Future Virology</i> , 2020 , 15, 207-209	2.4	1
56	Tuberculosis: an ancient disease that remains a medical, social, economical and ethical issue. <i>Journal of Preventive Medicine and Hygiene</i> , 2020 , 61, E16-E18	1.4	2
55	Self-Reported Symptoms of SARS-CoV-2 Infection in a Nonhospitalized Population in Italy: Cross-Sectional Study of the EPICOVID19 Web-Based Survey. <i>JMIR Public Health and Surveillance</i> , 2020 , 6, e21866	11.4	38
54	30-day mortality in patients hospitalized with COVID-19 during the first wave of the Italian epidemic: A prospective cohort study. <i>Pharmacological Research</i> , 2020 , 158, 104931	10.2	140
53	Overlooked cases of HIV infection: An Italian tale of missed diagnostic opportunities. <i>European Journal of Internal Medicine</i> , 2020 , 73, 30-35	3.9	6
52	Retinal findings in patients with COVID-19: Results from the SERPICO-19 study. <i>EClinicalMedicine</i> , 2020 , 27, 100550	11.3	102
51	Dolutegravir plus lamivudine for maintenance of HIV viral suppression in adults with and without historical resistance to lamivudine: 48-week results of a non-randomized, pilot clinical trial (ART-PRO). <i>EBioMedicine</i> , 2020 , 55, 102779	8.8	14
50	Missed Opportunities of Flu Vaccination in Italian Target Categories: Insights from the Online EPICOVID 19 Survey. <i>Vaccines</i> , 2020 , 8,	5.3	5
49	Drug-Drug Interactions and Prescription Appropriateness in Patients with COVID-19: A Retrospective Analysis from a Reference Hospital in Northern Italy. <i>Drugs and Aging</i> , 2020 , 37, 925-933	4.7	12
48	Circulating endothelial progenitors are increased in COVID-19 patients and correlate with SARS-CoV-2 RNA in severe cases. <i>Journal of Thrombosis and Haemostasis</i> , 2020 , 18, 2744-2750	15.4	23
47	Dolutegravir plus lamivudine for hiv treatment: Does the historical genotype really matter?. <i>EBioMedicine</i> , 2020 , 56, 102820	8.8	
46	Switching from boosted PIs to dolutegravir in HIV-infected patients with high cardiovascular risk: 48 week effects on subclinical cardiovascular disease. <i>Journal of Antimicrobial Chemotherapy</i> , 2020 , 75, 3334-3343	5.1	3
45	Redefining the Prognostic Value of High-Sensitivity Troponin in COVID-19 Patients: The Importance of Concomitant Coronary Artery Disease. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	20

44	Advantages and Challenges of Tailored Regimens for Drug-Resistant Tuberculosis: A StopTB Italia Look into the Future. <i>Infection and Drug Resistance</i> , 2020 , 13, 2795-2800	4.2	5
43	Seroprevalence of SARS-CoV-2 significantly varies with age: Preliminary results from a mass population screening. <i>Journal of Infection</i> , 2020 , 81, e10-e12	18.9	44
42	Cryptococcal Disease Presenting With Cellulitis in Kidney Transplant Recipients. <i>American Journal of Medicine</i> , 2020 , 133, e326-e327	2.4	1
41	The Association between Influenza and Pneumococcal Vaccinations and SARS-Cov-2 Infection: Data from the EPICOVID19 Web-Based Survey. <i>Vaccines</i> , 2020 , 8,	5.3	37
40	Association of HIV Infection with Epilepsy and Other Comorbid Conditions. <i>AIDS and Behavior</i> , 2020 , 24, 1051-1055	4.3	O
39	Evaluation of the concentrations of psychotropic drugs in HIV-infected versus HIV-negative patients: Potential implications for clinical practice. <i>World Journal of Biological Psychiatry</i> , 2020 , 21, 651	-857	6
38	Multidrug-resistant HIV viral rebound during early syphilis: a case report. <i>BMC Infectious Diseases</i> , 2020 , 20, 273	4	1
37	Dengue fever complicated by liver dysfunction due to possible co-infection with hepatitis E in a returning traveller from Cuba. <i>Infezioni in Medicina</i> , 2020 , 28, 98-103	3.6	
36	Imported dengue fever: a 16-years retrospective analysis in Milan (Italy) and a brief review of the European literature. <i>Infezioni in Medicina</i> , 2020 , 28, 243-252	3.6	0
35	A case of crusted scabies with a delayed diagnosis and inadequate therapy. <i>Infezioni in Medicina</i> , 2020 , 28, 436-440	3.6	1
34	A push for 90-90-90: Initial treatment with INSTI-based regimens against HIV-1 infection. <i>EClinicalMedicine</i> , 2019 , 13, 4-5	11.3	
33	Impact of genotypic susceptibility score on cART outcomes during primary HIV infection. <i>Journal of Medical Virology</i> , 2019 , 91, 1891-1895	19.7	
32	Assessment of Antiepileptic Drug Concentrations in HIV-Infected versus HIV-Negative Patients: A Retrospective Analysis. <i>Clinical Pharmacokinetics</i> , 2019 , 58, 1345-1350	6.2	1
31	Immediate Versus Deferred Switching From a Boosted Protease Inhibitor-based Regimen to a Dolutegravir-based Regimen in Virologically Suppressed Patients With High Cardiovascular Risk or Age BO Years: Final 96-Week Results of the NEATO22 Study. <i>Clinical Infectious Diseases</i> , 2019 , 68, 597-60	11.6 6	18
30	Durability of INI-containing regimens after switching from PI-containing regimens: a single-centre cohort of drug-experienced HIV-infected subjects. <i>Drug Design, Development and Therapy</i> , 2019 , 13, 227	1-2 28	2 ⁵
29	No impact of previous NRTIs resistance in HIV positive patients switched to DTG+2NRTIs under virological control: Time of viral suppression makes the difference. <i>Antiviral Research</i> , 2019 , 172, 10463:	510.8	5
28	Chagas disease in Italy: the studyß contribution of Italian researchers. Panminerva Medica, 2019, 61, 464	I- <u>2</u> 472	2
27	Cohort profile: The Observational cohort for the study of DOlutegravir in Antiretroviral Combination REgimens (ODOACRE). <i>BMJ Open</i> , 2019 , 9, e029960	3	7

(2015-2019)

26	Efficacy and safety of switching to dolutegravir plus emtricitabine/tenofovir disoproxil fumarate (TDF) or elvitegravir/cobicistat/emtricitabine/TDF in virologically suppressed HIV-infected patients in clinical practice: results from a multicentre, observational study. <i>HIV Medicine</i> , 2019 , 20, 164-168	2.7	18
25	Clinical pharmacology in HIV cure research - what impact have we seen?. <i>Expert Review of Clinical Pharmacology</i> , 2019 , 12, 17-29	3.8	3
24	A comparison between two dolutegravir-based two-drug regimens as switch strategies in a multicentre cohort of HIV-1-infected patients. <i>Antiviral Therapy</i> , 2019 , 24, 63-67	1.6	23
23	Is there a role for procalcitonin determination in avoiding unnecessary exposure to antibiotics in a non-intensive care setting?. <i>Infezioni in Medicina</i> , 2019 , 27, 128-133	3.6	
22	Single tablet regimen with abacavir/lamivudine/dolutegravir compared with two-drug regimen with lamivudine and dolutegravir as different strategies of simplification from a multicenter HIV cohort study. <i>Infezioni in Medicina</i> , 2019 , 27, 410-414	3.6	1
21	latrogenic Cushing syndrome due to drug interaction between inhaled fluticasone and cobicistat. <i>Infezioni in Medicina</i> , 2019 , 27, 445-448	3.6	3
20	Effect of Cobicistat on Tenofovir Disoproxil Fumarate (TDF): What Is True for TAF May Also Be True for TDF. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018 , 77, 86-92	3.1	19
19	Loss of Control of HIV Viremia With OTC Weight-Loss Drugs: A Call for Caution?. <i>Obesity</i> , 2018 , 26, 125	1-8252	5
18	Clinical and genetic determinants of nevirapine plasma trough concentration. <i>SAGE Open Medicine</i> , 2018 , 6, 2050312118780861	2.4	7
17	Clinical and genetic factors associated with increased risk of severe liver toxicity in a monocentric cohort of HIV positive patients receiving nevirapine-based antiretroviral therapy. <i>BMC Infectious Diseases</i> , 2018 , 18, 556	4	4
16	Burden of Exposure to Potential Interactions Between Antiretroviral and Non-Antiretroviral Medications in a Population of HIV-Positive Patients Aged 50 Years or Older. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018 , 78, 193-201	3.1	15
15	Atazanavir/ritonavir with lamivudine as maintenance therapy in virologically suppressed HIV-infected patients: 96 week outcomes of a randomized trial. <i>Journal of Antimicrobial Chemotherapy</i> , 2018 , 73, 1955-1964	5.1	20
14	RNA Viruses and Autoimmunity: A Short Overview 2018 , 129-138		
13	Successful treatment of sexually acquired acute HCV reinfection with ledipasvir/sofosbuvir in a HIV-infected patient. <i>International Journal of STD and AIDS</i> , 2017 , 28, 838-840	1.4	
12	Clinical and genetic factors associated with kidney tubular dysfunction in a real-life single centre cohort of HIV-positive patients. <i>BMC Infectious Diseases</i> , 2017 , 17, 396	4	7
11	Treatment simplification to atazanavir/ritonavir + lamivudine versus maintenance of atazanavir/ritonavir + two NRTIs in virologically suppressed HIV-1-infected patients: 48 week results from a randomized trial (ATLAS-M). <i>Journal of Antimicrobial Chemotherapy</i> , 2017 , 72, 1163-1171	5.1	56
10	Factors involved in continuance of atazanavir-based regimens: Results from a cohort of HIV1-positive patients. <i>Antiviral Research</i> , 2016 , 129, 52-57	10.8	2
9	An update on integrase inhibitors: new opportunities for a personalized therapy? The NEXTaim Project. <i>New Microbiologica</i> , 2015 , 38, 443-90	1.1	6

Factors involved in treatment durability and immunological recovery in a cohort of HIV-positive patients receiving atazanavir-based regimens. *Journal of the International AIDS Society*, **2014**, 17, 19830 ^{5.4}

7	EPICOVID19: Psychometric assessment and validation of a short diagnostic scale for a rapid Covid-19 screening based on reported symptoms	1
6	Correlation between continuous Positive end-expiratory pressure (PEEP) values and occurrence of Pneumothorax and Pneumomediastinum in SARS-CoV2 patients during non-invasive ventilation with Helmet	3
5	30-day mortality in patients hospitalized with COVID-19 during the first wave of the Italian epidemic: a prospective cohort study	1
4	Self-Reported Symptoms of SARS-CoV-2 Infection in a Nonhospitalized Population in Italy: Cross-Sectional Study of the EPICOVID19 Web-Based Survey (Preprint)	1
3	Dynamics of the SARS-CoV-2 epidemic in the earliest-affected areas in Italy: Mass screening for SARS-CoV-2 serological positivity (SARS-2-SCREEN)	1
2	Early administration of lopinavir/ritonavir plus hydroxychloroquine does not alter the clinical course of SARS-COV-2 infection: a retrospective cohort study	1
1	Seroprevalence of SARS-CoV-2 significantly varies with age: preliminary results from a mass population screening	8