

Seon-Cheol Park

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8948245/seon-cheol-park-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

107 papers	924 citations	13 h-index	25 g-index
121 ext. papers	1,205 ext. citations	3.6 avg, IF	5.31 L-index

#	Paper	IF	Citations
107	Minimum and optimal numbers of psychiatric beds: expert consensus using a Delphi process.. <i>Molecular Psychiatry</i> , 2022 ,	15.1	4
106	Prescription Patterns for Bipolar Disorder in Asian Countries: Findings from Research on Asian Prescription Pattern-Bipolar Disorder.. <i>Clinical Psychopharmacology and Neuroscience</i> , 2022 , 20, 61-69	3.4	1
105	Network Analysis of Central Symptoms of Depression in Elderly Cognitive Disorder Patients. <i>Journal of Korean Neuropsychiatric Association</i> , 2022 , 61, 38	0.4	
104	A Call for a Rational Polypharmacy Policy: International Insights From Psychiatrists. <i>Psychiatry Investigation</i> , 2021 , 18, 1058-1067	3.1	0
103	Internet Addiction and Its Associations with Clinical and Psychosocial Factors in Medical Students. <i>Psychiatry Investigation</i> , 2021 , 18, 408-416	3.1	0
102	Lifestyle Changes that Impact Personal Quality of Life in the COVID-19 Pandemic in South Korea. <i>Psychiatry Investigation</i> , 2021 , 18, 701-707	3.1	4
101	Dyskinesia is most centrally situated in an estimated network of extrapyramidal syndrome in Asian patients with schizophrenia: findings from research on Asian psychotropic prescription patterns for antipsychotics. <i>Nordic Journal of Psychiatry</i> , 2021 , 75, 9-17	2.3	1
100	An alternative approach to future diagnostic standards for major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 105, 110133	5.5	3
99	Network Analysis of the Symptoms of Depressive Disorders Over the Course of Therapy: Changes in Centrality Measures. <i>Psychiatry Investigation</i> , 2021 , 18, 48-58	3.1	0
98	Educational Applications of Psychotherapy for the Medical Students: Development of Psychotherapy Education Model. <i>Journal of Korean Neuropsychiatric Association</i> , 2021 , 60, 86	0.4	
97	Challenges and Strategies for Current Classifications of Depressive Disorders: Proposal for Future Diagnostic Standards. <i>Advances in Experimental Medicine and Biology</i> , 2021 , 1305, 103-116	3.6	4
96	Neural Circuitry-Neurogenesis Coupling Model of Depression. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	5
95	Machine Learning-Based Definition of Symptom Clusters and Selection of Antidepressants for Depressive Syndrome. <i>Diagnostics</i> , 2021 , 11,	3.8	1
94	Patterns of long acting injectable antipsychotic use and associated clinical factors in schizophrenia among 15 Asian countries and region. <i>Asia-Pacific Psychiatry</i> , 2020 , 12, e12393	3.2	10
93	Network analysis of the depressive symptom profiles in Asian patients with depressive disorders: Findings from the Research on Asian Psychotropic Prescription Patterns for Antidepressants (REAP-AD). <i>Psychiatry and Clinical Neurosciences</i> , 2020 , 74, 344-353	6.2	6
92	Treatment Rate of Schizophrenia in China: a Meta-Analysis of Epidemiological Studies. <i>Psychiatric Quarterly</i> , 2020 , 91, 863-875	4.1	2
91	Clinical Characteristics of Bipolar Disorder Patients with Mood Stabilizer-Induced Cognitive Side Effects findings from the REAP-BD Survey in Korea. <i>Journal of Korean Neuropsychiatric Association</i> , 2020 , 59, 277	0.4	

90	Contents of the Standardized Suicide Prevention Program for Gatekeeper Intervention in Korea, Version 2.0. <i>Psychiatry Investigation</i> , 2020 , 17, 1149-1157	3.1	2
89	"Suicide CARE" (Standardized Suicide Prevention Program for Gatekeeper Intervention in Korea): An Update. <i>Psychiatry Investigation</i> , 2020 , 17, 911-924	3.1	6
88	Secondary Emotional Reactions to the COVID-19 Outbreak Should Be Identified and Treated in Korea. <i>Journal of Korean Medical Science</i> , 2020 , 35, e161	4.7	8
87	Korea in the Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition. <i>Journal of Korean Medical Science</i> , 2020 , 35, e6	4.7	3
86	Symptom-based selection of antidepressants. <i>Journal of the Korean Medical Association</i> , 2020 , 63, 216-226	5	1
85	Network Analysis of Language Disorganization in Patients with Schizophrenia. <i>Yonsei Medical Journal</i> , 2020 , 61, 726-730	3	1
84	Anxiety Disorders in the DSM-5: Changes, Controversies, and Future Directions. <i>Advances in Experimental Medicine and Biology</i> , 2020 , 1191, 187-196	3.6	10
83	Reduced awareness of surroundings is the most central domain in the network structure of posttraumatic stress disorder symptoms. <i>Nordic Journal of Psychiatry</i> , 2020 , 74, 235-243	2.3	1
82	Relationship Between Body Mass Index and Extrapyraxidal Symptoms in Asian Patients with Schizophrenia: The Research on Asian Psychotropic Prescription Patterns for Antipsychotics (REAP-AP). <i>Psychiatria Danubina</i> , 2020 , 32, 176-186	1.8	3
81	Coprescription of mood stabilizers in schizophrenia, dosing, and clinical correlates: An international study. <i>Human Psychopharmacology</i> , 2020 , 35, 1-7	2.3	2
80	QT interval prolongation noted in one percent of 2553 Asian patients with schizophrenia: Findings from the REAP-AP survey. <i>Kaohsiung Journal of Medical Sciences</i> , 2020 , 36, 1030-1037	2.4	1
79	The Centrality of Depression and Anxiety Symptoms in Major Depressive Disorder Determined Using a Network Analysis. <i>Journal of Affective Disorders</i> , 2020 , 271, 19-26	6.6	34
78	How early life stress and insecure attachment affect decision-making style and motivation to use alcohol: a structural equation model. <i>Journal of Theoretical Social Psychology</i> , 2019 , 29, 178-181	1.2	1
77	Establishing the cut-off score for aggression on the Brief Psychiatric Rating Scale-Excited Component (BPRS-EC) in schizophrenia patients. <i>Journal of Theoretical Social Psychology</i> , 2019 , 29, 407-410	1.2	1
76	Psychiatric Research in North Korea in the 21st Century. <i>American Journal of Psychiatry</i> , 2019 , 176, 96-97	11.9	3
75	Neurogenesis and antidepressant action. <i>Cell and Tissue Research</i> , 2019 , 377, 95-106	4.2	45
74	A Novel Bio-Psychosocial-Behavioral Treatment Model of Panic Disorder. <i>Psychiatry Investigation</i> , 2019 , 16, 4-15	3.1	7
73	Understanding the Relationship between Low Muscle Mass and Depressed Mood in Korean Girls. <i>Journal of Korean Medical Science</i> , 2019 , 34, e51	4.7	

72	A case of Wilson's disease presenting only with somatic preoccupation, suicidal tendencies and auditory hallucinations. <i>Journal of Theoretical Social Psychology</i> , 2019 , 29, 104-106	1.2	
71	Psychotropic drug-prescribing correlates of disorganized speech in Asians with schizophrenia: The REAP-AP study. <i>Saudi Pharmaceutical Journal</i> , 2019 , 27, 246-253	4.4	10
70	Cannabis use correlates with aggressive behavior and long-acting injectable antipsychotic treatment in Asian patients with schizophrenia. <i>Nordic Journal of Psychiatry</i> , 2019 , 73, 323-330	2.3	6
69	Karl Jaspers' General Psychopathology (Allgemeine Psychopathologie) and Its Implication for the Current Psychiatry. <i>Psychiatry Investigation</i> , 2019 , 16, 99-108	3.1	7
68	Examining Patterns of Polypharmacy in Bipolar Disorder: Findings from the REAP-BD, Korea. <i>Psychiatry Investigation</i> , 2019 , 16, 397-402	3.1	3
67	Clinical Characteristics and Psychotropic Drug Prescription Patterns of Bipolar Disorder Patients with a History of Suicidal Attempts: Findings from the REAP-BD, Korea. <i>Psychiatry Investigation</i> , 2019 , 16, 459-463	3.1	2
66	Diagnostic Issues of Depressive Disorders from Kraepelinian Dualism to the Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition. <i>Psychiatry Investigation</i> , 2019 , 16, 636-644	3.1	10
65	Childhood Trauma and Treatment Implications in Major Depressive Disorder in South Korea: Comparison with Medical Outpatients and Two-Year Follow-Up. <i>Mood and Emotion</i> , 2019 , 17, 89-98	0.1	2
64	The Bodily Panic Symptoms and Predisposing Stressors in Korean Patients with Panic Disorder. <i>Journal of Korean Neuropsychiatric Association</i> , 2019 , 58, 339	0.4	0
63	An Integrated Bio-psycho-social Approach to Psychiatric Disorders. <i>Advances in Experimental Medicine and Biology</i> , 2019 , 1192, 331-340	3.6	3
62	Role of Putative Epigenetic Mechanisms in the Intergenerational Transmission of Trauma Effects in "Comfort Women" Survivor Offspring. <i>Psychiatry Investigation</i> , 2019 , 16, 475-476	3.1	
61	Classification of Psychiatric Disorders. <i>Advances in Experimental Medicine and Biology</i> , 2019 , 1192, 17-25	3.6	5
60	Distinctive clinical correlates of hazardous drinking. <i>Journal of Theoretical Social Psychology</i> , 2019 , 29, 817-821	1.2	1
59	Establishing the cut-off scores for the severity ranges of schizophrenia on the BPRS-6 scale: findings from the REAP-AP. <i>Journal of Theoretical Social Psychology</i> , 2019 , 29, 895-898	1.2	1
58	Integrated Approaches for Treatment-Resistant Psychiatric Disorders 2019 , 87-96		1
57	Depression in DSM-5: Changes, Controversies, and Future Directions 2018 , 3-14		5
56	Effects of olanzapine and haloperidol on mTORC1 signaling, dendritic outgrowth, and synaptic proteins in rat primary hippocampal neurons under toxic conditions. <i>Neuroscience Letters</i> , 2018 , 686, 59-66	3.3	3
55	The Goldwater Rule from the Perspective of Phenomenological Psychopathology. <i>Psychiatry Investigation</i> , 2018 , 15, 102-103	3.1	4

54	To use the brief psychiatric rating scale to detect disorganized speech in schizophrenia: Findings from the REAP-AP study. <i>Kaohsiung Journal of Medical Sciences</i> , 2018 , 34, 113-119	2.4	6
53	Comparative Efficacy and Safety of Long-acting Injectable and Oral Second-generation Antipsychotics for the Treatment of Schizophrenia: A Systematic Review and Meta-analysis. <i>Clinical Psychopharmacology and Neuroscience</i> , 2018 , 16, 361-375	3.4	25
52	Differences in High Dose Antipsychotic Prescriptions in Patients with Schizophrenia in Asian Countries/Areas: Findings from the REAP-AP Study. <i>Psychiatry Investigation</i> , 2018 , 15, 1007-1008	3.1	8
51	Comparative Efficacy and Safety of Long-acting Injectable and Oral Second-generation Antipsychotics for the Treatment of Schizophrenia: A Systematic Review and Meta-analysis. <i>Clinical Psychopharmacology and Neuroscience</i> , 2018 , 16, 361-375	3.4	1
50	How many different symptom combinations fulfil the diagnostic criteria for major depressive disorder? Results from the CRESCEND study. <i>Nordic Journal of Psychiatry</i> , 2017 , 71, 217-222	2.3	27
49	Validity of a commercial wearable sleep tracker in adult insomnia disorder patients and good sleepers. <i>Journal of Psychosomatic Research</i> , 2017 , 97, 38-44	4.1	72
48	Screening for Depressive Disorder in Elderly Patients with Chronic Physical Diseases Using the Patient Health Questionnaire-9. <i>Psychiatry Investigation</i> , 2017 , 14, 306-313	3.1	6
47	Prevalence and clinical characteristics of major depressive disorder (MDD) without depressed mood in Koreans with MDD: results from the CRESCEND study. <i>Journal of Theoretical Social Psychology</i> , 2017 , 27, 435-438	1.2	
46	Clinical Characteristics and Psychotropic Prescribing Patterns Associated with impaired Concentration in Asians with Depressive Disorders: The REAP-AD Study. <i>Tohoku Journal of Experimental Medicine</i> , 2017 , 242, 151-156	2.4	1
45	Cognitive Remediation in Middle-Aged or Older Inpatients with Chronic Schizophrenia: A Randomized Controlled Trial in Korea. <i>Frontiers in Psychology</i> , 2017 , 8, 2364	3.4	4
44	The association between season of birth, age at onset, and clozapine use in schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 445-454	6.5	7
43	Informationally administered reward enhances intrinsic motivation in schizophrenia. <i>Psychiatry Research</i> , 2017 , 256, 290-297	9.9	3
42	Age-related clinical characteristics of major depressive disorder in Koreans: Results from the CRESCEND study. <i>Asia-Pacific Psychiatry</i> , 2017 , 9, e12292	3.2	
41	A Novel Bio-Psychosocial-Behavioral Treatment Model in Schizophrenia. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	10
40	Validation of the Korean Version of the Clinical Assessment Interview for Negative Symptoms. <i>Psychiatry Investigation</i> , 2017 , 14, 413-419	3.1	3
39	Clinical Validation of the Psychotic Depression Assessment Scale, Hamilton Depression Rating Scale-6, and Brief Psychiatric Rating Scale-5: Results from the Clinical Research Center for Depression Study. <i>Psychiatry Investigation</i> , 2017 , 14, 568-576	3.1	7
38	Attention and memory bias to facial emotions underlying negative symptoms of schizophrenia. <i>Cognitive Neuropsychiatry</i> , 2016 , 21, 45-59	2	8
37	Factor Structure of the Clinician-Rated Dimensions of Psychosis Symptom Severity in Patients with Schizophrenia. <i>Psychiatry Investigation</i> , 2016 , 13, 253-4	3.1	8

36	Psychometric Properties of the Korean Version of the Clinical Language Disorder Rating Scale (CLANG). <i>Clinical Psychopharmacology and Neuroscience</i> , 2016 , 14, 49-56	3.4	4
35	Using the Young Mania Rating Scale for Identifying Manic Symptoms in Patients with Schizophrenia. <i>Yonsei Medical Journal</i> , 2016 , 57, 1298-9	3	2
34	Measuring negative symptoms in patients with schizophrenia: reliability and validity of the Korean version of the Motivation and Pleasure Scale-Self-Report. <i>Neuropsychiatric Disease and Treatment</i> , 2016 , 12, 1167-72	3.1	7
33	Clinical Significance of the Number of Depressive Symptoms in Major Depressive Disorder: Results from the CRESCEND Study. <i>Journal of Korean Medical Science</i> , 2016 , 31, 617-22	4.7	4
32	Potential Relationship between Season of Birth and Clinical Characteristics in Major Depressive Disorder in Koreans: Results from the CRESCEND Study. <i>Yonsei Medical Journal</i> , 2016 , 57, 784-9	3	8
31	Suicidal thoughts/acts and clinical correlates in patients with depressive disorders in Asians: results from the REAP-AD study. <i>Acta Neuropsychiatrica</i> , 2016 , 28, 337-345	3.9	9
30	Prevalence and symptomatic correlates of interpersonal trauma in South Korean outpatients with major depressive disorder. <i>Comprehensive Psychiatry</i> , 2016 , 66, 46-52	7.3	5
29	Reliability and validity of the Korean version of the Scale for the Assessment of Thought, Language, and Communication. <i>Comprehensive Psychiatry</i> , 2015 , 61, 122-30	7.3	8
28	Adjunctive Antipsychotic Prescriptions for Outpatients with Depressive Disorders in Asia: The Research on Asian Psychotropic Prescription Patterns for Antidepressants (REAP-AD) Study. <i>American Journal of Psychiatry</i> , 2015 , 172, 684-5	11.9	11
27	Character profiles and life satisfaction. <i>Comprehensive Psychiatry</i> , 2015 , 58, 172-7	7.3	11
26	Gender differences in depressive symptom profiles and patterns of psychotropic drug usage in Asian patients with depression: Findings from the Research on Asian Psychotropic Prescription Patterns for Antidepressants study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 833-41	2.6	11
25	Is the BPRS-5 subscale of the psychotic depression assessment scale a reliable screening tool for psychotic depression?: Results from the CRESCEND study. <i>Journal of Affective Disorders</i> , 2015 , 174, 188-91	6.6	13
24	Knowledge and Attitude of 851 Nursing Personnel toward Depression in General Hospitals of Korea. <i>Journal of Korean Medical Science</i> , 2015 , 30, 953-9	4.7	13
23	Hazardous drinking-related characteristics of depressive disorders in Korea: the CRESCEND study. <i>Journal of Korean Medical Science</i> , 2015 , 30, 74-81	4.7	9
22	Symptomatic Conceptualization of Disorganized Speech in Patients with Schizophrenia. <i>Korean Journal of Schizophrenia Research</i> , 2015 , 18, 51	0.7	2
21	Dimensional approach to symptom factors of major depressive disorder in Koreans, using the Brief Psychiatric Rating Scale: the Clinical Research Center for Depression of South Korea study. <i>Kaohsiung Journal of Medical Sciences</i> , 2015 , 31, 47-54	2.4	7
20	Survey of Depression in the Elderly Patients with Diabetes Mellitus. <i>Journal of Korean Neuropsychiatric Association</i> , 2015 , 54, 475	0.4	3
19	Gender Differences in the Clinical Characteristics of Psychotic Depression: Results from the CRESCEND Study. <i>Clinical Psychopharmacology and Neuroscience</i> , 2015 , 13, 256-62	3.4	2

18	Johyeonbyung (attunement disorder): renaming mind splitting disorder as a way to reduce stigma of patients with schizophrenia in Korea. <i>Asian Journal of Psychiatry</i> , 2014 , 8, 118-20	6.7	12
17	Patterns of antipsychotic prescription to patients with schizophrenia in Korea: results from the health insurance review & assessment service-national patient sample. <i>Journal of Korean Medical Science</i> , 2014 , 29, 719-28	4.7	22
16	Evidence-based, pharmacological treatment guideline for depression in Korea, revised edition. <i>Journal of Korean Medical Science</i> , 2014 , 29, 468-84	4.7	9
15	Evidence-based, non-pharmacological treatment guideline for depression in Korea. <i>Journal of Korean Medical Science</i> , 2014 , 29, 12-22	4.7	34
14	Does age at onset of first major depressive episode indicate the subtype of major depressive disorder?: the clinical research center for depression study. <i>Yonsei Medical Journal</i> , 2014 , 55, 1712-20	3	45
13	Is the Psychotic Depression Assessment Scale a useful diagnostic tool? The CRESCEND study. <i>Journal of Affective Disorders</i> , 2014 , 166, 79-85	6.6	17
12	Distinctive Clinical Correlates of Psychotic Major Depression: The CRESCEND Study. <i>Psychiatry Investigation</i> , 2014 , 11, 281-9	3.1	19
11	Psychosocial, physical, and autonomic correlates of depression in korean adults: results from a county-based depression screening study. <i>Psychiatry Investigation</i> , 2014 , 11, 402-11	3.1	7
10	Prevalence and Clinical Correlates of Insomnia in Depressive Disorders: The CRESCEND Study. <i>Psychiatry Investigation</i> , 2013 , 10, 373-81	3.1	30
9	Excessive activation of the loop between the NR2B subunit of the N-methyl-d-aspartate receptor and glycogen synthase kinase-3 β in the hippocampi of patients with major depressive disorder. <i>Acta Neuropsychiatrica</i> , 2012 , 24, 26-33	3.9	2
8	Plasma brain-derived neurotrophic factor level may contribute to the therapeutic response to eye movement desensitisation and reprocessing in complex post-traumatic stress disorder: a pilot study. <i>Acta Neuropsychiatrica</i> , 2012 , 24, 384-6	3.9	5
7	Case of bilateral self-enucleation in Korea. <i>Psychiatry and Clinical Neurosciences</i> , 2012 , 66, 80-1	6.2	1
6	Why do suicide and depression occur?. <i>Journal of the Korean Medical Association</i> , 2012 , 55, 329	0.5	2
5	Reliability and validity of the korean version of the childhood trauma questionnaire-short form for psychiatric outpatients. <i>Psychiatry Investigation</i> , 2011 , 8, 305-11	3.1	60
4	The preconception stress and mental health of couples. <i>Journal of the Korean Medical Association</i> , 2011 , 54, 832	0.5	1
3	A case of Klingsor syndrome in Korea. <i>Psychiatry and Clinical Neurosciences</i> , 2011 , 65, 680-1	6.2	2
2	Education and Imaging. Gastrointestinal: a retroperitoneal liposarcoma that formed a fistula into the descending colon. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010 , 25, 1013	4	3
1	The categorical definitions of developmental disorders: Going beyond current models. <i>Developmental Medicine and Child Neurology</i> ,	3.3	

