

# Beatriz Gilda J Grinsztejn

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8948784/beatriz-gilda-j-grinsztejn-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

133  
papers

9,533  
citations

32  
h-index

97  
g-index

144  
ext. papers

11,476  
ext. citations

6.2  
avg, IF

5.35  
L-index

#	Paper	IF	Citations
133	A Technology-Based Intervention Among Young Men Who Have Sex With Men and Nonbinary People (The Conectad@s Project): Protocol for A Vanguard Mixed Methods Study.. <i>JMIR Research Protocols</i> , <b>2022</b> , 11, e34885	2	0
132	Complementary Recruitment Strategies to Reach Men Who Have Sex with Men and Transgender Women: The Experience of a Large Brazilian HIV Prevention Service.. <i>AIDS and Behavior</i> , <b>2022</b> , 1	4.3	3
131	High Rates of Sexualized Drug Use or Chemsex among Brazilian Transgender Women and Young Sexual and Gender Minorities.. <i>International Journal of Environmental Research and Public Health</i> , <b>2022</b> , 19,	4.6	3
130	Pre-exposure prophylaxis use, HIV knowledge, and internalized homonegativity among men who have sex with men in Brazil: A cross-sectional study.. <i>The Lancet Regional Health Americas</i> , <b>2022</b> , 6, 100152-100152	4.5	4
129	A pilot study of microbial signatures of liver disease in those with HIV mono-infection in Rio de Janeiro, Brazil. <i>Aids</i> , <b>2022</b> , 36, 49-58	3.5	1
128	Kidney function and daily emtricitabine/tenofovir disoproxil fumarate pre-exposure prophylaxis against HIV: results from the real-life multicentric demonstrative project PrEP Brazil.. <i>AIDS Research and Therapy</i> , <b>2022</b> , 19, 12	3	0
127	Low PrEP adherence despite high retention among transgender women in Brazil: the PrEPParadas study.. <i>Journal of the International AIDS Society</i> , <b>2022</b> , 25, e25896	5.4	2
126	Awareness, knowledge, and attitudes related to HIV pre-exposure prophylaxis and other prevention strategies among physicians from Brazil and Mexico: cross-sectional web-based survey.. <i>BMC Health Services Research</i> , <b>2022</b> , 22, 532	2.9	1
125	High risk and low HIV prevention behaviours in a new generation of young trans women in Brazil. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2021</b> , 33, 997-1001	2.2	5
124	High prevalence of anal high-risk HPV infection among transwomen: estimates from a Brazilian RDS study. <i>Journal of the International AIDS Society</i> , <b>2021</b> , 24, e25691	5.4	2
123	Antiretroviral hair levels, self-reported adherence, and virologic failure in second-line regimen patients in resource-limited settings. <i>Aids</i> , <b>2021</b> , 35, 1439-1449	3.5	
122	Cross-cultural adaptation of the Perceived Risk of HIV Scale in Brazilian Portuguese. <i>Health and Quality of Life Outcomes</i> , <b>2021</b> , 19, 117	3	2
121	Evidence of an untamed HIV epidemic among MSM and TGW in Rio de Janeiro, Brazil: a 2018 to 2020 cross-sectional study using recent infection testing. <i>Journal of the International AIDS Society</i> , <b>2021</b> , 24, e25743	5.4	2
120	Translation and validation in Brazilian Portuguese of the reactions to homosexuality scale. <i>Psychology, Health and Medicine</i> , <b>2021</b> , 26, 20-36	2.1	3
119	Factors associated with self-reported adherence to daily oral pre-exposure prophylaxis among men who have sex with man and transgender women: PrEP Brasil study. <i>International Journal of STD and AIDS</i> , <b>2021</b> , 32, 1231-1241	1.4	1
118	Low socioeconomic status is associated with self-reported HIV positive status among young MSM in Brazil and Peru. <i>BMC Infectious Diseases</i> , <b>2021</b> , 21, 726	4	3
117	Impact of COVID-19 Pandemic on Sexual Minority Populations in Brazil: An Analysis of Social/Racial Disparities in Maintaining Social Distancing and a Description of Sexual Behavior. <i>AIDS and Behavior</i> , <b>2021</b> , 25, 73-84	4.3	41

116	High acceptability of PrEP teleconsultation and HIV self-testing among PrEP users during the COVID-19 pandemic in Brazil. <i>Brazilian Journal of Infectious Diseases</i> , <b>2021</b> , 25, 101037	2.8	14
115	High-Risk Sexual Behavior, Binge Drinking and Use of Stimulants are Key Experiences on the Pathway to High Perceived HIV Risk Among Men Who Have Sex with Men in Brazil. <i>AIDS and Behavior</i> , <b>2021</b> , 25, 748-757	4.3	6
114	Antiretroviral therapy and Kaposi's sarcoma trends and outcomes among adults with HIV in Latin America. <i>Journal of the International AIDS Society</i> , <b>2021</b> , 24, e25658	5.4	1
113	Diagnostic value of serological biomarkers for detection of non-alcoholic fatty liver disease (NAFLD) and/or advanced liver fibrosis in people living with HIV. <i>HIV Medicine</i> , <b>2021</b> , 22, 445-456	2.7	1
112	Possible risk compensation, attitudes, and beliefs among Brazilian individuals potentially eligible for pre-exposure prophylaxis. <i>International Journal of STD and AIDS</i> , <b>2021</b> , 32, 806-815	1.4	0
111	The Prevalence of HIV Among Men Who Have Sex With Men (MSM) and Young MSM in Latin America and the Caribbean: A Systematic Review. <i>AIDS and Behavior</i> , <b>2021</b> , 25, 3223-3237	4.3	17
110	Late initiation of antiretroviral therapy: inequalities by educational level despite universal access to care and treatment. <i>BMC Public Health</i> , <b>2021</b> , 21, 389	4.1	6
109	Characterization of Human Immunodeficiency Virus (HIV) Infection in Cisgender Men and Transgender Women Who Have Sex With Men Receiving Injectable Cabotegravir for HIV Prevention: HPTN 083. <i>Journal of Infectious Diseases</i> , <b>2021</b> , 224, 1581-1592	7	13
108	SARS-CoV-2 testing disparities across geographical regions from a large metropolitan area in Brazil: Results from a web-based survey among individuals interested in clinical trials for COVID-19 vaccines. <i>Brazilian Journal of Infectious Diseases</i> , <b>2021</b> , 25, 101600	2.8	2
107	Are men who have sex with men at higher risk for HIV in Latin America more aware of PrEP?. <i>PLoS ONE</i> , <b>2021</b> , 16, e0255557	3.7	2
106	Ethical issues in establishing the efficacy and safety of long-acting injectable pre-exposure prophylaxis for HIV prevention: the HPTN 083 trial. <i>Lancet HIV</i> , <b>2021</b> , 8, e723-e728	7.8	1
105	Cabotegravir for HIV Prevention in Cisgender Men and Transgender Women. <i>New England Journal of Medicine</i> , <b>2021</b> , 385, 595-608	59.2	48
104	Preferences for pre-exposure prophylaxis (PrEP) among men who have sex with men and transgender women at risk of HIV infection: a multicentre protocol for a discrete choice experiment in Brazil. <i>BMJ Open</i> , <b>2021</b> , 11, e049011	3	3
103	Identification of Novel UGT1A1 Variants Including UGT1A1 454C>A through the Genotyping of Healthy Participants of the HPTN 077 Study. <i>ACS Pharmacology and Translational Science</i> , <b>2021</b> , 4, 226-239	5.9	0
102	Telemedicine as a tool for PrEP delivery during the COVID-19 pandemic in a large HIV prevention service in Rio de Janeiro-Brazil. <i>Brazilian Journal of Infectious Diseases</i> , <b>2020</b> , 24, 360-364	2.8	17
101	Brief Report: Sex Differences in Outcomes for Individuals Presenting for Third-Line Antiretroviral Therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2020</b> , 84, 203-207	3.1	5
100	Acceptability of Long-Acting Injectable Cabotegravir (CAB LA) in HIV-Uninfected Individuals: HPTN 077. <i>AIDS and Behavior</i> , <b>2020</b> , 24, 2520-2531	4.3	13
99	Myelodysplastic syndrome with clonal karyotype evolution associated with trisomy 8 and ASXL1 mutation in well-controlled HIV patient: Case report and literature review. <i>EJHaem</i> , <b>2020</b> , 1, 344-349	0.9	0

98	Tail-phase safety, tolerability, and pharmacokinetics of long-acting injectable cabotegravir in HIV-uninfected adults: a secondary analysis of the HPTN 077 trial. <i>Lancet HIV,the</i> , <b>2020</b> , 7, e472-e481	7.8	32
97	Do men who have sex with men who report alcohol and illicit drug use before/during sex (chemsex) present moderate/high risk for substance use disorders?. <i>Drug and Alcohol Dependence</i> , <b>2020</b> , 209, 107908	4.9	28
96	Prevalence of induced abortion and associated factors in a cohort of women living with HIV/AIDS, Rio de Janeiro, Brazil, 1996-2016. <i>Cadernos De Saude Publica</i> , <b>2020</b> , 36Suppl 1, e00201318	3.2	1
95	Effectiveness of generic direct-acting agents for the treatment of hepatitis C: systematic review and meta-analysis. <i>Bulletin of the World Health Organization</i> , <b>2020</b> , 98, 188-197K	8.2	9
94	Development of algorithms to estimate EQ-5D and derive health utilities from WHOQOL-HIV Bref: a mapping study. <i>Quality of Life Research</i> , <b>2020</b> , 29, 2497-2508	3.7	
93	New opportunities in tuberculosis prevention: implications for people living with HIV. <i>Journal of the International AIDS Society</i> , <b>2020</b> , 23, e25438	5.4	13
92	Translation and validation of the Short HIV Stigma scale in Brazilian Portuguese. <i>Health and Quality of Life Outcomes</i> , <b>2020</b> , 18, 322	3	4
91	A call to improve understanding of Undetectable equals Untransmittable (U=U) in Brazil: a web-based survey. <i>Journal of the International AIDS Society</i> , <b>2020</b> , 23, e25630	5.4	12
90	Effectiveness of direct-acting agents for chronic hepatitis C treatment in South America: A systematic review and meta-analysis. <i>Journal of Viral Hepatitis</i> , <b>2020</b> , 27, 1396-1407	3.4	
89	Cabotegravir Is Not Associated With Weight Gain in Human Immunodeficiency Virus-uninfected Individuals in HPTN 077. <i>Clinical Infectious Diseases</i> , <b>2020</b> , 70, 319-322	11.6	15
88	Two-way mobile phone intervention compared with standard-of-care adherence support after second-line antiretroviral therapy failure: a multinational, randomised controlled trial. <i>The Lancet Digital Health</i> , <b>2019</b> , 1, e26-e34	14.4	19
87	Pre-exposure prophylaxis 2.0: new drugs and technologies in the pipeline. <i>Lancet HIV,the</i> , <b>2019</b> , 6, e788-e799	7.9	53
86	Factors associated with PrEP awareness according to age and willingness to use HIV prevention technologies: the 2017 online survey among MSM in Brazil. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2019</b> , 31, 1193-1202	2.2	24
85	Effectiveness of direct-acting agents for hepatitis C and liver stiffness changing after sustained virological response. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2019</b> , 34, 2187-2195	4	15
84	Strategies used by gay male HIV serodiscordant couples to reduce the risk of HIV transmission from anal intercourse in three countries. <i>Journal of the International AIDS Society</i> , <b>2019</b> , 22, e25277	5.4	8
83	Severe infection increases cardiovascular risk among HIV-infected individuals. <i>BMC Infectious Diseases</i> , <b>2019</b> , 19, 319	4	3
82	Transcendendo: A Cohort Study of HIV-Infected and Uninfected Transgender Women in Rio de Janeiro, Brazil. <i>Transgender Health</i> , <b>2019</b> , 4, 107-117	4	18
81	Barriers and facilitators to PrEP for transwomen in Brazil. <i>Global Public Health</i> , <b>2019</b> , 14, 300-308	3.5	13

80	Third-line antiretroviral therapy in low-income and middle-income countries (ACTG A5288): a prospective strategy study. <i>Lancet HIV,the</i> , <b>2019</b> , 6, e588-e600	7.8	17
79	Performance of HIV pre-exposure prophylaxis indirect adherence measures among men who have sex with men and transgender women: Results from the PrEP Brasil Study. <i>PLoS ONE</i> , <b>2019</b> , 14, e0221283	3.7	13
78	Diagnosis and clinical outcomes of extrapulmonary tuberculosis in antiretroviral therapy programmes in low- and middle-income countries: a multicohort study. <i>Journal of the International AIDS Society</i> , <b>2019</b> , 22, e25392	5.4	11
77	Factors Associated With Willingness to Use Pre-Exposure Prophylaxis in Brazil, Mexico, and Peru: Web-Based Survey Among Men Who Have Sex With Men. <i>JMIR Public Health and Surveillance</i> , <b>2019</b> , 5, e13771	11.4	32
76	An Internet-Based HIV Self-Testing Program to Increase HIV Testing Uptake Among Men Who Have Sex With Men in Brazil: Descriptive Cross-Sectional Analysis. <i>Journal of Medical Internet Research</i> , <b>2019</b> , 21, e14145	7.6	18
75	How heterogeneous are MSM from Brazilian cities? An analysis of sexual behavior and perceived risk and a description of trends in awareness and willingness to use pre-exposure prophylaxis. <i>BMC Infectious Diseases</i> , <b>2019</b> , 19, 1067	4	21
74	The HIV epidemic in Latin America: accomplishments and challenges on treatment and prevention. <i>Current Opinion in HIV and AIDS</i> , <b>2019</b> , 14, 366-373	4.2	37
73	Health-related quality of life assessment among people living with HIV in Rio de Janeiro, Brazil: a cross-sectional study. <i>Quality of Life Research</i> , <b>2019</b> , 28, 1035-1045	3.7	13
72	Optimising HIV programming for transgender women in Brazil. <i>Culture, Health and Sexuality</i> , <b>2019</b> , 21, 543-558	2.5	9
71	Syndemics among individuals enrolled in the PrEP Brasil Study. <i>Drug and Alcohol Dependence</i> , <b>2018</b> , 185, 168-172	4.9	9
70	Retention, engagement, and adherence to pre-exposure prophylaxis for men who have sex with men and transgender women in PrEP Brasil: 48 week results of a demonstration study. <i>Lancet HIV,the</i> , <b>2018</b> , 5, e136-e145	7.8	87
69	HIV Drug Resistance in Adults Receiving Early vs. Delayed Antiretroviral Therapy: HPTN 052. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2018</b> , 77, 484-491	3.1	5
68	The cost-effectiveness of HIV pre-exposure prophylaxis in men who have sex with men and transgender women at high risk of HIV infection in Brazil. <i>Journal of the International AIDS Society</i> , <b>2018</b> , 21, e25096	5.4	13
67	Virologic failure and mortality in older ART initiators in a multisite Latin American and Caribbean Cohort. <i>Journal of the International AIDS Society</i> , <b>2018</b> , 21, e25088	5.4	12
66	Effects of antiretroviral treatment and nadir CD4 count in progression to cardiovascular events and related comorbidities in a HIV Brazilian cohort: a multi-stage approach. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2018</b> , 30, 551-559	2.2	8
65	Self-testing, communication and information technology to promote HIV diagnosis among young gay and other men who have sex with men (MSM) in Brazil. <i>Journal of the International AIDS Society</i> , <b>2018</b> , 21 Suppl 5, e25116	5.4	13
64	Viral suppression and HIV transmission in serodiscordant male couples: an international, prospective, observational, cohort study. <i>Lancet HIV,the</i> , <b>2018</b> , 5, e438-e447	7.8	205
63	Survival after cancer diagnosis in a cohort of HIV-positive individuals in Latin America. <i>Infectious Agents and Cancer</i> , <b>2018</b> , 13, 16	3.5	7

62	Awareness of Prevention Strategies and Willingness to Use Preexposure Prophylaxis in Brazilian Men Who Have Sex With Men Using Apps for Sexual Encounters: Online Cross-Sectional Study. <i>JMIR Public Health and Surveillance</i> , <b>2018</b> , 4, e11	11.4	33
61	Awareness, Willingness, and PrEP Eligibility Among Transgender Women in Rio de Janeiro, Brazil. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2018</b> , 79, 445-452	3.1	20
60	Safety, tolerability, and pharmacokinetics of long-acting injectable cabotegravir in low-risk HIV-uninfected individuals: HPTN 077, a phase 2a randomized controlled trial. <i>PLoS Medicine</i> , <b>2018</b> , 15, e1002690	11.6	74
59	Predictive factors associated with liver fibrosis and steatosis by transient elastography in patients with HIV mono-infection under long-term combined antiretroviral therapy. <i>Journal of the International AIDS Society</i> , <b>2018</b> , 21, e25201	5.4	28
58	Early Retention in Care Neither Mediates Nor Modifies the Effect of Sex and Sexual Mode of HIV Acquisition on HIV Survival in the Americas. <i>AIDS Patient Care and STDs</i> , <b>2018</b> , 32, 306-313	5.8	4
57	PrEP adopted by the Brazilian national health system: What is the size of the demand?. <i>Medicine (United States)</i> , <b>2018</b> , 97, S75-S77	1.8	11
56	Unveiling of HIV dynamics among transgender women: a respondent-driven sampling study in Rio de Janeiro, Brazil. <i>Lancet HIV</i> , <b>2017</b> , 4, e169-e176	7.8	67
55	Comparison of Kaposi Sarcoma Risk in Human Immunodeficiency Virus-Positive Adults Across 5 Continents: A Multiregional Multicohort Study. <i>Clinical Infectious Diseases</i> , <b>2017</b> , 65, 1316-1326	11.6	23
54	Virologic outcomes in early antiretroviral treatment: HPTN 052. <i>HIV Clinical Trials</i> , <b>2017</b> , 18, 100-109		18
53	High pre-exposure prophylaxis uptake and early adherence among men who have sex with men and transgender women at risk for HIV Infection: the PrEP Brasil demonstration project. <i>Journal of the International AIDS Society</i> , <b>2017</b> , 20, 21472	5.4	67
52	HIV testing and the care continuum among transgender women: population estimates from Rio de Janeiro, Brazil. <i>Journal of the International AIDS Society</i> , <b>2017</b> , 20, 21873	5.4	15
51	Treatment as Prevention: Characterization of Partner Infections in the HIV Prevention Trials Network 052 Trial. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2017</b> , 74, 112-116	3.1	46
50	Asymptomatic anorectal Chlamydia trachomatis and Neisseria gonorrhoeae infections are associated with systemic CD8+ T-cell activation. <i>Aids</i> , <b>2017</b> , 31, 2069-2076	3.5	3
49	Mortality in patients with HIV-1 and tuberculosis co-infection in Rio de Janeiro, Brazil - associated factors and causes of death. <i>BMC Infectious Diseases</i> , <b>2017</b> , 17, 373	4	32
48	Awareness and Willingness to Use Pre-exposure Prophylaxis (PrEP) Among Men Who Have Sex with Men and Transgender Women in Brazil. <i>AIDS and Behavior</i> , <b>2017</b> , 21, 1278-1287	4.3	64
47	Towards an ideal antiretroviral regimen for the global HIV epidemic. <i>Journal of Virus Eradication</i> , <b>2017</b> , 3, 111-116	2.8	1
46	Impact of Larger Sputum Volume on Xpert MTB/RIF Assay Detection of Mycobacterium tuberculosis in Smear-Negative Individuals with Suspected Tuberculosis. <i>Journal of Clinical Medicine</i> , <b>2017</b> , 6,	5.1	5
45	Antiretroviral Therapy for the Prevention of HIV-1 Transmission. <i>New England Journal of Medicine</i> , <b>2016</b> , 375, 830-9	59.2	889

44	Transgender People and HIV Prevention: What We Know and What We Need to Know, a Call to Action. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2016</b> , 72 Suppl 3, S207-9	3.1	36
43	Predictors of opportunistic illnesses incidence in post combination antiretroviral therapy era in an urban cohort from Rio de Janeiro, Brazil. <i>BMC Infectious Diseases</i> , <b>2016</b> , 16, 134	4	10
42	Acceptability and feasibility of HIV self-testing among men who have sex with men in Peru and Brazil. <i>International Journal of STD and AIDS</i> , <b>2016</b> , 27, 531-6	1.4	50
41	Evaluation of Xpert MTB/RIF Versus AFB Smear and Culture to Identify Pulmonary Tuberculosis in Patients With Suspected Tuberculosis From Low and Higher Prevalence Settings. <i>Clinical Infectious Diseases</i> , <b>2016</b> , 62, 1081-8	11.6	56
40	Time to HAART Initiation after Diagnosis and Treatment of Opportunistic Infections in Patients with AIDS in Latin America. <i>PLoS ONE</i> , <b>2016</b> , 11, e0153921	3.7	14
39	Survival benefits of antiretroviral therapy in Brazil: a model-based analysis. <i>Journal of the International AIDS Society</i> , <b>2016</b> , 19, 20623	5.4	13
38	The Men Who Have Sex with Men HIV Care Cascade in Rio de Janeiro, Brazil. <i>PLoS ONE</i> , <b>2016</b> , 11, e0157309	3.9	11
37	Pretreatment HIV Drug Resistance and HIV-1 Subtype C Are Independently Associated With Virologic Failure: Results From the Multinational PEARLS (ACTG A5175) Clinical Trial. <i>Clinical Infectious Diseases</i> , <b>2015</b> , 60, 1541-9	11.6	51
36	Predictors and outcomes of Mycobacterium tuberculosis bacteremia among patients with HIV and tuberculosis co-infection enrolled in the ACTG A5221 STRIDE study. <i>BMC Infectious Diseases</i> , <b>2015</b> , 15, 12	4	15
35	A cross-sectional study of high-risk human papillomavirus clustering and cervical outcomes in HIV-infected women in Rio de Janeiro, Brazil. <i>BMC Cancer</i> , <b>2015</b> , 15, 478	4.8	15
34	Anal human papillomavirus (HPV) prevalences and factors associated with abnormal anal cytology in HIV-infected women in an urban cohort from Rio de Janeiro, Brazil. <i>AIDS Patient Care and STDs</i> , <b>2015</b> , 29, 4-12	5.8	21
33	Adherence to Early Antiretroviral Therapy: Results From HPTN 052, a Phase III, Multinational Randomized Trial of ART to Prevent HIV-1 Sexual Transmission in Serodiscordant Couples. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2015</b> , 69, 234-40	3.1	48
32	Vitamin D3 supplementation in HIV infection: effectiveness and associations with antiretroviral therapy. <i>Nutrition Journal</i> , <b>2015</b> , 14, 81	4.3	29
31	Factors That Could Impact on Liver Fibrosis Staging by Transient Elastography. <i>International Journal of Hepatology</i> , <b>2015</b> , 2015, 624596	2.7	22
30	HIV and cancer: a comparative retrospective study of Brazilian and U.S. clinical cohorts. <i>Infectious Agents and Cancer</i> , <b>2015</b> , 10, 4	3.5	13
29	Chlamydia trachomatis, Neisseria gonorrhoeae and syphilis among men who have sex with men in Brazil. <i>BMC Public Health</i> , <b>2015</b> , 15, 686	4.1	22
28	Effects of early versus delayed initiation of antiretroviral treatment on clinical outcomes of HIV-1 infection: results from the phase 3 HPTN 052 randomised controlled trial. <i>Lancet Infectious Diseases</i> , <b>2014</b> , 14, 281-90	25.5	345
27	Improved virologic outcomes over time for HIV-infected patients on antiretroviral therapy in a cohort from Rio de Janeiro, 1997-2011. <i>BMC Infectious Diseases</i> , <b>2014</b> , 14, 322	4	15

26	AIDS and non-AIDS severe morbidity associated with hospitalizations among HIV-infected patients in two regions with universal access to care and antiretroviral therapy, France and Brazil, 2000-2008: hospital-based cohort studies. <i>BMC Infectious Diseases</i> , <b>2014</b> , 14, 278	4	24
25	Unprotected sex among men who have sex with men living with HIV in Brazil: a cross-sectional study in Rio de Janeiro. <i>BMC Public Health</i> , <b>2014</b> , 14, 379	4.1	12
24	Continuous increase of cardiovascular diseases, diabetes, and non-HIV related cancers as causes of death in HIV-infected individuals in Brazil: an analysis of nationwide data. <i>PLoS ONE</i> , <b>2014</b> , 9, e94636	3.7	31
23	The HIV-Brazil cohort study: design, methods and participant characteristics. <i>PLoS ONE</i> , <b>2014</b> , 9, e95673	3.7	19
22	Acceptability of self-conducted home-based HIV testing among men who have sex with men in Brazil: data from an on-line survey. <i>Cadernos De Saude Publica</i> , <b>2014</b> , 30, 724-34	3.2	32
21	The Opposites Attract Study of viral load, HIV treatment and HIV transmission in serodiscordant homosexual male couples: design and methods. <i>BMC Public Health</i> , <b>2014</b> , 14, 917	4.1	35
20	Epidemiology of HIV in Latin America and the Caribbean. <i>Current Opinion in HIV and AIDS</i> , <b>2014</b> , 9, 192-8	4.2	85
19	Dolutegravir versus raltegravir in antiretroviral-experienced, integrase-inhibitor-naive adults with HIV: week 48 results from the randomised, double-blind, non-inferiority SAILING study. <i>Lancet, The</i> , <b>2013</b> , 382, 700-8	4.0	383
18	Seroprevalence of HPV vaccine types 6, 11, 16 and 18 in HIV-infected and uninfected women from Brazil. <i>Journal of Clinical Virology</i> , <b>2013</b> , 57, 147-51	14.5	7
17	Undisclosed antiretroviral drug use in a multinational clinical trial (HIV Prevention Trials Network 052). <i>Journal of Infectious Diseases</i> , <b>2013</b> , 208, 1624-8	7	60
16	Multi-state models for defining degrees of chronicity related to HIV-infected patient therapy adherence. <i>Cadernos De Saude Publica</i> , <b>2013</b> , 29, 801-11	3.2	9
15	Cervical cytological abnormalities and factors associated with high-grade squamous intraepithelial lesions among HIV-infected women from Rio de Janeiro, Brazil. <i>International Journal of STD and AIDS</i> , <b>2012</b> , 23, 12-7	1.4	12
14	Genotype assays and third-line ART in resource-limited settings: a simulation and cost-effectiveness analysis of a planned clinical trial. <i>Aids</i> , <b>2012</b> , 26, 1083-93	3.5	25
13	Prevention of HIV-1 infection with early antiretroviral therapy. <i>New England Journal of Medicine</i> , <b>2011</b> , 365, 493-505	59.2	5157
12	Seroprevalence of HPV vaccine types 6, 11, 16 and 18 in HIV-infected women from South Africa, Brazil and Botswana. <i>Journal of Clinical Virology</i> , <b>2011</b> , 52, 265-8	14.5	11
11	Analysis of genetic linkage of HIV from couples enrolled in the HIV Prevention Trials Network 052 trial. <i>Journal of Infectious Diseases</i> , <b>2011</b> , 204, 1918-26	7	88
10	Week 48 analysis of once-daily vs. twice-daily darunavir/ritonavir in treatment-experienced HIV-1-infected patients. <i>Aids</i> , <b>2011</b> , 25, 929-39	3.5	90
9	Immune status at presentation for HIV clinical care in Rio de Janeiro and Baltimore. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2011</b> , 57 Suppl 3, S171-8	3.1	29



8	Factors associated with colposcopy-histopathology confirmed cervical intraepithelial neoplasia among HIV-infected women from Rio De Janeiro, Brazil. <i>PLoS ONE</i> , <b>2011</b> , 6, e18297	3.7	23
7	Prevalence, estimated HIV-1 incidence and viral diversity among people seeking voluntary counseling and testing services in Rio de Janeiro, Brazil. <i>BMC Infectious Diseases</i> , <b>2010</b> , 10, 224	4	27
6	Factors associated with increased prevalence of human papillomavirus infection in a cohort of HIV-infected Brazilian women. <i>International Journal of Infectious Diseases</i> , <b>2009</b> , 13, 72-80	10.5	44
5	Early mortality and cause of deaths in patients using HAART in Brazil and the United States. <i>Aids</i> , <b>2009</b> , 23, 2107-14	3.5	52
4	Assessing sexually transmitted infections in a cohort of women living with HIV/AIDS, in Rio de Janeiro, Brazil. <i>International Journal of STD and AIDS</i> , <b>2006</b> , 17, 473-8	1.4	28
3	Survival of AIDS patients using two case definitions, Rio de Janeiro, Brazil, 1986-2003. <i>Aids</i> , <b>2005</b> , 19 Suppl 4, S22-6	3.5	32
2	Factors associated with willingness to use Pre-exposure prophylaxis in Brazil, Mexico and Peru: an online survey among men who have sex with men (Preprint)		1
1	Awareness of Prevention Strategies and Willingness to Use Preexposure Prophylaxis in Brazilian Men Who Have Sex With Men Using Apps for Sexual Encounters: Online Cross-Sectional Study (Preprint)		1