Manel Mata-Cases

List of Publications by Citations

Source: https://exaly.com/author-pdf/8949199/manel-mata-cases-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71 1,301 19 34 g-index

93 1,786 4.1 4.33 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
71	Risk of Cause-Specific Death in Individuals With Diabetes: A Competing Risks Analysis. <i>Diabetes Care</i> , 2016 , 39, 1987-1995	14.6	165
70	Evaluation of risk factors for development of complications in Type II diabetes in Europe. <i>Diabetologia</i> , 2002 , 45, S23-8	10.3	155
69	Control of glycemia and cardiovascular risk factors in patients with type 2 diabetes in primary care in Catalonia (Spain). <i>Diabetes Care</i> , 2012 , 35, 774-9	14.6	151
68	Direct medical costs attributable to type 2 diabetes mellitus: a population-based study in Catalonia, Spain. <i>European Journal of Health Economics</i> , 2016 , 17, 1001-1010	3.6	58
67	Glycaemic control and antidiabetic treatment trends in primary care centres in patients with type 2 diabetes mellitus during 2007-2013 in Catalonia: a population-based study. <i>BMJ Open</i> , 2016 , 6, e01246:	3 ³	49
66	Fifteen years of continuous improvement of quality care of type 2 diabetes mellitus in primary care in Catalonia, Spain. <i>International Journal of Clinical Practice</i> , 2012 , 66, 289-98	2.9	47
65	Clinical inertia in the treatment of hyperglycemia in type 2 diabetes patients in primary care. <i>Current Medical Research and Opinion</i> , 2013 , 29, 1495-502	2.5	42
64	Chronic kidney disease in the type 2 diabetic patients: prevalence and associated variables in a random sample of 2642 patients of a Mediterranean area. <i>BMC Nephrology</i> , 2012 , 13, 87	2.7	39
63	Therapeutic inertia in patients treated with two or more antidiabetics in primary care: Factors predicting intensification of treatment. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 103-112	6.7	38
62	Older type 2 diabetic patients are more likely to achieve glycaemic and cardiovascular risk factors targets than younger patients: analysis of a primary care database. <i>International Journal of Clinical Practice</i> , 2015 , 69, 1486-95	2.9	38
61	Prevalence of diabetic retinopathy in individuals with type 2 diabetes who had recorded diabetic retinopathy from retinal photographs in Catalonia (Spain). <i>British Journal of Ophthalmology</i> , 2015 , 99, 1628-33	5.5	25
60	Fatty liver index is a predictor of incident diabetes in patients with prediabetes: The PREDAPS study. <i>PLoS ONE</i> , 2018 , 13, e0198327	3.7	23
59	Differences in the Cardiometabolic Control in Type 2 Diabetes according to Gender and the Presence of Cardiovascular Disease: Results from the eControl Study. <i>International Journal of Endocrinology</i> , 2014 , 2014, 131709	2.7	22
58	Prevalence and coprevalence of chronic comorbid conditions in patients with type 2 diabetes in Catalonia: a population-based cross-sectional study. <i>BMJ Open</i> , 2019 , 9, e031281	3	22
57	miR-10b and miR-223-3p in serum microvesicles signal progression from prediabetes to type 2 diabetes. <i>Journal of Endocrinological Investigation</i> , 2020 , 43, 451-459	5.2	21
56	Trends in chronic complications of type 2 diabetic patients from Spanish primary health care centres (GEDAPS study): ten year-implementation of St. Vincent recommendations. <i>Primary Care Diabetes</i> , 2012 , 6, 11-8	2.4	20
55	Trends in the incidence of diagnosed diabetes: a multicountry analysis of aggregate data from 22 million diagnoses in high-income and middle-income settings. <i>Lancet Diabetes and Endocrinology,the</i> , 2021 , 9, 203-211	18.1	20

54	Spanish Diabetes Society (SED) recommendations for the pharmacologic treatment of hyperglycemia in type 2 diabetes: 2018 Update. <i>Endocrinologia, Diabetes Y Nutrici</i> , 2018 , 65, 611-624	1.3	19
53	The Association Between Poor Glycemic Control and Health Care Costs in People With Diabetes: A Population-Based Study. <i>Diabetes Care</i> , 2020 , 43, 751-758	14.6	18
52	Incidence of complications and mortality in a type 2 diabetes patient cohort study followed up from diagnosis in a primary healthcare centre. <i>International Journal of Clinical Practice</i> , 2011 , 65, 299-30	7 .9	18
51	Metabolic control and cardiovascular risk factors in type 2 diabetes mellitus patients according to diabetes duration. <i>Family Practice</i> , 2015 , 32, 27-34	1.9	15
50	Prevalence, clinical features and risk assessment of pre-diabetes in Spain: the prospective Mollerussa cohort study. <i>BMJ Open</i> , 2017 , 7, e015158	3	14
49	Clinical characteristics of type 2 diabetic patients on basal insulin therapy with adequate fasting glucose control who do not achieve HbA1c targets. <i>Journal of Diabetes</i> , 2017 , 9, 34-44	3.8	14
48	Attitudes towards insulin initiation in type 2 diabetes patients among healthcare providers: A survey research. <i>Diabetes Research and Clinical Practice</i> , 2016 , 122, 46-53	7.4	13
47	Noninsulin Antidiabetic Drugs for Patients with Type 2 Diabetes Mellitus: Are We Respecting Their Contraindications?. <i>Journal of Diabetes Research</i> , 2016 , 2016, 7502489	3.9	13
46	A disease state approach to the pharmacological management of Type 2 diabetes in primary care: A position statement by Primary Care Diabetes Europe. <i>Primary Care Diabetes</i> , 2021 , 15, 31-51	2.4	13
45	The impact of a programme to improve quality of care for people with type 2 diabetes on hard to reach groups: The GEDAPS study. <i>Primary Care Diabetes</i> , 2015 , 9, 211-8	2.4	12
44	Is diabetes mellitus correctly registered and classified in primary care? A population-based study in Catalonia, Spain. <i>Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion</i> , 2016 , 63, 440-448		12
43	Is quality of life different between diabetic and non-diabetic people? The importance of cardiovascular risks. <i>PLoS ONE</i> , 2017 , 12, e0189505	3.7	9
42	Understanding the physical, social, and emotional experiences of people with uncontrolled Type 2 diabetes: a qualitative study. <i>Patient Preference and Adherence</i> , 2016 , 10, 2323-2332	2.4	9
41	Glycaemic control after treatment intensification in patients with type 2 diabetes uncontrolled on two or more non-insulin antidiabetic drugs in a real-world setting. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 1373-1380	6.7	9
40	How Many Patients with Type 2 Diabetes Meet the Inclusion Criteria of the Cardiovascular Outcome Trials with SGLT2 Inhibitors? Estimations from a Population Database in a Mediterranean Area. <i>Journal of Diabetes Research</i> , 2019 , 2019, 2018374	3.9	9
39	Epidemiology and clinical management of type 2 diabetes mellitus and associated comorbidities in Spain (e-Management study). <i>Medicina Claica</i> , 2016 , 147 Suppl 1, 1-7	1	8
38	Consensus on the detection and management of prediabetes. Consensus and Clinical Guidelines Working Group of the Spanish Diabetes Society. <i>Revista Clinica Espanola</i> , 2015 , 215, 117-29	0.7	8
37	Glucagon-like peptide-1 receptor agonists in patients with type 2 diabetes:real-world evidence from a Mediterranean area. <i>Current Medical Research and Opinion</i> , 2019 , 35, 1735-1744	2.5	7

36	Decreased iron stores are associated with cardiovascular disease in patients with type 2 diabetes both cross-sectionally and longitudinally. <i>Atherosclerosis</i> , 2018 , 272, 193-199	3.1	6
35	Prevalence of pre-diabetes and undiagnosed diabetes in the Mollerussa prospective observational cohort study in a semi-rural area of Catalonia. <i>BMJ Open</i> , 2020 , 10, e033332	3	5
34	Investigar en diabetes desde una base de datos de atencifi primaria: la experiencia del Sistema de Informacifi para el Desarrollo de la Investigacifi en Atencifi Primaria (SIDIAP). <i>Avances En</i> <i>Diabetolog</i> i , 2013 , 29, 169-174		5
33	Criterios y pautas de terapia combinada en la diabetes tipo 2. <i>Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion</i> , 2001 , 48, 82-97		5
32	Half of patients with type 2 diabetes mellitus are at very high cardiovascular risk according to the ESC/EASD: data from a large Mediterranean population. <i>European Journal of Preventive Cardiology</i> , 2020 ,	3.9	5
31	Impact of implementing electronic clinical practice guidelines for the diagnosis, control and treatment of cardiovascular risk factors: A pre-post controlled study. <i>Atencion Primaria</i> , 2017 , 49, 389-39	9 3 6	4
30	Glucagon-Like Peptide-1 Receptor Agonists in Patients with Type 2 Diabetes: Prescription According to Reimbursement Constraints and Guideline Recommendations in Catalonia. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	4
29	Estudio observacional de eficacia y seguridad del cambio de insulina NPH a glargina en atenci l primaria. Estudio LAURA. <i>Avances En Diabetolog</i> ā, 2013 , 29, 137-144		4
28	Prediabetes Is Independently Associated with Subclinical Carotid Atherosclerosis: An Observational Study in a Non-Urban Mediterranean Population. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	4
27	Evaluation of clinical and antidiabetic treatment characteristics of different sub-groups of patients with type 2 diabetes: Data from a Mediterranean population database. <i>Primary Care Diabetes</i> , 2021 , 15, 588-595	2.4	4
26	Mortality trends in type 1 diabetes: a multicountry analysis of six population-based cohorts <i>Diabetologia</i> , 2022 , 1	10.3	4
25	High levels of fasting glucose and glycosylated hemoglobin values are associated with hyperfiltration in a Spanish prediabetes cohort. The PREDAPS Study. <i>PLoS ONE</i> , 2019 , 14, e0222848	3.7	3
24	Consenso sobre la deteccifi y el manejo de la prediabetes. Grupo de Trabajo de Consensos y Gulls Clílicas de la Sociedad Espaßla de Diabetes. <i>Avances En Diabetolog</i> ß, 2015 , 31, 89-101		3
23	Impact on guidelines: The general practitioner point of view. <i>Diabetes Research and Clinical Practice</i> , 2020 , 166, 108091	7.4	3
22	Improving management of glycaemic control in people with T2DM in primary care: estimation of the impact on the clinical complications and associated costs. <i>BMC Health Services Research</i> , 2020 , 20, 803	2.9	3
21	Prevalence and control of type 2 diabetes mellitus among primary care physicians in Spain. PRISMA Study. <i>Endocrinologia, Diabetes Y Nutrici</i> a , 2017 , 64, 265-271	1.3	2
20	Therapeutic Inertia: Still a Long Way to Go That Cannot Be Postponed. <i>Diabetes Spectrum</i> , 2020 , 33, 50-5	5 7 .9	2
19	Analysis of the Adherence and Safety of Second Oral Glucose-Lowering Therapy in Routine Practice From the Mediterranean Area: A Retrospective Cohort Study. <i>Frontiers in Endocrinology</i> , 2021 , 12, 70837	7 5 :7	2

18	Cardiovascular and mortality benefits of sodium-glucose co-transporter-2 inhibitors in patients with type 2 diabetes mellitus: CVD-Real Catalonia. <i>Cardiovascular Diabetology</i> , 2021 , 20, 139	8.7	2
17	Lactic acidosis associated with metformin in patients with moderate to severe chronic kidney disease: study protocol for a multicenter population-based case-control study using health databases. <i>BMC Nephrology</i> , 2019 , 20, 193	2.7	1
16	Inercia terapūtica en el control glucīnico de la diabetes mellitus tipo 2: inconvenientes y ventajas. <i>Hipertension Y Riesgo Vascular</i> , 2012 , 29, 34-40	0.5	1
15	La aplicacifi de la HbA1c como fiico criterio podrfi retrasar el diagnfitico de la diabetes mellitus tipo 2. <i>Avances En Diabetolog</i> ā , 2010 , 26, 419-423		1
14	Trends in the Degree of Control and Treatment of Cardiovascular Risk Factors in People With Type 2 Diabetes in a Primary Care Setting in Catalonia During 2007-2018 <i>Frontiers in Endocrinology</i> , 2021 , 12, 810757	5.7	1
13	Analysis of the effectiveness of second oral glucose-lowering therapy in routine clinical practice from the mediterranean area: A retrospective cohort study. <i>Diabetes Research and Clinical Practice</i> , 2021 , 171, 108616	7.4	1
12	The heterogeneity of reversion to normoglycemia according to prediabetes type is not explained by lifestyle factors. <i>Scientific Reports</i> , 2021 , 11, 9667	4.9	O
11	Risk factors for severe outcomes in people with diabetes hospitalised for COVID-19: a cross-sectional database study. <i>BMJ Open</i> , 2021 , 11, e051237	3	O
10	INTEGRA study protocol: primary care intervention in type 2 diabetes patients with poor glycaemic control. <i>BMC Family Practice</i> , 2019 , 20, 25	2.6	O
9	Incidence and characteristics of diabetic foot ulcers in subjects with type 2 diabetes in Catalonian primary care centres: An observational multicentre study. <i>Primary Care Diabetes</i> , 2021 , 15, 1033-1039	2.4	O
8	Mediterranean diet and diabetes risk in a cohort study of individuals with prediabetes: propensity score analyses <i>Diabetic Medicine</i> , 2021 , e14768	3.5	O
7	Heterogeneity in the association between prediabetes categories and reduction on glomerular filtration rate in a 5-year follow-up <i>Scientific Reports</i> , 2022 , 12, 7373	4.9	O
6	Consensus on insulin treatment in type 2 diabetes. <i>Endocrinologa Diabetes Y Nutricia (English Ed)</i> , 2018 , 65, 1-8	0.1	
5	Diabetes Treatment in Patients with Renal Diseasellow Many Are Receiving Contraindicated Drugs?. <i>Diabetes</i> , 2018 , 67, 1647-P	0.9	
4	Multiple Chronic Comorbidities in a T2DM Mediterranean Population. <i>Diabetes</i> , 2018 , 67, 1646-P	0.9	
3	327-OR: Multicountry Analysis of Trends in All-Cause Mortality among People with Type 1 Diabetes. <i>Diabetes</i> , 2021 , 70, 327-OR	0.9	
2	Compliance with the DPP-4 inhibitors dose adjustment recommendations based on renal function in a population database. <i>Endocrinologia, Diabetes Y Nutrici</i> , 2021 , 69, 83-83	1.3	
1	Compliance with the DPP-4 inhibitors dose adjustment recommendations based on renal function in a population database <i>Endocrinologa Diabetes Y Nutricia (English Ed)</i> , 2022 , 69, 83-91	0.1	