

Li-Hua Shao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8949528/publications.pdf>

Version: 2024-02-01

25
papers

568
citations

759233

12
h-index

610901

24
g-index

26
all docs

26
docs citations

26
times ranked

872
citing authors

#	ARTICLE	IF	CITATIONS
1	Soft Robot Based on Hyperelastic Buckling Controlled by Discontinuous Magnetic Field. <i>Journal of Mechanisms and Robotics</i> , 2022, 14, .	2.2	7
2	Transparent and electrically tunable electromagnetic wave absorbing metamaterial. <i>Applied Physics Letters</i> , 2022, 120, .	3.3	18
3	The free-standing nanoporous palladium for hydrogen isotope storage. <i>Journal of Alloys and Compounds</i> , 2021, 854, 157062.	5.5	11
4	Ultrahigh flexoelectric effect of 3D interconnected porous polymers: modelling and verification. <i>Journal of the Mechanics and Physics of Solids</i> , 2021, 151, 104396.	4.8	35
5	Uniform yolk-shell structured Si@C nanoparticles as a high performance anode material for the Li-ion battery. <i>Chemical Communications</i> , 2020, 56, 364-367.	4.1	53
6	4D printing composite with electrically controlled local deformation. <i>Extreme Mechanics Letters</i> , 2020, 39, 100793.	4.1	54
7	Ultrafast Dynamics and Energy Relaxation for Nanoporous Gold Materials: Lower Porosity and Faster Energy Exchange. <i>Journal of Physical Chemistry C</i> , 2020, 124, 6356-6363.	3.1	3
8	Investigation of the distinct optical property of nanoporous gold. <i>Results in Physics</i> , 2019, 15, 102645.	4.1	4
9	All-in-one cellulose based hybrid tribo/piezoelectric nanogenerator. <i>Nano Research</i> , 2019, 12, 1831-1835.	10.4	89
10	Hierarchical Nanoporous Carbon Templated and Catalyzed by the Bicontinuous Nanoporous Copper for High Performance Electrochemical Capacitors. <i>ChemistrySelect</i> , 2019, 4, 6437-6444.	1.5	6
11	Monitoring the length change of Ni@C composite electrodes during charging/discharging processes. <i>Electrochemistry Communications</i> , 2019, 103, 94-99.	4.7	9
12	A Bioinspired Functionalization of Polypropylene Separator for Lithium-Sulfur Battery. <i>Polymers</i> , 2019, 11, 728.	4.5	11
13	Effect of Thermal Conductivity on Enhanced Evaporation of Water Droplets from Heated Graphene@PDMS Composite Surfaces. <i>Langmuir</i> , 2019, 35, 6916-6921.	3.5	8
14	A Facile Route to Synthesize Micron Size Nearly Spherical Mesoporous Silica Particles. <i>ChemistrySelect</i> , 2019, 4, 2603-2606.	1.5	0
15	Dual-Stimuli Responsive Carbon Nanotube Sponge-PDMS Amphibious Actuator. <i>Nanomaterials</i> , 2019, 9, 1704.	4.1	12
16	The Mechanical Characteristics of Monolithic Nanoporous Copper and Its Composites. <i>Advanced Engineering Materials</i> , 2018, 20, 1800574.	3.5	15
17	Modulating the morphology of ZnO nanorod arrays on SiO ₂ -mask-patterned GaN template. <i>Materials Letters</i> , 2017, 195, 22-25.	2.6	7
18	3D hierarchical macro/mesoporous TiO ₂ with nanoporous or nanotubular structures and their core/shell composites achieved by anodization. <i>CrystEngComm</i> , 2017, 19, 2509-2516.	2.6	5

#	ARTICLE	IF	CITATIONS
19	Piezoelectric Gold: Strong Charge-Load Response in a Metal-Based Hybrid Nanomaterial. <i>Advanced Functional Materials</i> , 2016, 26, 5174-5181.	14.9	51
20	Nanoporous-Gold-Based Hybrid Cantilevered Actuator Dealloyed and Driven by A Modified Rotary Triboelectric Nanogenerator. <i>Scientific Reports</i> , 2016, 6, 24092.	3.3	19
21	Hierarchical nested-network porous copper fabricated by one-step dealloying for glucose sensing. <i>Journal of Alloys and Compounds</i> , 2016, 681, 109-114.	5.5	29
22	Nanostructured MWCNT/Polypyrrole Actuators with Anisotropic Strain Response. <i>Advanced Engineering Materials</i> , 2016, 18, 597-607.	3.5	11
23	Electrically Tunable Nanoporous Carbon Hybrid Actuators. <i>Advanced Functional Materials</i> , 2012, 22, 3029-3034.	14.9	39
24	Electrochemical Modulation of Photonic Metamaterials. <i>Advanced Materials</i> , 2010, 22, 5173-5177.	21.0	28
25	Electrocapillary maximum and potential of zero charge of carbon aerogel. <i>Physical Chemistry Chemical Physics</i> , 2010, 12, 7580.	2.8	44