Silvia Borsacchi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8950465/publications.pdf

Version: 2024-02-01

331670 361022 1,519 73 21 35 h-index citations g-index papers 75 75 75 2243 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Influence of Sulfur-Curing Conditions on the Dynamics and Crosslinking of Rubber Networks: A Time-Domain NMR Study. Polymers, 2022, 14, 767.	4.5	8
2	Glassy and Polymer Dynamics of Elastomers by 1H-Field-Cycling NMR Relaxometry: Effects of Fillers. Journal of Physical Chemistry B, 2021, 125, 4546-4554.	2.6	5
3	Interlayer Coordination of Pd–Pd Units in Exfoliated Black Phosphorus. Journal of the American Chemical Society, 2021, 143, 10088-10098.	13.7	16
4	Exploring the interplay of mucin with biologically-relevant amorphous magnesium-calcium phosphate nanoparticles. Journal of Colloid and Interface Science, 2021, 594, 802-811.	9.4	4
5	Dispersion of Few-Layer Black Phosphorus in Binary Polymer Blend and Block Copolymer Matrices. Nanomaterials, 2021, 11, 1996.	4.1	4
6	Incorporation of 2D black phosphorus (2D-bP) in P3HT/PMMA mixtures for novel materials with tuned spectroscopic, morphological and electric features. FlatChem, 2021, 30, 100314.	5.6	4
7	The Thermo-Oxidative Behavior of Cotton Coated with an Intumescent Flame Retardant Glycine-Derived Polyamidoamine: A Multi-Technique Study. Polymers, 2021, 13, 4382.	4.5	11
8	Structure and Dynamics of Perylene Bisimide Pigments for "Cool―Organic Coatings by Solid-State NMR: A Combined Experimental and DFT Study. Journal of Physical Chemistry C, 2020, 124, 17971-17980.	3.1	4
9	Solid State NMR Study of the Mixing Degree Between Ginkgo Biloba Extract and a Soy-Lecithin-Phosphatidylserine in a Composite Prepared by the Phytosome® Method. Chemistry Africa, 2020, 3, 717-725.	2.4	3
10	Anisotropy and NMR spectroscopy. Rendiconti Lincei, 2020, 31, 999-1010.	2.2	9
11	Glassy and Polymer Dynamics of Elastomers by ¹ H Field-Cycling NMR Relaxometry: Effects of Cross-Linking. Macromolecules, 2020, 53, 10028-10039.	4.8	8
12	Effect of sepiolite treatments on the oxidation of sepiolite/natural rubber nanocomposites prepared by latex compounding technique. Applied Clay Science, 2020, 189, 105528.	5.2	10
13	Boosting the NIR reflective properties of perylene organic coatings with thermoplastic hollow microspheres: Optical and structural properties by a multi-technique approach. Solar Energy, 2020, 198, 689-695.	6.1	20
14	Structural order and NIR reflective properties of perylene bisimide pigments: Experimental evidences from a combined multi-technique study. Dyes and Pigments, 2020, 179, 108401.	3.7	16
15	Phosphorene and Black Phosphorus: The ³¹ P NMR View. Journal of Physical Chemistry Letters, 2019, 10, 5122-5127.	4.6	21
16	Molecular Dynamics of Amphiphilic Random Copolymers in the Bulk: A 1 H and 19 F NMR Relaxometry Study. Macromolecular Chemistry and Physics, 2019, 220, 1900177.	2.2	12
17	Effect of phosphate additives on the hydration process of magnesium silicate cements. Journal of Thermal Analysis and Calorimetry, 2019, 138, 3311-3321.	3.6	22
18	Noncovalent Functionalization of 2D Black Phosphorus with Fluorescent Boronic Derivatives of Pyrene for Probing and Modulating the Interaction with Molecular Oxygen. ACS Applied Materials & Lamp; Interfaces, 2019, 11, 22637-22647.	8.0	42

#	Article	IF	CITATIONS
19	Dynamics of Clay-Intercalated Ibuprofen Studied by Solid State Nuclear Magnetic Resonance. Molecular Pharmaceutics, 2019, 16, 2569-2578.	4.6	10
20	Latent Thermal Storage for Solar Cooling Applications: Materials Characterization and Numerical Optimization of Finned Storage Configurations. Heat Transfer Engineering, 2019, 40, 1033-1048.	1.9	11
21	Polymer-Based Black Phosphorus (bP) Hybrid Materials by in Situ Radical Polymerization: An Effective Tool To Exfoliate bP and Stabilize bP Nanoflakes. Chemistry of Materials, 2018, 30, 2036-2048.	6.7	57
22	Monitoring the hydration of MgO-based cement and its mixtures with Portland cement by 1 H NMR relaxometry. Microporous and Mesoporous Materials, 2018, 269, 26-30.	4.4	19
23	Rubber-Filler Interactions in Polyisoprene Filled with In Situ Generated Silica: A Solid State NMR Study. Polymers, 2018, 10, 822.	4.5	14
24	Direct observation of the effects of small-amplitude motions on 13C nuclear shielding tensors by means of low-temperature 2D MAS NMR spectroscopy. Chemical Physics Letters, 2018, 706, 107-112.	2.6	6
25	Epoxy resin doped with Coumarin 6: Example of accessible luminescent collectors. European Polymer Journal, 2017, 89, 23-33.	5.4	19
26	Traditional Portland cement and MgO-based cement: a promising combination?. Physics and Chemistry of the Earth, 2017, 99, 158-167.	2.9	18
27	Tuning the functionalization degree of amylose and amylopectin with photochromic spiropyran by CuAAc reaction. Polymer, 2017, 120, 82-93.	3.8	5
28	Hydration of MgO/SiO2 and Portland cement mixtures: A structural investigation of the hydrated phases by means of X-ray diffraction and solid state NMR spectroscopy. Cement and Concrete Research, 2017, 102, 60-67.	11.0	24
29	Hydration of MgO-Based Cement: Water Dynamics by 1H Fast Field-Cycling NMR Relaxometry. Journal of Physical Chemistry C, 2017, 121, 26851-26859.	3.1	10
30	NMR Spectroscopy of Clay–Polymer Nanocomposites. , 2017, , 307-325.		3
31	Functionalization of Mesoporous Silica Nanoparticles with Organosilanes: Experimental Evidence of the Interaction Between Organic Groups and Silica Surface. Current Organic Chemistry, 2017, 21, .	1.6	4
32	Phase transitions in hydrophobe/phospholipid mixtures: hints at connections between pheromones and anaesthetic activity. Physical Chemistry Chemical Physics, 2016, 18, 15375-15383.	2.8	4
33	Solid-state NMR as a powerful tool for the structural and dynamic characterization of insoluble perfluoropolyetherâ€"tetrafluoroethylene block copolymers. Journal of Fluorine Chemistry, 2016, 192, 22-26.	1.7	2
34	Structural characterization of magnesium silicate hydrate: towards the design of eco-sustainable cements. Dalton Transactions, 2016, 45, 3294-3304.	3.3	74
35	Engineering of oxoclusters-reinforced polymeric materials with application as heterogeneous oxydesulfurization catalysts. Applied Catalysis B: Environmental, 2016, 182, 636-644.	20.2	22
36	Thermochromic polyethylene films doped with perylene chromophores: experimental evidence and methods for characterization of their phase behaviour. Polymer Chemistry, 2015, 6, 4003-4012.	3.9	22

#	Article	IF	CITATIONS
37	Structural and photophysical properties of rare-earth complexes encapsulated into surface modified mesoporous silica nanoparticles. Dalton Transactions, 2014, 43, 16183-16196.	3.3	27
38	Highly stable plastic optical fibre amplifiers containing [Eu(btfa)3(MeOH)(bpeta)]: A luminophore able to drive the synthesis of polyisocyanates. Polymer, 2014, 55, 488-494.	3.8	11
39	Understanding the aggregation of bis(benzoxazolyl)stilbene in PLA/PBS blends: a combined spectrofluorimetric, calorimetric and solid state NMR approach. Polymer Chemistry, 2014, 5, 828-835.	3.9	17
40	Freezing of Molecular Motions Probed by Cryogenic Magic Angle Spinning NMR. Journal of Physical Chemistry Letters, 2014, 5, 512-516.	4.6	15
41	Proton conducting membranes in fully anhydrous conditions at elevated temperature: Effect of Nitrilotris(methylenephosphonic acid) incorporation into Nafion- and poly(styrenesulfonic acid). Journal of Membrane Science, 2014, 469, 162-173.	8.2	24
42	Solid–Solid Transition between Hydrated Racemic Compound and Anhydrous Conglomerate in Na-Ibuprofen: A Combined X-ray Diffraction, Solid-State NMR, Calorimetric, and Computational Study. Crystal Growth and Design, 2014, 14, 2441-2452.	3.0	27
43	Insights into Shape-Memory Poly(ε-caprolactone) Materials by Solid-State NMR. Macromolecules, 2014, 47, 3544-3552.	4.8	10
44	Characterization of an amylose-graft-poly(n-butyl methacrylate) copolymer obtained by click chemistry by EPR and SS-NMR spectroscopies. Carbohydrate Polymers, 2014, 112, 245-254.	10.2	18
45	Synthesis, Characterization, and Solid-State NMR Investigation of Organically Modified Bentonites and Their Composites with LDPE. Langmuir, 2013, 29, 9164-9172.	3.5	9
46	Strong Intermolecular Ring Current Influence on ¹ H Chemical Shifts in Two Crystalline Forms of Naproxen: a Combined Solid-State NMR and DFT Study. Journal of Physical Chemistry C, 2013, 117, 17731-17740.	3.1	35
47	Comb-Shaped Polymers as Nanostructure Modifiers of Calcium Silicate Hydrate: A ²⁹ Si Solid-State NMR Investigation. Journal of Physical Chemistry C, 2013, 117, 22947-22953.	3.1	21
48	P3HT/PCBM Photoactive Materials for Solar Cells: Morphology and Dynamics by Means of Solid-State NMR. Journal of Physical Chemistry C, 2013, 117, 131-139.	3.1	17
49	New LDPE based anion-exchange membranes for alkaline solid polymeric electrolyte water electrolysis. International Journal of Hydrogen Energy, 2012, 37, 14992-15002.	7.1	100
50	Interrelation between preparation conditions, structure, and mechanical reinforcement in isoprene rubber filled with in situ generated silica. Journal of Applied Polymer Science, 2012, 125, E398.	2.6	9
51	¹³ C Chemical Shielding Tensors: A Combined Solid-State NMR and DFT Study of the Role of Small-Amplitude Motions. Journal of Physical Chemistry C, 2011, 115, 25023-25029.	3.1	19
52	Dynamics by Solid-State NMR: Detailed Study of Ibuprofen Na Salt and Comparison with Ibuprofen. Journal of Physical Chemistry A, 2011, 115, 8783-8790.	2.5	30
53	Structure, dynamics and interactions of complex sol–gel hybrid materials through SSNMR and DSC: Part I, binary systems based on PE-PEG block copolymer, PHS and silica. Polymer, 2011, 52, 4536-4544.	3.8	8
54	Structure, dynamics and interactions of complex sol–gel hybrid materials through SSNMR and DSC: Part II, ternary systems based on PE–PEG block copolymer, PHS and silica. Polymer, 2011, 52, 4545-4552.	3.8	5

#	Article	IF	CITATIONS
55	Optical properties of a polyethylene dispersion with a luminescent silica prepared by surface grafting of a perylene derivative. European Polymer Journal, 2011, 47, 1589-1600.	5.4	10
56	Detailed Characterization of the Dynamics of Ibuprofen in the Solid State by a Multiâ€Technique NMR Approach. ChemPhysChem, 2011, 12, 974-981.	2.1	26
57	Orientational order of liquid crystals by 11B NMR spectroscopy. Chemical Physics Letters, 2011, 508, 63-66.	2.6	5
58	A multinuclear solid-state magnetic resonance study on submicrometer-sized SiO2 particles encapsulated by a PMMA shell. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2010, 369, 191-195.	4.7	3
59	Proton Spinâ^'Lattice Relaxation in Silkworm Cocoons: Physisorbed Water and Serine Side-Chain Motions. Journal of Physical Chemistry B, 2010, 114, 2586-2592.	2.6	4
60	Understanding the Properties of the Coagel and Gel Phases: A ² H and ¹³ C NMR Study of Amphiphilic Ascorbic Acid Derivatives. Journal of Physical Chemistry B, 2010, 114, 15872-15878.	2.6	17
61	Orientational Order of Fluorinated Mesogens Containing the 1,3,2-Dioxaborinane Ring: A Multidisciplinary Approach. Journal of Physical Chemistry B, 2009, 113, 15783-15794.	2.6	20
62	Structure and orientation of small molecules dissolved in the liquid crystalline phases of CsPFO/water system by multinuclear NMR. Physical Chemistry Chemical Physics, 2009, 11, 3996.	2.8	1
63	Facile synthesis of coreâ€shell organic–inorganic hybrid nanoparticles with amphiphilic polymer shell by oneâ€step sol–gel reactions. Journal of Polymer Science Part A, 2008, 46, 1699-1709.	2.3	15
64	A multinuclear solidâ€state magnetic resonance study of the interactions between the inorganic and organic coatings of BaSO ₄ submicronic particles. Magnetic Resonance in Chemistry, 2008, 46, 52-57.	1.9	6
65	Applications of Solid-State NMR to the Study of Organic/Inorganic Multicomponent Materials. Applied Spectroscopy Reviews, 2008, 44, 1-89.	6.7	78
66	Solidâ€State NMR Studies of Pharmaceutical Systems. Applied Spectroscopy Reviews, 2008, 43, 202-302.	6.7	152
67	Solid-state nuclear magnetic resonance characterization of PE–PEG/silica hybrid materials prepared by microwave-assisted sol-gel process. Journal of Materials Research, 2007, 22, 3516-3525.	2.6	24
68	Interactions at the Surface of Organophilic-Modified Laponites:Â A Multinuclear Solid-State NMR Study. Langmuir, 2007, 23, 3953-3960.	3.5	57
69	MVS-derived palladium nanoparticles deposited on polydimethylphosphazene as recyclable catalysts for Heck-type reactions: Preparation, structural study, and catalytic activity. Journal of Catalysis, 2007, 246, 351-361.	6.2	38
70	Solid State NMR Investigation of the Molecular Dynamics of Cocoon Silks Produced by DifferentBombyx mori(Lepidoptera) Strains. Biomacromolecules, 2006, 7, 1266-1273.	5.4	11
71	Improving compatibility in LDPE–silica dispersions by photo-grafting reaction. Preparation and solid state NMR investigation. Journal of Materials Chemistry, 2006, 16, 4581-4591.	6.7	26
72	Solid-state NMR characterization of diastereoisomeric chiral stationary phases and their soluble models. Solid State Nuclear Magnetic Resonance, 2005, 28, 193-203.	2.3	4

#	Article	IF	CITATIONS
73	On the Interaction of Sodium Dodecyl Sulfate with Oligomers of Poly(Ethylene Glycol) in Aqueous Solution. Journal of Physical Chemistry B, 2004, 108, 8960-8969.	2.6	70