Andrew A Mercer

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8950963/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The parapoxvirus Orf virus inhibits IFN- \hat{I}^2 expression induced by dsRNA. Virus Research, 2021, 307, 198619.	2.2	2
2	The parapoxvirus Orf virus ORF116 gene encodes an antagonist of the interferon response. Journal of General Virology, 2021, 102, .	2.9	1
3	Rescue of a Vaccinia Virus Mutant Lacking IFN Resistance Genes K1L and C7L by the Parapoxvirus Orf Virus. Frontiers in Microbiology, 2020, 11, 1797.	3.5	1
4	Orf Virus IL-10 and VEGF-E Act Synergistically to Enhance Healing of Cutaneous Wounds in Mice. Journal of Clinical Medicine, 2020, 9, 1085.	2.4	13
5	Chemokine-Binding Proteins Encoded by Parapoxvirus of Red Deer of New Zealand Display Evidence of Gene Duplication and Divergence of Ligand Specificity. Frontiers in Microbiology, 2019, 10, 1421.	3.5	8
6	The Cutaneous Inflammatory Response to Thermal Burn Injury in a Murine Model. International Journal of Molecular Sciences, 2019, 20, 538.	4.1	56
7	VEGF Receptor-2 Activation Mediated by VEGF-E Limits Scar Tissue Formation Following Cutaneous Injury. Advances in Wound Care, 2018, 7, 283-297.	5.1	19
8	Treatment of limb wounds of horses with orf virus IL-10 and VEGF-E accelerates resolution of exuberant granulation tissue, but does not prevent its development. PLoS ONE, 2018, 13, e0197223.	2.5	20
9	Ankyrin Repeat Proteins of Orf Virus Influence the Cellular Hypoxia Response Pathway. Journal of Virology, 2017, 91, .	3.4	14
10	Deletion of the Chemokine Binding Protein Gene from the Parapoxvirus Orf Virus Reduces Virulence and Pathogenesis in Sheep. Frontiers in Microbiology, 2017, 8, 46.	3.5	25
11	Shortâ€ŧerm treatment of equine wounds with orf virus ILâ€10 and VEGFâ€E dampens inflammation and promotes repair processes without accelerating closure. Wound Repair and Regeneration, 2016, 24, 966-980.	3.0	32
12	Orf virus interleukinâ€10 and vascular endothelial growth factorâ€E modulate gene expression in cultured equine dermal fibroblasts. Veterinary Dermatology, 2016, 27, 434.	1.2	8
13	Orf virus IL-10 reduces monocyte, dendritic cell and mast cell recruitment to inflamed skin. Virus Research, 2016, 213, 230-237.	2.2	16
14	A Broad-Spectrum Chemokine-Binding Protein of Bovine Papular Stomatitis Virus Inhibits Neutrophil and Monocyte Infiltration in Inflammatory and Wound Models of Mouse Skin. PLoS ONE, 2016, 11, e0168007.	2.5	18
15	Molecular Genetic Analysis of Orf Virus: A Poxvirus That Has Adapted to Skin. Viruses, 2015, 7, 1505-1539.	3.3	124
16	Effect of a Broad-Specificity Chemokine-Binding Protein on Brain Leukocyte Infiltration and Infarct Development. Stroke, 2015, 46, 537-544.	2.0	41
17	Structures of Orf Virus Chemokine Binding Protein in Complex with Host Chemokines Reveal Clues to Broad Binding Specificity. Structure, 2015, 23, 1199-1213.	3.3	28
18	Orf virus inhibits interferon stimulated gene expression and modulates the JAK/STAT signalling pathway. Virus Research, 2015, 208, 180-188.	2.2	20

#	Article	IF	CITATIONS
19	Poxviral Ankyrin Proteins. Viruses, 2015, 7, 709-738.	3.3	50
20	Orf virus <scp>IL</scp> â€10 accelerates wound healing while limiting inflammation and scarring. Wound Repair and Regeneration, 2014, 22, 356-367.	3.0	33
21	Inactivated Orf Virus Shows Antifibrotic Activity and Inhibits Human Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV) Replication in Preclinical Models. PLoS ONE, 2013, 8, e74605.	2.5	17
22	ORFV: A Novel Oncolytic and Immune Stimulating Parapoxvirus Therapeutic. Molecular Therapy, 2012, 20, 1148-1157.	8.2	59
23	Development of orf virus as a bifunctional recombinant vaccine: Surface display of Echinococcus granulosus antigen EG95 by fusion to membrane structural proteins. Vaccine, 2012, 30, 398-406.	3.8	16
24	How viruses affect the cell cycle through manipulation of the APC/C. Trends in Microbiology, 2012, 20, 440-448.	7.7	26
25	The vascular endothelial growth factor (VEGF)-E encoded by orf virus regulates keratinocyte proliferation and migration and promotes epidermal regeneration. Cellular Microbiology, 2012, 14, 1376-1390.	2.1	56
26	Transcriptional Repression of E-Cadherin by Human Papillomavirus Type 16 E6. PLoS ONE, 2012, 7, e48954.	2.5	73
27	Phylogenetic analysis of the large family of poxvirus ankyrin-repeat proteins reveals orthologue groups within and across chordopoxvirus genera. Journal of General Virology, 2011, 92, 2596-2607.	2.9	22
28	Vaccinia virus as a vaccine delivery system for marsupial wildlife. Vaccine, 2011, 29, 4537-4543.	3.8	12
29	Characterization of immunostimulatory components of orf virus (parapoxvirus ovis). Journal of General Virology, 2011, 92, 1571-1584.	2.9	34
30	Parapoxvirus. , 2011, , 1495-1504.		1
31	Crystallization and preliminary X-ray analysis of the chemokine-binding protein from orf virus (<i>Poxviridae</i>). Acta Crystallographica Section F: Structural Biology Communications, 2010, 66, 819-823.	0.7	4
32	The chemokine-binding protein encoded by the poxvirus orf virus inhibits recruitment of dendritic cells to sites of skin inflammation and migration to peripheral lymph nodes. Cellular Microbiology, 2010, 12, 665-676.	2.1	45
33	The genome of pseudocowpoxvirus: comparison of a reindeer isolate and a reference strain. Journal of General Virology, 2010, 91, 1560-1576.	2.9	76
34	Orf virus cell cycle regulator, PACR, competes with subunit 11 of the anaphase promoting complex for incorporation into the complex. Journal of General Virology, 2010, 91, 3010-3015.	2.9	14
35	Changing pace: Viral mimicry of an anaphase promoting complex subunit. Cell Cycle, 2010, 9, 632-633.	2.6	4
36	Orf virus-encoded chemokine-binding protein is a potent inhibitor of inflammatory monocyte recruitment in a mouse skin model. Journal of General Virology, 2009, 90, 1477-1482.	2.9	32

#	Article	IF	CITATIONS
37	Cell cycle deregulation by a poxvirus partial mimic of anaphase-promoting complex subunit 11. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 19527-19532.	7.1	34
38	Investigation of orf virus structure and morphogenesis using recombinants expressing FLAG-tagged envelope structural proteins: evidence for wrapped virus particles and egress from infected cells. Journal of General Virology, 2009, 90, 614-625.	2.9	22
39	Poxvirus Host Range Protein CP77 Contains an F-Box-Like Domain That Is Necessary To Suppress NF-ΪB Activation by Tumor Necrosis Factor Alpha but Is Independent of Its Host Range Function. Journal of Virology, 2009, 83, 4140-4152.	3.4	64
40	Conservation and variation of the parapoxvirus GM-CSF-inhibitory factor (GIF) proteins. Journal of General Virology, 2009, 90, 970-977.	2.9	20
41	A truncated two-α-helix F-box present in poxvirus ankyrin-repeat proteins is sufficient for binding the SCF1 ubiquitin ligase complex. Journal of General Virology, 2009, 90, 1224-1228.	2.9	22
42	The orf virus inhibitor of apoptosis functions in a Bcl-2-like manner, binding and neutralizing a set of BH3-only proteins and active Bax. Apoptosis: an International Journal on Programmed Cell Death, 2009, 14, 1317-1330.	4.9	39
43	The Câ€terminus of viral vascular endothelial growth factorâ€E partially blocks binding to VEGF receptorâ€1. FEBS Journal, 2008, 275, 207-217.	4.7	6
44	Vaccinia viruses with mutations in the E3L gene as potential replication-competent, attenuated vaccines: Intra-nasal vaccination. Vaccine, 2008, 26, 664-676.	3.8	45
45	Poxvirus ankyrin repeat proteins are a unique class of F-box proteins that associate with cellular SCF1 ubiquitin ligase complexes. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 10955-10960.	7.1	91
46	Orf virus VEGFâ€E NZ2 promotes paracellular NRPâ€1/VEGFRâ€2 coreceptor assembly <i>via</i> the peptide RPPR. FASEB Journal, 2008, 22, 3078-3086.	0.5	49
47	Resolution of cervical dysplasia is associated with T-cell proliferative responses to human papillomavirus type 16 E2. Journal of General Virology, 2007, 88, 803-813.	2.9	41
48	The Structure of a Putative Scaffolding Protein of Immature Poxvirus Particles as Determined by Electron Microscopy Suggests Similarity with Capsid Proteins of Large Icosahedral DNA Viruses. Journal of Virology, 2007, 81, 11075-11083.	3.4	19
49	Bovine papular stomatitis virus encodes a functionally distinct VEGF that binds both VEGFR-1 and VEGFR-2. Journal of General Virology, 2007, 88, 781-791.	2.9	33
50	A Novel Bcl-2-Like Inhibitor of Apoptosis Is Encoded by the Parapoxvirus Orf Virus. Journal of Virology, 2007, 81, 7178-7188.	3.4	77
51	Orf virus interleukin-10 inhibits cytokine synthesis in activated human THP-1 monocytes, but only partially impairs their proliferation. Journal of General Virology, 2007, 88, 1677-1682.	2.9	22
52	Parapoxvirus of red deer in New Zealand encodes a variant of viral vascular endothelial growth factor. Virus Research, 2007, 124, 50-58.	2.2	26
53	Major amino acid sequence variants of viral vascular endothelial growth factor are functionally equivalent during Orf virus infection of sheep skin. Virus Research, 2007, 128, 115-125.	2.2	22

#	Article	IF	CITATIONS
55	Infection with recombinant orf viruses demonstrates that the viral interleukin-10 is a virulence factor. Journal of General Virology, 2007, 88, 1922-1927.	2.9	40
56	Maturation and function of human dendritic cells are inhibited by orf virus-encoded interleukin-10. Journal of General Virology, 2006, 87, 3177-3181.	2.9	38
57	Comparative analysis of genome sequences of three isolates of Orf virus reveals unexpected sequence variation. Virus Research, 2006, 116, 146-158.	2.2	131
58	F-Box-Like Domains are Present in Most Poxvirus Ankyrin Repeat Proteins. Virus Genes, 2005, 31, 127-133.	1.6	93
59	Recent isolates of parapoxvirus of Finnish reindeer (Rangifer tarandus tarandus) are closely related to bovine pseudocowpox virus. Journal of General Virology, 2004, 85, 1413-1418.	2.9	74
60	Pseudocowpox virus Encodes a Homolog of Vascular Endothelial Growth Factor. Virology, 2003, 305, 298-309.	2.4	44
61	The Orf virus E3L homologue is able to complement deletion of the vaccinia virus E3L gene in vitro but not in vivo. Virology, 2003, 314, 305-314.	2.4	22
62	Analysis of an orf virus chemokine-binding protein: Shifting ligand specificities among a family of poxvirus viroceptors. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 15137-15142.	7.1	80
63	Orf virus-encoded interleukin-10 inhibits maturation, antigen presentation and migration of murine dendritic cells. Journal of General Virology, 2003, 84, 1101-1109.	2.9	49
64	Viral Vascular Endothelial Growth Factors Vary Extensively in Amino Acid Sequence, Receptor-binding Specificities, and the Ability to Induce Vascular Permeability yet Are Uniformly Active Mitogens. Journal of Biological Chemistry, 2003, 278, 38004-38014.	3.4	63
65	Inactivated parapoxvirus ovis (Orf virus) has antiviral activity against hepatitis B virus and herpes simplex virus. Journal of General Virology, 2003, 84, 1843-1852.	2.9	56
66	A comparison of the anti-inflammatory and immuno-stimulatory activities of orf virus and ovine interleukin-10. Virus Research, 2002, 90, 303-316.	2.2	34
67	Orf virus immuno-modulation and the host immune response. Veterinary Immunology and Immunopathology, 2002, 87, 395-399.	1.2	37
68	Orf virus-encoded interleukin-10 stimulates the proliferation of murine mast cells and inhibits cytokine synthesis in murine peritoneal macrophages. Journal of General Virology, 2002, 83, 1049-1058.	2.9	62
69	Parapoxvirus. , 2002, , 896-901.		Ο
70	Isolated lymphatic endothelial cells transduce growth, survival and migratory signals via the VEGF-C/D receptor VEGFR-3. EMBO Journal, 2001, 20, 4762-4773.	7.8	705
71	Sequence and Functional Analysis of a Homolog of Interleukin-10 Encoded by the Parapoxvirus Orf Virus. Virus Genes, 2000, 21, 85-95.	1.6	55
72	Orf Virus Encodes a Novel Secreted Protein Inhibitor of Granulocyte-Macrophage Colony-Stimulating Factor and Interleukin-2. Journal of Virology, 2000, 74, 1313-1320.	3.4	131

#	Article	IF	CITATIONS
73	Viral Vascular Endothelial Growth Factor Plays a Critical Role in Orf Virus Infection. Journal of Virology, 2000, 74, 10699-10706.	3.4	123
74	Sequence and Functional Analysis of a Homolog of Interleukin-10 Encoded by the Parapoxvirus Orf Virus. , 2000, , 85-95.		0
75	Vascular endothelial growth factor (VEGF)-like protein from orf virus NZ2 binds to VEGFR2 and neuropilin-1. Proceedings of the National Academy of Sciences of the United States of America, 1999, 96, 3071-3076.	7.1	254
76	PARAPOXVIRUSES (POXVIRIDAE)., 1999,, 1140-1146.		8
77	Orf virus encodes a homolog of the vaccinia virus interferon-resistance gene E3L. Virus Genes, 1998, 17, 107-115.	1.6	68
78	The immune and inflammatory response to orf virus. Comparative Immunology, Microbiology and Infectious Diseases, 1997, 20, 197-204.	1.6	50
79	A Novel Strategy for Determining Protective Antigens of the Parapoxvirus, Orf Virus. Virology, 1997, 229, 193-200.	2.4	16
80	Cytokines and their inhibitors in orf virus infection. Veterinary Immunology and Immunopathology, 1996, 54, 261-267.	1.2	27
81	Gene homology between orf virus and smallpox variola virus. Virus Genes, 1996, 13, 175-178.	1.6	11
82	Sequence and transcriptional analysis of a near-terminal region of the orf virus genome. Virus Genes, 1995, 11, 21-29.	1.6	13
83	Sequence and transcriptional analysis of an orf virus gene encoding ankyrinlike repeat sequences. Virus Genes, 1995, 9, 277-282.	1.6	19
84	Parapoxvirus of Red Deer: Evidence for Its Inclusion as a New Member in the Genus Parapoxvirus. Virology, 1995, 208, 812-815.	2.4	67
85	The Establishment of a Genetic Map of Orf Virus Reveals a Pattern of Genomic Organization That Is Highly Conserved among Divergent Poxviruses. Virology, 1995, 212, 698-704.	2.4	38
86	Molecular Characterization of a Plasmid-Borne (pGT633) Erythromycin Resistance Determinant (ermGT) from Lactobacillus reuteri 100-63. Plasmid, 1994, 31, 60-71.	1.4	137
87	Identification and Characterization of an Orf Virus Homologue of the Vaccinia Virus Gene Encoding the Major Envelope Antigen p37K. Virology, 1994, 202, 968-973.	2.4	103
88	Lack of cross-protection between vaccinia virus and orf virus in hysterectomy-procured, barrier-maintained lambs. Veterinary Microbiology, 1994, 41, 373-382.	1.9	24
89	Conservation of Gene Structure and Arrangement between Vaccinia Virus and Orf Virus. Virology, 1993, 195, 175-184.	2.4	54
90	In Vivo Recognition of Orf virus early transcriptional promoters in a vaccinia virus recombinant. Virology, 1992, 187, 464-471.	2.4	19

#	Article	IF	CITATIONS
91	Vaccinia virus-like early transcriptional control sequences flank an early gene in orf virus. Gene, 1991, 97, 207-212.	2.2	29
92	Sequence analysis of the inverted terminal repetition in the genome of the parapoxvirus, orf virus. Virology, 1990, 176, 379-389.	2.4	30
93	A homologue of retroviral pseudoproteases in the parapoxvirus, orf virus. Virology, 1989, 172, 665-668.	2.4	42
94	The structure and cloning of orf virus DNA. Virology, 1987, 157, 1-12.	2.4	65
95	Conservation and variation in orf virus genomes. Virology, 1987, 157, 13-23.	2.4	50