

Jian-Gong Shi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8952862/publications.pdf>

Version: 2024-02-01

126
papers

4,023
citations

101543

36
h-index

155660

55
g-index

134
all docs

134
docs citations

134
times ranked

2977
citing authors

#	ARTICLE	IF	CITATIONS
1	Lignans and Neolignans from <i>Sinocalamus affinis</i> and Their Absolute Configurations. <i>Journal of Natural Products</i> , 2011, 74, 1188-1200.	3.0	194
2	Glycosides from the Root of <i>Iodes cirrhosa</i> . <i>Journal of Natural Products</i> , 2008, 71, 647-654.	3.0	161
3	Phelligidins Cytotoxic Pyrano[4,3-c][2]benzopyran-1,6-dione and Furo[3,2-c]pyran-4-one Derivatives from the Fungus <i>Phellinus igniarius</i> . <i>Journal of Natural Products</i> , 2004, 67, 823-828.	3.0	153
4	Alkaloids from the Root of <i>Isatis indigotica</i> . <i>Journal of Natural Products</i> , 2012, 75, 1167-1176.	3.0	136
5	Sesquiterpenes from the Red Alga <i>Laurencia tristicha</i> . <i>Journal of Natural Products</i> , 2005, 68, 915-919.	3.0	104
6	Structures, Biogenesis, and Biological Activities of Pyrano[4,3-c]isochromen-4-one Derivatives from the Fungus <i>Phellinus igniarius</i> . <i>Journal of Natural Products</i> , 2007, 70, 296-299.	3.0	102
7	Dibenzyl Bromophenols with Diverse Dimerization Patterns from the Brown Alga <i>Leathesiaana</i> . <i>Journal of Natural Products</i> , 2004, 67, 1661-1666.	3.0	94
8	Glycosides from the Stem Bark of <i>Fraxinus sieboldiana</i> . <i>Journal of Natural Products</i> , 2007, 70, 817-823.	3.0	81
9	Enantiomers of an Indole Alkaloid Containing Unusual Dihydrothiopyran and 1,2,4-Thiadiazole Rings from the Root of <i>Isatis indigotica</i> . <i>Organic Letters</i> , 2012, 14, 5668-5671.	4.6	78
10	Mono-, Bi-, and Triphenanthrenes from the Tubers of <i>Cremastra appendiculata</i> . <i>Journal of Natural Products</i> , 2006, 69, 907-913.	3.0	76
11	Diterpenoid Alkaloids from the Lateral Root of <i>Aconitum carmichaelii</i> . <i>Journal of Natural Products</i> , 2012, 75, 1145-1159.	3.0	69
12	Ambient Mass Spectrometry Imaging Metabolomics Method Provides Novel Insights into the Action Mechanism of Drug Candidates. <i>Analytical Chemistry</i> , 2015, 87, 5372-5379.	6.5	68
13	A Minor Diterpenoid with a New 6/5/7/3 Fused-Ring Skeleton from <i>Euphorbia micractina</i> . <i>Organic Letters</i> , 2014, 16, 3950-3953.	4.6	61
14	Chemical Constituents of the Bark of <i>Machilus wangchiana</i> and Their Biological Activities. <i>Journal of Natural Products</i> , 2009, 72, 2145-2152.	3.0	60
15	Antiviral glycosidic bisindole alkaloids from the roots of <i>Isatis indigotica</i> . <i>Journal of Asian Natural Products Research</i> , 2015, 17, 689-704.	1.4	55
16	NHBA isolated from <i>Gastrodia elata</i> exerts sedative and hypnotic effects in sodium pentobarbital-treated mice. <i>Pharmacology Biochemistry and Behavior</i> , 2012, 102, 450-457.	2.9	54
17	Glucosylated caffeoylquinic acid derivatives from the flower buds of <i>Lonicera japonica</i> . <i>Acta Pharmaceutica Sinica B</i> , 2015, 5, 210-214.	12.0	50
18	Bioactive Neolignans and Lignans from the Bark of <i>Machilus robusta</i> . <i>Journal of Natural Products</i> , 2011, 74, 1444-1452.	3.0	48

#	ARTICLE	IF	CITATIONS
19	Homosecoiridoid Alkaloids with Amino Acid Units from the Flower Buds of <i>Lonicera japonica</i> . <i>Journal of Natural Products</i> , 2013, 76, 2226-2233.	3.0	48
20	Antiviral enantiomers of a bisindole alkaloid with a new carbon skeleton from the roots of <i>Isatis indigotica</i> . <i>Chinese Chemical Letters</i> , 2015, 26, 931-936.	9.0	48
21	20C, a bibenzyl compound isolated from <i>Gastrodia elata</i> , protects PC12 cells against rotenone-induced apoptosis via activation of the Nrf2/ARE/HO-1 signaling pathway. <i>Acta Pharmacologica Sinica</i> , 2016, 37, 731-740.	6.1	48
22	DJ-1 regulating PI3K-Nrf2 signaling plays a significant role in bibenzyl compound 20C-mediated neuroprotection against rotenone-induced oxidative insult. <i>Toxicology Letters</i> , 2017, 271, 74-83.	0.8	46
23	Pyridinium Alkaloid-Coupled Secoiridoids from the Flower Buds of <i>Lonicera japonica</i> . <i>Journal of Natural Products</i> , 2008, 71, 922-925.	3.0	44
24	Indole alkaloid sulfonic acids from an aqueous extract of <i>Isatis indigotica</i> roots and their antiviral activity. <i>Acta Pharmaceutica Sinica B</i> , 2017, 7, 334-341.	12.0	44
25	Acetylenes and fatty acids from <i>Codonopsis pilosula</i> . <i>Acta Pharmaceutica Sinica B</i> , 2015, 5, 215-222.	12.0	43
26	<i>Coeloglossum viride</i> var. <i>bracteatum</i> extract attenuates d-galactose and NaNO ₂ induced memory impairment in mice. <i>Journal of Ethnopharmacology</i> , 2006, 104, 250-256.	4.1	41
27	Damarane Glycosides from the Root of <i>Machilus yaoshansis</i> . <i>Journal of Natural Products</i> , 2012, 75, 1373-1382.	3.0	41
28	Two new β -hydroxy amino acid-coupled secoiridoids from the flower buds of <i>Lonicera japonica</i> : Isolation, structure elucidation, semisynthesis, and biological activities. <i>Chinese Chemical Letters</i> , 2014, 25, 1215-1219.	9.0	41
29	Chemical constituents of the rhizomes of <i>Coeloglossum viride</i> var. <i>bracteatum</i> . <i>Journal of Asian Natural Products Research</i> , 2004, 6, 49-61.	1.4	40
30	Yaoshanenolides A and B: New Spirolactones from the Bark of <i>Machilus yaoshansis</i> . <i>Organic Letters</i> , 2012, 14, 1004-1007.	4.6	40
31	C ₁₄ -Polyacetylene glucosides from <i>Codonopsis pilosula</i> . <i>Journal of Asian Natural Products Research</i> , 2015, 17, 601-614.	1.4	40
32	Indole alkaloid glucosides from the roots of <i>Isatis indigotica</i> . <i>Journal of Asian Natural Products Research</i> , 2016, 18, 1-12.	1.4	40
33	Bromophenols Coupled with Derivatives of Amino Acids and Nucleosides from the Red Alga <i>Rhodomela confervoides</i> . <i>Journal of Natural Products</i> , 2005, 68, 691-694.	3.0	39
34	Chemical Constituents of <i>Heteroplexis microcephala</i> . <i>Journal of Natural Products</i> , 2009, 72, 1184-1190.	3.0	39
35	Sesquiterpene glucosides from the roots of <i>Codonopsis pilosula</i> . <i>Acta Pharmaceutica Sinica B</i> , 2016, 6, 46-54.	12.0	38
36	C ₁₉ -Diterpenoid alkaloid arabinosides from an aqueous extract of the lateral root of <i>Aconitum carmichaelii</i> and their analgesic activities. <i>Acta Pharmaceutica Sinica B</i> , 2018, 8, 409-419.	12.0	38

#	ARTICLE	IF	CITATIONS
37	Homosecoiridoids from the Flower Buds of <i>Lonicera japonica</i> . Journal of Natural Products, 2011, 74, 2151-2160.	3.0	37
38	Cadinane Sesquiterpenes from the Brown Alga <i>Dictyosphaeria divaricata</i> . Journal of Natural Products, 2004, 67, 1644-1649.	3.0	36
39	Two Novel Glycosidic Triterpene Alkaloids from the Stem Barks of <i>Machilus yaoshansis</i> . Organic Letters, 2007, 9, 129-132.	4.6	35
40	Aromatic glycosides from the flower buds of <i>Lonicera japonica</i> . Journal of Asian Natural Products Research, 2013, 15, 492-501.	1.4	35
41	Isatindolignanamide A, a glucosidic indole-lignan conjugate from an aqueous extract of the <i>Isatis indigotica</i> roots. Chinese Chemical Letters, 2018, 29, 1257-1260.	9.0	35
42	Secoeuphoractin, a minor diterpenoid with a new skeleton from <i>Euphorbia micractina</i> . Chinese Chemical Letters, 2014, 25, 1531-1534.	9.0	34
43	4-Hydroxybenzyl-substituted glutathione derivatives from <i>Gastrodia elata</i> . Journal of Asian Natural Products Research, 2015, 17, 439-454.	1.4	34
44	Aconicarmisulfonine A, a Sulfonated C ₂₀ -Diterpenoid Alkaloid from the Lateral Roots of <i>Aconitum carmichaelii</i> . Organic Letters, 2018, 20, 816-819.	4.6	34
45	Sulfur-enriched alkaloids from the root of <i>Isatis indigotica</i> . Acta Pharmaceutica Sinica B, 2018, 8, 933-943.	12.0	34
46	Aromatic acid derivatives from the lateral roots of <i>Aconitum carmichaelii</i> . Journal of Asian Natural Products Research, 2014, 16, 891-900.	1.4	33
47	Divanillyl sulfone suppresses NLRP3 inflammasome activation via inducing mitophagy to ameliorate chronic neuropathic pain in mice. Journal of Neuroinflammation, 2021, 18, 142.	7.2	33
48	Chemical constituents of the red alga <i>Laurencia tristicha</i> . Journal of Asian Natural Products Research, 2007, 9, 725-734.	1.4	32
49	Abietane and C ₂₀ -Norabietane Diterpenes from the Stem Bark of <i>Fraxinus sieboldiana</i> and Their Biological Activities. Journal of Natural Products, 2010, 73, 1914-1921.	3.0	32
50	4-Hydroxybenzyl-substituted amino acid derivatives from <i>Gastrodia elata</i> . Acta Pharmaceutica Sinica B, 2015, 5, 350-357.	12.0	32
51	Two 1-(6-O-acyl- β -D-glucopyranosyl)pyridinium-3-carboxylates from the flower buds of <i>Lonicera japonica</i> . Chinese Chemical Letters, 2015, 26, 69-72.	9.0	32
52	Glycosidic Constituents of the Tubers of <i>Gymnadenia conopsea</i> . Journal of Natural Products, 2008, 71, 799-805.	3.0	31
53	Napelline-type C ₂₀ -diterpenoid alkaloid iminiums from an aqueous extract of <i>Œufu zia</i> . Solvent-/base-/acid-dependent transformation and equilibration between alcohol iminium and aza acetal forms. Chinese Chemical Letters, 2016, 27, 993-1003.	9.0	31
54	Isatindigodiphindoside, an alkaloid glycoside with a new diphenylpropylindole skeleton from the root of <i>Isatis indigotica</i> . Chinese Chemical Letters, 2018, 29, 119-122.	9.0	31

#	ARTICLE	IF	CITATIONS
55	Aconicatisulfonyl A and B, Analgesic Zwitterionic C ₂₀ -Diterpenoid Alkaloids with a Rearranged Atisane Skeleton from <i>Aconitum carmichaelii</i> . <i>Organic Letters</i> , 2019, 21, 6850-6854.	4.6	30
56	Three pairs of alkaloid enantiomers from the root of <i>Isatis indigotica</i> . <i>Acta Pharmaceutica Sinica B</i> , 2016, 6, 141-147.	12.0	29
57	Parishin C's prevention of A β ²¹⁻⁴² -induced inhibition of long-term potentiation is related to NMDA receptors. <i>Acta Pharmaceutica Sinica B</i> , 2016, 6, 189-197.	12.0	29
58	Bioactive Benzofuran Derivatives from Cortex Mori Radicis, and Their Neuroprotective and Analgesic Activities Mediated by mGluR1. <i>Molecules</i> , 2017, 22, 236.	3.8	29
59	Aromatic compounds from an aqueous extract of <i>ban lan gen</i> and their antiviral activities. <i>Acta Pharmaceutica Sinica B</i> , 2017, 7, 179-184.	12.0	28
60	A minor arcutine-type C ₂₀ -diterpenoid alkaloid iminium constituent of <i>fu zi</i> . <i>Chinese Chemical Letters</i> , 2017, 28, 588-592.	9.0	28
61	Antiviral stereoisomers of 3,5-bis(2-hydroxybut-3-en-1-yl)-1,2,4-thiadiazole from the roots of <i>Isatis indigotica</i> . <i>Chinese Chemical Letters</i> , 2016, 27, 643-648.	9.0	26
62	8,4 ² -Oxyneolignan glucosides from an aqueous extract of <i>ban lan gen</i> (<i>Isatis indigotica</i> root) and their absolute configurations. <i>Acta Pharmaceutica Sinica B</i> , 2017, 7, 638-646.	12.0	26
63	Codonopiloneolignanin A, a polycyclic neolignan with a new carbon skeleton from the roots of <i>Codonopsis pilosula</i> . <i>Chinese Chemical Letters</i> , 2016, 27, 55-58.	9.0	25
64	Diglycosidic indole alkaloid derivatives from an aqueous extract of <i>Isatis indigotica</i> roots. <i>Journal of Asian Natural Products Research</i> , 2017, 19, 529-540.	1.4	25
65	Unprecedented C ₁₉ -diterpenoid alkaloid glycosides from an aqueous extract of <i>fu zi</i> : Neoline 14-O-l-arabinosides with four isomeric l-arabinosyls. <i>Chinese Chemical Letters</i> , 2017, 28, 1705-1710.	9.0	25
66	Isotalatizidine, a C ₁₉ -diterpenoid alkaloid, attenuates chronic neuropathic pain through stimulating ERK/CREB signaling pathway-mediated microglial dynorphin A expression. <i>Journal of Neuroinflammation</i> , 2020, 17, 13.	7.2	25
67	Two 2-(quinonylcarboxamino)benzoates from the lateral roots of <i>Aconitum carmichaelii</i> . <i>Chinese Chemical Letters</i> , 2015, 26, 653-656.	9.0	24
68	Two homosecoiridoids from the flower buds of <i>Lonicera japonica</i> . <i>Chinese Chemical Letters</i> , 2015, 26, 517-521.	9.0	23
69	Chemical constituents of <i>Pyrrrosia petiolosa</i> . <i>Journal of Asian Natural Products Research</i> , 2003, 5, 143-150.	1.4	22
70	Gastrolatathioneine, an unusual ergothioneine derivative from an aqueous extract of <i>tian ma</i> , a natural product co-produced by plant and symbiotic fungus. <i>Chinese Chemical Letters</i> , 2016, 27, 1577-1581.	9.0	22
71	Bromophenols from the brown alga <i>Leathesia nana</i> . <i>Journal of Asian Natural Products Research</i> , 2004, 6, 217-221.	1.4	21
72	C ₁₄ -polyacetylenol glycosides from the roots of <i>Codonopsis pilosula</i> . <i>Journal of Asian Natural Products Research</i> , 2015, 17, 1166-1179.	1.4	21

#	ARTICLE	IF	CITATIONS
73	Furostanol oligoglycosides from <i>Asparagus cochinchinensis</i> . <i>Journal of Asian Natural Products Research</i> , 2004, 6, 99-105.	1.4	20
74	Effects of <i>Coeloglossum. viride</i> var. <i>bracteatum</i> Extract on Memory Deficits and Pathological Changes in Senescent Mice. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2006, 98, 55-60.	2.5	20
75	Acetylated flavonol diglucosides from <i>Meconopsis quintuplinervia</i> . <i>Phytochemistry</i> , 2006, 67, 511-515.	2.9	20
76	Structure, property, biogenesis, and activity of diterpenoid alkaloids containing a sulfonic acid group from <i>Aconitum carmichaelii</i> . <i>Acta Pharmaceutica Sinica B</i> , 2020, 10, 1954-1965.	12.0	20
77	Natural and unnatural anthraquinones isolated from the ethanol extract of the roots of <i>Knoxia valerianoides</i> . <i>Acta Pharmaceutica Sinica B</i> , 2012, 2, 260-266.	12.0	19
78	Anti-neuroinflammatory effects of 20C from <i>Gastrodia elata</i> via regulating autophagy in LPS-activated BV-2 cells through MAPKs and TLR4/Akt/mTOR signaling pathways. <i>Molecular Immunology</i> , 2018, 99, 115-123.	2.2	19
79	Discovery and evaluation of ZT55, a novel highly-selective tyrosine kinase inhibitor of JAK2V617F against myeloproliferative neoplasms. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 49.	8.6	19
80	Cucurbitane Glucosides from the Root of <i>Machilus yaoshansis</i> . <i>Journal of Natural Products</i> , 2011, 74, 2431-2437.	3.0	18
81	Two pairs of unusual scalemic enantiomers from <i>Isatis indigotica</i> leaves. <i>Chinese Chemical Letters</i> , 2016, 27, 1745-1750.	9.0	18
82	A novel bromophenol from marine red alga <i>Symphyclocladia latiuscula</i> . <i>Chemistry of Natural Compounds</i> , 2009, 45, 811-813.	0.8	17
83	Discovery, synthesis, and optimization of an N-alkoxy indolylacetamide against HIV-1 carrying NNRTI-resistant mutations from the <i>Isatis indigotica</i> root. <i>European Journal of Medicinal Chemistry</i> , 2020, 189, 112071.	5.5	17
84	Glycosides from the Bark of <i>Adina polycephala</i> . <i>Journal of Natural Products</i> , 2008, 71, 905-909.	3.0	16
85	Indole alkaloid glycosides with a β -(phenyl)ethyl unit from <i>Isatis indigotica</i> leaves. <i>Acta Pharmaceutica Sinica B</i> , 2020, 10, 895-902.	12.0	16
86	Machilusides A and B: Structurally Unprecedented Homocucurbitane Glycosides from the Stem Bark of <i>Machilus yaoshansis</i> . <i>Organic Letters</i> , 2011, 13, 2856-2859.	4.6	15
87	Whole-body spatially-resolved metabolomics method for profiling the metabolic differences of epimer drug candidates using ambient mass spectrometry imaging. <i>Talanta</i> , 2019, 202, 198-206.	5.5	14
88	Terpenoids from the tuber of <i>Cremastra appendiculata</i> . <i>Journal of Asian Natural Products Research</i> , 2008, 10, 677-683.	1.4	13
89	Gastrodin Derivatives from <i>Gastrodia elata</i> . <i>Natural Products and Bioprospecting</i> , 2019, 9, 393-404.	4.3	13
90	Aconapelsulfonines A and B, seco C20-diterpenoid alkaloids deriving via Criegee rearrangements of napelline skeleton from <i>Aconitum carmichaelii</i> . <i>Chinese Chemical Letters</i> , 2021, 32, 33-36.	9.0	13

#	ARTICLE	IF	CITATIONS
91	Bibenzyl compound 20c protects against endoplasmic reticulum stress in tunicamycin-treated PC12 cells in vitro. <i>Acta Pharmacologica Sinica</i> , 2016, 37, 1525-1533.	6.1	12
92	Base-Promoted Formal [3 + 2] Cycloaddition of $\hat{\pm}$ -Halohydroxamates with Carbon Disulfide to Synthesize Polysubstituted Rhodanines. <i>Organic Letters</i> , 2022, 24, 2837-2841.	4.6	12
93	Gastradefurphenol, a minor 9,9 $\hat{\epsilon}^2$ -neolignan with a new carbon skeleton substituted by two p-hydroxybenzyls from an aqueous extract of $\hat{\epsilon}$ œtian ma $\hat{\epsilon}$. <i>Chinese Chemical Letters</i> , 2017, 28, 1185-1189.	9.0	11
94	Minor constituents from the tubers of <i>Gymnadenia conopsea</i> . <i>Journal of Asian Natural Products Research</i> , 2010, 12, 477-484.	1.4	10
95	Antraquinones from the roots of <i>Knoxia valerianoides</i> . <i>Journal of Asian Natural Products Research</i> , 2011, 13, 1023-1029.	1.4	10
96	Butanolide derivatives from the bark of <i>Machilus yaoshansis</i> . <i>Journal of Asian Natural Products Research</i> , 2012, 14, 713-720.	1.4	10
97	Identification of a lathyrane-type diterpenoid EM-E-11-4 as a novel paclitaxel resistance reversing agent with multiple mechanisms of action. <i>Aging</i> , 2020, 12, 3713-3729.	3.1	10
98	Two new ar-bisabol sesquiterpenes from the stem bark of <i>Fraxinus sieboldiana</i> . <i>Acta Pharmaceutica Sinica B</i> , 2011, 1, 89-92.	12.0	9
99	In vitro identification of cytochrome P450 isoforms responsible for the metabolism of 1-hydroxyl-2,3,5-trimethoxy-xanthone purified from <i>Halenia elliptica</i> D. Don. <i>Chemico-Biological Interactions</i> , 2014, 210, 12-19.	4.0	9
100	Chemical constituents from the linseed meal. <i>F$\hat{\alpha}$-toterap$\hat{\alpha}$</i> , 2014, 97, 15-22.	2.2	9
101	The chemical constituents from red alga <i>Gymnogongrus flabelliformis</i> Harv.. <i>Chinese Journal of Oceanology and Limnology</i> , 2008, 26, 190-192.	0.7	8
102	Steroids from green alga <i>Chaetomorpha basiretorsa</i> Setchell. <i>Chinese Journal of Oceanology and Limnology</i> , 2008, 26, 415-418.	0.7	8
103	Minor alkaloids from an aqueous extract of the hook-bearing stem of <i>Uncaria rhynchophylla</i> . <i>Journal of Asian Natural Products Research</i> , 2021, 23, 513-526.	1.4	8
104	Denudatine-type diterpenoid alkaloids from an aqueous extract of the lateral root of <i>Aconitum carmichaelii</i> . <i>Journal of Asian Natural Products Research</i> , 2021, 23, 615-626.	1.4	8
105	Two folate-derived analogues from an aqueous decoction of <i>Uncaria rhynchophylla</i> . <i>Chinese Journal of Natural Medicines</i> , 2019, 17, 928-934.	1.3	7
106	Minor triterpenes from an aqueous extract of the hook-bearing stem of <i>Uncaria rhynchophylla</i> . <i>Journal of Asian Natural Products Research</i> , 2021, 23, 307-317.	1.4	7
107	Polyoxygenated Bipyridine, Pyrrolylpyridine, and Bipyrrrole Alkaloids from <i>Speranskia tuberculata</i> . <i>Journal of Natural Products</i> , 2000, 63, 782-786.	3.0	6
108	Methoxylated fatty acids from the bark of <i>Fraxinus sieboldiana</i> . <i>Journal of Asian Natural Products Research</i> , 2012, 14, 235-243.	1.4	6

#	ARTICLE	IF	CITATIONS
109	Phenylpropene diglycosides from the bark of <i>Machilus wangchiana</i> . Journal of Asian Natural Products Research, 2012, 14, 1046-1053.	1.4	5
110	(+)-(âˆ™)-Angelignanine, a pair of neolignan enantiomers with an unprecedented carbon skeleton from an aqueous extract of the <i>Angelica sinensis</i> root head. Chinese Chemical Letters, 2021, 32, 1657-1659.	9.0	5
111	Insight into Medicinal Chemistry Behind Traditional Chinese Medicines: p-Hydroxybenzyl Alcohol-Derived Dimers and Trimers from <i>Gastrodia elata</i> . Natural Products and Bioprospecting, 2021, 11, 31-50.	4.3	5
112	Phthalide-derived oxaspiroangelioic acids with an unprecedented carbon skeleton from an aqueous extract of the <i>Angelica sinensis</i> root head. Chinese Chemical Letters, 2021, 32, 3257-3260.	9.0	5
113	A novel polyhydroxyl sterol from <i>Asterina pectinifera</i> . Journal of Asian Natural Products Research, 2005, 7, 25-29.	1.4	4
114	Chemical constituents of <i>Bauhinia aurea</i> . Journal of Asian Natural Products Research, 2012, 14, 966-972.	1.4	4
115	Glycosides from the bark of <i>Machilus robusta</i> . Journal of Asian Natural Products Research, 2013, 15, 482-491.	1.4	4
116	Discovery of a semi-synthesized cyclolignan as a potent HIV-1 non-nucleoside reverse transcriptase inhibitor. Journal of Asian Natural Products Research, 2019, 21, 76-85.	1.4	4
117	A bibenzyl compound 20C protects rats against 6-OHDA-induced damage by regulating adaptive immunity associated molecules. International Immunopharmacology, 2021, 91, 107269.	3.8	4
118	Comprehensive quantitative method for neurotransmitters to study the activity of a sedative-hypnotic candidate using microdialysis and LC-MS/MS. Talanta, 2022, 245, 123418.	5.5	4
119	Sulfonated alkaloids from an aqueous extract of <i>Isatis indigotica</i> roots. Journal of Asian Natural Products Research, 2022, 24, 503-517.	1.4	4
120	Interaction effects on cytochrome P450 both <i>in vitro</i> and <i>in vivo</i> studies by two major bioactive xanthenes from <i>Halenia elliptica</i> D. Don. Biomedical Chromatography, 2016, 30, 1953-1962.	1.7	3
121	Simultaneous determination of YZG-331 and its metabolites in monkey blood by liquid chromatography-tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2021, 193, 113720.	2.8	3
122	Phenolic glucosides from <i>Alangium Plantanifolium</i> . Journal of Asian Natural Products Research, 2002, 4, 47-51.	1.4	2
123	The mechanism study of YZG-331 on sedative and hypnotic effects. Behavioural Brain Research, 2022, 428, 113885.	2.2	2
124	Minor monoterpene derivatives from an aqueous extract of the hook-bearing stem of <i>Uncaria rhynchophylla</i> . Journal of Asian Natural Products Research, 2022, 24, 432-444.	1.4	2
125	Two unique C21-diterpenoid alkaloids from <i>Aconitum carmichaelii</i> . Chinese Chemical Letters, 2022, 33, 5047-5050.	9.0	1
126	Lignans and a neolignan from an aqueous extract of <i>Isatis indigotica</i> roots. Journal of Asian Natural Products Research, 0, , 1-13.	1.4	0