

Jian-Gong Shi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8952862/publications.pdf>

Version: 2024-02-01

126
papers

4,023
citations

101543

36
h-index

155660

55
g-index

134
all docs

134
docs citations

134
times ranked

2977
citing authors

#	ARTICLE	IF	CITATIONS
1	Comprehensive quantitative method for neurotransmitters to study the activity of a sedative-hypnotic candidate using microdialysis and LC-MS/MS. <i>Talanta</i> , 2022, 245, 123418.	5.5	4
2	Base-Promoted Formal [3 + 2] Cycloaddition of α -Halohydroxamates with Carbon Disulfide to Synthesize Polysubstituted Rhodanines. <i>Organic Letters</i> , 2022, 24, 2837-2841.	4.6	12
3	The mechanism study of YZG-331 on sedative and hypnotic effects. <i>Behavioural Brain Research</i> , 2022, 428, 113885.	2.2	2
4	Two unique C21-diterpenoid alkaloids from <i>Aconitum carmichaelii</i> . <i>Chinese Chemical Letters</i> , 2022, 33, 5047-5050.	9.0	1
5	Minor monoterpene derivatives from an aqueous extract of the hook-bearing stem of <i>Uncaria rhynchophylla</i> . <i>Journal of Asian Natural Products Research</i> , 2022, 24, 432-444.	1.4	2
6	Sulfonated alkaloids from an aqueous extract of <i>Isatis indigotica</i> roots. <i>Journal of Asian Natural Products Research</i> , 2022, 24, 503-517.	1.4	4
7	Aconapelsulfonines A and B, seco C20-diterpenoid alkaloids deriving via Criegee rearrangements of napelline skeleton from <i>Aconitum carmichaelii</i> . <i>Chinese Chemical Letters</i> , 2021, 32, 33-36.	9.0	13
8	Simultaneous determination of YZG-331 and its metabolites in monkey blood by liquid chromatography-tandem mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021, 193, 113720.	2.8	3
9	(+)-/($\hat{\alpha}$)-Angelignanone, a pair of neolignan enantiomers with an unprecedented carbon skeleton from an aqueous extract of the <i>Angelica sinensis</i> root head. <i>Chinese Chemical Letters</i> , 2021, 32, 1657-1659.	9.0	5
10	A bibenzyl compound 20C protects rats against 6-OHDA-induced damage by regulating adaptive immunity associated molecules. <i>International Immunopharmacology</i> , 2021, 91, 107269.	3.8	4
11	Insight into Medicinal Chemistry Behind Traditional Chinese Medicines: p-Hydroxybenzyl Alcohol-Derived Dimers and Trimers from <i>Gastrodia elata</i> . <i>Natural Products and Bioprospecting</i> , 2021, 11, 31-50.	4.3	5
12	Minor triterpenes from an aqueous extract of the hook-bearing stem of <i>Uncaria rhynchophylla</i> . <i>Journal of Asian Natural Products Research</i> , 2021, 23, 307-317.	1.4	7
13	Phthalide-derived oxaspiroangelioic acids with an unprecedented carbon skeleton from an aqueous extract of the <i>Angelica sinensis</i> root head. <i>Chinese Chemical Letters</i> , 2021, 32, 3257-3260.	9.0	5
14	Minor alkaloids from an aqueous extract of the hook-bearing stem of <i>Uncaria rhynchophylla</i> . <i>Journal of Asian Natural Products Research</i> , 2021, 23, 513-526.	1.4	8
15	Denudatine-type diterpenoid alkaloids from an aqueous extract of the lateral root of <i>Aconitum carmichaelii</i> . <i>Journal of Asian Natural Products Research</i> , 2021, 23, 615-626.	1.4	8
16	Divanillyl sulfone suppresses NLRP3 inflammasome activation via inducing mitophagy to ameliorate chronic neuropathic pain in mice. <i>Journal of Neuroinflammation</i> , 2021, 18, 142.	7.2	33
17	Indole alkaloid glycosides with a 1β -(phenyl)ethyl unit from <i>Isatis indigotica</i> leaves. <i>Acta Pharmaceutica Sinica B</i> , 2020, 10, 895-902.	12.0	16
18	Isotalatizidine, a C19-diterpenoid alkaloid, attenuates chronic neuropathic pain through stimulating ERK/CREB signaling pathway-mediated microglial dynorphin A expression. <i>Journal of Neuroinflammation</i> , 2020, 17, 13.	7.2	25

#	ARTICLE	IF	CITATIONS
19	Discovery, synthesis, and optimization of an N-alkoxy indolylacetamide against HIV-1 carrying NNRTI-resistant mutations from the <i>Isatis indigotica</i> root. <i>European Journal of Medicinal Chemistry</i> , 2020, 189, 112071.	5.5	17
20	Structure, property, biogenesis, and activity of diterpenoid alkaloids containing a sulfonic acid group from <i>Aconitum carmichaelii</i> . <i>Acta Pharmaceutica Sinica B</i> , 2020, 10, 1954-1965.	12.0	20
21	Identification of a lathyrane-type diterpenoid EM-E-11-4 as a novel paclitaxel resistance reversing agent with multiple mechanisms of action. <i>Aging</i> , 2020, 12, 3713-3729.	3.1	10
22	Aconicatisulfonines A and B, Analgesic Zwitterionic C ₂₀ -Diterpenoid Alkaloids with a Rearranged Atisane Skeleton from <i>Aconitum carmichaelii</i> . <i>Organic Letters</i> , 2019, 21, 6850-6854.	4.6	30
23	Gastrodin Derivatives from <i>Gastrodia elata</i> . <i>Natural Products and Bioprospecting</i> , 2019, 9, 393-404.	4.3	13
24	Whole-body spatially-resolved metabolomics method for profiling the metabolic differences of epimer drug candidates using ambient mass spectrometry imaging. <i>Talanta</i> , 2019, 202, 198-206.	5.5	14
25	Discovery and evaluation of ZT55, a novel highly-selective tyrosine kinase inhibitor of JAK2V617F against myeloproliferative neoplasms. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 49.	8.6	19
26	Two folate-derived analogues from an aqueous decoction of <i>Uncaria rhynchophylla</i> . <i>Chinese Journal of Natural Medicines</i> , 2019, 17, 928-934.	1.3	7
27	Discovery of a semi-synthesized cyclolignan as a potent HIV-1 non-nucleoside reverse transcriptase inhibitor. <i>Journal of Asian Natural Products Research</i> , 2019, 21, 76-85.	1.4	4
28	C19-Diterpenoid alkaloid arabinosides from an aqueous extract of the lateral root of <i>Aconitum carmichaelii</i> and their analgesic activities. <i>Acta Pharmaceutica Sinica B</i> , 2018, 8, 409-419.	12.0	38
29	Aconicarmisulfonine A, a Sulfonated C ₂₀ -Diterpenoid Alkaloid from the Lateral Roots of <i>Aconitum carmichaelii</i> . <i>Organic Letters</i> , 2018, 20, 816-819.	4.6	34
30	Isatindigodiphindoside, an alkaloid glycoside with a new diphenylpropylindole skeleton from the root of <i>Isatis indigotica</i> . <i>Chinese Chemical Letters</i> , 2018, 29, 119-122.	9.0	31
31	Isatindolignanamide A, a glucosidic indole-lignan conjugate from an aqueous extract of the <i>Isatis indigotica</i> roots. <i>Chinese Chemical Letters</i> , 2018, 29, 1257-1260.	9.0	35
32	Sulfur-enriched alkaloids from the root of <i>Isatis indigotica</i> . <i>Acta Pharmaceutica Sinica B</i> , 2018, 8, 933-943.	12.0	34
33	Anti-neuroinflammatory effects of 20C from <i>Gastrodia elata</i> via regulating autophagy in LPS-activated BV-2 cells through MAPKs and TLR4/Akt/mTOR signaling pathways. <i>Molecular Immunology</i> , 2018, 99, 115-123.	2.2	19
34	Aromatic compounds from an aqueous extract of <i>Ænanthe lan gen</i> and their antiviral activities. <i>Acta Pharmaceutica Sinica B</i> , 2017, 7, 179-184.	12.0	28
35	A minor arcutine-type C ₂₀ -diterpenoid alkaloid iminium constituent of <i>Fu zhi</i> . <i>Chinese Chemical Letters</i> , 2017, 28, 588-592.	9.0	28
36	DJ-1 regulating PI3K-Nrf2 signaling plays a significant role in bibenzyl compound 20C-mediated neuroprotection against rotenone-induced oxidative insult. <i>Toxicology Letters</i> , 2017, 271, 74-83.	0.8	46

#	ARTICLE	IF	CITATIONS
37	Diglycosidic indole alkaloid derivatives from an aqueous extract of <i>Isatis indigotica</i> roots. <i>Journal of Asian Natural Products Research</i> , 2017, 19, 529-540.	1.4	25
38	Indole alkaloid sulfonic acids from an aqueous extract of <i>Isatis indigotica</i> roots and their antiviral activity. <i>Acta Pharmaceutica Sinica B</i> , 2017, 7, 334-341.	12.0	44
39	Unprecedented C ₁₉ -diterpenoid alkaloid glycosides from an aqueous extract of <i>Neoline 14-O-l-arabinosides</i> with four isomeric l-arabinosyls. <i>Chinese Chemical Letters</i> , 2017, 28, 1705-1710.	9.0	25
40	Gastradefurphenol, a minor 9,9-dimethyl-neolignan with a new carbon skeleton substituted by two p-hydroxybenzyls from an aqueous extract of <i>Actinidia chinensis</i> . <i>Chinese Chemical Letters</i> , 2017, 28, 1185-1189.	9.0	11
41	8,4-dimethyl-Oxyneolignane glucosides from an aqueous extract of <i>Actinidia chinensis</i> (<i>Isatis indigotica</i> root) and their absolute configurations. <i>Acta Pharmaceutica Sinica B</i> , 2017, 7, 638-646.	12.0	26
42	Bioactive Benzofuran Derivatives from <i>Cortex Mori Radicis</i> , and Their Neuroprotective and Analgesic Activities Mediated by mGluR1. <i>Molecules</i> , 2017, 22, 236.	3.8	29
43	Gastrolatathioneine, an unusual ergothioneine derivative from an aqueous extract of <i>Actinidia chinensis</i> : A natural product co-produced by plant and symbiotic fungus. <i>Chinese Chemical Letters</i> , 2016, 27, 1577-1581.	9.0	22
44	Interaction effects on cytochrome P450 both <i>in vitro</i> and <i>in vivo</i> studies by two major bioactive xanthenes from <i>Halenia elliptica</i> D. Don. <i>Biomedical Chromatography</i> , 2016, 30, 1953-1962.	1.7	3
45	Napelline-type C ₂₀ -diterpenoid alkaloid iminiums from an aqueous extract of <i>Actinidia chinensis</i> : Solvent-/base-/acid-dependent transformation and equilibration between alcohol iminium and aza acetal forms. <i>Chinese Chemical Letters</i> , 2016, 27, 993-1003.	9.0	31
46	20C, a bibenzyl compound isolated from <i>Gastrodia elata</i> , protects PC12 cells against rotenone-induced apoptosis via activation of the Nrf2/ARE/HO-1 signaling pathway. <i>Acta Pharmacologica Sinica</i> , 2016, 37, 731-740.	6.1	48
47	Two pairs of unusual salemic enantiomers from <i>Isatis indigotica</i> leaves. <i>Chinese Chemical Letters</i> , 2016, 27, 1745-1750.	9.0	18
48	Bibenzyl compound 20c protects against endoplasmic reticulum stress in tunicamycin-treated PC12 cells <i>in vitro</i> . <i>Acta Pharmacologica Sinica</i> , 2016, 37, 1525-1533.	6.1	12
49	Three pairs of alkaloid enantiomers from the root of <i>Isatis indigotica</i> . <i>Acta Pharmaceutica Sinica B</i> , 2016, 6, 141-147.	12.0	29
50	Parishin C's prevention of Al ²⁺ -induced inhibition of long-term potentiation is related to NMDA receptors. <i>Acta Pharmaceutica Sinica B</i> , 2016, 6, 189-197.	12.0	29
51	Indole alkaloid glucosides from the roots of <i>Isatis indigotica</i> . <i>Journal of Asian Natural Products Research</i> , 2016, 18, 1-12.	1.4	40
52	Antiviral stereoisomers of 3,5-bis(2-hydroxybut-3-en-1-yl)-1,2,4-thiadiazole from the roots of <i>Isatis indigotica</i> . <i>Chinese Chemical Letters</i> , 2016, 27, 643-648.	9.0	26
53	Sesquiterpene glycosides from the roots of <i>Codonopsis pilosula</i> . <i>Acta Pharmaceutica Sinica B</i> , 2016, 6, 46-54.	12.0	38
54	Codonopiloneolignanin A, a polycyclic neolignan with a new carbon skeleton from the roots of <i>Codonopsis pilosula</i> . <i>Chinese Chemical Letters</i> , 2016, 27, 55-58.	9.0	25

#	ARTICLE	IF	CITATIONS
55	Ambient Mass Spectrometry Imaging Metabolomics Method Provides Novel Insights into the Action Mechanism of Drug Candidates. <i>Analytical Chemistry</i> , 2015, 87, 5372-5379.	6.5	68
56	Antiviral enantiomers of a bisindole alkaloid with a new carbon skeleton from the roots of <i>Isatis indigotica</i> . <i>Chinese Chemical Letters</i> , 2015, 26, 931-936.	9.0	48
57	C ₁₄ -Polyacetylene glucosides from <i>Codonopsis pilosula</i> . <i>Journal of Asian Natural Products Research</i> , 2015, 17, 601-614.	1.4	40
58	4-Hydroxybenzyl-substituted amino acid derivatives from <i>Gastrodia elata</i> . <i>Acta Pharmaceutica Sinica B</i> , 2015, 5, 350-357.	12.0	32
59	Two 1-(6-O-acyl- β -D-glucopyranosyl)pyridinium-3-carboxylates from the flower buds of <i>Lonicera japonica</i> . <i>Chinese Chemical Letters</i> , 2015, 26, 69-72.	9.0	32
60	Glucosylated caffeoylquinic acid derivatives from the flower buds of <i>Lonicera japonica</i> . <i>Acta Pharmaceutica Sinica B</i> , 2015, 5, 210-214.	12.0	50
61	Antiviral glycosidic bisindole alkaloids from the roots of <i>Isatis indigotica</i> . <i>Journal of Asian Natural Products Research</i> , 2015, 17, 689-704.	1.4	55
62	4-Hydroxybenzyl-substituted glutathione derivatives from <i>Gastrodia elata</i> . <i>Journal of Asian Natural Products Research</i> , 2015, 17, 439-454.	1.4	34
63	Two homosecoiridoids from the flower buds of <i>Lonicera japonica</i> . <i>Chinese Chemical Letters</i> , 2015, 26, 517-521.	9.0	23
64	Two 2-(quinonylcarboxamino)benzoates from the lateral roots of <i>Aconitum carmichaelii</i> . <i>Chinese Chemical Letters</i> , 2015, 26, 653-656.	9.0	24
65	Acetylenes and fatty acids from <i>Codonopsis pilosula</i> . <i>Acta Pharmaceutica Sinica B</i> , 2015, 5, 215-222.	12.0	43
66	C ₁₄ -polyacetylenol glycosides from the roots of <i>Codonopsis pilosula</i> . <i>Journal of Asian Natural Products Research</i> , 2015, 17, 1166-1179.	1.4	21
67	Aromatic acid derivatives from the lateral roots of <i>Aconitum carmichaelii</i> . <i>Journal of Asian Natural Products Research</i> , 2014, 16, 891-900.	1.4	33
68	A Minor Diterpenoid with a New 6/5/7/3 Fused-Ring Skeleton from <i>Euphorbia micractina</i> . <i>Organic Letters</i> , 2014, 16, 3950-3953.	4.6	61
69	Secoeuphoractin, a minor diterpenoid with a new skeleton from <i>Euphorbia micractina</i> . <i>Chinese Chemical Letters</i> , 2014, 25, 1531-1534.	9.0	34
70	In vitro identification of cytochrome P450 isoforms responsible for the metabolism of 1-hydroxyl-2,3,5-trimethoxy-xanthone purified from <i>Halenia elliptica</i> D. Don. <i>Chemico-Biological Interactions</i> , 2014, 210, 12-19.	4.0	9
71	Chemical constituents from the linseed meal. <i>Fä-toterapÄ-t</i> , 2014, 97, 15-22.	2.2	9
72	Two new β -hydroxy amino acid-coupled secoiridoids from the flower buds of <i>Lonicera japonica</i> : Isolation, structure elucidation, semisynthesis, and biological activities. <i>Chinese Chemical Letters</i> , 2014, 25, 1215-1219.	9.0	41

#	ARTICLE	IF	CITATIONS
73	Aromatic glycosides from the flower buds of <i>Lonicera japonica</i> . Journal of Asian Natural Products Research, 2013, 15, 492-501.	1.4	35
74	Homosecoiridoid Alkaloids with Amino Acid Units from the Flower Buds of <i>Lonicera japonica</i> . Journal of Natural Products, 2013, 76, 2226-2233.	3.0	48
75	Glycosides from the bark of <i>Machilus robusta</i> . Journal of Asian Natural Products Research, 2013, 15, 482-491.	1.4	4
76	Methoxylated fatty acids from the bark of <i>Fraxinus sieboldiana</i> . Journal of Asian Natural Products Research, 2012, 14, 235-243.	1.4	6
77	Enantiomers of an Indole Alkaloid Containing Unusual Dihydrothiopyran and 1,2,4-Thiadiazole Rings from the Root of <i>Isatis indigotica</i> . Organic Letters, 2012, 14, 5668-5671.	4.6	78
78	Diterpenoid Alkaloids from the Lateral Root of <i>Aconitum carmichaelii</i> . Journal of Natural Products, 2012, 75, 1145-1159.	3.0	69
79	Alkaloids from the Root of <i>Isatis indigotica</i> . Journal of Natural Products, 2012, 75, 1167-1176.	3.0	136
80	Natural and unnatural anthraquinones isolated from the ethanol extract of the roots of <i>Knoxia valerianoides</i> . Acta Pharmaceutica Sinica B, 2012, 2, 260-266.	12.0	19
81	Butanolide derivatives from the bark of <i>Machilus yaoshansis</i> . Journal of Asian Natural Products Research, 2012, 14, 713-720.	1.4	10
82	Yaoshanenolides A and B: New Spirolactones from the Bark of <i>Machilus yaoshansis</i> . Organic Letters, 2012, 14, 1004-1007.	4.6	40
83	Dammarane Glycosides from the Root of <i>Machilus yaoshansis</i> . Journal of Natural Products, 2012, 75, 1373-1382.	3.0	41
84	Phenylpropene diglycosides from the bark of <i>Machilus wangchiana</i> . Journal of Asian Natural Products Research, 2012, 14, 1046-1053.	1.4	5
85	Chemical constituents of <i>Bauhinia aurea</i> . Journal of Asian Natural Products Research, 2012, 14, 966-972.	1.4	4
86	NHBA isolated from <i>Gastrodia elata</i> exerts sedative and hypnotic effects in sodium pentobarbital-treated mice. Pharmacology Biochemistry and Behavior, 2012, 102, 450-457.	2.9	54
87	Machilusides A and B: Structurally Unprecedented Homocucurbitane Glycosides from the Stem Bark of <i>Machilus yaoshansis</i> . Organic Letters, 2011, 13, 2856-2859.	4.6	15
88	Cucurbitane Glucosides from the Root of <i>Machilus yaoshansis</i> . Journal of Natural Products, 2011, 74, 2431-2437.	3.0	18
89	Two new ar-bisabol sesquiterpenes from the stem bark of <i>Fraxinus sieboldiana</i> . Acta Pharmaceutica Sinica B, 2011, 1, 89-92.	12.0	9
90	Homosecoiridoids from the Flower Buds of <i>Lonicera japonica</i> . Journal of Natural Products, 2011, 74, 2151-2160.	3.0	37

#	ARTICLE	IF	CITATIONS
91	Lignans and Neolignans from <i>Sinocalamus affinis</i> and Their Absolute Configurations. Journal of Natural Products, 2011, 74, 1188-1200.	3.0	194
92	Bioactive Neolignans and Lignans from the Bark of <i>Machilus robusta</i> . Journal of Natural Products, 2011, 74, 1444-1452.	3.0	48
93	Anthraquinones from the roots of <i>Knoxia valerianoides</i> . Journal of Asian Natural Products Research, 2011, 13, 1023-1029.	1.4	10
94	Abietane and C20-Norabietane Diterpenes from the Stem Bark of <i>Fraxinus sieboldiana</i> and Their Biological Activities. Journal of Natural Products, 2010, 73, 1914-1921.	3.0	32
95	Minor constituents from the tubers of <i>Gymnadenia conopsea</i> . Journal of Asian Natural Products Research, 2010, 12, 477-484.	1.4	10
96	A novel bromophenol from marine red alga <i>Symphycloadia latiuscula</i> . Chemistry of Natural Compounds, 2009, 45, 811-813.	0.8	17
97	Chemical Constituents of the Bark of <i>Machilus wangchiana</i> and Their Biological Activities. Journal of Natural Products, 2009, 72, 2145-2152.	3.0	60
98	Chemical Constituents of <i>Heteroplexis microcephala</i> . Journal of Natural Products, 2009, 72, 1184-1190.	3.0	39
99	The chemical constituents from red alga <i>Gymnogongrus flabelliformis</i> Harv.. Chinese Journal of Oceanology and Limnology, 2008, 26, 190-192.	0.7	8
100	Steroids from green alga <i>Chaetomorpha basiretorsa</i> Setchell. Chinese Journal of Oceanology and Limnology, 2008, 26, 415-418.	0.7	8
101	Pyridinium Alkaloid-Coupled Secoiridoids from the Flower Buds of <i>Lonicera japonica</i> . Journal of Natural Products, 2008, 71, 922-925.	3.0	44
102	Glycosides from the Root of <i>Iodes cirrhosa</i> . Journal of Natural Products, 2008, 71, 647-654.	3.0	161
103	Glycosidic Constituents of the Tubers of <i>Gymnadenia conopsea</i> . Journal of Natural Products, 2008, 71, 799-805.	3.0	31
104	Glycosides from the Bark of <i>Adina polycephala</i> . Journal of Natural Products, 2008, 71, 905-909.	3.0	16
105	Terpenoids from the tuber of <i>Cremastra appendiculata</i> . Journal of Asian Natural Products Research, 2008, 10, 677-683.	1.4	13
106	Chemical constituents of the red alga <i>Laurencia tristicha</i> . Journal of Asian Natural Products Research, 2007, 9, 725-734.	1.4	32
107	Structures, Biogenesis, and Biological Activities of Pyrano[4,3-c]isochromen-4-one Derivatives from the Fungus <i>Phellinus igniarius</i> . Journal of Natural Products, 2007, 70, 296-299.	3.0	102
108	Two Novel Glycosidic Triterpene Alkaloids from the Stem Barks of <i>Machilus yaoshansis</i> . Organic Letters, 2007, 9, 129-132.	4.6	35

#	ARTICLE	IF	CITATIONS
109	Glycosides from the Stem Bark of <i>Fraxinus sieboldiana</i> . <i>Journal of Natural Products</i> , 2007, 70, 817-823.	3.0	81
110	Mono-, Bi-, and Triphenanthrenes from the Tubers of <i>Cremastra appendiculata</i> . <i>Journal of Natural Products</i> , 2006, 69, 907-913.	3.0	76
111	<i>Coeloglossum viride</i> var. <i>bracteatum</i> extract attenuates d-galactose and NaNO ₂ induced memory impairment in mice. <i>Journal of Ethnopharmacology</i> , 2006, 104, 250-256.	4.1	41
112	Effects of <i>Coeloglossum viride</i> var. <i>bracteatum</i> Extract on Memory Deficits and Pathological Changes in Senescent Mice. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2006, 98, 55-60.	2.5	20
113	Acetylated flavonol diglucosides from <i>Meconopsis quintuplinervia</i> . <i>Phytochemistry</i> , 2006, 67, 511-515.	2.9	20
114	Sesquiterpenes from the Red Alga <i>Laurencia tristicha</i> . <i>Journal of Natural Products</i> , 2005, 68, 915-919.	3.0	104
115	A novel polyhydroxyl sterol from <i>Asterina pectinifera</i> . <i>Journal of Asian Natural Products Research</i> , 2005, 7, 25-29.	1.4	4
116	Bromophenols Coupled with Derivatives of Amino Acids and Nucleosides from the Red Alga <i>Rhodomela confervoides</i> . <i>Journal of Natural Products</i> , 2005, 68, 691-694.	3.0	39
117	Chemical constituents of the rhizomes of <i>Coeloglossum viride</i> var. <i>bracteatum</i> . <i>Journal of Asian Natural Products Research</i> , 2004, 6, 49-61.	1.4	40
118	Bromophenols from the brown alga <i>Leathesia nana</i> . <i>Journal of Asian Natural Products Research</i> , 2004, 6, 217-221.	1.4	21
119	Phelligidins C ¹ -F ¹ : Cytotoxic Pyrano[4,3-c][2]benzopyran-1,6-dione and Furo[3,2-c]pyran-4-one Derivatives from the Fungus <i>Phellinus igniarius</i> . <i>Journal of Natural Products</i> , 2004, 67, 823-828.	3.0	153
120	Dibenzyl Bromophenols with Diverse Dimerization Patterns from the Brown Alga <i>Leathesia nana</i> . <i>Journal of Natural Products</i> , 2004, 67, 1661-1666.	3.0	94
121	Furostanol oligoglycosides from <i>Asparagus cochinchinensis</i> . <i>Journal of Asian Natural Products Research</i> , 2004, 6, 99-105.	1.4	20
122	Cadinane Sesquiterpenes from the Brown Alga <i>Dictyopteris divaricata</i> . <i>Journal of Natural Products</i> , 2004, 67, 1644-1649.	3.0	36
123	Chemical constituents of <i>Pyrrrosia petiolosa</i> . <i>Journal of Asian Natural Products Research</i> , 2003, 5, 143-150.	1.4	22
124	Phenolic glucosides from <i>Alangium plantanifolium</i> . <i>Journal of Asian Natural Products Research</i> , 2002, 4, 47-51.	1.4	2
125	Polyoxygenated Bipyridine, Pyrrolylpyridine, and Bipyrrrole Alkaloids from <i>Speranskia tuberculata</i> . <i>Journal of Natural Products</i> , 2000, 63, 782-786.	3.0	6
126	Lignans and a neolignan from an aqueous extract of <i>Isatis indigotica</i> roots. <i>Journal of Asian Natural Products Research</i> , 0, , 1-13.	1.4	0