

# Ryo Kanto

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8953377/publications.pdf>

Version: 2024-02-01

23  
papers

431  
citations

840776

11  
h-index

794594

19  
g-index

23  
all docs

23  
docs citations

23  
times ranked

321  
citing authors

#	ARTICLE	IF	CITATIONS
1	Hinge fracture in lateral closed-wedge distal femoral osteotomy in knees undergoing double-level osteotomy: assessment of postoperative change in rotational alignment using CT evaluation. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 3337-3345.	4.2	13
2	Incidence of and risk factors for deep vein thrombosis in patients undergoing osteotomies around the knee: comparative analysis of different osteotomy types. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 3488-3494.	4.2	13
3	Return to sports rate after opening wedge high tibial osteotomy in athletes. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 381-388.	4.2	16
4	Cartilage repair examined by second-look arthroscopy following double-level osteotomy performed for osteoarthritic knees with severe varus deformity. <i>Knee</i> , 2021, 29, 411-417.	1.6	7
5	How the orientation of osteotomy in biplanar lateral closed-wedge distal femoral osteotomy influences the rotational alignment of the knee in all dimensional planes. <i>Knee</i> , 2021, 29, 167-173.	1.6	0
6	Mucoid degeneration of the posterior cruciate ligament in a college soccer player: a case report. <i>Journal of Medical Case Reports</i> , 2021, 15, 284.	0.8	2
7	Three dimensional CT analysis of the change in rotational alignment in double level osteotomy after double level osteotomy performed for varus osteoarthritic knees. <i>Asia-Pacific Journal of Sports Medicine, Arthroscopy, Rehabilitation and Technology</i> , 2021, 25, 16-21.	1.0	0
8	Double-level osteotomy for severe varus osteoarthritic knees can prevent change in leg length and restore physiological joint geometry. <i>Knee</i> , 2021, 31, 136-143.	1.6	14
9	Physiologic knee joint alignment and orientation can be restored by the minimally invasive double level osteotomy for osteoarthritic knees with severe varus deformity. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 742-750.	4.2	67
10	Successful treatment of degenerative medial meniscal tears in well-aligned knees with fibrin clot implantation. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 3466-3473.	4.2	19
11	Changes in patellar height and patellofemoral alignment following double level osteotomy performed for osteoarthritic knees with severe varus deformity. <i>Asia-Pacific Journal of Sports Medicine, Arthroscopy, Rehabilitation and Technology</i> , 2020, 22, 20-26.	1.0	10
12	Postoperative change in patellofemoral alignment following closing-wedge distal femoral osteotomy performed for valgus osteoarthritic knees. <i>Knee Surgery and Related Research</i> , 2020, 32, 15.	4.2	5
13	Tibial Tubercle-Midpicondyle Distance Can Be a Better Index to Predict the Outcome of Medial Patellofemoral Ligament Reconstruction Than Tibial Tubercle-Trochlear Groove Distance. <i>Arthroscopy, Sports Medicine, and Rehabilitation</i> , 2020, 2, e697-e704.	1.7	3
14	Second-Look Arthroscopic Evaluations of Meniscal Repairs Associated With Anterior Cruciate Ligament Reconstruction. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 2868-2877.	2.7	14
15	Distal Femoral Varus Osteotomy for the Valgus Knee after Distal Femoral Growth Plate Fractures in Children: A Case Report. <i>Case Reports in Orthopedics</i> , 2019, 2019, 1-5.	0.3	0
16	Periarticular Injection Versus Femoral Nerve Block for Pain Relief After Anterior Cruciate Ligament Reconstruction: A Randomized Controlled Trial. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2018, 34, 182-188.	2.7	31
17	Large correction in opening wedge high tibial osteotomy with resultant joint-line obliquity induces excessive shear stress on the articular cartilage. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 1873-1878.	4.2	155
18	Prediction of graft length by body height in anatomic double-bundle anterior cruciate ligament reconstruction. <i>Asia-Pacific Journal of Sports Medicine, Arthroscopy, Rehabilitation and Technology</i> , 2018, 12, 17-21.	1.0	1

#	ARTICLE	IF	CITATIONS
19	Clinical outcome of meniscus repair for isolated meniscus tear in athletes. Asia-Pacific Journal of Sports Medicine, Arthroscopy, Rehabilitation and Technology, 2017, 10, 4-7.	1.0	16
20	Double-bundle anterior cruciate ligament reconstruction with and without remnant preservation “ Comparison of early postoperative outcomes and complications. Knee, 2017, 24, 1039-1046.	1.6	24
21	Juvenile osteochondritis dissecans in the lateral femoral condyle requiring osteochondral autograft as a revision procedure: a case report. Journal of Medical Case Reports, 2016, 10, 3.	0.8	1
22	Analysis of risk factors for poor prognosis in conservatively managed early-stage spontaneous osteonecrosis of the knee. Knee, 2016, 23, 25-28.	1.6	20
23	Double Threaded Screw Fixation for Bilateral Stress Fracture of the Medial Malleolus. Case Reports in Orthopedics, 2014, 2014, 1-4.	0.3	0