
Bastian Wessing

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8954094/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	A 5-year prospective clinical trial on short implants (6Âmm) for single tooth replacement in the posterior maxilla: immediate versus delayed loading. Odontology / the Society of the Nippon Dental University, 2019, 107, 244-253.	0.9	13
2	A multicenter randomized controlled trial using a novel collagen membrane for guided bone regeneration at dehisced single implant sites: Outcome at prosthetic delivery and at 1â€year followâ€up. Clinical Oral Implants Research, 2019, 30, 487-497.	1.9	15
3	Soft tissue volume augmentation in the oral cavity with a collagen-based 3D matrix with orientated open pore structure. Current Directions in Biomedical Engineering, 2018, 4, 237-241.	0.2	1
4	Guided Bone Regeneration with Collagen Membranes and Particulate Graft Materials: A Systematic Review and Meta-Analysis. International Journal of Oral and Maxillofacial Implants, 2018, 33, 87-100.	0.6	169
5	A multicenter randomized controlled clinical trial using a new resorbable nonâ€crossâ€linked collagen membrane for guided bone regeneration at dehisced single implant sites: interim results of a bone augmentation procedure. Clinical Oral Implants Research, 2017, 28, e218-e226.	1.9	36
6	Horizontal Ridge Augmentation with a Novel Resorbable Collagen Membrane: A Retrospective Analysis of 36 Consecutive Patients. International Journal of Periodontics and Restorative Dentistry, 2016, 36, 179-187.	0.4	11
7	Vertical Bone Grafting and Periosteal Vertical Mattress Suture for the Fixation of Resorbable Membranes and Stabilization of Particulate Grafts in Horizontal Guided Bone Regeneration to Achieve More Predictable Results: A Technical Report. International Journal of Periodontics and Restorative Dentistry, 2016, 36, 153-159.	0.4	45
8	Differences in degradation behavior of two nonâ€crossâ€linked collagen barrier membranes: an <i>in vitro</i> and <i>in vivo</i> study. Clinical Oral Implants Research, 2014, 25, 1403-1411.	1.9	46