

Alessandro Cannavale

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8954497/alessandro-cannavale-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

53
papers

1,509
citations

21
h-index

38
g-index

54
ext. papers

1,759
ext. citations

7
avg, IF

5
L-index

#	Paper	IF	Citations
53	Low-cost gel polymeric electrolytes for electrochromic applications. <i>Solar Energy Materials and Solar Cells</i> , 2022 , 111657	6.4	1
52	Towards the scale-up of solid-state, low-emissive electrochromic films, fabricated on a single substrate with novel electrolyte formulations. <i>Solar Energy Materials and Solar Cells</i> , 2022 , 241, 111760	6.4	0
51	The Impact of Building Orientation and Window-to-Wall Ratio on the Performance of Electrochromic Glazing in Hot Arid Climates: A Parametric Assessment. <i>Buildings</i> , 2022 , 12, 724	3.2	1
50	Thermal enhancement of windows performance by means of innovative technologies. <i>E3S Web of Conferences</i> , 2021 , 312, 02015	0.5	
49	Energy and daylighting performance of building integrated spirooxazine photochromic films. <i>Solar Energy</i> , 2021 ,	6.8	3
48	Phase Change Material Integration in Building Envelopes in Different Building Types and Climates: Modeling the Benefits of Active and Passive Strategies. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 4680	2.6	3
47	TiO ₂ oxides for chromogenic devices and dielectric mirrors 2021 , 483-505		0
46	A sensitivity analysis of design parameters of BIPV/T-DSF in relation to building energy and thermal comfort performances. <i>Journal of Building Engineering</i> , 2021 , 41, 102426	5.2	12
45	Titanium Dioxide in Chromogenic Devices: Synthesis, Toxicological Issues, and Fabrication Methods. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 8896	2.6	
44	Modeling of an Aerogel-Based Thermal Break for Super-Insulated Window Frames. <i>Buildings</i> , 2020 , 10, 60	3.2	4
43	Development, testing and evaluation of energy savings potentials of photovoltachromic windows in office buildings. A perspective study for Australian climates. <i>Solar Energy</i> , 2020 , 205, 358-371	6.8	12
42	Performance assessment of BIPV/T double-skin façade for various climate zones in Australia: Effects on energy consumption. <i>Solar Energy</i> , 2020 , 199, 377-399	6.8	26
41	The Challenge for Building Integration of Highly Transparent Photovoltaics and Photoelectrochromic Devices. <i>Energies</i> , 2020 , 13, 1929	3.1	18
40	Chromogenic Technologies for Energy Saving. <i>Clean Technologies</i> , 2020 , 2, 462-475	3.4	8
39	Smart Electrochromic Windows to Enhance Building Energy Efficiency and Visual Comfort. <i>Energies</i> , 2020 , 13, 1449	3.1	65
38	Smart perovskite-based technologies for building integration: 2019 , 441-466		1
37	Nano-encapsulation of phase change materials: From design to thermal performance, simulations and toxicological assessment. <i>Energy and Buildings</i> , 2019 , 188-189, 1-11	7	18

36	Energy performance of building-integrated electrochromic and photovoltaic systems. <i>IOP Conference Series: Materials Science and Engineering</i> , 2019 , 609, 062004	0.4	4
35	Investigating the impact of electrochromic glazing on energy performance in hot arid climate using parametric design. <i>IOP Conference Series: Materials Science and Engineering</i> , 2019 , 609, 062027	0.4	4
34	Numerical simulation study of BIPV/T double-skin facade for various climate zones in Australia: Effects on indoor thermal comfort. <i>Building Simulation</i> , 2019 , 12, 51-67	3.9	19
33	Smart windows for carbon neutral buildings: A life cycle approach. <i>Energy and Buildings</i> , 2018 , 165, 160-171		28
32	Advanced processing and characterization of Nafion electrolyte films for solid-state electrochromic devices fabricated at room temperature on single substrate. <i>Solid State Ionics</i> , 2018 , 317, 46-52	3.3	21
31	Sustainable sound absorbers obtained from olive pruning wastes and chitosan binder. <i>Applied Acoustics</i> , 2018 , 141, 71-78	3.1	25
30	Sequential deposition of hybrid halide perovskite starting both from lead iodide and lead chloride on the most widely employed substrates. <i>Thin Solid Films</i> , 2018 , 657, 110-117	2.2	3
29	Mid-Infrared Plasmonic Excitation in Indium Tin Oxide Microhole Arrays. <i>ACS Photonics</i> , 2018 , 5, 2431-2486		16
28	Fully integrated electrochromic-OLED devices for highly transparent smart glasses. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 7274-7284	7.1	21
27	Innovative electrochromic devices: Energy savings and visual comfort effects. <i>Energy Procedia</i> , 2018 , 148, 900-907	2.3	10
26	Energy savings due to building integration of innovative solid-state electrochromic devices. <i>Applied Energy</i> , 2018 , 225, 975-985	10.7	40
25	High-speed flow of interacting organic polaritons. <i>Light: Science and Applications</i> , 2017 , 6, e16212	16.7	62
24	Building integration of semitransparent perovskite-based solar cells: Energy performance and visual comfort assessment. <i>Applied Energy</i> , 2017 , 194, 94-107	10.7	59
23	Comparing energy performance of different semi-transparent, building-integrated photovoltaic cells applied to reference buildings. <i>Energy Procedia</i> , 2017 , 126, 219-226	2.3	17
22	Energetic and visual comfort implications of using perovskite-based building-integrated photovoltaic glazings. <i>Energy Procedia</i> , 2017 , 126, 636-643	2.3	12
21	Improving energy and visual performance in offices using building integrated perovskite-based solar cells: A case study in Southern Italy. <i>Applied Energy</i> , 2017 , 205, 834-846	10.7	37
20	Nanomaterials and Smart Nanodevices for Modular Dry Constructions: The Project Easy House. <i>Procedia Engineering</i> , 2017 , 180, 704-714		5
19	Bloch Surface Waves for MoS ₂ Emission Coupling and Polariton Systems. <i>Applied Sciences (Switzerland)</i> , 2017 , 7, 1217	2.6	6

18	Room temperature processing for solid-state electrochromic devices on single substrate: From glass to flexible plastic. <i>Solar Energy Materials and Solar Cells</i> , 2016 , 155, 411-420	6.4	27
17	Forthcoming perspectives of photoelectrochromic devices: a critical review. <i>Energy and Environmental Science</i> , 2016 , 9, 2682-2719	35.4	103
16	Chromogenic device for cystic fibrosis precocious diagnosis: A point of care tool for sweat test. <i>Sensors and Actuators B: Chemical</i> , 2016 , 225, 474-480	8.5	14
15	Nanodevices and Novel Materials for Energy-Efficient constructions. <i>Energy Procedia</i> , 2016 , 101, 113-120.	2.3	4
14	Optimization of Indoor Environment Quality for Hypermarket Workers: From Subjective Response to Objective Design Criteria. <i>Energy Procedia</i> , 2016 , 101, 272-279	2.3	4
13	Optimal control and performance of photovoltachromic switchable glazing for building integration in temperate climates. <i>Applied Energy</i> , 2016 , 178, 943-961	10.7	56
12	Perovskite photovoltachromic cells for building integration. <i>Energy and Environmental Science</i> , 2015 , 8, 1578-1584	35.4	102
11	Flexible AlN flags for efficient wind energy harvesting at ultralow cut-in wind speed. <i>RSC Advances</i> , 2015 , 5, 14047-14052	3.7	21
10	Effect of lithium intercalation on the photovoltaic performances of photovoltachromic cells. <i>Progress in Photovoltaics: Research and Applications</i> , 2015 , 23, 290-301	6.8	6
9	Room temperature Bloch surface wave polaritons. <i>Optics Letters</i> , 2014 , 39, 2068-71	3	24
8	3D Photoelectrode for Dye Solar Cells Realized by Laser Micromachining of Photosensitive Glass. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 17100-17107	3.8	4
7	Ultrathin TiO ₂ nanorods with superior lithium-ion storage performance. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 1933-43	9.5	79
6	Smart windows for building integration: a new architecture for photovoltachromic devices. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 9290-7	9.5	46
5	Photovoltachromic device with a micropatterned bifunctional counter electrode. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 2415-22	9.5	35
4	Visual comfort assessment of smart photovoltachromic windows. <i>Energy and Buildings</i> , 2013 , 65, 137-145	4.5	40
3	Highly efficient smart photovoltachromic devices with tailored electrolyte composition. <i>Energy and Environmental Science</i> , 2011 , 4, 2567	35.4	44
2	Multifunctional bioinspired sol-gel coatings for architectural glasses. <i>Building and Environment</i> , 2010 , 45, 1233-1243	6.5	66
1	Durable superhydrophobic and antireflective surfaces by trimethylsilanized silica nanoparticles-based sol-gel processing. <i>Langmuir</i> , 2009 , 25, 6357-62	4	275

