Josephine Al-Alam

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8954729/publications.pdf

Version: 2024-02-01

932766 940134 17 303 10 16 citations g-index h-index papers 17 17 17 333 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Snail as sentinel organism for monitoring the environmental pollution; a review. Ecological Indicators, 2020, 113, 106240. | 2.6 | 58 |
| 2 | A multiresidue method for the analysis of 90 pesticides, 16 PAHs, and 22 PCBs in honey using QuEChERS–SPME. Analytical and Bioanalytical Chemistry, 2017, 409, 5157-5169. | 1.9 | 49 |
| 3 | The use of vegetation, bees, and snails as important tools for the biomonitoring of atmospheric pollution—a review. Environmental Science and Pollution Research, 2019, 26, 9391-9408. | 2.7 | 43 |
| 4 | Determination of 16 PAHs and 22 PCBs in honey samples originated from different region of Lebanon and used as environmental biomonitors sentinel. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2019, 54, 9-15. | 0.9 | 23 |
| 5 | Conifers as environmental biomonitors: A multi-residue method for the concomitant quantification of pesticides, polycyclic aromatic hydrocarbons and polychlorinated biphenyls by LC-MS/MS and GC–MS/MS. Microchemical Journal, 2020, 154, 104593. | 2.3 | 19 |
| 6 | Analysis of Dithiocarbamate Fungicides in Vegetable Matrices Using HPLC-UV Followed by Atomic Absorption Spectrometry. Journal of Chromatographic Science, 2017, 55, 429-435. | 0.7 | 17 |
| 7 | The use of conifer needles as biomonitor candidates for the study of temporal air pollution variation in the Strasbourg region. Chemosphere, 2017, 168, 1411-1421. | 4.2 | 17 |
| 8 | Use of XAD®-2 passive air samplers for monitoring environmental trends of PAHs, PCBs and pesticides in three different sites in Strasbourg and its vicinity (east of France). Atmospheric Environment, 2018, 195, 12-23. | 1.9 | 16 |
| 9 | A multiresidue method for the analysis of pesticides, polycyclic aromatic hydrocarbons, and polychlorinated biphenyls in snails used as environmental biomonitors. Journal of Chromatography A, 2020, 1621, 461006. | 1.8 | 16 |
| 10 | An integrated extraction method coupling pressurized solvent extraction, solid phase extraction and solid-phase micro extraction for the quantification of selected organic pollutants in air by gas and liquid chromatography coupled to tandem mass spectrometry. Microchemical Journal, 2020, 157, 104889. | 2.3 | 12 |
| 11 | Passive air samplers based on ceramic adsorbent for monitoring of organochlorine pesticides, polycyclic aromatic hydrocarbons and polychlorinated biphenyls in outdoor air. Environmental Technology and Innovation, 2020, 20, 101094. | 3.0 | 8 |
| 12 | The use of honey as environmental biomonitor of pesticides contamination in northern Lebanon. Euro-Mediterranean Journal for Environmental Integration, 2017, 2, 1. | 0.6 | 7 |
| 13 | Contribution to the food products' analysis: A research and evaluation on the hemolytic effect of some pesticides used in Lebanon. Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes, 2015, 50, 788-796. | 0.7 | 6 |
| 14 | The use of Pinus nigra as a biomonitor of pesticides and polycyclic aromatic hydrocarbons in Lebanon. Environmental Science and Pollution Research, 2021, 28, 10283-10291. | 2.7 | 5 |
| 15 | Measuring current-use pesticides in air: A comparison of silicon carbide foam to XAD as passive air samplers. Environmental Technology and Innovation, 2021, 24, 101876. | 3.0 | 3 |
| 16 | Use of Helix aspersa and Pinus nigra as Bioindicators to Study Temporal Air Pollution in Northern Lebanon. International Journal of Environmental Research, 2022, 16, 1. | 1.1 | 3 |
| 17 | Liquid–liquid extraction procedure for nonvolatile pesticides determination in acacia honey as environmental biomonitor. Euro-Mediterranean Journal for Environmental Integration, 2021, 6, 1. | 0.6 | 1 |