Tommy Cederholm

List of Publications by Citations

179 papers	27,342 citations	54 h-index	165 g-index
203 ext. papers	35,267 ext. citations	4.4 avg, IF	6.69 L-index

#	Paper	IF	Citations
179	Sarcopenia: European consensus on definition and diagnosis: Report of the European Working Group on Sarcopenia in Older People. *Age and Ageing*, **2010**, 39, 412-23	3	6856
178	Sarcopenia: revised European consensus on definition and diagnosis. *Age and Ageing*, **2019**, 48, 16-31	3	3263
177	Sarcopenia: an undiagnosed condition in older adults. Current consensus definition: prevalence, etiology, and consequences. International working group on sarcopenia. *Journal of the American Medical Directors Association*, **2011**, 12, 249-56	5.9	1809
176	Consensus definition of sarcopenia, cachexia and pre-cachexia: joint document elaborated by Special Interest Groups (SIG) "cachexia-anorexia in chronic wasting diseases" and "nutrition in geriatrics". *Clinical Nutrition*, **2010**, 29, 154-9	5.9	1075
175	Prevalence of and interventions for sarcopenia in ageing adults: a systematic review. Report of the International Sarcopenia Initiative (EWGSOP and IWGS). *Age and Ageing*, **2014**, 43, 748-59	3	1063
174	Validation of the Mini Nutritional Assessment short-form (MNA-SF): a practical tool for identification of nutritional status. *Journal of Nutrition, Health and Aging*, **2009**, 13, 782-8	5.2	944
173	Diagnostic criteria for malnutrition - An ESPEN Consensus Statement. *Clinical Nutrition*, **2015**, 34, 335-40	5.9	858
172	ESPEN guidelines on definitions and terminology of clinical nutrition. *Clinical Nutrition*, **2017**, 36, 49-64	5.9	785
171	Protein intake and exercise for optimal muscle function with aging: recommendations from the ESPEN Expert Group. *Clinical Nutrition*, **2014**, 33, 929-36	5.9	771
170	Sarcopenia with limited mobility: an international consensus. *Journal of the American Medical Directors Association*, **2011**, 12, 403-9	5.9	648
169	GLIM criteria for the diagnosis of malnutrition - A consensus report from the global clinical nutrition community. *Clinical Nutrition*, **2019**, 38, 1-9	5.9	639
168	Omega-3 fatty acid treatment in 174 patients with mild to moderate Alzheimer disease: OmegAD study: a randomized double-blind trial. *Archives of Neurology*, **2006**, 63, 1402-8		591
167	Frequency of malnutrition in older adults: a multinational perspective using the mini nutritional assessment. *Journal of the American Geriatrics Society*, **2010**, 58, 1734-8	5.6	588
166	ESPEN guideline on clinical nutrition and hydration in geriatrics. *Clinical Nutrition*, **2019**, 38, 10-47	5.9	395
165	Effects of a vitamin D and leucine-enriched whey protein nutritional supplement on measures of sarcopenia in older adults, the PROVIDE study: a randomized, double-blind, placebo-controlled trial. *Journal of the American Medical Directors Association*, **2015**, 16, 740-7	5.9	350
164	Pitfalls in the measurement of muscle mass: a need for a reference standard. *Journal of Cachexia, Sarcopenia and Muscle*, **2018**, 9, 269-278	10.3	294
163	International Clinical Practice Guidelines for Sarcopenia (ICFSR): Screening, Diagnosis and Management. *Journal of Nutrition, Health and Aging*, **2018**, 22, 1148-1161	5.2	276

162	Comparative associations of muscle mass and muscle strength with mortality in dialysis patients. *Clinical Journal of the American Society of Nephrology: CJASN*, **2014**, 9, 1720-8	6.9	259
161	Muscle contractile and metabolic dysfunction is a common feature of sarcopenia of aging and chronic diseases: from sarcopenic obesity to cachexia. *Clinical Nutrition*, **2014**, 33, 737-48	5.9	219
160	GLIM criteria for the diagnosis of malnutrition - A consensus report from the global clinical nutrition community. *Journal of Cachexia, Sarcopenia and Muscle*, **2019**, 10, 207-217	10.3	200
159	Physical Frailty: ICFSR International Clinical Practice Guidelines for Identification and Management. *Journal of Nutrition, Health and Aging*, **2019**, 23, 771-787	5.2	198
158	GLIM Criteria for the Diagnosis of Malnutrition: A Consensus Report From the Global Clinical Nutrition Community. *Journal of Parenteral and Enteral Nutrition*, **2019**, 43, 32-40	4.2	181
157	New loci for body fat percentage reveal link between adiposity and cardiometabolic disease risk. *Nature Communications*, **2016**, 7, 10495	17.4	180
156	Does nutrition play a role in the prevention and management of sarcopenia?. *Clinical Nutrition*, **2018**, 37, 1121-1132	5.9	179
155	Effects of docosahexaenoic acid-rich n-3 fatty acid supplementation on cytokine release from blood mononuclear leukocytes: the OmegAD study. *American Journal of Clinical Nutrition*, **2008**, 87, 1616-22	7	135
154	ESPEN guidelines on nutritional support for polymorbid internal medicine patients. *Clinical Nutrition*, **2018**, 37, 336-353	5.9	134
153	Omega-3 supplementation in mild to moderate Alzheimer□ disease: effects on neuropsychiatric symptoms. *International Journal of Geriatric Psychiatry*, **2008**, 23, 161-9	3.9	132
152	Nutritional status, body composition, and quality of life in community-dwelling sarcopenic and non-sarcopenic older adults: A case-control study. *Clinical Nutrition*, **2017**, 36, 267-274	5.9	115
151	A novel multi-tissue RNA diagnostic of healthy ageing relates to cognitive health status. *Genome Biology*, **2015**, 16, 185	18.3	112
150	High Prevalence of Physical Frailty Among Community-Dwelling Malnourished Older Adults-A Systematic Review and Meta-Analysis. *Journal of the American Medical Directors Association*, **2017**, 18, 374-382	5.9	107
149	Mediterranean and carbohydrate-restricted diets and mortality among elderly men: a cohort study in Sweden. *American Journal of Clinical Nutrition*, **2010**, 92, 967-74	7	106
148	□B fatty acids in the prevention of cognitive decline in humans. *Advances in Nutrition*, **2013**, 4, 672-6	10	104
147	Sarcopenia and fragility fractures. *European Journal of Physical and Rehabilitation Medicine*, **2013**, 49, 111-7	4.4	99
146	Towards a multidisciplinary approach to understand and manage obesity and related diseases. *Clinical Nutrition*, **2017**, 36, 917-938	5.9	98
145	Transfer of omega-3 fatty acids across the blood-brain barrier after dietary supplementation with a docosahexaenoic acid-rich omega-3 fatty acid preparation in patients with Alzheimer□ disease: the OmegAD study. *Journal of Internal Medicine*, **2014**, 275, 428-36	10.8	94

144	Effects of protein-rich supplementation and nandrolone in lean elderly women with femoral neck fractures. *Clinical Nutrition*, **2004**, 23, 587-96	5.9	91
143	Critical appraisal of definitions and diagnostic criteria for sarcopenic obesity based on a systematic review. *Clinical Nutrition*, **2020**, 39, 2368-2388	5.9	89
142	Cachexia in rheumatoid arthritis is associated with inflammatory activity, physical disability, and low bioavailable insulin-like growth factor. *Scandinavian Journal of Rheumatology*, **2008**, 37, 321-8	1.9	85
141	Poor cognitive ageing: Vulnerabilities, mechanisms and the impact of nutritional interventions. *Ageing Research Reviews*, **2018**, 42, 40-55	12	83
140	Nutritional Supplementation With Physical Activity Improves Muscle Composition in Mobility-Limited Older Adults, The VIVE2 Study: A Randomized, Double-Blind, Placebo-Controlled Trial. *Journals of Gerontology - Series A Biological Sciences and Medical Sciences*, **2017**, 73, 95-101	6.4	79
139	LOW LUNG FUNCTION IS A PREDICTOR OF MORTALITY ALSO ADJUSTED FOR SARCOPENIA.. *Innovation in Aging*, **2017**, 1, 649-649	0.1	78
138	Age, Frailty, and Comorbidity as Prognostic Factors for Short-Term Outcomes in Patients With Coronavirus Disease 2019 in Geriatric Care. *Journal of the American Medical Directors Association*, **2020**, 21, 1555-1559.e2	5.9	76
137	Muscle loss: The new malnutrition challenge in clinical practice. *Clinical Nutrition*, **2019**, 38, 2113-2120	5.9	74
136	Dietary intake of eicosapentaenoic and docosahexaenoic acids is linked to gray matter volume and cognitive function in elderly. *Age*, **2013**, 35, 1495-505		70
135	Sarcopenic Obesity: Time to Meet the Challenge. *Obesity Facts*, **2018**, 11, 294-305	5.1	68
134	Effects of omega-3 fatty acids on inflammatory markers in cerebrospinal fluid and plasma in Alzheimer disease: the OmegAD study. *Dementia and Geriatric Cognitive Disorders*, **2009**, 27, 481-90	2.6	68
133	Sarcopenic obesity: Time to meet the challenge. *Clinical Nutrition*, **2018**, 37, 1787-1793	5.9	68
132	Nutritional supplementation and dietary advice in geriatric patients at risk of malnutrition. *Clinical Nutrition*, **2007**, 26, 216-24	5.9	63
131	Sufficient levels of 25-hydroxyvitamin D and protein intake required to increase muscle mass in sarcopenic older adults - The PROVIDE study. *Clinical Nutrition*, **2018**, 37, 551-557	5.9	62
130	Plasma Fatty Acid Profiles in Relation to Cognition and Gender in Alzheimer Disease Patients During Oral Omega-3 Fatty Acid Supplementation: The OmegAD Study. *Journal of Alzheimer's Disease*, **2015**, 48, 805-12	4.3	62
129	Gender differences and cognitive aspects on functional outcome after hip fracture--a 2 years follow-up of 2,134 patients. *Age and Ageing*, **2009**, 38, 686-92	3	62
128	Mini Nutritional Assessment of rural elderly people in Bangladesh: the impact of demographic, socio-economic and health factors. *Public Health Nutrition*, **2006**, 9, 968-974	3.3	62
127	Dietary fiber, kidney function, inflammation, and mortality risk. *Clinical Journal of the American Society of Nephrology: CJASN*, **2014**, 9, 2104-10	6.9	59

126	Dietary patterns and cognitive dysfunction in a 12-year follow-up study of 70 year old men. *Journal of Alzheimer's Disease*, **2015**, 43, 109-19	4.3	53
125	Omega-3 fatty acid supplementation effects on weight and appetite in patients with Alzheimer's disease: the omega-3 Alzheimer's disease study. *Journal of the American Geriatrics Society*, **2009**, 57, 11-7	5.6	52
124	Effects of n-3 FA supplementation on the release of proresolving lipid mediators by blood mononuclear cells: the OmegAD study. *Journal of Lipid Research*, **2015**, 56, 674-681	6.3	50
123	Health effects of protein intake in healthy elderly populations: a systematic literature review. *Food and Nutrition Research*, **2014**, 58,	3.1	50
122	Does rehabilitation matter in patients with femoral neck fracture and cognitive impairment? A prospective study of 246 patients. *Archives of Physical Medicine and Rehabilitation*, **2010**, 91, 51-7	2.8	50
121	Effects of supplementation with omega-3 fatty acids on oxidative stress and inflammation in patients with Alzheimer's disease: the OmegAD study. *Journal of Alzheimer's Disease*, **2014**, 42, 823-31	4.3	49
120	Effectiveness and efficacy of nutritional therapy: A systematic review following Cochrane methodology. *Clinical Nutrition*, **2017**, 36, 939-957	5.9	48
119	Response to the letter: Comment on "GLIM criteria for the diagnosis of malnutrition - A consensus report from the global clinical nutrition community". Some considerations about the GLIM criteria - A consensus report for the diagnosis of malnutrition by Drs. LB da Silva Passos and DA De-Souza.	5.9	47
118	Frailty, Sarcopenia, and Malnutrition Frequently (Co-)occur in Hospitalized Older Adults: A Systematic Review and Meta-analysis. *Journal of the American Medical Directors Association*, **2020**, 21, 1216-1228	5.9	47
117	Sarcopenia: the new definitions. *Current Opinion in Clinical Nutrition and Metabolic Care*, **2015**, 18, 1-4	3.8	46
116	Management of Malnutrition in Older Patients-Current Approaches, Evidence and Open Questions. *Journal of Clinical Medicine*, **2019**, 8,	5.1	45
115	Sarcopenia prevalence and associations with mortality and hospitalisation by various sarcopenia definitions in 85-89 year old community-dwelling men: a report from the ULSAM study. *BMC Geriatrics*, **2019**, 19, 318	4.1	45
114	Global Leadership Initiative on Malnutrition (GLIM): Guidance on validation of the operational criteria for the diagnosis of protein-energy malnutrition in adults. *Clinical Nutrition*, **2020**, 39, 2872-2880	5.9	44
113	Nutritional status and performance capacity in internal medical patients. *Clinical Nutrition*, **1993**, 12, 8-14	5.9	44
112	Carbohydrates and insulin resistance in clinical nutrition: Recommendations from the ESPEN expert group. *Clinical Nutrition*, **2017**, 36, 355-363	5.9	43
111	Dietary patterns in Swedish adults; results from a national dietary survey. *British Journal of Nutrition*, **2016**, 115, 95-104	3.6	43
110	Frailty, Exercise and Nutrition. *Clinics in Geriatric Medicine*, **2015**, 31, 375-87	3.8	42
109	Influence of combined resistance training and healthy diet on muscle mass in healthy elderly women: a randomized controlled trial. *Journal of Applied Physiology*, **2015**, 119, 918-25	3.7	41

108	Polymorphisms in cytokine genes influence long-term survival differently in elderly male and female patients. *Journal of Internal Medicine*, **2007**, 262, 215-23	10.8	38
107	A proinflammatory diet is associated with systemic inflammation and reduced kidney function in elderly adults. *Journal of Nutrition*, **2015**, 145, 729-35	4.1	37
106	Predicting appendicular lean and fat mass with bioelectrical impedance analysis in older adults with physical function decline - The PROVIDE study. *Clinical Nutrition*, **2017**, 36, 869-875	5.9	36
105	Are omega-3 fatty acids options for prevention and treatment of cognitive decline and dementia?. *Current Opinion in Clinical Nutrition and Metabolic Care*, **2010**, 13, 150-5	3.8	36
104	Effect of Structured Physical Activity and Nutritional Supplementation on Physical Function in Mobility-Limited Older Adults: Results from the VIVE2 Randomized Trial. *Journal of Nutrition, Health and Aging*, **2017**, 21, 936-942	5.2	34
103	How clinical practitioners assess frailty in their daily practice: an international survey. *Aging Clinical and Experimental Research*, **2017**, 29, 905-912	4.8	34
102	Fish consumption and omega-3 fatty acid supplementation for prevention or treatment of cognitive decline, dementia or Alzheimer's disease in older adults - any news?. *Current Opinion in Clinical Nutrition and Metabolic Care*, **2017**, 20, 104-109	3.8	32
101	Polyunsaturated Fat Intake Estimated by Circulating Biomarkers and Risk of Cardiovascular Disease and All-Cause Mortality in a Population-Based Cohort of 60-Year-Old Men and Women. *Circulation*, **2015**, 132, 586-94	16.7	32
100	Thirteen weeks of supplementation of vitamin D and leucine-enriched whey protein nutritional supplement attenuates chronic low-grade inflammation in sarcopenic older adults: the PROVIDE study. *Aging Clinical and Experimental Research*, **2019**, 31, 845-854	4.8	31
99	"Obesity Paradox" Holds True for Patients with Hip Fracture: A Registry-Based Cohort Study. *Journal of Bone and Joint Surgery - Series A*, **2019**, 101, 888-895	5.6	31
98	The GLIM criteria as an effective tool for nutrition assessment and survival prediction in older adult cancer patients. *Clinical Nutrition*, **2021**, 40, 1224-1232	5.9	31
97	Association of Adipose Tissue Fatty Acids With Cardiovascular and All-Cause Mortality in Elderly Men. *JAMA Cardiology*, **2016**, 1, 745-753	16.2	30
96	Factors related to performance-based mobility and self-reported physical activity in individuals 1-3 years after stroke: a cross-sectional cohort study. *Journal of Stroke and Cerebrovascular Diseases*, **2013**, 22, e426-34	2.8	30
95	Dietary patterns and prostate cancer risk: report from the population based ULSAM cohort study of Swedish men. *Nutrition and Cancer*, **2014**, 66, 77-87	2.8	30
94	Validation of insulin sensitivity surrogate indices and prediction of clinical outcomes in individuals with and without impaired renal function. *Kidney International*, **2014**, 86, 383-91	9.9	30
93	DHA-rich n-3 fatty acid supplementation decreases DNA methylation in blood leukocytes: the OmegAD study. *American Journal of Clinical Nutrition*, **2017**, 106, 1157-1165	7	29
92	Short-term and long-term effects of a progressive resistance and balance exercise program in individuals with chronic stroke: a randomized controlled trial. *Disability and Rehabilitation*, **2017**, 39, 1615-1622	2.4	29
91	Global Leadership Initiative on Malnutrition (GLIM): Guidance on Validation of the Operational Criteria for the Diagnosis of Protein-Energy Malnutrition in Adults. *Journal of Parenteral and Enteral Nutrition*, **2020**, 44, 992-1003	4.2	28

90	Increased 1-year survival and discharge to independent living in overweight hip fracture patients: A prospective study of 843 patients. *Monthly Notices of the Royal Astronomical Society: Letters*, **2016**, 87, 146-51	4.3	28
89	Sex effects on short-term complications after hip fracture: a prospective cohort study. *Clinical Interventions in Aging*, **2015**, 10, 1259-66	4	26
88	To Create a Consensus on Malnutrition Diagnostic Criteria. *Journal of Parenteral and Enteral Nutrition*, **2017**, 41, 311-314	4.2	24
87	Effects of protein-rich nutritional supplementation and bisphosphonates on body composition, handgrip strength and health-related quality of life after hip fracture: a 12-month randomized controlled study. *BMC Geriatrics*, **2015**, 15, 149	4.1	24
86	Homocysteine Status Modifies the Treatment Effect of Omega-3 Fatty Acids on Cognition in a Randomized Clinical Trial in Mild to Moderate Alzheimer's Disease: The OmegAD Study. *Journal of Alzheimer's Disease*, **2019**, 69, 189-197	4.3	22
85	Serum Fatty Acids, Desaturase Activities and Abdominal Obesity - A Population-Based Study of 60-Year Old Men and Women. *PLoS ONE*, **2017**, 12, e0170684	3.7	22
84	The impact of muscle function, muscle mass and sarcopenia on independent ageing in very old Swedish men. *BMC Geriatrics*, **2019**, 19, 153	4.1	19
83	The Vitality, Independence, and Vigor in the Elderly 2 Study (VIVE2): Design and methods. *Contemporary Clinical Trials*, **2015**, 43, 164-71	2.3	19
82	Healthy brain ageing and cognition: Nutritional factors. *European Geriatric Medicine*, **2016**, 7, 77-85	3	19
81	Associations between dietary patterns at age 71 and the prevalence of sarcopenia 16 years later. *Clinical Nutrition*, **2020**, 39, 1077-1084	5.9	17
80	Longitudinal changes in leukocyte telomere length and mortality in elderly Swedish men. *Aging*, **2018**, 10, 3005-3016	5.6	16
79	The centenary of the Harris-Benedict equations: How to assess energy requirements best? Recommendations from the ESPEN expert group. *Clinical Nutrition*, **2021**, 40, 690-701	5.9	16
78	Definition and Diagnostic Criteria for Sarcopenic Obesity: ESPEN and EASO Consensus Statement.. *Obesity Facts*, **2022**, 1-15	5.1	16
77	Influence of a healthy Nordic diet on serum fatty acid composition and associations with blood lipoproteins - results from the NORDIET study. *Food and Nutrition Research*, **2014**, 58, 24114	3.1	15
76	Nutritional treatment of bone fracture. *Current Opinion in Clinical Nutrition and Metabolic Care*, **2005**, 8, 377-81	3.8	14
75	Circulating levels of environmental contaminants are associated with dietary patterns in older adults. *Environment International*, **2015**, 75, 93-102	12.9	13
74	Functional performance, nutritional status, and body composition in ambulant community-dwelling individuals 1-3 years after suffering from a cerebral infarction or intracerebral bleeding. *BMC Geriatrics*, **2016**, 16, 48	4.1	13
73	A Vitamin D, Calcium and Leucine-Enriched Whey Protein Nutritional Supplement Improves Measures of Bone Health in Sarcopenic Non-Malnourished Older Adults: The PROVIDE Study. *Calcified Tissue International*, **2019**, 105, 383-391	3.9	12

72	Modifiable midlife risk factors, independent aging, and survival in older men: report on long-term follow-up of the Uppsala Longitudinal Study of Adult Men cohort. *Journal of the American Geriatrics Society*, **2015**, 63, 877-85	5.6	12
71	Effect of exercise and nutritional supplementation on health-related quality of life and mood in older adults: the VIVE2 randomized controlled trial. *BMC Geriatrics*, **2018**, 18, 286	4.1	12
70	Sarcopenic obesity and associations with mortality in older women and men - a prospective observational study. *BMC Geriatrics*, **2020**, 20, 199	4.1	11
69	Body composition and physical function after progressive resistance and balance training among older adults after stroke: an exploratory randomized controlled trial. *Disability and Rehabilitation*, **2017**, 39, 1207-1214	2.4	10
68	Ability to predict resting energy expenditure with six equations compared to indirect calorimetry in octogenarian men. *Experimental Gerontology*, **2017**, 92, 52-55	4.5	10
67	Plant-based diets, insulin sensitivity and inflammation in elderly men with chronic kidney disease. *Journal of Nephrology*, **2020**, 33, 1091-1101	4.8	10
66	A year with the GLIM diagnosis of malnutrition - does it work for older persons?. *Current Opinion in Clinical Nutrition and Metabolic Care*, **2021**, 24, 4-9	3.8	10
65	Cross-sectional relationships between dietary fat intake and serum cholesterol fatty acids in a Swedish cohort of 60-year-old men and women. *Journal of Human Nutrition and Dietetics*, **2016**, 29, 325-37	3.1	10
64	Excess protein intake relative to fiber and cardiovascular events in elderly men with chronic kidney disease. *Nutrition, Metabolism and Cardiovascular Diseases*, **2016**, 26, 597-602	4.5	10
63	Predictors of Independent Aging and Survival: A 16-Year Follow-Up Report in Octogenarian Men. *Journal of the American Geriatrics Society*, **2017**, 65, 1953-1960	5.6	9
62	Urinary albumin excretion, blood pressure changes and hypertension incidence in the community: effect modification by kidney function. *Nephrology Dialysis Transplantation*, **2014**, 29, 1538-45	4.3	9
61	Acute kidney injury and mortality risk in older adults with COVID-19. *Journal of Nephrology*, **2021**, 34, 295-304	4.8	9
60	ESPEN practical guideline: Clinical nutrition and hydration in geriatrics.. *Clinical Nutrition*, **2022**, 41, 958-989	5.9	9
59	Global Leadership Initiative on Malnutrition: Progress Report From ASPEN Clinical Nutrition Week 2017. *Journal of Parenteral and Enteral Nutrition*, **2018**, 42, 266-267	4.2	8
58	Nonesterified fatty acids and cardiovascular mortality in elderly men with CKD. *Clinical Journal of the American Society of Nephrology: CJASN*, **2015**, 10, 584-91	6.9	8
57	Additive effects of nutritional supplementation, together with bisphosphonates, on bone mineral density after hip fracture: a 12-month randomized controlled study. *Clinical Interventions in Aging*, **2014**, 9, 1043-50	4	8
56	Renal function associates with energy intake in elderly community-dwelling men. *British Journal of Nutrition*, **2014**, 111, 2184-9	3.6	8
55	Nutritional management of individuals with obesity and COVID-19: ESPEN expert statements and practical guidance. *Clinical Nutrition*, **2021**,	5.9	8

54	Scored-GLIM as an effective tool to assess nutrition status and predict survival in patients with cancer. *Clinical Nutrition*, **2021**, 40, 4225-4233	5.9	8
53	Biomarkers of dairy fat intake, incident cardiovascular disease, and all-cause mortality: A cohort study, systematic review, and meta-analysis. *PLoS Medicine*, **2021**, 18, e1003763	11.6	8
52	Association between Healthy Dietary Patterns and Self-Reported Sleep Disturbances in Older Men: The ULSAM Study. *Nutrients*, **2019**, 11,	6.7	7
51	Effect of Sit-to-Stand Exercises Combined With Protein-Rich Oral Supplementation in Older Persons: The Older Person℠ Exercise and Nutrition Study. *Journal of the American Medical Directors Association*, **2020**, 21, 1229-1237	5.9	7
50	Circulating fatty acids in relation to alcohol consumption: Cross-sectional results from a cohort of 60-year-old men and women. *Clinical Nutrition*, **2018**, 37, 2001-2010	5.9	7
49	Effects on Weight, Blood Lipids, Serum Fatty Acid Profile and Coagulation by an Energy-Dense Formula to Older Care Residents: A Randomized Controlled Crossover Trial. *Journal of the American Medical Directors Association*, **2016**, 17, 275.e5-11	5.9	7
48	Uric acid and endothelial function in elderly community-dwelling subjects. *Experimental Gerontology*, **2017**, 89, 57-63	4.5	6
47	A study protocol of Older Person℠ Exercise and Nutrition Study (OPEN) - a sit-to-stand activity combined with oral protein supplement - effects on physical function and independence: a cluster randomized clinical trial. *BMC Geriatrics*, **2018**, 18, 138	4.1	6
46	Protocol and pilot study of a short message service-guided training after acute stroke/transient ischemic attack to increase walking capacity and physical activity. *Preventive Medicine Reports*, **2018**, 11, 109-114	2.6	6
45	Low bone mineral density and fat-free mass in younger patients with a femoral neck fracture. *European Journal of Clinical Investigation*, **2015**, 45, 800-6	4.6	5
44	Albuminuria, renal dysfunction and circadian blood pressure rhythm in older men: a population-based longitudinal cohort study. *CKJ: Clinical Kidney Journal*, **2015**, 8, 560-6	4.5	5
43	The effect of polyunsaturated fatty acids on bone health. *Reviews in Clinical Gerontology*, **2011**, 21, 219-232		5
42	Body mass index and Mini Nutritional Assessment-Short Form as predictors of in-geriatric hospital mortality in older adults with COVID-19. *Clinical Nutrition*, **2021**,	5.9	5
41	Safety and tolerability of 6-month supplementation with a vitamin D, calcium and leucine-enriched whey protein medical nutrition drink in sarcopenic older adults. *Aging Clinical and Experimental Research*, **2020**, 32, 1501-1514	4.8	4
40	Nutrition in Cancer Care: A Brief, Practical Guide With a Focus on Clinical Practice. *JCO Oncology Practice*, **2021**, 17, e992-e998	2.3	4
39	Definition and diagnostic criteria for sarcopenic obesity: ESPEN and EASO consensus statement.. *Clinical Nutrition*, **2022**,	5.9	4
38	A health concept with a social potential: an interview study with nursing home residents. *BMC Geriatrics*, **2020**, 20, 324	4.1	3
37	Association between carbohydrate intake and fatty acids in the de novo lipogenic pathway in serum phospholipids and adipose tissue in a population of Swedish men. *European Journal of Nutrition*, **2020**, 59, 2089-2097	5.2	3

36	Global Leadership Initiative on Malnutrition criteria as a nutrition assessment tool for patients with cancer. *Nutrition*, **2021**, 91-92, 111379	4.8	3
35	Nutrition and acute leukemia in adults: relation to remission rate and survival. *Haematologia*, **2002**, 32, 405-17		3
34	Longitudinal Muscle and Myocellular Changes in Community-Dwelling Men Over Two Decades of Successful Aging-The ULSAM Cohort Revisited. *Journals of Gerontology - Series A Biological Sciences and Medical Sciences*, **2020**, 75, 654-663	6.4	2
33	The effects of nutritional guideline implementation on nursing home staff performance: a controlled trial. *Scandinavian Journal of Caring Sciences*, **2018**, 32, 622-633	2.3	2
32	Circulating Alpha-Tocopherol and Insulin Sensitivity Among Older Men With Chronic Kidney Disease. *Journal of Renal Nutrition*, **2016**, 26, 177-82	3	2
31	Nutritional supplementation with physical activity improves muscle composition in mobility-limited older adults, the VIVE2 study: a randomized, double-blind, placebo-controlled trial. *FASEB Journal*, **2017**, 31, 460.3	0.9	2
30	Diagnosis of malnutrition in patients with gastrointestinal diseases: recent observations from a Global Leadership Initiative on Malnutrition perspective. *Current Opinion in Clinical Nutrition and Metabolic Care*, **2020**, 23, 361-366	3.8	2
29	Breakthrough in Global Consensus for the Diagnosis of Malnutrition in Adults in Clinical Settings. *Nutrition Today*, **2019**, 54, 58-63	1.6	2
28	Experiences of supporting older persons in completion of an exercise and nutrition intervention: an interview study with nursing home staff. *BMC Geriatrics*, **2021**, 21, 109	4.1	2
27	Is it possible to influence ability, willingness and understanding among nursing home care staff to implement nutritional guidelines? A comparison of a facilitated and an educational strategy. *International Journal of Older People Nursing*, **2021**, 16, e12367	2.3	2
26	Re: Letter to the Editor - Comment on: ‘Sufficient levels of 25-hydroxyvitamin D and protein intake required to increase muscle´mass in sarcopenic older adults - The PROVIDE study’. *Clinical Nutrition*, **2018**, 37, 2300	5.9	2
25	Decreased Mortality Over Time During the First Wave in Patients With COVID-19 in Geriatric Care: Data From the Stockholm GeroCovid Study. *Journal of the American Medical Directors Association*, **2021**, 22, 1565-1573.e4	5.9	2
24	Validation of modified GLIM criteria to predict adverse clinical outcome and response to nutritional treatment: A secondary analysis of a randomized clinical trial.. *Clinical Nutrition*, **2022**, 41, 795-804	5.9	2
23	From Frailty to Gerastenia. *Journal of the American Geriatrics Society*, **2019**, 67, 2209-2210	5.6	1
22	Reply, Letter to the Editor - Should significant weight loss mandated to be "unintentional" for resulting in and regarded as malnutrition?. *Clinical Nutrition*, **2016**, 35, 235	5.9	1
21	Nutrient interface with biology and aging. *Current Opinion in Clinical Nutrition and Metabolic Care*, **2016**, 19, 1-4	3.8	1
20	Reply to Y Mao and H Yu. *American Journal of Clinical Nutrition*, **2017**, 106, 698-699	7	1
19	Meal timing and subjective sleep disturbances in older men. *Experimental Gerontology*, **2020**, 141, 111082	4.5	1

18	Sarcopenia and malnutrition in relation to mortality in hospitalised patients in geriatric care - predictive validity of updated diagnoses. *Clinical Nutrition ESPEN*, **2021**, 45, 442-448	1.3	1
17	Effects on walking performance and lower body strength by short message service guided training after stroke or transient ischemic attack (The STROKEWALK Study): a randomized controlled trial. *Clinical Rehabilitation*, **2021**, 35, 276-287	3.3	1
16	Applicability of the GLIM criteria for the diagnosis of malnutrition in older adults in the emergency ward: A pilot validation study. *Clinical Nutrition*, **2021**, 40, 5447-5456	5.9	1
15	Effects of Peroral Omega-3 Fatty Acid Supplementation on Cerebrospinal Fluid Biomarkers in Patients with Alzheimer's Disease: A Randomized Controlled Trial-The OmegAD Study. *Journal of Alzheimer's Disease*, **2021**, 83, 1291-1301	4.3	1
14	Sarcopenia, Osteoporosis and Fractures168-180		1
13	Towards developing a Core Outcome Set for malnutrition intervention studies in older adults: a scoping review to identify frequently used research outcomes.. *European Geriatric Medicine*, **2022**, 1	3	1
12	Guidance for assessment of the muscle mass phenotypic criterion for the Global Leadership Initiative on Malnutrition diagnosis of malnutrition.. *Journal of Parenteral and Enteral Nutrition*, **2022**,	4.2	1
11	Does Fatty Acid Composition in Subcutaneous Adipose Tissue Differ between Patients with Alzheimer's Disease and Cohabiting Proxies?. *Journal of Alzheimer's Disease*, **2018**, 61, 515-519	4.3	0
10	Paving the way for applying GLIM criteria in clinical practice and research: how to define mild to moderate and severe reduced muscle mass.. *European Geriatric Medicine*, **2022**, 1	3	0
9	Response to Letter to the Editor: Comment on "Body mass index and Mini Nutritional Assessment-Short Form as predictors of in-geriatric hospital mortality in older adults with COVID-19" (by Caf Balc MD, Hacettepe University Faculty of Medicine Department of Internal Medicine Division of Geriatric Medicine). *Clinical Nutrition*, **2021**	5.9	0
8	Functional improvements to 6 months of physical activity are not related to changes in size or density of multiple lower-extremity muscles in mobility-limited older individuals. *Experimental Gerontology*, **2021**, 157, 111631	4.5	0
7	Reply letter to the Editor-Malnutrition according to the European Society of Clinical Nutrition and Metabolism (ESPEN) definition and falls in general older population. *Clinical Nutrition*, **2020**, 39, 1302	5.9	
6	Invited commentary in response to: Development of a nutritional documentation tool: a Delphi study. *British Journal of Nutrition*, **2019**, 121, 1321-1322	3.6	
5	Reply to WB Grant. *American Journal of Clinical Nutrition*, **2017**, 106, 700-701	7	
4	N-3 fatty acid treatment and plasma transthyretin in patients with Alzheimer's disease. *FASEB Journal*, **2009**, 23, 543.10	0.9	
3	Dietary Patterns and prostate cancer risk: a population based cohort study in elderly Swedish men. *FASEB Journal*, **2013**, 27, 847.8	0.9	
2	Nutritional Approaches to Treat Sarcopenia **2021**, 335-353		
1	Reply, Letter to Editor - BMI, FFMI do not seem universally applicable in nutritional assessment & the place of SGA & functional evaluation shouldn't be overlooked. *Clinical Nutrition*, **2016**, 35, 237	5.9	