

# Tommy Cederholm

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8954829/tommy-cederholm-publications-by-year.pdf>

**Version:** 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

179  
papers

27,342  
citations

54  
h-index

165  
g-index

203  
ext. papers

35,267  
ext. citations

4.4  
avg, IF

6.69  
L-index

#	Paper	IF	Citations
179	Paving the way for applying GLIM criteria in clinical practice and research: how to define mild to moderate and severe reduced muscle mass.. <i>European Geriatric Medicine</i> , <b>2022</b> , 1	3	0
178	Definition and Diagnostic Criteria for Sarcopenic Obesity: ESPEN and EASO Consensus Statement.. <i>Obesity Facts</i> , <b>2022</b> , 1-15	5.1	16
177	Towards developing a Core Outcome Set for malnutrition intervention studies in older adults: a scoping review to identify frequently used research outcomes.. <i>European Geriatric Medicine</i> , <b>2022</b> , 1	3	1
176	Validation of modified GLIM criteria to predict adverse clinical outcome and response to nutritional treatment: A secondary analysis of a randomized clinical trial.. <i>Clinical Nutrition</i> , <b>2022</b> , 41, 795-804	5.9	2
175	Definition and diagnostic criteria for sarcopenic obesity: ESPEN and EASO consensus statement.. <i>Clinical Nutrition</i> , <b>2022</b> ,	5.9	4
174	ESPEN practical guideline: Clinical nutrition and hydration in geriatrics.. <i>Clinical Nutrition</i> , <b>2022</b> , 41, 958-989	5.9	9
173	Guidance for assessment of the muscle mass phenotypic criterion for the Global Leadership Initiative on Malnutrition diagnosis of malnutrition.. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2022</b> ,	4.2	1
172	Response to Letter to the Editor: Comment on "Body mass index and Mini Nutritional Assessment-Short Form as predictors of in-geriatric hospital mortality in older adults with COVID-19" (by Caf Balçımd, Hacettepe University Faculty of Medicine Department of Internal Medicine Division of Geriatric Medicine). <i>Clinical Nutrition</i> , <b>2021</b>	5.9	0
171	Functional improvements to 6 months of physical activity are not related to changes in size or density of multiple lower-extremity muscles in mobility-limited older individuals. <i>Experimental Gerontology</i> , <b>2021</b> , 157, 111631	4.5	0
170	A year with the GLIM diagnosis of malnutrition - does it work for older persons?. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , <b>2021</b> , 24, 4-9	3.8	10
169	Acute kidney injury and mortality risk in older adults with COVID-19. <i>Journal of Nephrology</i> , <b>2021</b> , 34, 295-304	4.8	9
168	Nutritional Approaches to Treat Sarcopenia <b>2021</b> , 335-353		
167	Nutritional management of individuals with obesity and COVID-19: ESPEN expert statements and practical guidance. <i>Clinical Nutrition</i> , <b>2021</b> ,	5.9	8
166	Scored-GLIM as an effective tool to assess nutrition status and predict survival in patients with cancer. <i>Clinical Nutrition</i> , <b>2021</b> , 40, 4225-4233	5.9	8
165	Sarcopenia and malnutrition in relation to mortality in hospitalised patients in geriatric care - predictive validity of updated diagnoses. <i>Clinical Nutrition ESPEN</i> , <b>2021</b> , 45, 442-448	1.3	1
164	Body mass index and Mini Nutritional Assessment-Short Form as predictors of in-geriatric hospital mortality in older adults with COVID-19. <i>Clinical Nutrition</i> , <b>2021</b> ,	5.9	5
163	Nutrition in Cancer Care: A Brief, Practical Guide With a Focus on Clinical Practice. <i>JCO Oncology Practice</i> , <b>2021</b> , 17, e992-e998	2.3	4

162	The GLIM criteria as an effective tool for nutrition assessment and survival prediction in older adult cancer patients. <i>Clinical Nutrition</i> , <b>2021</b> , 40, 1224-1232	5.9	31
161	The centenary of the Harris-Benedict equations: How to assess energy requirements best? Recommendations from the ESPEN expert group. <i>Clinical Nutrition</i> , <b>2021</b> , 40, 690-701	5.9	16
160	Effects on walking performance and lower body strength by short message service guided training after stroke or transient ischemic attack (The STROKEWALK Study): a randomized controlled trial. <i>Clinical Rehabilitation</i> , <b>2021</b> , 35, 276-287	3.3	1
159	Experiences of supporting older persons in completion of an exercise and nutrition intervention: an interview study with nursing home staff. <i>BMC Geriatrics</i> , <b>2021</b> , 21, 109	4.1	2
158	Is it possible to influence ability, willingness and understanding among nursing home care staff to implement nutritional guidelines? A comparison of a facilitated and an educational strategy. <i>International Journal of Older People Nursing</i> , <b>2021</b> , 16, e12367	2.3	2
157	Decreased Mortality Over Time During the First Wave in Patients With COVID-19 in Geriatric Care: Data From the Stockholm GeroCovid Study. <i>Journal of the American Medical Directors Association</i> , <b>2021</b> , 22, 1565-1573.e4	5.9	2
156	Biomarkers of dairy fat intake, incident cardiovascular disease, and all-cause mortality: A cohort study, systematic review, and meta-analysis. <i>PLoS Medicine</i> , <b>2021</b> , 18, e1003763	11.6	8
155	Applicability of the GLIM criteria for the diagnosis of malnutrition in older adults in the emergency ward: A pilot validation study. <i>Clinical Nutrition</i> , <b>2021</b> , 40, 5447-5456	5.9	1
154	Effects of Peroral Omega-3 Fatty Acid Supplementation on Cerebrospinal Fluid Biomarkers in Patients with Alzheimer's Disease: A Randomized Controlled Trial-The OmegAD Study. <i>Journal of Alzheimer's Disease</i> , <b>2021</b> , 83, 1291-1301	4.3	1
153	Global Leadership Initiative on Malnutrition criteria as a nutrition assessment tool for patients with cancer. <i>Nutrition</i> , <b>2021</b> , 91-92, 111379	4.8	3
152	Longitudinal Muscle and Myocellular Changes in Community-Dwelling Men Over Two Decades of Successful Aging-The ULSAM Cohort Revisited. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2020</b> , 75, 654-663	6.4	2
151	Effect of Sit-to-Stand Exercises Combined With Protein-Rich Oral Supplementation in Older Persons: The Older Person's Exercise and Nutrition Study. <i>Journal of the American Medical Directors Association</i> , <b>2020</b> , 21, 1229-1237	5.9	7
150	Global Leadership Initiative on Malnutrition (GLIM): Guidance on validation of the operational criteria for the diagnosis of protein-energy malnutrition in adults. <i>Clinical Nutrition</i> , <b>2020</b> , 39, 2872-2880	5.9	44
149	Plant-based diets, insulin sensitivity and inflammation in elderly men with chronic kidney disease. <i>Journal of Nephrology</i> , <b>2020</b> , 33, 1091-1101	4.8	10
148	Global Leadership Initiative on Malnutrition (GLIM): Guidance on Validation of the Operational Criteria for the Diagnosis of Protein-Energy Malnutrition in Adults. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2020</b> , 44, 992-1003	4.2	28
147	Safety and tolerability of 6-month supplementation with a vitamin D, calcium and leucine-enriched whey protein medical nutrition drink in sarcopenic older adults. <i>Aging Clinical and Experimental Research</i> , <b>2020</b> , 32, 1501-1514	4.8	4
146	Sarcopenic obesity and associations with mortality in older women and men - a prospective observational study. <i>BMC Geriatrics</i> , <b>2020</b> , 20, 199	4.1	11
145	Reply letter to the Editor-Malnutrition according to the European Society of Clinical Nutrition and Metabolism (ESPEN) definition and falls in general older population. <i>Clinical Nutrition</i> , <b>2020</b> , 39, 1302	5.9	

144	Frailty, Sarcopenia, and Malnutrition Frequently (Co-)occur in Hospitalized Older Adults: A Systematic Review and Meta-analysis. <i>Journal of the American Medical Directors Association</i> , <b>2020</b> , 21, 1216-1228	5.9	47
143	Critical appraisal of definitions and diagnostic criteria for sarcopenic obesity based on a systematic review. <i>Clinical Nutrition</i> , <b>2020</b> , 39, 2368-2388	5.9	89
142	Meal timing and subjective sleep disturbances in older men. <i>Experimental Gerontology</i> , <b>2020</b> , 141, 111082-111089	7.5	1
141	A health concept with a social potential: an interview study with nursing home residents. <i>BMC Geriatrics</i> , <b>2020</b> , 20, 324	4.1	3
140	Age, Frailty, and Comorbidity as Prognostic Factors for Short-Term Outcomes in Patients With Coronavirus Disease 2019 in Geriatric Care. <i>Journal of the American Medical Directors Association</i> , <b>2020</b> , 21, 1555-1559.e2	5.9	76
139	Diagnosis of malnutrition in patients with gastrointestinal diseases: recent observations from a Global Leadership Initiative on Malnutrition perspective. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , <b>2020</b> , 23, 361-366	3.8	2
138	Associations between dietary patterns at age 71 and the prevalence of sarcopenia 16 years later. <i>Clinical Nutrition</i> , <b>2020</b> , 39, 1077-1084	5.9	17
137	Association between carbohydrate intake and fatty acids in the de novo lipogenic pathway in serum phospholipids and adipose tissue in a population of Swedish men. <i>European Journal of Nutrition</i> , <b>2020</b> , 59, 2089-2097	5.2	3
136	From Frailty to Gerastenia. <i>Journal of the American Geriatrics Society</i> , <b>2019</b> , 67, 2209-2210	5.6	1
135	Physical Frailty: ICFSR International Clinical Practice Guidelines for Identification and Management. <i>Journal of Nutrition, Health and Aging</i> , <b>2019</b> , 23, 771-787	5.2	198
134	The impact of muscle function, muscle mass and sarcopenia on independent ageing in very old Swedish men. <i>BMC Geriatrics</i> , <b>2019</b> , 19, 153	4.1	19
133	Association between Healthy Dietary Patterns and Self-Reported Sleep Disturbances in Older Men: The ULSAM Study. <i>Nutrients</i> , <b>2019</b> , 11,	6.7	7
132	Thirteen weeks of supplementation of vitamin D and leucine-enriched whey protein nutritional supplement attenuates chronic low-grade inflammation in sarcopenic older adults: the PROVIDE study. <i>Aging Clinical and Experimental Research</i> , <b>2019</b> , 31, 845-854	4.8	31
131	GLIM criteria for the diagnosis of malnutrition - A consensus report from the global clinical nutrition community. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , <b>2019</b> , 10, 207-217	10.3	200
130	Response to the letter: Comment on "GLIM criteria for the diagnosis of malnutrition - A consensus report from the global clinical nutrition community". Some considerations about the GLIM criteria - A consensus report for the diagnosis of malnutrition by Drs. LB da Silva Passos and DA De-Souza. <i>Clinical Nutrition</i> , <b>2019</b> , 38, 1480-1481	5.9	47
129	Homocysteine Status Modifies the Treatment Effect of Omega-3 Fatty Acids on Cognition in a Randomized Clinical Trial in Mild to Moderate Alzheimer's Disease: The OmegaAD Study. <i>Journal of Alzheimer's Disease</i> , <b>2019</b> , 69, 189-197	4.3	22
128	ESPEN guideline on clinical nutrition and hydration in geriatrics. <i>Clinical Nutrition</i> , <b>2019</b> , 38, 10-47	5.9	395
127	Invited commentary in response to: Development of a nutritional documentation tool: a Delphi study. <i>British Journal of Nutrition</i> , <b>2019</b> , 121, 1321-1322	3.6	

126	Management of Malnutrition in Older Patients-Current Approaches, Evidence and Open Questions. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	45
125	A Vitamin D, Calcium and Leucine-Enriched Whey Protein Nutritional Supplement Improves Measures of Bone Health in Sarcopenic Non-Malnourished Older Adults: The PROVIDE Study. <i>Calcified Tissue International</i> , <b>2019</b> , 105, 383-391	3.9	12
124	Sarcopenia prevalence and associations with mortality and hospitalisation by various sarcopenia definitions in 85-89 year old community-dwelling men: a report from the ULSAM study. <i>BMC Geriatrics</i> , <b>2019</b> , 19, 318	4.1	45
123	Breakthrough in Global Consensus for the Diagnosis of Malnutrition in Adults in Clinical Settings. <i>Nutrition Today</i> , <b>2019</b> , 54, 58-63	1.6	2
122	"Obesity Paradox" Holds True for Patients with Hip Fracture: A Registry-Based Cohort Study. <i>Journal of Bone and Joint Surgery - Series A</i> , <b>2019</b> , 101, 888-895	5.6	31
121	GLIM Criteria for the Diagnosis of Malnutrition: A Consensus Report From the Global Clinical Nutrition Community. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2019</b> , 43, 32-40	4.2	181
120	GLIM criteria for the diagnosis of malnutrition - A consensus report from the global clinical nutrition community. <i>Clinical Nutrition</i> , <b>2019</b> , 38, 1-9	5.9	639
119	Sarcopenia: revised European consensus on definition and diagnosis. <i>Age and Ageing</i> , <b>2019</b> , 48, 16-31	3	3263
118	Muscle loss: The new malnutrition challenge in clinical practice. <i>Clinical Nutrition</i> , <b>2019</b> , 38, 2113-2120	5.9	74
117	Global Leadership Initiative on Malnutrition: Progress Report From ASPEN Clinical Nutrition Week 2017. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2018</b> , 42, 266-267	4.2	8
116	Pitfalls in the measurement of muscle mass: a need for a reference standard. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , <b>2018</b> , 9, 269-278	10.3	294
115	Sufficient levels of 25-hydroxyvitamin D and protein intake required to increase muscle mass in sarcopenic older adults - The PROVIDE study. <i>Clinical Nutrition</i> , <b>2018</b> , 37, 551-557	5.9	62
114	ESPEN guidelines on nutritional support for polymorbid internal medicine patients. <i>Clinical Nutrition</i> , <b>2018</b> , 37, 336-353	5.9	134
113	Circulating fatty acids in relation to alcohol consumption: Cross-sectional results from a cohort of 60-year-old men and women. <i>Clinical Nutrition</i> , <b>2018</b> , 37, 2001-2010	5.9	7
112	The effects of nutritional guideline implementation on nursing home staff performance: a controlled trial. <i>Scandinavian Journal of Caring Sciences</i> , <b>2018</b> , 32, 622-633	2.3	2
111	Does nutrition play a role in the prevention and management of sarcopenia?. <i>Clinical Nutrition</i> , <b>2018</b> , 37, 1121-1132	5.9	179
110	A study protocol of Older Person's Exercise and Nutrition Study (OPEN) - a sit-to-stand activity combined with oral protein supplement - effects on physical function and independence: a cluster randomized clinical trial. <i>BMC Geriatrics</i> , <b>2018</b> , 18, 138	4.1	6
109	Sarcopenic Obesity: Time to Meet the Challenge. <i>Obesity Facts</i> , <b>2018</b> , 11, 294-305	5.1	68

108	Does Fatty Acid Composition in Subcutaneous Adipose Tissue Differ between Patients with Alzheimer's Disease and Cohabiting Proxies?. <i>Journal of Alzheimer's Disease</i> , <b>2018</b> , 61, 515-519	4.3	0
107	Longitudinal changes in leukocyte telomere length and mortality in elderly Swedish men. <i>Aging</i> , <b>2018</b> , 10, 3005-3016	5.6	16
106	Poor cognitive ageing: Vulnerabilities, mechanisms and the impact of nutritional interventions. <i>Ageing Research Reviews</i> , <b>2018</b> , 42, 40-55	12	83
105	Effect of exercise and nutritional supplementation on health-related quality of life and mood in older adults: the VIVE2 randomized controlled trial. <i>BMC Geriatrics</i> , <b>2018</b> , 18, 286	4.1	12
104	International Clinical Practice Guidelines for Sarcopenia (ICFSR): Screening, Diagnosis and Management. <i>Journal of Nutrition, Health and Aging</i> , <b>2018</b> , 22, 1148-1161	5.2	276
103	Re: Letter to the Editor - Comment on: Sufficient levels of 25-hydroxyvitamin D and protein intake required to increase muscle mass in sarcopenic older adults - The PROVIDE study. <i>Clinical Nutrition</i> , <b>2018</b> , 37, 2300	5.9	2
102	Sarcopenic obesity: Time to meet the challenge. <i>Clinical Nutrition</i> , <b>2018</b> , 37, 1787-1793	5.9	68
101	Protocol and pilot study of a short message service-guided training after acute stroke/transient ischemic attack to increase walking capacity and physical activity. <i>Preventive Medicine Reports</i> , <b>2018</b> , 11, 109-114	2.6	6
100	Nutritional status, body composition, and quality of life in community-dwelling sarcopenic and non-sarcopenic older adults: A case-control study. <i>Clinical Nutrition</i> , <b>2017</b> , 36, 267-274	5.9	115
99	Body composition and physical function after progressive resistance and balance training among older adults after stroke: an exploratory randomized controlled trial. <i>Disability and Rehabilitation</i> , <b>2017</b> , 39, 1207-1214	2.4	10
98	Predicting appendicular lean and fat mass with bioelectrical impedance analysis in older adults with physical function decline - The PROVIDE study. <i>Clinical Nutrition</i> , <b>2017</b> , 36, 869-875	5.9	36
97	Uric acid and endothelial function in elderly community-dwelling subjects. <i>Experimental Gerontology</i> , <b>2017</b> , 89, 57-63	4.5	6
96	To Create a Consensus on Malnutrition Diagnostic Criteria. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2017</b> , 41, 311-314	4.2	24
95	Fish consumption and omega-3 fatty acid supplementation for prevention or treatment of cognitive decline, dementia or Alzheimer's disease in older adults - any news?. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , <b>2017</b> , 20, 104-109	3.8	32
94	High Prevalence of Physical Frailty Among Community-Dwelling Malnourished Older Adults-A Systematic Review and Meta-Analysis. <i>Journal of the American Medical Association</i> , <b>2017</b> , 18, 374-382	5.9	107
93	Ability to predict resting energy expenditure with six equations compared to indirect calorimetry in octogenarian men. <i>Experimental Gerontology</i> , <b>2017</b> , 92, 52-55	4.5	10
92	Nutritional Supplementation With Physical Activity Improves Muscle Composition in Mobility-Limited Older Adults, The VIVE2 Study: A Randomized, Double-Blind, Placebo-Controlled Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2017</b> , 73, 95-101	6.4	79
91	DHA-rich n-3 fatty acid supplementation decreases DNA methylation in blood leukocytes: the OmegAD study. <i>American Journal of Clinical Nutrition</i> , <b>2017</b> , 106, 1157-1165	7	29

90	Predictors of Independent Aging and Survival: A 16-Year Follow-Up Report in Octogenarian Men. <i>Journal of the American Geriatrics Society</i> , <b>2017</b> , 65, 1953-1960	5.6	9
89	Reply to Y Mao and H Yu. <i>American Journal of Clinical Nutrition</i> , <b>2017</b> , 106, 698-699	7	1
88	Effect of Structured Physical Activity and Nutritional Supplementation on Physical Function in Mobility-Limited Older Adults: Results from the VIVE2 Randomized Trial. <i>Journal of Nutrition, Health and Aging</i> , <b>2017</b> , 21, 936-942	5.2	34
87	Reply to WB Grant. <i>American Journal of Clinical Nutrition</i> , <b>2017</b> , 106, 700-701	7	
86	How clinical practitioners assess frailty in their daily practice: an international survey. <i>Aging Clinical and Experimental Research</i> , <b>2017</b> , 29, 905-912	4.8	34
85	Towards a multidisciplinary approach to understand and manage obesity and related diseases. <i>Clinical Nutrition</i> , <b>2017</b> , 36, 917-938	5.9	98
84	Carbohydrates and insulin resistance in clinical nutrition: Recommendations from the ESPEN expert group. <i>Clinical Nutrition</i> , <b>2017</b> , 36, 355-363	5.9	43
83	Effectiveness and efficacy of nutritional therapy: A systematic review following Cochrane methodology. <i>Clinical Nutrition</i> , <b>2017</b> , 36, 939-957	5.9	48
82	Short-term and long-term effects of a progressive resistance and balance exercise program in individuals with chronic stroke: a randomized controlled trial. <i>Disability and Rehabilitation</i> , <b>2017</b> , 39, 1615-1622 <sup>29</sup>	5.4	29
81	ESPEN guidelines on definitions and terminology of clinical nutrition. <i>Clinical Nutrition</i> , <b>2017</b> , 36, 49-64	5.9	785
80	LOW LUNG FUNCTION IS A PREDICTOR OF MORTALITY ALSO ADJUSTED FOR SARCOPENIA.. <i>Innovation in Aging</i> , <b>2017</b> , 1, 649-649	0.1	78
79	Serum Fatty Acids, Desaturase Activities and Abdominal Obesity - A Population-Based Study of 60-Year Old Men and Women. <i>PLoS ONE</i> , <b>2017</b> , 12, e0170684	3.7	22
78	Nutritional supplementation with physical activity improves muscle composition in mobility-limited older adults, the VIVE2 study: a randomized, double-blind, placebo-controlled trial. <i>FASEB Journal</i> , <b>2017</b> , 31, 460.3	0.9	2
77	Association of Adipose Tissue Fatty Acids With Cardiovascular and All-Cause Mortality in Elderly Men. <i>JAMA Cardiology</i> , <b>2016</b> , 1, 745-753	16.2	30
76	Reply, Letter to the Editor - Should significant weight loss mandated to be "unintentional" for resulting in and regarded as malnutrition?. <i>Clinical Nutrition</i> , <b>2016</b> , 35, 235	5.9	1
75	Functional performance, nutritional status, and body composition in ambulant community-dwelling individuals 1-3 years after suffering from a cerebral infarction or intracerebral bleeding. <i>BMC Geriatrics</i> , <b>2016</b> , 16, 48	4.1	13
74	Circulating Alpha-Tocopherol and Insulin Sensitivity Among Older Men With Chronic Kidney Disease. <i>Journal of Renal Nutrition</i> , <b>2016</b> , 26, 177-82	3	2
73	Healthy brain ageing and cognition: Nutritional factors. <i>European Geriatric Medicine</i> , <b>2016</b> , 7, 77-85	3	19

72	New loci for body fat percentage reveal link between adiposity and cardiometabolic disease risk. <i>Nature Communications</i> , <b>2016</b> , 7, 10495	17.4	180
71	Nutrient interface with biology and aging. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , <b>2016</b> , 19, 1-4	3.8	1
70	Cross-sectional relationships between dietary fat intake and serum cholesterol fatty acids in a Swedish cohort of 60-year-old men and women. <i>Journal of Human Nutrition and Dietetics</i> , <b>2016</b> , 29, 325-371	3.7	10
69	Reply, Letter to Editor - BMI, FFMI do not seem universally applicable in nutritional assessment & the place of SGA & functional evaluation shouldn't be overlooked. <i>Clinical Nutrition</i> , <b>2016</b> , 35, 237	5.9	
68	Dietary patterns in Swedish adults; results from a national dietary survey. <i>British Journal of Nutrition</i> , <b>2016</b> , 115, 95-104	3.6	43
67	Increased 1-year survival and discharge to independent living in overweight hip fracture patients: A prospective study of 843 patients. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , <b>2016</b> , 87, 146-51	4.3	28
66	Effects on Weight, Blood Lipids, Serum Fatty Acid Profile and Coagulation by an Energy-Dense Formula to Older Care Residents: A Randomized Controlled Crossover Trial. <i>Journal of the American Medical Directors Association</i> , <b>2016</b> , 17, 275.e5-11	5.9	7
65	Excess protein intake relative to fiber and cardiovascular events in elderly men with chronic kidney disease. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2016</b> , 26, 597-602	4.5	10
64	Polyunsaturated Fat Intake Estimated by Circulating Biomarkers and Risk of Cardiovascular Disease and All-Cause Mortality in a Population-Based Cohort of 60-Year-Old Men and Women. <i>Circulation</i> , <b>2015</b> , 132, 586-94	16.7	32
63	The Vitality, Independence, and Vigor in the Elderly 2 Study (VIVE2): Design and methods. <i>Contemporary Clinical Trials</i> , <b>2015</b> , 43, 164-71	2.3	19
62	Diagnostic criteria for malnutrition - An ESPEN Consensus Statement. <i>Clinical Nutrition</i> , <b>2015</b> , 34, 335-405.9	5.9	858
61	Sarcopenia: the new definitions. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , <b>2015</b> , 18, 1-4	3.8	46
60	Effects of n-3 FA supplementation on the release of proresolving lipid mediators by blood mononuclear cells: the OmegAD study. <i>Journal of Lipid Research</i> , <b>2015</b> , 56, 674-681	6.3	50
59	Effects of a vitamin D and leucine-enriched whey protein nutritional supplement on measures of sarcopenia in older adults, the PROVIDE study: a randomized, double-blind, placebo-controlled trial. <i>Journal of the American Medical Directors Association</i> , <b>2015</b> , 16, 740-7	5.9	350
58	Influence of combined resistance training and healthy diet on muscle mass in healthy elderly women: a randomized controlled trial. <i>Journal of Applied Physiology</i> , <b>2015</b> , 119, 918-25	3.7	41
57	A novel multi-tissue RNA diagnostic of healthy ageing relates to cognitive health status. <i>Genome Biology</i> , <b>2015</b> , 16, 185	18.3	112
56	Circulating levels of environmental contaminants are associated with dietary patterns in older adults. <i>Environment International</i> , <b>2015</b> , 75, 93-102	12.9	13
55	Dietary patterns and cognitive dysfunction in a 12-year follow-up study of 70 year old men. <i>Journal of Alzheimer's Disease</i> , <b>2015</b> , 43, 109-19	4.3	53



54	Plasma Fatty Acid Profiles in Relation to Cognition and Gender in Alzheimer's Disease Patients During Oral Omega-3 Fatty Acid Supplementation: The OmegAD Study. <i>Journal of Alzheimer's Disease</i> , <b>2015</b> , 48, 805-12	4.3	62
53	Modifiable midlife risk factors, independent aging, and survival in older men: report on long-term follow-up of the Uppsala Longitudinal Study of Adult Men cohort. <i>Journal of the American Geriatrics Society</i> , <b>2015</b> , 63, 877-85	5.6	12
52	Effects of protein-rich nutritional supplementation and bisphosphonates on body composition, handgrip strength and health-related quality of life after hip fracture: a 12-month randomized controlled study. <i>BMC Geriatrics</i> , <b>2015</b> , 15, 149	4.1	24
51	Low bone mineral density and fat-free mass in younger patients with a femoral neck fracture. <i>European Journal of Clinical Investigation</i> , <b>2015</b> , 45, 800-6	4.6	5
50	Sex effects on short-term complications after hip fracture: a prospective cohort study. <i>Clinical Interventions in Aging</i> , <b>2015</b> , 10, 1259-66	4	26
49	Frailty, Exercise and Nutrition. <i>Clinics in Geriatric Medicine</i> , <b>2015</b> , 31, 375-87	3.8	42
48	Albuminuria, renal dysfunction and circadian blood pressure rhythm in older men: a population-based longitudinal cohort study. <i>CKJ: Clinical Kidney Journal</i> , <b>2015</b> , 8, 560-6	4.5	5
47	A proinflammatory diet is associated with systemic inflammation and reduced kidney function in elderly adults. <i>Journal of Nutrition</i> , <b>2015</b> , 145, 729-35	4.1	37
46	Nonesterified fatty acids and cardiovascular mortality in elderly men with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2015</b> , 10, 584-91	6.9	8
45	Protein intake and exercise for optimal muscle function with aging: recommendations from the ESPEN Expert Group. <i>Clinical Nutrition</i> , <b>2014</b> , 33, 929-36	5.9	77 <sup>1</sup>
44	Prevalence of and interventions for sarcopenia in ageing adults: a systematic review. Report of the International Sarcopenia Initiative (EWGSOP and IWGS). <i>Age and Ageing</i> , <b>2014</b> , 43, 748-59	3	1063
43	Dietary fiber, kidney function, inflammation, and mortality risk. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2014</b> , 9, 2104-10	6.9	59
42	Muscle contractile and metabolic dysfunction is a common feature of sarcopenia of aging and chronic diseases: from sarcopenic obesity to cachexia. <i>Clinical Nutrition</i> , <b>2014</b> , 33, 737-48	5.9	219
41	Additive effects of nutritional supplementation, together with bisphosphonates, on bone mineral density after hip fracture: a 12-month randomized controlled study. <i>Clinical Interventions in Aging</i> , <b>2014</b> , 9, 1043-50	4	8
40	Dietary patterns and prostate cancer risk: report from the population based ULSAM cohort study of Swedish men. <i>Nutrition and Cancer</i> , <b>2014</b> , 66, 77-87	2.8	30
39	Health effects of protein intake in healthy elderly populations: a systematic literature review. <i>Food and Nutrition Research</i> , <b>2014</b> , 58,	3.1	50
38	Urinary albumin excretion, blood pressure changes and hypertension incidence in the community: effect modification by kidney function. <i>Nephrology Dialysis Transplantation</i> , <b>2014</b> , 29, 1538-45	4.3	9
37	Validation of insulin sensitivity surrogate indices and prediction of clinical outcomes in individuals with and without impaired renal function. <i>Kidney International</i> , <b>2014</b> , 86, 383-91	9.9	30

36	Effects of supplementation with omega-3 fatty acids on oxidative stress and inflammation in patients with Alzheimer's disease: the OmegAD study. <i>Journal of Alzheimer's Disease</i> , <b>2014</b> , 42, 823-31	4.3	49
35	Transfer of omega-3 fatty acids across the blood-brain barrier after dietary supplementation with a docosahexaenoic acid-rich omega-3 fatty acid preparation in patients with Alzheimer's disease: the OmegAD study. <i>Journal of Internal Medicine</i> , <b>2014</b> , 275, 428-36	10.8	94
34	Renal function associates with energy intake in elderly community-dwelling men. <i>British Journal of Nutrition</i> , <b>2014</b> , 111, 2184-9	3.6	8
33	Comparative associations of muscle mass and muscle strength with mortality in dialysis patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2014</b> , 9, 1720-8	6.9	259
32	Influence of a healthy Nordic diet on serum fatty acid composition and associations with blood lipoproteins - results from the NORDIET study. <i>Food and Nutrition Research</i> , <b>2014</b> , 58, 24114	3.1	15
31	Dietary intake of eicosapentaenoic and docosahexaenoic acids is linked to gray matter volume and cognitive function in elderly. <i>Age</i> , <b>2013</b> , 35, 1495-505		70
30	Factors related to performance-based mobility and self-reported physical activity in individuals 1-3 years after stroke: a cross-sectional cohort study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2013</b> , 22, e426-34	2.8	30
29	EB fatty acids in the prevention of cognitive decline in humans. <i>Advances in Nutrition</i> , <b>2013</b> , 4, 672-6	10	104
28	Dietary Patterns and prostate cancer risk: a population based cohort study in elderly Swedish men. <i>FASEB Journal</i> , <b>2013</b> , 27, 847.8	0.9	
27	Sarcopenia and fragility fractures. <i>European Journal of Physical and Rehabilitation Medicine</i> , <b>2013</b> , 49, 111-7	4.4	99
26	Sarcopenia: an undiagnosed condition in older adults. Current consensus definition: prevalence, etiology, and consequences. International working group on sarcopenia. <i>Journal of the American Medical Directors Association</i> , <b>2011</b> , 12, 249-56	5.9	1809
25	Sarcopenia with limited mobility: an international consensus. <i>Journal of the American Medical Directors Association</i> , <b>2011</b> , 12, 403-9	5.9	648
24	The effect of polyunsaturated fatty acids on bone health. <i>Reviews in Clinical Gerontology</i> , <b>2011</b> , 21, 219-232		5
23	Does rehabilitation matter in patients with femoral neck fracture and cognitive impairment? A prospective study of 246 patients. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2010</b> , 91, 51-7	2.8	50
22	Mediterranean and carbohydrate-restricted diets and mortality among elderly men: a cohort study in Sweden. <i>American Journal of Clinical Nutrition</i> , <b>2010</b> , 92, 967-74	7	106
21	Are omega-3 fatty acids options for prevention and treatment of cognitive decline and dementia?. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , <b>2010</b> , 13, 150-5	3.8	36
20	Sarcopenia: European consensus on definition and diagnosis: Report of the European Working Group on Sarcopenia in Older People. <i>Age and Ageing</i> , <b>2010</b> , 39, 412-23	3	6856
19	Consensus definition of sarcopenia, cachexia and pre-cachexia: joint document elaborated by Special Interest Groups (SIG) "cachexia-anorexia in chronic wasting diseases" and "nutrition in geriatrics". <i>Clinical Nutrition</i> , <b>2010</b> , 29, 154-9	5.9	1075

18	Frequency of malnutrition in older adults: a multinational perspective using the mini nutritional assessment. <i>Journal of the American Geriatrics Society</i> , <b>2010</b> , 58, 1734-8	5.6	588
17	Effects of omega-3 fatty acids on inflammatory markers in cerebrospinal fluid and plasma in Alzheimer's disease: the OmegAD study. <i>Dementia and Geriatric Cognitive Disorders</i> , <b>2009</b> , 27, 481-90	2.6	68
16	Gender differences and cognitive aspects on functional outcome after hip fracture--a 2 yearsP follow-up of 2,134 patients. <i>Age and Ageing</i> , <b>2009</b> , 38, 686-92	3	62
15	Validation of the Mini Nutritional Assessment short-form (MNA-SF): a practical tool for identification of nutritional status. <i>Journal of Nutrition, Health and Aging</i> , <b>2009</b> , 13, 782-8	5.2	944
14	Omega-3 fatty acid supplementation effects on weight and appetite in patients with Alzheimer's disease: the omega-3 Alzheimer's disease study. <i>Journal of the American Geriatrics Society</i> , <b>2009</b> , 57, 11-17	5.6	52
13	N-3 fatty acid treatment and plasma transthyretin in patients with Alzheimer's disease. <i>FASEB Journal</i> , <b>2009</b> , 23, 543.10	0.9	
12	Cachexia in rheumatoid arthritis is associated with inflammatory activity, physical disability, and low bioavailable insulin-like growth factor. <i>Scandinavian Journal of Rheumatology</i> , <b>2008</b> , 37, 321-8	1.9	85
11	Effects of docosahexaenoic acid-rich n-3 fatty acid supplementation on cytokine release from blood mononuclear leukocytes: the OmegAD study. <i>American Journal of Clinical Nutrition</i> , <b>2008</b> , 87, 1616-22	7	135
10	Omega-3 supplementation in mild to moderate Alzheimer's disease: effects on neuropsychiatric symptoms. <i>International Journal of Geriatric Psychiatry</i> , <b>2008</b> , 23, 161-9	3.9	132
9	Polymorphisms in cytokine genes influence long-term survival differently in elderly male and female patients. <i>Journal of Internal Medicine</i> , <b>2007</b> , 262, 215-23	10.8	38
8	Nutritional supplementation and dietary advice in geriatric patients at risk of malnutrition. <i>Clinical Nutrition</i> , <b>2007</b> , 26, 216-24	5.9	63
7	Omega-3 fatty acid treatment in 174 patients with mild to moderate Alzheimer disease: OmegAD study: a randomized double-blind trial. <i>Archives of Neurology</i> , <b>2006</b> , 63, 1402-8		591
6	Mini Nutritional Assessment of rural elderly people in Bangladesh: the impact of demographic, socio-economic and health factors. <i>Public Health Nutrition</i> , <b>2006</b> , 9, 968-974	3.3	62
5	Nutritional treatment of bone fracture. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , <b>2005</b> , 8, 377-81	3.8	14
4	Effects of protein-rich supplementation and nandrolone in lean elderly women with femoral neck fractures. <i>Clinical Nutrition</i> , <b>2004</b> , 23, 587-96	5.9	91
3	Nutrition and acute leukemia in adults: relation to remission rate and survival. <i>Haematologia</i> , <b>2002</b> , 32, 405-17		3
2	Nutritional status and performance capacity in internal medical patients. <i>Clinical Nutrition</i> , <b>1993</b> , 12, 8-14	5.9	44
1	Sarcopenia, Osteoporosis and Fractures168-180		1

