Andrea Raballo

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8956955/andrea-raballo-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

158 29 3,355 52 h-index g-index citations papers 184 5.89 4,203 4.9 L-index avg, IF ext. papers ext. citations

#	Paper	IF	Citations
158	Examining subjective experience of aberrant salience in young individuals at ultra-high risk (UHR) of psychosis: A 1-year longitudinal study <i>Schizophrenia Research</i> , 2022 , 241, 52-58	3.6	O
157	Treatment Approaches for First Episode and Early-Phase Schizophrenia in Adolescents and Young Adults: A Delphi Consensus Report from Europe <i>Neuropsychiatric Disease and Treatment</i> , 2022 , 18, 20	1- 2 : 1 9	
156	From economic crisis and climate change through COVID-19 pandemic to Ukraine war: a cumulative hit-wave on adolescent future thinking and mental well-being <i>European Child and Adolescent Psychiatry</i> , 2022 , 1	5.5	1
155	Overcoming the gap between child and adult mental health services: The Reggio Emilia experience in an early intervention in psychosis program. <i>Microbial Biotechnology</i> , 2021 , 15, 1749-1758	3.3	6
154	Aberrant salience in adolescents is related to indicators of psychopathology that are relevant in the prodromal phases of psychosis. <i>Microbial Biotechnology</i> , 2021 , 15, 856-864	3.3	2
153	Through the prism of comorbidity: A strategic rethinking of early intervention in obsessive-compulsive disorder. <i>Schizophrenia Research</i> , 2021 , 239, 128-133	3.6	1
152	Anomalies of Imagination, Self-Disorders, and Schizophrenia Spectrum Psychopathology: A Network Analysis <i>Frontiers in Psychiatry</i> , 2021 , 12, 808009	5	O
151	Aberrant salience in first-episode psychosis: Longitudinal stability and treatment-response. <i>Microbial Biotechnology</i> , 2021 ,	3.3	1
150	Self-disorders and psychopathology: a systematic review. <i>Lancet Psychiatry,the</i> , 2021 , 8, 1001-1012	23.3	9
149	Negative symptom dimensions in first episode psychosis: Is there a difference between schizophrenia and non-schizophrenia spectrum disorders?. <i>Microbial Biotechnology</i> , 2021 , 15, 1513-152	1 ^{3.3}	3
148	Personal health budget in patients with first episode psychosis: A new rehabilitation model based on a community care system in Italy. <i>Microbial Biotechnology</i> , 2021 ,	3.3	1
147	Skin-Testing for Clones-Pediatric Obsessive Compulsive Disorder with Misidentification Syndrome. Journal of Child and Adolescent Psychopharmacology, 2021 , 31, 645	2.9	0
146	Anhedonia in the Psychosis Risk Syndrome: State and Trait Characteristics. <i>Psychiatria Danubina</i> , 2021 , 33, 36-47	1.8	1
145	Towards a phenomenological and developmental clinical staging of the mind with psychosis. <i>Lancet Psychiatry,the</i> , 2021 , 8, 277-278	23.3	1
144	Antipsychotics are related to psychometric conversion to psychosis in ultra-high-risk youth. <i>Microbial Biotechnology</i> , 2021 ,	3.3	1
143	Along the fringes of Agency: neurodevelopmental account of the obsessive mind. <i>CNS Spectrums</i> , 2021 , 1-4	1.8	0
142	Negative Prognostic Effect of Baseline Antipsychotic Exposure in Clinical High Risk for Psychosis (CHR-P): Is Pre-Test Risk Enrichment the Hidden Culprit?. <i>International Journal of Neuropsychopharmacology</i> , 2021 , 24, 710-720	5.8	1

(2020-2021)

141	Subjective experience of aberrant salience in young people at Ultra-High Risk (UHR) for psychosis: a cross-sectional study. <i>Nordic Journal of Psychiatry</i> , 2021 , 1-9	2.3	1
140	Suicidal thinking and behaviours in First Episode Psychosis: Findings from a 3-year longitudinal study. <i>Microbial Biotechnology</i> , 2021 , 15, 624-633	3.3	3
139	Subjective experience of social cognition in young people at Ultra-High Risk of psychosis: a 2-year longitudinal study. <i>Nordic Journal of Psychiatry</i> , 2021 , 75, 97-108	2.3	5
138	Assessing aberrant salience in young community help-seekers with early psychosis: The approved Italian version of the Aberrant Salience Inventory. <i>Journal of Clinical Psychology</i> , 2021 , 77, 782-803	2.8	3
137	Coronavirus Disease 2019 and Effects of School Closure for Children and Their Families. <i>JAMA Pediatrics</i> , 2021 , 175, 210	8.3	5
136	Managing COVID-19-related psychological distress in health workers: Field experience in northern Italy. <i>Psychiatry and Clinical Neurosciences</i> , 2021 , 75, 23-24	6.2	2
135	Developmental dynamic interplay between executive functions and psychotic risk. <i>Applied Neuropsychology: Child</i> , 2021 , 10, 194-197	1.4	
134	The Self in the Spectrum: A Meta-analysis of the Evidence Linking Basic Self-Disorders and Schizophrenia. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1007-1017	1.3	18
133	Early intervention in psychiatry through a developmental perspective. NPJ Schizophrenia, 2021, 7, 8	5.5	1
132	Applying Transgenerational Scientific Evidence to the Next Wave of Early Identification Strategies for Psychopathological Risk-Transdiagnostic, Developmental, and Personalized. <i>JAMA Psychiatry</i> , 2021 , 78, 1067-1068	14.5	O
131	Individualized Diagnostic and Prognostic Models for Psychosis Risk Syndromes: Do Not Underestimate Antipsychotic Exposure. <i>Biological Psychiatry</i> , 2021 , 90, e33-e35	7.9	2
130	Disorganization in first episode schizophrenia: Treatment response and psychopathological findings from the 2-year follow-up of the "Parma Early Psychosis" program. <i>Journal of Psychiatric Research</i> , 2021 , 141, 293-300	5.2	5
129	ITAlian partnership for psychosis prevention (ITAPP): Improving the mental health of young people. <i>European Psychiatry</i> , 2021 , 64, e62	6	1
128	Subjective experience of social cognition in adolescents at ultra-high risk of psychosis: findings from a 24-month follow-up study. <i>European Child and Adolescent Psychiatry</i> , 2020 , 29, 1645-1657	5.5	5
127	Attenuated Psychosis Syndrome or Pharmacologically Attenuated First-Episode Psychosis?: An Undesirably Widespread Confounder. <i>JAMA Psychiatry</i> , 2020 , 77, 1213-1214	14.5	9
126	Anhedonia in young people with first episode psychosis: a longitudinal study. <i>Nordic Journal of Psychiatry</i> , 2020 , 74, 381-389	2.3	5
125	Clinical high risk for psychosis in children and adolescents: A meta-analysis of transition prevalences. <i>Schizophrenia Research</i> , 2020 ,	3.6	13
124	Letter to the editor: Evidence on school closure and children@social contact: useful for coronavirus disease (COVID-19)?. <i>Eurosurveillance</i> , 2020 , 25,	19.8	10

123	Meta-analyzing the prevalence and prognostic effect of antipsychotic exposure in clinical high-risk (CHR): when things are not what they seem. <i>Psychological Medicine</i> , 2020 , 50, 2673-2681	6.9	7
122	T242. THE TIMING OF FIRST HELP-SEEKING ATTEMPT IN FIRST EPISODE PSYCHOSIS CAN LEAD TO AVERSIVE PATHWAYS TO CARE. RESULTS FROM THE STEP-ED STUDY. <i>Schizophrenia Bulletin</i> , 2020 , 46, S324-S325	1.3	78
121	Advances in early identification of children and adolescents at risk for psychiatric illness. <i>Current Opinion in Psychiatry</i> , 2020 , 33, 611-617	4.9	9
120	Childhood schizotypal features vs. high-functioning autism spectrum disorder: Developmental overlaps and phenomenological differences. <i>Schizophrenia Research</i> , 2020 , 223, 53-58	3.6	3
119	Looking at Intergenerational Risk Factors in Schizophrenia Spectrum Disorders: New Frontiers for Early Vulnerability Identification?. <i>Frontiers in Psychiatry</i> , 2020 , 11, 566683	5	2
118	Disembodiment and schizophrenia: Looking at the motor roots of minimal self disorders in a developmental perspective. <i>Schizophrenia Research</i> , 2020 , 222, 480-481	3.6	
117	How to improve adherence to antidepressant treatments in patients with major depression: a psychoeducational consensus checklist. <i>Annals of General Psychiatry</i> , 2020 , 19, 61	3.4	8
116	Developmental Psychotic Risk: Toward a Neurodevelopmentally Informed Staging of Vulnerability to Psychosis. <i>Harvard Review of Psychiatry</i> , 2020 , 28, 271-278	4.1	9
115	Anhedonia in adolescents at ultra-high risk (UHR) of psychosis: findings from a 1-year longitudinal study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 337-350	5.1	20
114	The obsessive-compulsive side of the schizophrenia spectrum: An empirical exploration in newly admitted acute inpatients. <i>General Hospital Psychiatry</i> , 2020 , 64, 110-111	5.6	
113	Suicide risk in young people at Ultra-High Risk (UHR) of psychosis: Findings from a 2-year longitudinal study. <i>Schizophrenia Research</i> , 2020 , 220, 98-105	3.6	10
112	Familiarity for Serious Mental Illness in Help-Seeking Adolescents at Clinical High Risk of Psychosis. <i>Frontiers in Psychiatry</i> , 2020 , 11, 552282	5	1
111	A 2-year longitudinal study on subjective experience of social cognition in young people with first episode psychosis. <i>Actas Espanolas De Psiquiatria</i> , 2020 , 48, 287-301	0.7	1
110	Hallucinations Beyond Voices: A Conceptual Review of the Phenomenology of Altered Perception in Psychosis. <i>Schizophrenia Bulletin</i> , 2019 , 45, S67-S77	1.3	46
109	From Computation to the First-Person: Auditory-Verbal Hallucinations and Delusions of Thought Interference in Schizophrenia-Spectrum Psychoses. <i>Schizophrenia Bulletin</i> , 2019 , 45, S56-S66	1.3	13
108	Impaired Corollary Discharge in Psychosis and At-Risk States: Integrating Neurodevelopmental, Phenomenological, and Clinical Perspectives. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019 , 4, 832-841	3.4	8
107	Parents Personality-Disorder Symptoms Predict Children Symptoms of Anxiety and Depressive Disorders - a Prospective Cohort Study. <i>Journal of Abnormal Child Psychology</i> , 2019 , 47, 1931-1943	4	8
106	Intruding Thoughts: Between Obsessions and Hallucinations. Clinical Psychological Science, 2019 , 7, 407	- € 08	3

105	Suicidal Thinking and Behavior in Adolescents at Ultra-High Risk of Psychosis: A Two-year Longitudinal Study. <i>Suicide and Life-Threatening Behavior</i> , 2019 , 49, 1637-1652	3.9	18	
104	Hallucinations in Children and Adolescents: An Updated Review and Practical Recommendations for Clinicians. <i>Schizophrenia Bulletin</i> , 2019 , 45, S5-S23	1.3	29	
103	A Cross-National Investigation of Hallucination-Like Experiences in 10 Countries: The E-CLECTIC Study. <i>Schizophrenia Bulletin</i> , 2019 , 45, S43-S55	1.3	14	
102	Affective Temperaments 2019 , 802-811			
101	Survey of the European Psychiatric Association on the European status and perspectives in early detection and intervention in at-risk mental state and first-episode psychosis. <i>Microbial Biotechnology</i> , 2019 , 13, 853-858	3.3	7	
100	The approved Italian version of the comprehensive assessment of at-risk mental states (CAARMS-ITA): Field test and psychometric features. <i>Microbial Biotechnology</i> , 2019 , 13, 810-817	3.3	20	
99	Motor Impairment and Developmental Psychotic Risk: Connecting the Dots and Narrowing the Pathophysiological Gap. <i>Schizophrenia Bulletin</i> , 2019 , 45, 503-508	1.3	12	
98	Obsessively thinking through the schizophrenia spectrum: Disentangling pseudo-obsessive schizophrenia from OCD. <i>Schizophrenia Research</i> , 2019 , 212, 232-233	3.6	5	
97	The "Reggio Emilia At-Risk Mental States" program: A diffused, "liquid" model of early intervention in psychosis implemented in an Italian Department of Mental Health. <i>Microbial Biotechnology</i> , 2019 , 13, 1513-1524	3.3	26	
96	Beyond the Transnosographic Emphasis on Psychosis: Nosological Perspectives on Schizophrenia and Its Prevention. <i>Frontiers in Psychiatry</i> , 2019 , 10, 666	5	5	
95	Risk syndromes in psychiatry: a state-of-the-art overview. <i>Archives of Psychiatry and Psychotherapy</i> , 2019 , 21, 7-14	2	5	
94	Characterization of young people with first episode psychosis or at ultra-high risk: the Reggio Emilia At-Risk Mental States (ReARMS) program. <i>Rivista Di Psichiatria</i> , 2019 , 54, 254-263	3.1	7	
93	Overlooking the transition elephant in the ultra-high-risk room: are we missing functional equivalents of transition to psychosis?. <i>Psychological Medicine</i> , 2019 , 1-4	6.9	10	
92	Social dysfunction in preclinical, at risk stages of psychosis: A developmental view. <i>Schizophrenia Research</i> , 2019 , 206, 456-457	3.6	2	
91	Factor mixture analysis of paranoia in young people. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019 , 54, 355-367	4.5		
90	A systematic review on the relationship between mental health, radicalization and mass violence. <i>European Psychiatry</i> , 2019 , 56, 51-59	6	40	
89	Tracking salience in young people: A psychometric field test of the Aberrant Salience Inventory (ASI). <i>Microbial Biotechnology</i> , 2019 , 13, 64-72	3.3	10	
88	Validation of the "early detection Primary Care Checklist" in an Italian community help-seeking sample: The "checklist per la Valutazione dell@sordio Psicotico". <i>Microbial Biotechnology</i> , 2019 , 13, 86-	94 ^{3.3}	15	

87	Screening for psychosis risk among help-seeking adolescents: Application of the Italian version of the 16-item prodromal questionnaire (iPQ-16) in child and adolescent neuropsychiatry services. <i>Microbial Biotechnology</i> , 2019 , 13, 752-760	3.3	15
86	Digital phenotyping: an overarching framework to capture our extended mental states. <i>Lancet Psychiatry,the</i> , 2018 , 5, 194-195	23.3	17
85	Corollary Discharge and Psychosis-Origin of the Model-Reply. <i>JAMA Psychiatry</i> , 2018 , 75, 301	14.5	
84	The Italian version of the 16-item prodromal questionnaire (iPQ-16): Field-test and psychometric features. <i>Schizophrenia Research</i> , 2018 , 199, 353-360	3.6	16
83	Temporal stability of self-disorders and longitudinal unfolding of symptom dimensions: A complementary analysis. <i>Schizophrenia Research</i> , 2018 , 195, 78-79	3.6	10
82	The Self in the Spectrum: A Closer Look at the Temporal Stability of Self-Disorders in Schizophrenia. <i>Psychopathology</i> , 2018 , 51, 285-289	3.4	7
81	Polygenic Risk Score and the (neuro)developmental ontogenesis of the schizophrenia spectrum vulnerability phenotypes. <i>Schizophrenia Research</i> , 2018 , 202, 389-390	3.6	6
80	Quick Identification of the Risk of Psychosis: The Italian Version of the Prodromal Questionnaire-Brief. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2018 , 14, 120-131	3.2	2
79	Adolescents at ultra-high risk of psychosis in Italian neuropsychiatry services: prevalence, psychopathology and transition rate. <i>European Child and Adolescent Psychiatry</i> , 2018 , 27, 725-737	5.5	26
78	Further angles to this story: Time consumption in mind-reading, psychosis risk and phenomenology of social cognition. <i>Schizophrenia Research</i> , 2018 , 197, 566-567	3.6	4
77	28.2 DISORDERS OF THE EMBODIED SELF IN SCHIZOPHRENIA: AT THE CROSSROAD BETWEEN DEVELOPMENT AND PSYCHOPATHOLOGY. <i>Schizophrenia Bulletin</i> , 2018 , 44, S46-S46	1.3	78
76	The Italian Version of the Brief 21-Item Prodromal Questionnaire: Field Test, Psychometric Properties and Age-Sensitive Cut-Offs. <i>Psychopathology</i> , 2018 , 51, 234-244	3.4	12
75	Hallucinatory Symptomatology in Major Psychoses (Schizophrenia and Bipolar Disorders) 2018 , 85-97		1
74	Developmental vulnerability to psychosis: Selective aggregation of basic self-disturbance in early onset schizophrenia. <i>Schizophrenia Research</i> , 2018 , 201, 367-372	3.6	13
73	Clinical Implications of Slower Cognitive Growth in the Psychosis Spectrum. <i>JAMA Psychiatry</i> , 2018 , 75, 755-756	14.5	3
72	The Italian version of the 92-item Prodromal Questionnaire: Concurrent validity with the SIPS and factor analysis in a sample of 258 outpatients aged 11-36years. <i>Schizophrenia Research</i> , 2017 , 189, 50-50	6 ^{3.6}	11
71	Schizophrenia polygenic risk score and psychotic risk detection. Lancet Psychiatry, the, 2017, 4, 188	23.3	6
70	From Perception to Thought: A Phenomenological Approach to Hallucinatory Experience. <i>Schizophrenia Bulletin</i> , 2017 , 43, 18-20	1.3	17

(2015-2017)

69	Corollary Discharge, Self-agency, and the Neurodevelopment of the Psychotic Mind. <i>JAMA Psychiatry</i> , 2017 , 74, 1169-1170	14.5	24
68	Architecture of change: rethinking child and adolescent mental health. <i>Lancet Psychiatry,the</i> , 2017 , 4, 656-658	23.3	24
67	Rethinking Social Agent Representation in the Light of Phenomenology. <i>Clinical Psychological Science</i> , 2017 , 5, 767-768	6	5
66	What Is an Attenuated Psychotic Symptom? On the Importance of the Context. <i>Schizophrenia Bulletin</i> , 2017 , 43, 687-692	1.3	39
65	From Thoughts to Voices: Understanding the Development of Auditory Hallucinations in Schizophrenia. <i>Review of Philosophy and Psychology</i> , 2016 , 7, 595-610	1.4	10
64	Self-Disorders and Clinical High Risk for Psychosis: An Empirical Study in Help-Seeking Youth Attending Community Mental Health Facilities. <i>Schizophrenia Bulletin</i> , 2016 , 42, 926-32	1.3	44
63	An initial investigation of abnormal bodily phenomena in subjects at ultra high risk for psychosis: Their prevalence and clinical implications. <i>Comprehensive Psychiatry</i> , 2016 , 66, 39-45	7.3	8
62	First- and second-generation antipsychotic drug treatment and subcortical brain morphology in schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016 , 266, 451-60	5.1	26
61	Psychopathology of Lived Time: Abnormal Time Experience in Persons With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2016 , 42, 45-55	1.3	37
60	Developmental Coordination Disorder Plus Oculomotor and Visuospatial Impairment as Neurodevelopmental Heralds of Psychosis Proneness. <i>Clinical Schizophrenia and Related Psychoses</i> , 2016 ,	1.6	3
59	Revisiting the Basic Symptom Concept: Toward Translating Risk Symptoms for Psychosis into Neurobiological Targets. <i>Frontiers in Psychiatry</i> , 2016 , 7, 9	5	40
58	Anomalous echo: Exploring abnormal experience correlates of emotional motor resonance in Schizophrenia Spectrum. <i>Psychiatry Research</i> , 2015 , 229, 559-64	9.9	7
57	Mirroring the self: testing neurophysiological correlates of disturbed self-experience in schizophrenia spectrum. <i>Psychopathology</i> , 2015 , 48, 184-91	3.4	13
56	EPA guidance on the early detection of clinical high risk states of psychoses. <i>European Psychiatry</i> , 2015 , 30, 405-16	6	235
55	Self-disorder and brain processing of proprioception in schizophrenia spectrum patients: a re-analysis. <i>Psychopathology</i> , 2015 , 48, 60-4	3.4	14
54	Differential typology of delusions in major depression and schizophrenia. A critique to the unitary concept of Q sychosisQ <i>Journal of Affective Disorders</i> , 2015 , 171, 171-8	6.6	24
53	The Pathogenesis of Auditory Verbal Hallucinations in Schizophrenia: A Clinical Phenomenological Account. <i>Philosophy, Psychiatry and Psychology</i> , 2015 , 22, 165-181	0.9	20
52	EPA guidance on the early intervention in clinical high risk states of psychoses. <i>European Psychiatry</i> , 2015 , 30, 388-404	6	233

51	Basic Self-Disturbance in the Schizophrenia Spectrum: Taking Stock and Moving Forward. <i>Psychopathology</i> , 2015 , 48, 301-9	3.4	24
50	The bodily self: a qualitative study of abnormal bodily phenomena in persons with schizophrenia. <i>Comprehensive Psychiatry</i> , 2014 , 55, 1703-11	7-3	32
49	Anomalous self-experiences contribute independently to social dysfunction in the early phases of schizophrenia and psychotic bipolar disorder. <i>Comprehensive Psychiatry</i> , 2014 , 55, 475-82	7:3	37
48	Preventing or masking psychosis? Possible unintended consequences of the ultra high-risk strategy. <i>Schizophrenia Research</i> , 2014 , 153, 241-2	3.6	6
47	Interdisciplinary approaches to the phenomenology of auditory verbal hallucinations. <i>Schizophrenia Bulletin</i> , 2014 , 40 Suppl 4, S246-54	1.3	48
46	Auditory verbal hallucinations in persons with and without a need for care. <i>Schizophrenia Bulletin</i> , 2014 , 40 Suppl 4, S255-64	1.3	182
45	Shades of vulnerability: latent structures of clinical caseness in prodromal and early phases of schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 155-69	5.1	17
44	Facial reactions in response to dynamic emotional stimuli in different modalities in patients suffering from schizophrenia: a behavioral and EMG study. <i>Frontiers in Human Neuroscience</i> , 2013 , 7, 368	3.3	32
43	I disturbi nucleari del sle gli stati mentali a rischio: uno sguardo fenomenologico al paradigma della ricerca Ultra-High Risk. <i>Rivista Sperimentale Di Freniatria</i> , 2013 , 97-129	О	O
42	Psychotic-like or unusual subjective experiences? The role of certainty in the appraisal of the subclinical psychotic phenotype. <i>Psychiatry Research</i> , 2012 , 200, 669-73	9.9	19
41	Hallucination-like experiences in the nonclinical population. <i>Journal of Nervous and Mental Disease</i> , 2012 , 200, 310-5	1.8	33
40	The characteristic features of auditory verbal hallucinations in clinical and nonclinical groups: state-of-the-art overview and future directions. <i>Schizophrenia Bulletin</i> , 2012 , 38, 724-33	1.3	188
39	The association between anomalous self-experience and suicidality in first-episode schizophrenia seems mediated by depression. <i>Comprehensive Psychiatry</i> , 2012 , 53, 456-60	7.3	34
38	The association between self-disorders and neurocognitive dysfunction in schizophrenia. <i>Schizophrenia Research</i> , 2012 , 135, 79-83	3.6	31
37	Nuvoluccia in her lightdress: Lucia Joyce@mental illness in Finnegans Wake. <i>American Journal of Psychiatry</i> , 2012 , 169, 898-9	11.9	
36	All that shines is not psychosis: a cautionary note on the assessment of psychotic symptoms in childhood and adolescence. <i>Psychological Medicine</i> , 2012 , 42, 1787-8; author reply 1788-90	6.9	6
35	Examination of anomalous self-experience: initial study of the structure of self-disorders in schizophrenia spectrum. <i>Journal of Nervous and Mental Disease</i> , 2012 , 200, 577-83	1.8	71
34	Selective aggregation of self-disorders in first-treatment DSM-IV schizophrenia spectrum disorders. Journal of Nervous and Mental Disease, 2012 , 200, 632-6	1.8	85

(2010-2012)

33	Self-disorders and the experiential core of schizophrenia spectrum vulnerability. <i>Psychiatria Danubina</i> , 2012 , 24 Suppl 3, S303-10	1.8	7
32	The comprehensive assessment of at-risk mental states: from mapping the onset to mapping the structure. <i>Schizophrenia Research</i> , 2011 , 127, 107-14	3.6	36
31	Phenomenology of the social self in the prodrome of psychosis: from perceived negative attitude of others to heightened interpersonal sensitivity. <i>European Psychiatry</i> , 2011 , 26, 532-3	6	12
30	Brain Imaging and Psychiatric Classification. <i>Philosophy, Psychiatry and Psychology</i> , 2011 , 18, 305-309	0.9	
29	Self-experience in the early phases of schizophrenia: 5-year follow-up of the Copenhagen Prodromal Study. <i>World Psychiatry</i> , 2011 , 10, 200-4	14.4	109
28	Looking at the schizophrenia spectrum through the prism of self-disorders: an empirical study. <i>Schizophrenia Bulletin</i> , 2011 , 37, 344-51	1.3	148
27	The silent side of the spectrum: schizotypy and the schizotaxic self. <i>Schizophrenia Bulletin</i> , 2011 , 37, 10	1 7. 36	111
26	Subjective experiences and psychopathology of schizophrenia: phenomenology lost in translation?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011 , 45, 261-2; author reply 262; discussion 263	2.6	O
25	Examination of anomalous self-experience in first-episode psychosis: interrater reliability. <i>Psychopathology</i> , 2011 , 44, 386-90	3.4	67
24	How psychotic-like are unusual subjective experiences?. <i>Psychological Medicine</i> , 2011 , 41, 2235-6	6.9	9
23	Murmurs of thought: Phenomenology of hallucinatory consciousness in impending psychosis. <i>Psychosis</i> , 2011 , 3, 163-166	1.2	20
22	Psychosis risk syndrome and DSM-5: time for a dimensional approach to at-risk mental states?. <i>Clinical Schizophrenia and Related Psychoses</i> , 2011 , 5, 155-8	1.6	3
21	Notes from Underground: Are Cognitive-Enhancing Drugs Respecting their Promises?. <i>Frontiers in Psychology</i> , 2010 , 1, 158	3.4	3
20	Dimensional psychopathology and vulnerability to psychosis: envisaging the third generation of prodromal/ultra high-risk models. <i>CNS Spectrums</i> , 2010 , 15, 350-1	1.8	4
19	Unworlding, perplexity and disorders of transpassibility: between the experiential and the existential side of schizophrenic vulnerability. <i>Psychopathology</i> , 2010 , 43, 250-1	3.4	2
18	Basic emotion recognition and psychopathology in schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2010 , 198, 79-81	1.8	32
17	Auditory verbal hallucinations: Dialoguing between the cognitive sciences and phenomenology. <i>Phenomenology and the Cognitive Sciences</i> , 2010 , 9, 225-240	1.5	19
16	Assessment of hallucinations 2010 , 377-398		5

15	The schizotaxic self: phenotyping the silent predisposition to schizophrenia spectrum disorders. <i>Medical Hypotheses</i> , 2009 , 73, 121-2	3.8	6
14	Clinical staging: a new scenario for the treatment of psychosis. <i>Lancet, The</i> , 2009 , 374, 365-7	40	24
13	Exploring the margins of the bipolar spectrum: temperamental features of the typus melancholicus. <i>Journal of Affective Disorders</i> , 2007 , 100, 13-21	6.6	17
12	Typus melancholicus: personality structure and the characteristics of major unipolar depressive episode. <i>Journal of Affective Disorders</i> , 2006 , 93, 159-67	6.6	27
11	Exploring depression in schizophrenia. European Psychiatry, 2006, 21, 227-32	6	36
10	Explorar la depresifi en la esquizofrenia. <i>European Psychiatry (Ed Espatola)</i> , 2006 , 13, 323-328		
9	Self-centrality, psychosis and schizotaxia: a conceptual review. <i>Acta Biomedica</i> , 2006 , 77, 33-9	3.2	2
8	Experiential anomalies and self-centrality in schizophrenia. <i>Psychopathology</i> , 2005 , 38, 124-32	3.4	20
7	Subjective experience of schizotropic vulnerability in siblings of schizophrenics. <i>Psychopathology</i> , 2004 , 37, 23-8	3.4	23
6	Self-centrality, basic symptoms model and psychopathology in schizophrenia. <i>Psychopathology</i> , 2004 , 37, 69-75	3.4	24
5	Alexithymia and schizophrenic psychopathology. <i>Acta Biomedica</i> , 2004 , 75, 40-9	3.2	11
4	Subjective experience of language impairment and psychopathology in schizophrenia. <i>Psychopathology</i> , 2003 , 36, 17-22	3.4	8
3	Subjective experience of personality dimensions in 1st degree relatives of schizophrenics. <i>Acta Biomedica</i> , 2003 , 74, 131-6	3.2	4
2	Depersonalization and basic symptoms in schizophrenia. <i>Psychopathology</i> , 2002 , 35, 17-24	3.4	34
1	Do antidepressants prevent transition to psychosis in individuals at clinical high-risk (CHR-P)? Systematic review and meta-analysis. <i>Psychological Medicine</i> ,1-11	6.9	О