

Oleksiy D Kachkovsky

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8957980/oleksiy-d-kachkovsky-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

36
papers

340
citations

10
h-index

17
g-index

36
ext. papers

405
ext. citations

2.9
avg, IF

3.02
L-index

#	Paper	IF	Citations
36	In silico study the interaction of heterocyclic bases with peptide moieties of proteins in the "fragment-to-fragment" approach. <i>Ukrainica Bioorganica Acta</i> , 2021 , 16, 34-43	0.3	0
35	Study of excited state relaxation by time-resolved spectroscopy in conjugated substituted polyene bis-oxazoles. <i>Structural Chemistry</i> , 2021 , 32, 977-987	1.8	
34	Synthesis, Electronic Structure and Anti-Cancer Activity of the Phenyl Substituted Pyrazolo[1,5-a][1,3,5]triazines. <i>Current Organic Chemistry</i> , 2021 , 25, 1441-1454	1.7	2
33	Quantum-Chemical and Experimental Estimation of Non-Bonding Level (Fermi Level) and Electron Affinity of Conjugated Systems. <i>Polycyclic Aromatic Compounds</i> , 2020 , 1-10	1.3	4
32	Near Infrared Polyene Radical-Cation Derived from 7,8-Dihydrobenzo[c,d]Furo[2,3-f]Indole: Synthesis, Spectra and Nature of Electron Transitions. <i>ChemistrySelect</i> , 2020 , 5, 674-681	1.8	0
31	Solitonic-like excitations in cations of linear conjugated systems. <i>Monatshefte für Chemie</i> , 2020 , 151, 559-566	1.4	1
30	In silico binding affinity studies of phenyl-substituted 1,3-oxazoles with protein molecules. <i>Ukrainica Bioorganica Acta</i> , 2020 , 15, 12-19	0.3	2
29	In silico study of binding affinity of nitrogenous bicyclic heterocycles: fragment-to-fragment approach. <i>Ukrainica Bioorganica Acta</i> , 2020 , 15, 49-59	0.3	1
28	Stability of fullerene complexes with oxazoles as biologically active compounds. <i>Applied Nanoscience (Switzerland)</i> , 2020 , 10, 1345-1353	3.3	3
27	Synthesis, in silico and in vitro Evaluation of Novel Oxazolopyrimidines as Promising Anticancer Agents. <i>Helvetica Chimica Acta</i> , 2020 , 103, e2000169	2	2
26	Topological Index of Conjugated Heterocyclic Compounds as Their Donor/Acceptor Parameter. <i>Polycyclic Aromatic Compounds</i> , 2020 , 40, 1196-1209	1.3	9
25	Estimation of biological affinity of nitrogen-containing conjugated heterocyclic pharmacophores. <i>Chemistry of Heterocyclic Compounds</i> , 2019 , 55, 448-454	1.4	10
24	Self-Assembly for Two Types of J-Aggregates: cis-Isomers of Dye on the Carbon Nanotube Surface and Free Aggregates of Dye trans-Isomers. <i>Journal of Physical Chemistry C</i> , 2019 , 123, 19903-19911	3.8	5
23	Dependence of the anticancer activity of 1,3-oxazole derivatives on the donor/acceptor nature of his substituents. <i>Journal of Heterocyclic Chemistry</i> , 2019 , 56, 3122-3134	1.9	6
22	Estimation of the basicity of the donor strength of terminal groups in cationic polymethine dyes. <i>Journal of Molecular Structure</i> , 2018 , 1154, 606-618	3.4	5
21	2018 ,		3
20	Unsymmetrical Relaxation Paths of the Excited States in Cyanine Dyes Detected by Time-Resolved Fluorescence: Polymethinic and Polyenic Forms. <i>Journal of Physical Chemistry A</i> , 2017 , 121, 8236-8246	2.8	11

19	Emergence of Additional Visible-Range Photoluminescence Due to Aggregation of Cyanine Dye: Astraphloxin on Carbon Nanotubes Dispersed with Anionic Surfactant. <i>Journal of Physical Chemistry C</i> , 2016 , 120, 20378-20386	3.8	8
18	A sensing mechanism for the detection of carbon nanotubes using selective photoluminescent probes based on ionic complexes with organic dyes. <i>Light: Science and Applications</i> , 2016 , 5, e16028	16.7	37
17	Shape and location of multiple charge carriers in linear π -electron systems. <i>International Journal of Quantum Chemistry</i> , 2014 , 114, 416-428	2.1	5
16	Aggregation of derivatives of benz[C, D]indole dyes: Effect of the side group and ambient temperatures 2014 ,		2
15	Anionic, cationic and merocyanine polymethine dyes based on dipyrromethene core. <i>Dyes and Pigments</i> , 2013 , 98, 113-118	4.6	7
14	Studies of 2-azaazulenium derivatives π : The nature of electron transitions and spectral properties of styryl dyes containing terminal groups of different types. <i>Journal of Molecular Structure</i> , 2013 , 1033, 215-226	3.4	4
13	New unsymmetrical squaraine dyes derived from imidazo[1,5-a]pyridine. <i>Dyes and Pigments</i> , 2013 , 96, 554-562	4.6	39
12	Solitonic waves in polyene dications and principles of charge carrier localization in π -conjugated organic materials. <i>International Journal of Quantum Chemistry</i> , 2012 , 112, 2659-2667	2.1	8
11	π -Polymethine-Substituted Boron Dipyrromethenes π BODIPY-Based NIR Cyanine-Like Dyes. <i>European Journal of Organic Chemistry</i> , 2012 , 2012, 1825-1834	3.2	29
10	Impact of Merocyanine Dye Concentration in Ultrathin Polymer Films on Nonlinear Optical Response Due to the Aggregation Effect. <i>Molecular Crystals and Liquid Crystals</i> , 2011 , 535, 132-139	0.5	2
9	The Investigation of Relaxation Paths in Dioxaborine Anionic Polymethine Dyes Detected by Low-Temperature Time-Resolved Fluorescence. <i>Molecular Crystals and Liquid Crystals</i> , 2011 , 535, 123-131	0.5	8
8	Fluorene-based metal-ion sensing probe with high sensitivity to Zn ²⁺ and efficient two-photon absorption. <i>Journal of Physical Chemistry B</i> , 2010 , 114, 9313-21	3.4	47
7	Low-temperature fluorescence of oxystyryls. <i>Dyes and Pigments</i> , 2007 , 74, 47-53	4.6	1
6	Solvent effect on the steady-state fluorescence anisotropy of two-photon absorbing fluorene derivatives. <i>Journal of Luminescence</i> , 2007 , 126, 14-20	3.8	23
5	Spectral and non-linear optical properties of cyanine bases derivatives of benzo[c,d]indole. <i>Dyes and Pigments</i> , 2007 , 74, 195-201	4.6	14
4	Electronic properties of polymethine systems. 11. Absorption spectra and nature of electron transitions in cationic oxystyryl and their neutral derivatives. <i>Dyes and Pigments</i> , 2006 , 71, 1-9	4.6	6
3	Electronic properties of polymethine systems. 12. Solitonic nature of charge distribution in the excited state. <i>Dyes and Pigments</i> , 2006 , 71, 19-27	4.6	1
2	One- and two-photon photochromism of 3,4-bis-(2,4,5-trimethyl-thiophen-3-yl)furan-2,5-dione. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2006 , 184, 177-183	4.7	25

- 1 Excited-state absorption and anisotropy properties of two-photon absorbing fluorene derivatives. *Applied Optics*, **2005**, 44, 7232-8 1.7 10