

# Cedric Rossi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8960968/publications.pdf>

Version: 2024-02-01

59  
papers

2,063  
citations

257450

24  
h-index

254184

43  
g-index

61  
all docs

61  
docs citations

61  
times ranked

3372  
citing authors

#	ARTICLE	IF	CITATIONS
1	Predictive factors of early progression after CAR T-cell therapy in relapsed/refractory diffuse large B-cell lymphoma. <i>Blood Advances</i> , 2020, 4, 5607-5615.	5.2	222
2	COVID-19 infection in adult patients with hematological malignancies: a European Hematology Association Survey (EPICOVIDEHA). <i>Journal of Hematology and Oncology</i> , 2021, 14, 168.	17.0	189
3	Baseline metabolic tumour volume is an independent prognostic factor in Hodgkin lymphoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 1735-1743.	6.4	152
4	Prolonged in-hospital stay and higher mortality after Covid-19 among patients with non-Hodgkin lymphoma treated with B-cell depleting immunotherapy. <i>American Journal of Hematology</i> , 2021, 96, 934-944.	4.1	110
5	Genetic Basis of Congenital Erythrocytosis: Mutation Update and Online Databases. <i>Human Mutation</i> , 2014, 35, 15-26.	2.5	101
6	Influence of Software Tool and Methodological Aspects of Total Metabolic Tumor Volume Calculation on Baseline [18F]FDG PET to Predict Survival in Hodgkin Lymphoma. <i>PLoS ONE</i> , 2015, 10, e0140830.	2.5	90
7	Efficacy of chemotherapy or chemo-anti-CD combination after failed anti-CD therapy for relapsed and refractory hodgkin lymphoma: A series from lysa centers. <i>American Journal of Hematology</i> , 2018, 93, 1042-1049.	4.1	87
8	Mechanisms of PD-1/PD-L1 expression and prognostic relevance in non-Hodgkin lymphoma: a summary of immunohistochemical studies. <i>Oncotarget</i> , 2017, 8, 44960-44975.	1.8	82
9	Interim <sup>18</sup> F-FDG PET SUVmax Reduction Is Superior to Visual Analysis in Predicting Outcome Early in Hodgkin Lymphoma Patients. <i>Journal of Nuclear Medicine</i> , 2014, 55, 569-573.	5.0	76
10	Ibrutinib, obinutuzumab, and venetoclax in relapsed and untreated patients with mantle cell lymphoma: a phase 1/2 trial. <i>Blood</i> , 2021, 137, 877-887.	1.4	68
11	Leucocytosis and thrombosis at diagnosis are associated with poor survival in polycythaemia vera: a population-based study of 327 patients. <i>British Journal of Haematology</i> , 2013, 160, 251-254.	2.5	63
12	Autologous Stem Cell Transplantation: An Effective Salvage Therapy in Multiple Myeloma. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 445-449.	2.0	62
13	Accurate diagnosis of lymphoma on whole-slide histopathology images using deep learning. <i>Npj Digital Medicine</i> , 2020, 3, 63.	10.9	56
14	Determinants of outcome in Covid-19 hospitalized patients with lymphoma: A retrospective multicentric cohort study. <i>EClinicalMedicine</i> , 2020, 27, 100549.	7.1	55
15	Boosting $\gamma$ T cell-mediated antibody-dependent cellular cytotoxicity by PD-1 blockade in follicular lymphoma. <i>Oncolmmunology</i> , 2019, 8, 1554175.	4.6	53
16	Microtubule-Driven Stress Granule Dynamics Regulate Inhibitory Immune Checkpoint Expression in T Cells. <i>Cell Reports</i> , 2019, 26, 94-107.e7.	6.4	42
17	Molecular study of congenital erythrocytosis in 70 unrelated patients revealed a potential causal mutation in less than half of the cases (Where is/are the missing gene(s)?). <i>European Journal of Haematology</i> , 2013, 91, 361-368.	2.2	38
18	Epidemiology, clinical picture and long-term outcomes of FIP1L1-PDGFR $\alpha$ -positive myeloid neoplasm with eosinophilia: Data from 151 patients. <i>American Journal of Hematology</i> , 2020, 95, 1314-1323.	4.1	37

#	ARTICLE	IF	CITATIONS
19	Pro-inflammatory State in Monoclonal Gammopathy of Undetermined Significance and in Multiple Myeloma Is Characterized by Low Sialylation of Pathogen-Specific and Other Monoclonal Immunoglobulins. <i>Frontiers in Immunology</i> , 2017, 8, 1347.	4.8	33
20	CANOMAD: a neurological monoclonal gammopathy of clinical significance that benefits from B-cell-targeted therapies. <i>Blood</i> , 2020, 136, 2428-2436.	1.4	32
21	First-line treatment of double-hit and triple-hit lymphomas: Survival and tolerance data from a retrospective multicenter French study. <i>American Journal of Hematology</i> , 2021, 96, 302-311.	4.1	32
22	Monoclonal IgG in MGUS and multiple myeloma targets infectious pathogens. <i>JCI Insight</i> , 2017, 2, .	5.0	32
23	Daratumumab displays in vitro and in vivo anti-tumor activity in models of B-cell non-Hodgkin lymphoma and improves responses to standard chemo-immunotherapy regimens. <i>Haematologica</i> , 2020, 105, 1032-1041.	3.5	29
24	Multicentric study underlining the interest of adding CD5, CD7 and CD56 expression assessment to the flow cytometric Ogata score in myelodysplastic syndromes and myelodysplastic/myeloproliferative neoplasms. <i>Haematologica</i> , 2015, 100, 472-478.	3.5	28
25	Clinicopathological features and survival in EBV-positive diffuse large B-cell lymphoma not otherwise specified. <i>Blood Advances</i> , 2021, 5, 3227-3239.	5.2	28
26	Clinical and economic impact of pharmacist interventions in an ambulatory hematology-oncology department. <i>Journal of Oncology Pharmacy Practice</i> , 2020, 26, 1172-1179.	0.9	27
27	A Tridimensional Model for NK Cell-Mediated ADCC of Follicular Lymphoma. <i>Frontiers in Immunology</i> , 2019, 10, 1943.	4.8	22
28	BH3 profiling identifies ruxolitinib as a promising partner for venetoclax to treat T-cell prolymphocytic leukemia. <i>Blood</i> , 2021, 137, 3495-3506.	1.4	22
29	Profiling Immune Escape in Hodgkin's and Diffuse large B-Cell Lymphomas Using the Transcriptome and Immunostaining. <i>Cancers</i> , 2018, 10, 415.	3.7	19
30	Outcomes after first-line immunochemotherapy for primary mediastinal B-cell lymphoma: a LYSA study. <i>Blood Advances</i> , 2021, 5, 3862-3872.	5.2	19
31	Baseline SUV <sub>max</sub> is related to tumor cell proliferation and patient outcome in follicular lymphoma. <i>Haematologica</i> , 2022, 107, 221-230.	3.5	17
32	[18F]FDG-PET/CT in Hodgkin Lymphoma: Current Usefulness and Perspectives. <i>Cancers</i> , 2018, 10, 145.	3.7	16
33	Risk assessment of second primary cancer according to histological subtype of non-Hodgkin lymphoma. <i>Leukemia and Lymphoma</i> , 2015, 56, 2876-2882.	1.3	13
34	Bendamustine for the treatment of relapsed or refractory peripheral T cell lymphomas: A French retrospective multicenter study. <i>Oncotarget</i> , 2016, 7, 85573-85583.	1.8	13
35	Antibody-Drug Conjugates for the Treatment of Hematological Malignancies: A Comprehensive Review. <i>Targeted Oncology</i> , 2018, 13, 287-308.	3.6	12
36	Positron Emission Tomography-Driven Strategy in Advanced Hodgkin Lymphoma: Prolonged Follow-Up of the AHL2011 Phase III Lymphoma Study Association Study. <i>Journal of Clinical Oncology</i> , 2022, 40, 1091-1101.	1.6	11

#	ARTICLE	IF	CITATIONS
37	Central nervous system involvement in chronic lymphocytic leukemia: uncommon manifestation with undefined therapeutic management. <i>Leukemia and Lymphoma</i> , 2014, 55, 1939-1941.	1.3	9
38	A French multicentric prospective prognostic cohort with epidemiological, clinical, biological and treatment information to improve knowledge on lymphoma patients: study protocol of the Real world data in Lymphoma and survival in adults (REALYSA) cohort. <i>BMC Public Health</i> , 2021, 21, 432.	2.9	9
39	3D Model Characterization by 2D and 3D Imaging in t(14;18)-Positive B-NHL: Perspectives for In Vitro Drug Screens in Follicular Lymphoma. <i>Cancers</i> , 2021, 13, 1490.	3.7	9
40	Deep Learning Approach to Automatize TMTV Calculations Regardless of Segmentation Methodology for Major FDG-Avid Lymphomas. <i>Diagnostics</i> , 2022, 12, 417.	2.6	9
41	Ibrutinib, Venetoclax Plus Obinutuzumab in Newly Diagnosed Mantle Cell Lymphoma Patients. <i>Blood</i> , 2019, 134, 1530-1530.	1.4	8
42	Monte Carlo dosimetry of a realistic multicellular model of follicular lymphoma in a context of radioimmunotherapy. <i>Medical Physics</i> , 2020, 47, 5222-5234.	3.0	5
43	Outcomes of pregnancy in patients with congenital erythrocytosis. <i>British Journal of Haematology</i> , 2015, 170, 586-588.	2.5	3
44	PD-1 inhibitors in patients with Hodgkin lymphoma. <i>European Journal of Cancer</i> , 2022, 164, 114-116.	2.8	3
45	Extreme hyperferritinemia in the setting of acute myeloid leukaemia: a case report of hemophagocytic lymphohistiocytosis. <i>Biochimica Medica</i> , 2016, 26, 255-259.	2.7	3
46	Characterizing the Anti-Apoptotic Dependencies of T-Cell Prolymphocytic Leukemia Identifies HDAC and JAK/STAT Pathway Inhibitors As Promising Combination Partners to Augment Bcl-2 Targeted Killing By Venetoclax. <i>Blood</i> , 2019, 134, 807-807.	1.4	2
47	R-CHOP14 As a Standard of Care in Primary Mediastinal B Cell Lymphoma: A 10-YEARS Experience of Lysa Centers. <i>Blood</i> , 2020, 136, 20-21.	1.4	2
48	Infradiaphragmatic Hodgkin lymphoma: a large series of patients staged with PET-CT. <i>Oncotarget</i> , 2017, 8, 85110-85119.	1.8	2
49	Perirenal fibrosis: make your diagnosis. <i>CKJ: Clinical Kidney Journal</i> , 2013, 6, 543-544.	2.9	1
50	Identification of novel, clonally stable, somatic mutations targeting transcription factors PAX5 and NKX2-3, the epigenetic regulator LRIF1, and BRAF in a case of atypical B-cell chronic lymphocytic leukemia harboring a t(14;18)(q32;q21). <i>Journal of Physical Education and Sports Management</i> , 2021, 7, a005934.	1.2	1
51	A French Multicentric Prospective Cohort of 6000 Patients with Integrative Epidemiological, Clinical, Biological and Treatment Data to Improve Knowledge on Outcome of Lymphoma Patients: Pilot Phase Results of the Real World Data in Lymphoma and Survival in Adults (REALYSA) Study. <i>Blood</i> , 2019, 134, 4762-4762.	1.4	1
52	PVAG Regimen (Prednisone, Vinblastine, Doxorubicin, Gemcitabine) Used in Real-Life Setting in First Line Therapy for Elderly Classical Hodgkin Lymphoma Patients: A Retrospective Study of Lysa Centers. <i>Blood</i> , 2020, 136, 11-11.	1.4	1
53	PET-guided treatment in advanced-stage Hodgkin lymphoma: yes but which one?. <i>Oncotarget</i> , 2019, 10, 4354-4355.	1.8	1
54	Somatic Mutation Profile Analyzed By Next-Generation Sequencing in Relapsed/Refractory Follicular Lymphoma Treated with Idelalisib. <i>Blood</i> , 2019, 134, 1503-1503.	1.4	1

#	ARTICLE	IF	CITATIONS
55	Clinical and Economic Impact of a Multidisciplinary Follow-Up Program in Lymphoma Patients. <i>Cancers</i> , 2022, 14, 2532.	3.7	1
56	Comparison Of Hevylite <sup>®</sup> Assay and Plasma Cell Immunophenotyping For Response Evaluation and Residual Disease Characterisation In IgA Myeloma. <i>Blood</i> , 2013, 122, 5319-5319.	1.4	0
57	A New Simplified Prognostic Index Integrating the Type of Extra-Nodal Involvement and Age for Ann Arbor Stage IV Hodgkin Lymphoma Patients Diagnosed at TEP-Scanner Era: A Retrospective Analysis from Lymphoma Study Association (LYSA) Centers. <i>Blood</i> , 2018, 132, 1629-1629.	1.4	0
58	Stage IIb High Risk Hodgkin Lymphoma Treated in the H10 and AHL2011 Trials: Similar Efficacy of Both Strategies and Prognostic Impact of Baseline Tmtv and PET2 Response. <i>Blood</i> , 2019, 134, 128-128.	1.4	0
59	Extranodal classical Hodgkin lymphoma involving the spinal cord: case report and review of the literature. <i>CNS Oncology</i> , 0, , .	3.0	0