

# Zhiwei Lian

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8961124/zhiwei-lian-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

107  
papers

3,223  
citations

34  
h-index

53  
g-index

112  
ext. papers

4,035  
ext. citations

5.2  
avg, IF

5.9  
L-index

#	Paper	IF	Citations
107	Interpretation of standard effective temperature (SET) and explorations on its modification and development. <i>Building and Environment</i> , <b>2022</b> , 210, 108714	6.5	1
106	Comparison of thermal comfort between radiant and convective systems using field test data from the Chinese Thermal Comfort Database. <i>Building and Environment</i> , <b>2022</b> , 209, 108685	6.5	3
105	Comparing the effects of sun and wind on outdoor thermal comfort: A case study based on longitudinal subject tests in cold climate region.. <i>Science of the Total Environment</i> , <b>2022</b> , 154009	10.2	0
104	Application potential of skin temperature for sleep-wake classification. <i>Energy and Buildings</i> , <b>2022</b> , 266, 112137	7	0
103	Evaluation of the feasibility of using skin temperature to predict overall thermal sensation in non-uniform thermal environments. <i>Journal of Thermal Biology</i> , <b>2022</b> , 103254	2.9	
102	Objective sleep assessments for healthy people in environmental research: A literature review. <i>Indoor Air</i> , <b>2022</b> , 32,	5.4	1
101	Method of determining acceptable air temperature thresholds in Chinese HVAC buildings based on a data-driven model. <i>Energy and Buildings</i> , <b>2021</b> , 241, 110920	7	6
100	Thermal comfort models and their developments: A review. <i>Energy and Built Environment</i> , <b>2021</b> , 2, 21-336.3		51
99	The effects of light illuminance and correlated color temperature on mood and creativity. <i>Building Simulation</i> , <b>2021</b> , 14, 463-475	3.9	9
98	Gender differences in human psychological responses to wooden indoor environment. <i>European Journal of Wood and Wood Products</i> , <b>2021</b> , 79, 217-226	2.1	3
97	Experimental study on sleep quality affected by carbon dioxide concentration. <i>Indoor Air</i> , <b>2021</b> , 31, 440-453	5.5	22
96	A method for the determination of optimal indoor environmental parameters range considering work performance. <i>Journal of Building Engineering</i> , <b>2021</b> , 35, 101976	5.2	4
95	Environmental factors affecting sleep quality in summer: a field study in Shanghai, China. <i>Journal of Thermal Biology</i> , <b>2021</b> , 99, 102977	2.9	9
94	Cognitive performance was reduced by higher air temperature even when thermal comfort was maintained over the 24-28°C range. <i>Indoor Air</i> , <b>2021</b> ,	5.4	3
93	Multivariate analysis of subjective evaluation of indoor lighting environment. <i>Frontiers of Architectural Research</i> , <b>2021</b> , 10, 614-624	2.3	2
92	Five hypotheses concerned with bedroom environment and sleep quality: A questionnaire survey in Shanghai city, China. <i>Building and Environment</i> , <b>2021</b> , 205, 108252	6.5	7
91	Thermal comfort and sleep quality under temperature, relative humidity and illuminance in sleep environment. <i>Journal of Building Engineering</i> , <b>2021</b> , 43, 102575	5.2	13

90	Sleep and Indoor Air Quality <b>2021</b> , 1-16		2
89	A comprehensive review of thermal comfort studies in urban open spaces. <i>Science of the Total Environment</i> , <b>2020</b> , 742, 140092	10.2	42
88	Numerical investigation on the effect of harmonic horizontal-axis rotation on laminar natural convection in an air-filled enclosure. <i>International Journal of Heat and Mass Transfer</i> , <b>2020</b> , 152, 119533	4.9	4
87	Dynamic indoor comfort temperature settings based on the variation in clothing insulation and its energy-saving potential for an air-conditioning system. <i>Energy and Buildings</i> , <b>2020</b> , 220, 110086	7	15
86	Associations of bedroom temperature and ventilation with sleep quality. <i>Science and Technology for the Built Environment</i> , <b>2020</b> , 26, 1274-1284	1.8	16
85	Study on the Optimal Cooling Power for the Internally Cooled Ultrasonic Atomization Dehumidifier with Liquid Desiccant. <i>Environmental Science and Engineering</i> , <b>2020</b> , 923-932	0.2	
84	Comprehensive Effects of Temperature, Relative Humidity, and Illumination on Sleep Quality. <i>Environmental Science and Engineering</i> , <b>2020</b> , 1295-1303	0.2	
83	A method to evaluate building energy consumption based on energy use index of different functional sectors. <i>Sustainable Cities and Society</i> , <b>2020</b> , 53, 101893	10.1	29
82	Differences in environmental perception of gender and sleep quality in self-regulating sleep thermal environment. <i>Indoor and Built Environment</i> , <b>2020</b> , 1420326X2096181	1.8	2
81	Quantitative effect on work performance considering interactions among multiple indoor environmental factors. <i>Building and Environment</i> , <b>2020</b> , 185, 107286	6.5	10
80	Impact of Wooden Versus Nonwooden Interior Designs on Office Workers' Cognitive Performance. <i>Perceptual and Motor Skills</i> , <b>2020</b> , 127, 36-51	2.2	17
79	Perceptual and physiological responses of elderly subjects to moderate temperatures. <i>Building and Environment</i> , <b>2019</b> , 156, 117-122	6.5	48
78	Experimental study on the performance of the internally-heated ultrasonic atomization liquid desiccant regeneration system. <i>Applied Thermal Engineering</i> , <b>2019</b> , 163, 114211	5.8	6
77	Effects of the courtyard's geometry in dig pit underground dwellings on the room's daylighting performance. <i>Building Simulation</i> , <b>2019</b> , 12, 653-663	3.9	3
76	Work performance in relation to lighting environment in office buildings. <i>Indoor and Built Environment</i> , <b>2019</b> , 28, 1064-1082	1.8	18
75	Evaluation on the performance of quilts based on young people's sleep quality and thermal comfort in winter. <i>Energy and Buildings</i> , <b>2019</b> , 183, 174-183	7	45
74	A two-part model for evaluation of thermal neutrality for sleeping people. <i>Building and Environment</i> , <b>2018</b> , 132, 319-326	6.5	34
73	The effects of sound loudness on subjective feeling, sympathovagal balance and brain activity. <i>Indoor and Built Environment</i> , <b>2018</b> , 27, 1287-1300	1.8	3

72	A study on the parameter ranges of the locally supplied air in a task ambient conditioning system with chest exposure. <i>Science and Technology for the Built Environment</i> , <b>2018</b> , 24, 238-247	1.8	6
71	Feasibility study on applying the mist-spraying cooling to improve the capacity of ultra-large container ships for loading reefers. <i>Ocean Engineering</i> , <b>2018</b> , 163, 377-390	3.9	2
70	Effect of different temperatures on hospital admissions for cardiovascular and cerebrovascular diseases: A case study. <i>Indoor and Built Environment</i> , <b>2017</b> , 26, 69-77	1.8	6
69	Long-term investigation of moisture environment in underground civil air defence work. <i>Indoor and Built Environment</i> , <b>2017</b> , 26, 744-757	1.8	6
68	Correlation between health discomforts and temperature steps in winter of China. <i>Building and Environment</i> , <b>2017</b> , 114, 387-396	6.5	25
67	Physiological response to typical temperature step-changes in winter of China. <i>Energy and Buildings</i> , <b>2017</b> , 138, 687-694	7	37
66	Human physiological responses to wooden indoor environment. <i>Physiology and Behavior</i> , <b>2017</b> , 174, 27-34	3.5	30
65	Analysis on the performance sensitivity and stability of the ultrasonic atomization liquid desiccant regeneration system. <i>Science and Technology for the Built Environment</i> , <b>2017</b> , 23, 307-323	1.8	4
64	A human thermoregulation model for the Chinese elderly. <i>Journal of Thermal Biology</i> , <b>2017</b> , 70, 2-14	2.9	19
63	Predication of skin temperature and thermal comfort under two-way transient environments. <i>Journal of Thermal Biology</i> , <b>2017</b> , 70, 15-20	2.9	13
62	Investigation of the elderly's response to winter temperature steps in severe cold area of China. <i>Procedia Engineering</i> , <b>2017</b> , 205, 309-313		1
61	Study on the Operational Economy of the Ultrasonic Atomization Liquid Desiccant Dehumidification System. <i>Procedia Engineering</i> , <b>2017</b> , 205, 2879-2886		10
60	Effect of Quilt Materials on Sleep Quality and Thermal Comfort for Young People in East China. <i>Procedia Engineering</i> , <b>2017</b> , 205, 43-49		3
59	Simulation on Regeneration Performance for the Ultrasonic Atomization Liquid Desiccant System. <i>Procedia Engineering</i> , <b>2017</b> , 205, 2925-2932		2
58	A Study on the Thermal Comfort under Non-uniform Thermal Environment. <i>Procedia Engineering</i> , <b>2017</b> , 205, 2531-2536		3
57	Effects of negative oxygen ions on sleep quality. <i>Procedia Engineering</i> , <b>2017</b> , 205, 2980-2986		14
56	Effects of exposure to winter temperature step-changes on human subjective perceptions. <i>Building and Environment</i> , <b>2016</b> , 107, 226-234	6.5	23
55	Investigation variance in human psychological responses to wooden indoor environments. <i>Building and Environment</i> , <b>2016</b> , 109, 58-67	6.5	15

54	Parametric regression model for lighting calibration. <i>Indoor and Built Environment</i> , <b>2016</b> , 25, 407-423	1.8	
53	Performance investigation on the ultrasonic atomization liquid desiccant regeneration system. <i>Applied Energy</i> , <b>2016</b> , 171, 12-25	10.7	44
52	Ten questions concerning thermal environment and sleep quality. <i>Building and Environment</i> , <b>2016</b> , 99, 252-259	6.5	46
51	Potential indicators for the effect of temperature steps on human health and thermal comfort. <i>Energy and Buildings</i> , <b>2016</b> , 113, 87-98	7	43
50	Sensitivity and stability analysis on the performance of ultrasonic atomization liquid desiccant dehumidification system. <i>Energy</i> , <b>2016</b> , 112, 1169-1183	7.9	10
49	Thermal perception and skin temperature in different transient thermal environments in summer. <i>Energy and Buildings</i> , <b>2016</b> , 128, 155-163	7	41
48	Experimental study on mass transfer performances of the ultrasonic atomization liquid desiccant dehumidification system. <i>Energy and Buildings</i> , <b>2015</b> , 93, 126-136	7	33
47	Effects of temperature steps on human health and thermal comfort. <i>Building and Environment</i> , <b>2015</b> , 94, 144-154	6.5	58
46	Investigation of gender difference in human response to temperature step changes. <i>Physiology and Behavior</i> , <b>2015</b> , 151, 426-40	3.5	24
45	Concept of dehumidification perfectness and its potential applications. <i>Energy</i> , <b>2015</b> , 91, 176-191	7.9	12
44	Effects of Exposure to Carbon Dioxide and Human Bioeffluents on Cognitive Performance. <i>Procedia Engineering</i> , <b>2015</b> , 121, 138-142		10
43	The Bioclimatic Design Approach to Plateau Region Buildings: Case of the Lhasa. <i>Procedia Engineering</i> , <b>2015</b> , 121, 2044-2051		5
42	Use of mean skin temperature in evaluation of individual thermal comfort for a person in a sleeping posture under steady thermal environment. <i>Indoor and Built Environment</i> , <b>2015</b> , 24, 489-499	1.8	32
41	Analysis on the Significance of Effects from Operational Conditions on the Performances of Ultrasonic Atomization Dehumidifier with Liquid Desiccant. <i>Procedia Engineering</i> , <b>2015</b> , 121, 89-94		1
40	Method for the determination of optimal work environment in office buildings considering energy consumption and human performance. <i>Energy and Buildings</i> , <b>2014</b> , 76, 278-283	7	23
39	Experimental study on thermal comfort of sleeping people at different air temperatures. <i>Building and Environment</i> , <b>2014</b> , 73, 24-31	6.5	98
38	Improvement of the ultrasonic atomization liquid desiccant dehumidification system. <i>Energy and Buildings</i> , <b>2014</b> , 85, 145-154	7	31
37	A model for predicting thermal sensation of Chinese people. <i>Building and Environment</i> , <b>2014</b> , 82, 237-246.5	6.5	21

36	The effect of indoor plants on human comfort. <i>Indoor and Built Environment</i> , <b>2014</b> , 23, 709-723	1.8	42
35	Experimental study on a bedside personalized ventilation system for improving sleep comfort and quality. <i>Indoor and Built Environment</i> , <b>2014</b> , 23, 313-323	1.8	36
34	Thermal effects on human performance in office environment measured by integrating task speed and accuracy. <i>Applied Ergonomics</i> , <b>2014</b> , 45, 490-5	4.2	32
33	Influence of green spaces on environmental satisfaction and physiological status of urban residents. <i>Urban Forestry and Urban Greening</i> , <b>2013</b> , 12, 490-497	5.4	58
32	Pilot study on the application of bedside personalized ventilation to sleeping people. <i>Building and Environment</i> , <b>2013</b> , 67, 160-166	6.5	44
31	An individualized human thermoregulation model for Chinese adults. <i>Building and Environment</i> , <b>2013</b> , 70, 257-265	6.5	39
30	Performance assessment of heat pumps using HFC125/HCs mixtures. <i>International Journal of Energy Research</i> , <b>2012</b> , 36, 1005-1014	4.5	7
29	Investigation of Gender Differences in Sleeping Comfort at Different Environmental Temperatures. <i>Indoor and Built Environment</i> , <b>2012</b> , 21, 811-820	1.8	35
28	The effect of turbulence intensity on local skin temperature and subjective responses to draft. <i>Energy and Buildings</i> , <b>2011</b> , 43, 2678-2683	7	23
27	Evaluation of calculation methods of mean skin temperature for use in thermal comfort study. <i>Building and Environment</i> , <b>2011</b> , 46, 478-488	6.5	152
26	Quantitative measurement of productivity loss due to thermal discomfort. <i>Energy and Buildings</i> , <b>2011</b> , 43, 1057-1062	7	189
25	The effects of air temperature on office workers' well-being, workload and productivity-evaluated with subjective ratings. <i>Applied Ergonomics</i> , <b>2010</b> , 42, 29-36	4.2	133
24	Application of statistical power analysis [How to determine the right sample size in human health, comfort and productivity research. <i>Building and Environment</i> , <b>2010</b> , 45, 1202-1213	6.5	91
23	Influence of air conditioners utilization on urban thermal environment. <i>Applied Thermal Engineering</i> , <b>2009</b> , 29, 670-675	5.8	22
22	Neurobehavioral approach for evaluation of office workers' productivity: The effects of room temperature. <i>Building and Environment</i> , <b>2009</b> , 44, 1578-1588	6.5	91
21	Use of neurobehavioral tests to evaluate the effects of indoor environment quality on productivity. <i>Building and Environment</i> , <b>2009</b> , 44, 2208-2217	6.5	79
20	An Application of Support Vector Machines in Cooling Load Prediction <b>2009</b> ,		15
19	An innovation wall model based on interlayer ventilation. <i>Energy Conversion and Management</i> , <b>2008</b> , 49, 1271-1282	10.6	10

18	Experimental study on physiological responses and thermal comfort under various ambient temperatures. <i>Physiology and Behavior</i> , <b>2008</b> , 93, 310-21	3.5	104
17	Investigation of gender difference in thermal comfort for Chinese people. <i>European Journal of Applied Physiology</i> , <b>2008</b> , 102, 471-80	3.4	123
16	Heart rate variability at different thermal comfort levels. <i>European Journal of Applied Physiology</i> , <b>2008</b> , 103, 361-6	3.4	137
15	Evaluation program for the energy-saving of variable-air-volume systems. <i>Energy and Buildings</i> , <b>2007</b> , 39, 558-568	7	47
14	Energy consumption analysis on a dedicated outdoor air system with rotary desiccant wheel. <i>Energy</i> , <b>2007</b> , 32, 1749-1760	7.9	62
13	Radiant heat gain from indoor heat sources. <i>Heat and Mass Transfer</i> , <b>2006</b> , 42, 795-801	2.2	1
12	Cooling Load Prediction Based on the Combination of Rough Set Theory and Support Vector Machine. <i>HVAC and R Research</i> , <b>2006</b> , 12, 337-352		7
11	Cooling-load prediction by the combination of rough set theory and an artificial neural-network based on data-fusion technique. <i>Applied Energy</i> , <b>2006</b> , 83, 1033-1046	10.7	98
10	Kinetic analysis of photocatalytic oxidation of gas-phase formaldehyde over titanium dioxide. <i>Chemosphere</i> , <b>2005</b> , 60, 630-5	8.4	39
9	Conception of combination of gas-engine-driven heat pump and water-loop heat pump system. <i>International Journal of Refrigeration</i> , <b>2005</b> , 28, 810-819	3.8	43
8	Analysis on energy consumption of water-loop heat pump system in China. <i>Applied Thermal Engineering</i> , <b>2005</b> , 25, 73-85	5.8	28
7	Hourly cooling load prediction by a combined forecasting model based on Analytic Hierarchy Process. <i>International Journal of Thermal Sciences</i> , <b>2004</b> , 43, 1107-1118	4.1	59
6	Energy-cost allocation based on the theory of frequency response. <i>Applied Energy</i> , <b>2004</b> , 79, 371-383	10.7	6
5	Optimal operation of a large cooling system based on an empirical model. <i>Applied Thermal Engineering</i> , <b>2004</b> , 24, 2303-2321	5.8	86
4	Presentation and evaluation of a new type of air supply system in a passenger carriage in China. <i>Applied Thermal Engineering</i> , <b>2004</b> , 24, 703-715	5.8	1
3	Thermal analysis of cooling coils based on a dynamic model. <i>Applied Thermal Engineering</i> , <b>2004</b> , 24, 1037-1050	5.5	22
2	Experimental Study of Factors That Affect Thermal Comfort in an Upward-Displacement Air-Conditioned Room. <i>HVAC and R Research</i> , <b>2002</b> , 8, 191-200		14
1	Parametric study on the sleep thermal environment. <i>Building Simulation</i> , <b>2001</b> , 4, 1-10	3.9	8

