

# Jonathan P Stange

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8961336/publications.pdf>

Version: 2024-02-01

100  
papers

2,733  
citations

159358

30  
h-index

243296

44  
g-index

103  
all docs

103  
docs citations

103  
times ranked

3467  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cognitive Vulnerabilities and Depression Versus Other Psychopathology Symptoms and Diagnoses in Early Adolescence. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2012, 41, 539-560.	2.2	106
2	Impact of Substance Use Disorders on Recovery From Episodes of Depression in Bipolar Disorder Patients: Prospective Data From the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). <i>American Journal of Psychiatry</i> , 2010, 167, 289-297.	4.0	103
3	Emotional Maltreatment, Peer Victimization, and Depressive versus Anxiety Symptoms During Adolescence: Hopelessness as a Mediator. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2013, 42, 332-347.	2.2	100
4	Mindfulness-Based Cognitive Therapy for Nonremitted Patients with Bipolar Disorder. <i>CNS Neuroscience and Therapeutics</i> , 2012, 18, 133-141.	1.9	99
5	Stress and the Development of Cognitive Vulnerabilities to Depression Explain Sex Differences in Depressive Symptoms During Adolescence. <i>Clinical Psychological Science</i> , 2015, 3, 702-714.	2.4	92
6	Attenuated intrinsic connectivity within cognitive control network among individuals with remitted depression: Temporal stability and association with negative cognitive styles. <i>Human Brain Mapping</i> , 2017, 38, 2939-2954.	1.9	84
7	Inflexibility as a Vulnerability to Depression: A Systematic Qualitative Review. <i>Clinical Psychology: Science and Practice</i> , 2017, 24, 245-276.	0.6	73
8	Mindfulness-Based Cognitive Therapy for Bipolar Disorder. <i>Journal of Psychiatric Practice</i> , 2011, 17, 410-419.	0.3	65
9	Pubertal timing and vulnerabilities to depression in early adolescence: Differential pathways to depressive symptoms by sex. <i>Journal of Adolescence</i> , 2014, 37, 165-174.	1.2	63
10	Cognitive Risk and Protective Factors for Suicidal Ideation: A Two Year Longitudinal Study in Adolescence. <i>Journal of Abnormal Child Psychology</i> , 2016, 44, 1145-1160.	3.5	60
11	INFLEXIBLE COGNITION PREDICTS FIRST ONSET OF MAJOR DEPRESSIVE EPISODES IN ADOLESCENCE. <i>Depression and Anxiety</i> , 2016, 33, 1005-1012.	2.0	58
12	Adherence to Pharmacological Treatment for Juvenile Bipolar Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2007, 46, 831-839.	0.3	54
13	It Gets Better: Future Orientation Buffers the Development of Hopelessness and Depressive Symptoms following Emotional Victimization during Early Adolescence. <i>Journal of Abnormal Child Psychology</i> , 2015, 43, 465-474.	3.5	50
14	Kindling of life stress in bipolar disorder: Comparison of sensitization and autonomy models. <i>Journal of Abnormal Psychology</i> , 2015, 124, 4-16.	2.0	50
15	Moderate Childhood Stress Buffers Against Depressive Response to Proximal Stressors: A Multi-Wave Prospective Study of Early Adolescents. <i>Journal of Abnormal Child Psychology</i> , 2015, 43, 1403-1413.	3.5	48
16	Negative cognitive style interacts with negative life events to predict first onset of a major depressive episode in adolescence via hopelessness. <i>Journal of Abnormal Psychology</i> , 2018, 127, 1-11.	2.0	47
17	Cognitive Vulnerabilities as Predictors of Stress Generation in Early Adolescence: Pathway to Depressive Symptoms. <i>Journal of Abnormal Child Psychology</i> , 2013, 41, 1027-1039.	3.5	46
18	Rumination and Overgeneral Autobiographical Memory in Adolescents: An Integration of Cognitive Vulnerabilities to Depression. <i>Journal of Youth and Adolescence</i> , 2015, 44, 806-818.	1.9	46

#	ARTICLE	IF	CITATIONS
19	Effects of mood and aging on keystone dynamics metadata and their diurnal patterns in a large open-science sample: A BiAffect iOS study. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2020, 27, 1007-1018.	2.2	46
20	Development of an Integrated Psychosocial Treatment to Address the Medical Burden Associated with Bipolar Disorder. <i>Journal of Psychiatric Practice</i> , 2011, 17, 224-232.	0.3	41
21	Early Pubertal Timing as a Vulnerability to Depression Symptoms: Differential Effects of Race and Sex. <i>Journal of Abnormal Child Psychology</i> , 2014, 42, 527-538.	3.5	41
22	Associations between sleep disturbance, cognitive functioning and work disability in Bipolar Disorder. <i>Psychiatry Research</i> , 2015, 230, 567-574.	1.7	39
23	Phenotypic effects of a bipolar liability gene among individuals with major depressive disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 303-309.	1.1	38
24	Negative Inferential Style, Emotional Clarity, and Life Stress: Integrating Vulnerabilities to Depression in Adolescence. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2013, 42, 508-518.	2.2	37
25	Flexible parasympathetic responses to sadness facilitate spontaneous affect regulation. <i>Psychophysiology</i> , 2017, 54, 1054-1069.	1.2	36
26	Affective Disruption From Social Rhythm and Behavioral Approach System (BAS) Sensitivities. <i>Clinical Psychological Science</i> , 2016, 4, 418-432.	2.4	35
27	A Vulnerability-Stress Examination of Response Styles Theory in Adolescence: Stressors, Sex Differences, and Symptom Specificity. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2014, 43, 813-827.	2.2	34
28	Mood instability as a predictor of clinical and functional outcomes in adolescents with bipolar I and bipolar II disorder. <i>Journal of Affective Disorders</i> , 2018, 236, 199-206.	2.0	34
29	Let your fingers do the talking: Passive typing instability predicts future mood outcomes. <i>Bipolar Disorders</i> , 2018, 20, 285-288.	1.1	33
30	Overgeneral autobiographical memory, emotional maltreatment, and depressive symptoms in adolescence: Evidence of a cognitive vulnerability-stress interaction. <i>Journal of Adolescence</i> , 2013, 36, 201-208.	1.2	32
31	Identifying a physical indicator of suicide risk: Non-suicidal self-injury scars predict suicidal ideation and suicide attempts. <i>Comprehensive Psychiatry</i> , 2016, 65, 79-87.	1.5	32
32	Negative cognitive styles synergistically predict suicidal ideation in bipolar spectrum disorders: A 3-year prospective study. <i>Psychiatry Research</i> , 2015, 226, 162-168.	1.7	31
33	Cognitive and Emotional Regulatory Mediators of the Relationship Between Behavioral Approach System Sensitivity and Nonsuicidal Self-Injury Frequency. <i>Suicide and Life-Threatening Behavior</i> , 2015, 45, 495-504.	0.9	31
34	Autonomic reactivity and vulnerability to depression: A multi-wave study. <i>Emotion</i> , 2017, 17, 602-615.	1.5	31
35	The interaction of affective states and cognitive vulnerabilities in the prediction of non-suicidal self-injury. <i>Cognition and Emotion</i> , 2015, 29, 539-547.	1.2	30
36	Emotion regulation characteristics and cognitive vulnerabilities interact to predict depressive symptoms in individuals at risk for bipolar disorder: A prospective behavioural high-risk study. <i>Cognition and Emotion</i> , 2013, 27, 63-84.	1.2	29

#	ARTICLE	IF	CITATIONS
37	Pubertal Timing, Peer Victimization, and Body Esteem Differentially Predict Depressive Symptoms in African American and Caucasian Girls. <i>Journal of Early Adolescence</i> , 2015, 35, 378-402.	1.1	29
38	Deficits in Emotional Clarity and Vulnerability to Peer Victimization and Internalizing Symptoms Among Early Adolescents. <i>Journal of Youth and Adolescence</i> , 2016, 45, 183-194.	1.9	29
39	Inflexibility as a vulnerability to depression: A systematic qualitative review.. <i>Clinical Psychology: Science and Practice</i> , 2017, 24, 245-276.	0.6	29
40	Cognitive control neuroimaging measures differentiate between those with and without future recurrence of depression. <i>NeuroImage: Clinical</i> , 2018, 20, 1001-1009.	1.4	28
41	Correlates of real world executive dysfunction in bipolar I disorder. <i>Journal of Psychiatric Research</i> , 2014, 53, 87-93.	1.5	27
42	SPECIFIC MOOD SYMPTOMS CONFER RISK FOR SUBSEQUENT SUICIDAL IDEATION IN BIPOLAR DISORDER WITH AND WITHOUT SUICIDE ATTEMPT HISTORY: MULTI-WAVE DATA FROM STEP-BD. <i>Depression and Anxiety</i> , 2016, 33, 464-472.	2.0	27
43	Trait Affect, Emotion Regulation, and the Generation of Negative and Positive Interpersonal Events. <i>Behavior Therapy</i> , 2017, 48, 435-447.	1.3	27
44	Neural markers of attention to aversive pictures predict response to cognitive behavioral therapy in anxiety and depression. <i>Biological Psychology</i> , 2017, 123, 269-277.	1.1	26
45	Behavioral Approach System (BAS)-Relevant Cognitive Styles in Individuals with High Versus Moderate BAS Sensitivity: A Behavioral High-Risk Design. <i>Cognitive Therapy and Research</i> , 2013, 37, 139-149.	1.2	25
46	Cognitive reappraisal attenuates the association between depressive symptoms and emotional response to stress during adolescence. <i>Cognition and Emotion</i> , 2019, 33, 524-535.	1.2	25
47	A randomized, placebo-controlled proof-of-concept trial of adjunctive topiramate for alcohol use disorders in bipolar disorder. <i>American Journal on Addictions</i> , 2016, 25, 94-98.	1.3	24
48	Impulsivity predicts the onset of DSM-IV-TR or RDC hypomanic and manic episodes in adolescents and young adults with high or moderate reward sensitivity. <i>Journal of Affective Disorders</i> , 2016, 198, 88-95.	2.0	24
49	Integrated cross-network connectivity of amygdala, insula, and subgenual cingulate associated with facial emotion perception in healthy controls and remitted major depressive disorder. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2017, 17, 1242-1254.	1.0	24
50	Using resting-state intrinsic network connectivity to identify suicide risk in mood disorders. <i>Psychological Medicine</i> , 2020, 50, 2324-2334.	2.7	23
51	A Lifespan Model of Interference Resolution and Inhibitory Control: Risk for Depression and Changes with Illness Progression. <i>Neuropsychology Review</i> , 2020, 30, 477-498.	2.5	23
52	Extreme attributions predict transition from depression to mania or hypomania in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2013, 47, 1329-1336.	1.5	22
53	Suicide risk characteristics among aborted, interrupted, and actual suicide attempters. <i>Psychiatry Research</i> , 2016, 242, 357-364.	1.7	22
54	Using ambulatory assessment to measure dynamic risk processes in affective disorders. <i>Journal of Affective Disorders</i> , 2019, 259, 325-336.	2.0	22

#	ARTICLE	IF	CITATIONS
55	Extreme Attributions Predict the Course of Bipolar Depression. <i>Journal of Clinical Psychiatry</i> , 2013, 74, 249-255.	1.1	21
56	The cyclical nature of depressed mood and future risk: Depression, rumination, and deficits in emotional clarity in adolescent girls. <i>Journal of Adolescence</i> , 2015, 42, 68-76.	1.2	21
57	Affective instability and the course of bipolar depression: Results from the STEP-BD randomised controlled trial of psychosocial treatment. <i>British Journal of Psychiatry</i> , 2016, 208, 352-358.	1.7	21
58	Cognitive Vulnerabilities Amplify the Effect of Early Pubertal Timing on Interpersonal Stress Generation During Adolescence. <i>Journal of Youth and Adolescence</i> , 2014, 43, 824-833.	1.9	20
59	Positive overgeneralization and Behavioral Approach System (BAS) sensitivity interact to predict prospective increases in hypomanic symptoms: A behavioral high-risk design. <i>Behaviour Research and Therapy</i> , 2012, 50, 231-239.	1.6	17
60	Cognitive and Interpersonal Vulnerability to Suicidal Ideation: A Weakest Link Approach. <i>Behavior Therapy</i> , 2014, 45, 778-790.	1.3	17
61	Disrupted engagement of networks supporting hot and cold cognition in remitted major depressive disorder. <i>Journal of Affective Disorders</i> , 2018, 227, 183-191.	2.0	17
62	Nonsuicidal self-injury scar concealment from the self and others. <i>Journal of Psychiatric Research</i> , 2020, 130, 313-320.	1.5	17
63	Cognitive control and network disruption in remitted depression: a correlate of childhood adversity. <i>Social Cognitive and Affective Neuroscience</i> , 2018, 13, 1081-1090.	1.5	16
64	Influence of childhood adversity, approach motivation traits, and depression on individual differences in brain activation during reward anticipation. <i>Biological Psychology</i> , 2019, 146, 107709.	1.1	16
65	The Immediate and Long-Term Effects of an Intensive Meditation Retreat. <i>Mindfulness</i> , 2017, 8, 1064-1077.	1.6	15
66	Differential engagement of cognitive control regions and subgenual cingulate based upon presence or absence of comorbid anxiety with depression. <i>Journal of Affective Disorders</i> , 2018, 241, 371-380.	2.0	15
67	Extreme Cognitions in Bipolar Spectrum Disorders: Associations With Personality Disorder Characteristics and Risk for Episode Recurrence. <i>Behavior Therapy</i> , 2015, 46, 242-256.	1.3	14
68	Developmental changes in resting-state functional networks among individuals with and without internalizing psychopathologies. <i>Depression and Anxiety</i> , 2019, 36, 141-152.	2.0	14
69	Cognitive Styles in Mood Disorders: Discriminative Ability of Unipolar and Bipolar Cognitive Profiles. <i>International Journal of Cognitive Therapy</i> , 2015, 8, 35-60.	1.3	13
70	Perseverate or decenter? Differential effects of metacognition on the relationship between parasympathetic inflexibility and symptoms of depression in a multi-wave study. <i>Behaviour Research and Therapy</i> , 2017, 97, 123-133.	1.6	12
71	Personality disorder symptom severity predicts onset of mood episodes and conversion to bipolar I disorder in individuals with bipolar spectrum disorder.. <i>Journal of Abnormal Psychology</i> , 2017, 126, 271-284.	2.0	11
72	Memory performance predicts response to psychotherapy for depression in bipolar disorder: A pilot randomized controlled trial with exploratory functional magnetic resonance imaging. <i>Journal of Affective Disorders</i> , 2018, 229, 342-350.	2.0	10

#	ARTICLE	IF	CITATIONS
73	Multidimensional imaging techniques for prediction of treatment response in major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 91, 38-48.	2.5	10
74	Sleep disturbance and physiological regulation among young adults with prior depression. <i>Journal of Psychiatric Research</i> , 2019, 115, 75-81.	1.5	9
75	Extreme attributions predict suicidal ideation and suicide attempts in bipolar disorder: prospective data from STEP-BD. <i>World Psychiatry</i> , 2014, 13, 95-96.	4.8	8
76	The Titrated Monetary Incentive Delay Task: Sensitivity, convergent and divergent validity, and neural correlates in an RDoC sample. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2019, 41, 512-529.	0.8	8
77	Pre-scan cortisol is differentially associated with enhanced connectivity to the cognitive control network in young adults with a history of depression. <i>Psychoneuroendocrinology</i> , 2019, 104, 219-227.	1.3	7
78	Self-reported affective biases, but not all affective performance biases, are present in depression remission. <i>British Journal of Clinical Psychology</i> , 2019, 58, 274-288.	1.7	7
79	Brain-behavioral adaptability predicts response to cognitive behavioral therapy for emotional disorders: A person-centered event-related potential study. <i>Neuropsychologia</i> , 2020, 145, 106408.	0.7	7
80	The role of lifetime anxiety history in the course of bipolar spectrum disorders. <i>Psychiatry Research</i> , 2018, 264, 202-209.	1.7	6
81	Predictors of Attrition in Longitudinal Neuroimaging Research: Inhibitory Control, Head Movement, and Resting-State Functional Connectivity. <i>Brain Connectivity</i> , 2018, 8, 527-536.	0.8	6
82	A Latent Structure Analysis of Cognitive Vulnerability to Depression in Adolescence. <i>Behavior Therapy</i> , 2019, 50, 755-764.	1.3	6
83	Decentering predicts attenuated perseverative thought and internalizing symptoms following stress exposure: A multi-level, multi-wave study. <i>Behaviour Research and Therapy</i> , 2022, 152, 104017.	1.6	6
84	Asymptomatic Hyperamylasemia and Hyperlipasemia Associated With Aripiprazole. <i>Journal of Clinical Psychopharmacology</i> , 2009, 29, 504-506.	0.7	5
85	Inflexible autonomic responses to sadness predict habitual and real-world rumination: A multi-level, multi-wave study. <i>Biological Psychology</i> , 2020, 153, 107886.	1.1	5
86	Efficacy of Electroconvulsive Therapy in Fahr Disease Associated With Bipolar Psychotic Disorder. <i>Journal of ECT</i> , 2009, 25, 213-215.	0.3	4
87	Norms for Performance in the Workplace in Healthy People: <i>Data from the National Comorbidity Survey Replication Study</i>. <i>CNS Spectrums</i> , 2011, 16, 143-152.	0.7	4
88	The Effect of a College Pen Incentive on Survey Response Rate Among Recent College Graduates. <i>Evaluation Review</i> , 2011, 35, 93-99.	0.4	2
89	247. BiAffect: Passive Monitoring of Psychomotor Activity in Mood Disorders Using Mobile Keystroke Kinematics. <i>Biological Psychiatry</i> , 2019, 85, S102-S103.	0.7	2
90	Using Network Parcels and Resting-State Networks to Estimate Correlates of Mood Disorder and Related Research Domain Criteria Constructs of Reward Responsiveness and Inhibitory Control. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021, , .	1.1	2

#	ARTICLE	IF	CITATIONS
91	Aggression Protects Against the Onset of Major Depressive Episodes in Individuals With Bipolar Spectrum Disorder. Behavior Therapy, 2017, 48, 311-321.	1.3	1
92	220. Childhood Adversity Disrupts Cognitive Control Development and Function. Biological Psychiatry, 2018, 83, S88.	0.7	1
93	O23. Inhibitory Control and Neuroprogression of Mood Disorders. Biological Psychiatry, 2019, 85, S115.	0.7	1
94	537. Attenuated Intrinsic Connectivity within Cognitive Control Network among Individuals with Remitted Depression is Associated with Cognitive Control Deficits and Negative Cognitive Styles. Biological Psychiatry, 2017, 81, S217-S218.	0.7	0
95	935. Acute Cortisol Reactivity is Associated with Increased Connectivity from Default Mode to Cognitive Control Networks in Remitted Adolescent-Onset Depression. Biological Psychiatry, 2017, 81, S378-S379.	0.7	0
96	131. Anticipatory Cortisol Modulation of Memory, Affective Processing, and Resting-State Networks During fMRI in Mood Disorders. Biological Psychiatry, 2018, 83, S53-S54.	0.7	0
97	F141. Cross-Network Associations With Rumination Across Late Adolescent Development. Biological Psychiatry, 2018, 83, S292-S293.	0.7	0
98	T140. Intrinsic Network Connectivity Reliably Distinguishes Retrospective Risk for Suicidal Behavior in Individuals With Mood Disorders. Biological Psychiatry, 2019, 85, S183.	0.7	0
99	Neuroticism and Rumination are Overlapping Constructs, yet Show Unique Relationships With Resting State Networks, Remitted Depression, and Risk for Depression Relapse. Biological Psychiatry, 2020, 87, S17-S18.	0.7	0
100	A new instrument to assess counterdependency, evaluated in the context of postpartum depression.. Psychoanalytic Psychology, 2021, 38, 49-57.	0.4	0