

# Juan Felipe de JesÃºs Torres-Acosta

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8964078/publications.pdf>

Version: 2024-02-01

132  
papers

3,943  
citations

145106

33  
h-index

169272

56  
g-index

133  
all docs

133  
docs citations

133  
times ranked

2406  
citing authors

#	ARTICLE	IF	CITATIONS
1	Variabilidad en el contenido de polifenoles, actividad biológica y antihelmíntica de extractos metanol:agua de las hojas de <i>Gymnopodium floribundum</i> Rolfe. <i>Revista Mexicana De Ciencias Pecuarias</i> , 2022, 12, 1168-1187.	0.1	0
2	Voluntary consumption of <i>Lantana camara</i> L. when browsing the heterogeneous vegetation of tropical forests: A goats' perspective. <i>Journal of Arid Environments</i> , 2022, 202, 104758.	1.2	1
3	Selection of Forage Resources by Juvenile Goats in a Cafeteria Trial: Effect of Browsing Experience, Nutrient and Secondary Compound Content. <i>Animals</i> , 2022, 12, 1317.	1.0	1
4	Comparison of Propofol or Isoflurane Anesthesia Maintenance, Combined with a Fentanyl-Lidocaine-Ketamine Constant-Rate Infusion in Goats Undergoing Abomasotomy. <i>Animals</i> , 2021, 11, 492.	1.0	2
5	Comparing the browsing behavior of inexperienced kids versus adult goats on heterogeneous vegetation. <i>Applied Animal Behaviour Science</i> , 2021, 236, 105240.	0.8	3
6	Frequency of sheep farms with anthelmintic resistant gastrointestinal nematodes in the Mexican Yucatán peninsula. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2021, 24, 100549.	0.3	4
7	In vitro Evaluation of the Nutraceutical Potential of <i>Theobroma cacao</i> pod Husk and Leaf Extracts for Small Ruminants. <i>Acta Parasitologica</i> , 2021, 66, 1122-1136.	0.4	3
8	Impact of Dietary Condensed Tannins and <i>Haemonchus contortus</i> Infection in Growing Sheep: Effects on Nutrient Intake, Digestibility, and the Retention of Energy and Nitrogen. <i>Acta Parasitologica</i> , 2021, 1.	0.4	1
9	Nutraceutical Potential of the Low Deciduous Forest to Improve Small Ruminant Nutrition and Health: A Systematic Review. <i>Agronomy</i> , 2021, 11, 1403.	1.3	4
10	Nitrogen retention in hair sheep lambs with a gradient of <i>Haemonchus contortus</i> infection. <i>Veterinary Parasitology</i> , 2021, 296, 109488.	0.7	5
11	Scanning electron microscopy of different vulval structures in a Mexican <i>Haemonchus contortus</i> isolate. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2021, 26, 100640.	0.3	3
12	Comparing the in vitro digestibility of leaves from tropical trees when using the rumen liquor from cattle, sheep or goats. <i>Small Ruminant Research</i> , 2021, 205, 106561.	0.6	6
13	Metabolizable energy balance in hair sheep lambs artificially infected with <i>Haemonchus contortus</i> . <i>Veterinary Parasitology</i> , 2021, 300, 109620.	0.7	2
14	Effects of different extracts of three <i>Annona</i> species on egg-hatching processes of <i>Haemonchus contortus</i> . <i>Journal of Helminthology</i> , 2020, 94, e77.	0.4	4
15	Optimal age of <i>Trichostrongylus colubriformis</i> larvae (L3) for the in vitro larval exsheathment inhibition test under tropical conditions. <i>Veterinary Parasitology</i> , 2020, 278, 109027.	0.7	4
16	Small Ruminant Production Based on Rangelands to Optimize Animal Nutrition and Health: Building an Interdisciplinary Approach to Evaluate Nutraceutical Plants. <i>Animals</i> , 2020, 10, 1799.	1.0	6
17	Isolation of pure <i>Trichostrongylus colubriformis</i> strains from naturally infected sheep using two methodologies. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2020, 22, 100474.	0.3	0
18	The Possible Biotechnological Use of Edible Mushroom Bioproducts for Controlling Plant and Animal Parasitic Nematodes. <i>BioMed Research International</i> , 2020, 2020, 1-12.	0.9	14

#	ARTICLE	IF	CITATIONS
19	Influence of litter size at birth and weaning on the proportion of Pelibuey ewes treated with an anthelmintic in a targeted selective scheme in the hot humid tropics. <i>Small Ruminant Research</i> , 2020, 184, 106049.	0.6	7
20	Can the energetic supplementation of ewes influence the behavioral performance of their newborn lambs?. <i>Ciencia Y Agricultura</i> , 2020, 17, 32-38.	0.3	0
21	EPIDEMIOLOGÍA DE LA BRUCELOSIS EN TRES ÁREAS PRODUCTORAS DE OVINOS DEL ESTADO DE VERACRUZ, MÉXICO. <i>Agrociencia</i> , 2020, 54, 661-672.	0.1	0
22	The worm burden of tracer kids and lambs browsing heterogeneous vegetation is influenced by strata harvested and not total dry matter intake or plant life form. <i>Tropical Animal Health and Production</i> , 2019, 51, 2243-2251.	0.5	15
23	Gastrointestinal nematode infection and feeding behaviour of goats in a heterogeneous vegetation: No evidence of therapeutic self-medication. <i>Behavioural Processes</i> , 2019, 162, 7-13.	0.5	5
24	Criollo goats limit their grass intake in the early morning suggesting a prophylactic self-medication behaviour in a heterogeneous vegetation. <i>Tropical Animal Health and Production</i> , 2019, 51, 2473-2479.	0.5	8
25	Evaluation of cinnamic acid and six analogues against eggs and larvae of <i>Haemonchus contortus</i> . <i>Veterinary Parasitology</i> , 2019, 270, 25-30.	0.7	21
26	Bio-guided fractionation to identify <i>Senegalia gaumeri</i> leaf extract compounds with anthelmintic activity against <i>Haemonchus contortus</i> eggs and larvae. <i>Veterinary Parasitology</i> , 2019, 270, 13-19.	0.7	26
27	<i>Gymnopodium floribundum</i> fodder as a model for the in vivo evaluation of nutraceutical value against <i>Haemonchus contortus</i> . <i>Tropical Animal Health and Production</i> , 2019, 51, 1591-1599.	0.5	9
28	Intake and Selection of Goats Grazing Heterogeneous Vegetation: Effect of Gastrointestinal Nematodes and Condensed Tannins. <i>Rangeland Ecology and Management</i> , 2019, 72, 946-953.	1.1	13
29	Ultrastructural study of adult <i>Haemonchus contortus</i> exposed to polyphenol-rich materials under in vivo conditions in goats. <i>Parasite</i> , 2019, 26, 65.	0.8	13
30	Sheep and goat browsing a tropical deciduous forest during the rainy season: why does similar plant species consumption result in different nutrient intake?. <i>Animal Production Science</i> , 2019, 59, 66.	0.6	24
31	Variation in phenotypic resistance to gastrointestinal nematodes in hair sheep in the humid tropics of Mexico. <i>Parasitology Research</i> , 2019, 118, 567-573.	0.6	10
32	Impact of gastrointestinal parasitism on dry matter intake and live weight gain of lambs: A meta-analysis to estimate the metabolic cost of gastrointestinal nematodes. <i>Veterinary Parasitology</i> , 2019, 265, 1-6.	0.7	27
33	A protocol of human animal interaction to habituate young sheep and goats for behavioural studies. <i>Behavioural Processes</i> , 2018, 157, 632-637.	0.5	14
34	Supplementation with dry <i>Mimosa caesalpinifolia</i> leaves can reduce the <i>Haemonchus contortus</i> worm burden of goats. <i>Veterinary Parasitology</i> , 2018, 252, 47-51.	0.7	14
35	Effects of polyphenol removal methods on the in vitro exsheathment inhibitory activity of <i>Lysiloma latisiliquum</i> extracts against <i>Haemonchus contortus</i> larvae. <i>Natural Product Research</i> , 2018, 32, 508-513.	1.0	9
36	In vitro larvicidal and in vivo anthelmintic effects of <i>Oxalis tetraphylla</i> (Oxalidaceae) hydroalcoholic extract against <i>Haemonchus contortus</i> in lambs. <i>Journal of Helminthology</i> , 2018, 92, 309-316.	0.4	5

#	ARTICLE	IF	CITATIONS
37	Feed resource selection of Criollo goats artificially infected with <i>Haemonchus contortus</i> : nutritional wisdom and prophylactic self-medication. <i>Animal</i> , 2018, 12, 1269-1276.	1.3	21
38	The use of <sup>1</sup> H-NMR Metabolomics to Optimise the Extraction and Preliminary Identification of Anthelmintic Products from the Leaves of <i>Lysiloma latisiliquum</i> . <i>Phytochemical Analysis</i> , 2018, 29, 413-420.	1.2	16
39	An in vitro approach to evaluate the nutraceutical value of plant foliage against <i>Haemonchus contortus</i> . <i>Parasitology Research</i> , 2018, 117, 3979-3991.	0.6	22
40	Condensed tannin intake and sheep performance: A meta-analysis on voluntary intake and live weight change. <i>Animal Feed Science and Technology</i> , 2018, 245, 67-76.	1.1	19
41	Simpler intake estimation using direct observation in small ruminants: grouping bites by plant structure and morphology. <i>BMC Research Notes</i> , 2018, 11, 453.	0.6	2
42	Comparing body condition score and FAMACHA© to identify hair-sheep ewes with high faecal egg counts of gastrointestinal nematodes in farms under hot tropical conditions. <i>Small Ruminant Research</i> , 2018, 167, 92-99.	0.6	15
43	Influence of the physiological stage of Blackbelly sheep on immunological behaviour against gastrointestinal nematodes. <i>Experimental Parasitology</i> , 2018, 193, 20-26.	0.5	11
44	Feed resource selection of Criollo goats is the result of an interaction between plant resources, condensed tannins and <i>Haemonchus contortus</i> infection. <i>Applied Animal Behaviour Science</i> , 2018, 208, 49-55.	0.8	9
45	Feed resource selection by Criollo goats browsing a tropical deciduous forest. <i>Animal Production Science</i> , 2018, 58, 2314.	0.6	17
46	Do goats have a salivary constitutive response to tannins?. <i>Journal of Applied Animal Research</i> , 2017, 45, 29-34.	0.4	21
47	Gastrointestinal nematode populations with multiple anthelmintic resistance in sheep farms from the hot humid tropics of Mexico. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2017, 9, 29-33.	0.3	14
48	Phenotypic expression of parasite susceptibility to <i>Haemonchus contortus</i> in Pelibuey sheep. <i>Veterinary Parasitology</i> , 2017, 239, 57-61.	0.7	12
49	Susceptibility of ten <i>Haemonchus contortus</i> isolates from different geographical origins towards acetone:water extracts of polyphenol-rich plants. Part 2: Infective L3 larvae. <i>Veterinary Parasitology</i> , 2017, 240, 11-16.	0.7	27
50	Comparing the phenotypic susceptibility of Pelibuey and Katahdin female lambs against natural gastrointestinal nematode infections under hot humid tropical conditions. <i>Parasitology Research</i> , 2017, 116, 1627-1636.	0.6	12
51	Cytokine and antioxidant gene profiles from peripheral blood mononuclear cells of Pelibuey lambs after <i>Haemonchus contortus</i> infection. <i>Parasite Immunology</i> , 2017, 39, e12427.	0.7	8
52	Plant products and secondary metabolites with acaricide activity against ticks. <i>Veterinary Parasitology</i> , 2017, 238, 66-76.	0.7	56
53	Consumption of nutritional pellets with <i>Duddingtonia flagrans</i> fungal chlamyospores reduces infective nematode larvae of <i>Haemonchus contortus</i> in faeces of Saint Croix lambs. <i>Journal of Helminthology</i> , 2017, 91, 665-671.	0.4	26
54	Is there a negative association between the content of condensed tannins, total phenols, and total tannins of tropical plant extracts and in vitro anthelmintic activity against <i>Haemonchus contortus</i> eggs?. <i>Parasitology Research</i> , 2017, 116, 3341-3348.	0.6	15

#	ARTICLE	IF	CITATIONS
55	Age of <i>Haemonchus contortus</i> third stage infective larvae is a factor influencing the in vitro assessment of anthelmintic properties of tannin containing plant extracts. <i>Veterinary Parasitology</i> , 2017, 243, 130-134.	0.7	15
56	Gastrointestinal nematode infection does not affect selection of tropical foliage by goats in a cafeteria trial. <i>Tropical Animal Health and Production</i> , 2017, 49, 97-104.	0.5	15
57	Potential economic impact assessment for cattle parasites in Mexico. Review. <i>Revista Mexicana De Ciencias Pecuarias</i> , 2017, 8, 61-74.	0.1	124
58	Interactions Between Nutrition and Infections With <i>Haemonchus contortus</i> and Related Gastrointestinal Nematodes in Small Ruminants. <i>Advances in Parasitology</i> , 2016, 93, 239-351.	1.4	88
59	Presence of <i>Toxoplasma gondii</i> in Pork Intended for Human Consumption in Tropical Southern Mexico. <i>Foodborne Pathogens and Disease</i> , 2016, 13, 695-699.	0.8	15
60	Evaluation of different models to segregate Pelibuey and Katahdin ewes into resistant or susceptible to gastrointestinal nematodes. <i>Tropical Animal Health and Production</i> , 2016, 48, 1517-1524.	0.5	9
61	Relationship between intake of tannin-containing tropical tree forage, PEC supplementation, and salivary haze development in hair sheep and goats. <i>Biochemical Systematics and Ecology</i> , 2016, 68, 101-108.	0.6	10
62	In vitro susceptibility of ten <i>Haemonchus contortus</i> isolates from different geographical origins towards acetone:water extracts of two tannin rich plants. <i>Veterinary Parasitology</i> , 2016, 217, 53-60.	0.7	51
63	Reduction of benzimidazole resistance in established <i>Haemonchus contortus</i> populations in goats using a single infection with a benzimidazole-susceptible isolate. <i>Journal of Helminthology</i> , 2015, 89, 641-645.	0.4	2
64	Comparing different maize supplementation strategies to improve resilience and resistance against gastrointestinal nematode infections in browsing goats. <i>Parasite</i> , 2015, 22, 19.	0.8	21
65	Parasitic Zoonoses in Humans and Their Dogs from a Rural Community of Tropical Mexico. <i>Journal of Tropical Medicine</i> , 2015, 2015, 1-6.	0.6	12
66	Use of Ivermectin as Endoparasiticide in Tropical Cattle Herds Generates Resistance in Gastrointestinal Nematodes and the Tick <i>Rhipicephalus microplus</i> (Acari: Ixodidae). <i>Journal of Medical Entomology</i> , 2015, 52, 214-221.	0.9	28
67	Tannin containing legumes as a model for nutraceuticals against digestive parasites in livestock. <i>Veterinary Parasitology</i> , 2015, 212, 5-17.	0.7	178
68	Evaluation of a targeted selective treatment scheme to control gastrointestinal nematodes of hair sheep under hot humid tropical conditions. <i>Small Ruminant Research</i> , 2015, 127, 86-91.	0.6	18
69	FAMACHA© system assessment by previously trained sheep and goat farmers in Brazil. <i>Veterinary Parasitology</i> , 2015, 209, 202-209.	0.7	19
70	<i>Duddingtonia flagrans</i> chlamydospores in nutritional pellets: effect of storage time and conditions on the trapping ability against <i>Haemonchus contortus</i> larvae. <i>Journal of Helminthology</i> , 2015, 89, 13-18.	0.4	20
71	A tannin-blocking agent does not modify the preference of sheep towards tannin-containing plants. <i>Physiology and Behavior</i> , 2015, 145, 106-111.	1.0	5
72	Feeding behavior of sheep and goats in a deciduous tropical forest during the dry season: The same menu consumed differently. <i>Small Ruminant Research</i> , 2015, 133, 128-134.	0.6	49

#	ARTICLE	IF	CITATIONS
73	Frequency of cattle farms with ivermectin resistant gastrointestinal nematodes in Veracruz, Mexico. <i>Veterinary Parasitology</i> , 2015, 212, 439-443.	0.7	14
74	Anthelmintic activity of acetone-water extracts against <i>Haemonchus contortus</i> eggs: Interactions between tannins and other plant secondary compounds. <i>Veterinary Parasitology</i> , 2014, 206, 322-327.	0.7	78
75	Controlling the Introduction and Augmentation of Parasites in and on Domesticated Livestock. <i>Integrated Science &amp; Technology Program</i> , 2014, , 191-228.	0.7	4
76	Comparing the dynamics of <i>Toxoplasma gondii</i> seroconversion in growing sheep kept on raised slatted floor cages or floor pens in Yucatan, Mexico. <i>Small Ruminant Research</i> , 2014, 121, 400-403.	0.6	4
77	Building a combined targeted selective treatment scheme against gastrointestinal nematodes in tropical goats. <i>Small Ruminant Research</i> , 2014, 121, 27-35.	0.6	25
78	Susceptibility of hair sheep ewes to nematode parasitism during pregnancy and lactation in a selective anthelmintic treatment scheme under tropical conditions. <i>Research in Veterinary Science</i> , 2014, 96, 487-492.	0.9	22
79	Red deer ( <i>Cervus elaphus</i> ) as a host for the cattle tick <i>Rhipicephalus microplus</i> (Acari: Ixodidae) in Yucatan, Mexico. <i>Experimental and Applied Acarology</i> , 2013, 60, 543-552.	0.7	12
80	The onset of puberty of Pelibuey male hair sheep is not delayed by the short term consumption of <i>Morus alba</i> or <i>Hibiscus rosa-sinensis</i> foliage. <i>Livestock Science</i> , 2013, 157, 378-383.	0.6	3
81	Scanning electron microscopy of <i>Haemonchus contortus</i> exposed to tannin-rich plants under in vivo and in vitro conditions. <i>Experimental Parasitology</i> , 2013, 133, 281-286.	0.5	99
82	Tropical tannin-rich fodder intake modifies saliva-binding capacity in growing sheep. <i>Animal</i> , 2013, 7, 1921-1924.	1.3	16
83	In cafeteria trials with tannin rich plants, tannins do not modify foliage preference of goats with browsing experience. <i>Ethology Ecology and Evolution</i> , 2012, 24, 332-343.	0.6	17
84	Maize supplementation of Pelibuey sheep in a silvopastoral system: fodder selection, nutrient intake and resilience against gastrointestinal nematodes. <i>Animal</i> , 2012, 6, 145-153.	1.3	24
85	In vivo anthelmintic activity of <i>Phytolacca icosandra</i> against <i>Haemonchus contortus</i> in goats. <i>Veterinary Parasitology</i> , 2012, 189, 284-290.	0.7	15
86	Anthelmintic resistance in sheep farms: Update of the situation in the American continent. <i>Veterinary Parasitology</i> , 2012, 189, 89-96.	0.7	140
87	Effects of <i>Havardia albicans</i> supplementation on feed consumption and dry matter digestibility of sheep and the biology of <i>Haemonchus contortus</i> . <i>Animal Feed Science and Technology</i> , 2012, 176, 178-184.	1.1	27
88	Short term consumption of <i>Havardia albicans</i> tannin rich fodder by sheep: Effects on feed intake, diet digestibility and excretion of <i>Haemonchus contortus</i> eggs. <i>Animal Feed Science and Technology</i> , 2012, 176, 185-191.	1.1	29
89	Using plant bioactive materials to control gastrointestinal tract helminths in livestock. <i>Animal Feed Science and Technology</i> , 2012, 176, 192-201.	1.1	43
90	Nutritional manipulation of sheep and goats for the control of gastrointestinal nematodes under hot humid and subhumid tropical conditions. <i>Small Ruminant Research</i> , 2012, 103, 28-40.	0.6	50

#	ARTICLE	IF	CITATIONS
91	Amino acid profile of the protein from whole saliva of goats and sheep and its interaction with tannic acid and tannins extracted from the fodder of tropical plants. <i>Small Ruminant Research</i> , 2012, 103, 69-74.	0.6	33
92	Prevalence of cattle herds with ivermectin resistant nematodes in the hot sub-humid tropics of Mexico. <i>Veterinary Parasitology</i> , 2012, 183, 292-298.	0.7	27
93	Direct and indirect effects of bioactive tannin-rich tropical and temperate legumes against nematode infections. <i>Veterinary Parasitology</i> , 2012, 186, 18-27.	0.7	167
94	Research and implementation of novel approaches for the control of nematode parasites in Latin America and the Caribbean: Is there sufficient incentive for a greater extension effort?. <i>Veterinary Parasitology</i> , 2012, 186, 132-142.	0.7	36
95	Novel approaches for the control of helminth parasites of livestock VI: Summary of discussions and conclusions. <i>Veterinary Parasitology</i> , 2012, 186, 143-149.	0.7	40
96	Control of Endoparasitic Nematode Infections in Goats. <i>Veterinary Clinics of North America - Food Animal Practice</i> , 2011, 27, 163-173.	0.5	33
97	In vitro acaricidal effect of tannin-rich plants against the cattle tick <i>Rhipicephalus (Boophilus) microplus</i> (Acari: Ixodidae). <i>Veterinary Parasitology</i> , 2011, 175, 113-118.	0.7	41
98	Persistence of the efficacy of copper oxide wire particles against <i>Haemonchus contortus</i> in sheep. <i>Veterinary Parasitology</i> , 2011, 176, 201-207.	0.7	18
99	Challenges of nematode control in ruminants: Focus on Latin America. <i>Veterinary Parasitology</i> , 2011, 180, 126-132.	0.7	67
100	Comparing the sensitivity of two in vitro assays to evaluate the anthelmintic activity of tropical tannin rich plant extracts against <i>Haemonchus contortus</i> . <i>Veterinary Parasitology</i> , 2011, 181, 360-364.	0.7	43
101	Ovicidal and larvicidal activity of the crude extracts from <i>Phytolacca icosandra</i> against <i>Haemonchus contortus</i> . <i>Veterinary Parasitology</i> , 2011, 179, 100-106.	0.7	50
102	Non chemical control of helminths in ruminants: Adapting solutions for changing worms in a changing world. <i>Veterinary Parasitology</i> , 2011, 180, 144-154.	0.7	138
103	Tannins in tropical tree fodders fed to small ruminants: A friendly foe?. <i>Small Ruminant Research</i> , 2010, 89, 164-173.	0.6	72
104	Effect of a tropical tannin-rich plant <i>Lysiloma latisiliquum</i> on adult populations of <i>Haemonchus contortus</i> in sheep. <i>Veterinary Parasitology</i> , 2010, 172, 283-290.	0.7	70
105	Adaptation of <i>Haemonchus contortus</i> to condensed tannins: can it be possible?. <i>Archivos De Medicina Veterinaria</i> , 2010, 42, .	0.2	20
106	Digestibility of <i>Duddingtonia flagrans</i> chlamydospores in ruminants: in vitro and in vivo studies. <i>BMC Veterinary Research</i> , 2009, 5, 46.	0.7	29
107	Sheep preference for different tanniferous tree fodders and its relationship with in vitro gas production and digestibility. <i>Animal Feed Science and Technology</i> , 2009, 151, 75-85.	1.1	23
108	Nutritionâ€“parasite interactions in goats: is immunoregulation involved in the control of gastrointestinal nematodes?. <i>Parasite Immunology</i> , 2008, 30, 79-88.	0.7	83

#	ARTICLE	IF	CITATIONS
109	A technique for the quantification of <i>Duddingtonia flagrans</i> chlamyospores in sheep faeces. <i>Veterinary Parasitology</i> , 2008, 152, 339-343.	0.7	20
110	Effects of four tropical tanniferous plant extracts on the inhibition of larval migration and the exsheathment process of <i>Trichostrongylus colubriformis</i> infective stage. <i>Veterinary Parasitology</i> , 2008, 153, 187-192.	0.7	58
111	In vitro larval migration and kinetics of exsheathment of <i>Haemonchus contortus</i> larvae exposed to four tropical tanniferous plant extracts. <i>Veterinary Parasitology</i> , 2008, 153, 313-319.	0.7	86
112	Effect of the consumption of <i>Lysiloma latisiliquum</i> on the larval establishment of gastrointestinal nematodes in goats. <i>Veterinary Parasitology</i> , 2008, 157, 81-88.	0.7	66
113	Assessing the efficacy of <i>Duddingtonia flagrans</i> chlamyospores per gram of faeces to control <i>Haemonchus contortus</i> larvae. <i>Veterinary Parasitology</i> , 2008, 158, 329-335.	0.7	27
114	Is goats' preference of forage trees affected by their tannin or fiber content when offered in cafeteria experiments?. <i>Animal Feed Science and Technology</i> , 2008, 141, 36-48.	1.1	60
115	Alternative or improved methods to limit gastro-intestinal parasitism in grazing sheep and goats. <i>Small Ruminant Research</i> , 2008, 77, 159-173.	0.6	161
116	Combining the effects of supplementary feeding and copper oxide needles for the control of gastrointestinal nematodes in browsing goats. <i>Veterinary Parasitology</i> , 2007, 146, 66-76.	0.7	44
117	Effect of electro-ejaculation on the serum cortisol response of Criollo goats ( <i>Capra hircus</i> ). <i>Small Ruminant Research</i> , 2007, 69, 228-231.	0.6	23
118	The effect of supplementary feeding in browsing Criollo kids and hair sheep naturally infected with gastrointestinal nematodes. <i>BSAP Occasional Publication</i> , 2006, 34, 261-278.	0.0	0
119	Improving resilience against natural gastrointestinal nematode infections in browsing kids during the dry season in tropical Mexico. <i>Veterinary Parasitology</i> , 2006, 135, 163-173.	0.7	35
120	Exploiting the effect of dietary supplementation of small ruminants on resilience and resistance against gastrointestinal nematodes. <i>Veterinary Parasitology</i> , 2006, 139, 385-393.	0.7	68
121	Effect of a sustained-release intra-ruminal sulfamethazine bolus on <i>Eimeria</i> spp. oocyst output and weight gain of naturally infected lambs in the Mexican tropics. <i>Small Ruminant Research</i> , 2006, 63, 242-248.	0.6	4
122	Effects of four tanniferous plant extracts on their in vitro exsheathment of third-stage larvae of parasitic nematodes. <i>Parasitology</i> , 2006, 132, 545-554.	0.7	100
123	Comparing different formulae to test for gastrointestinal nematode resistance to benzimidazoles in smallholder goat farms in Mexico. <i>Veterinary Parasitology</i> , 2005, 134, 241-248.	0.7	12
124	Interactions between nutrition and gastrointestinal infections with parasitic nematodes in goats. <i>Small Ruminant Research</i> , 2005, 60, 141-151.	0.6	113
125	Evaluating the effectiveness of a Mexican strain of <i>Duddingtonia flagrans</i> as a biological control agent against gastrointestinal nematodes in goat faeces. <i>Journal of Helminthology</i> , 2005, 79, 151-157.	0.4	13
126	Prevalence, abundance and risk factors of liver fluke ( <i>Platynosomum concinnum</i> ) infection in cats in Mexico. <i>Veterinary Record</i> , 2004, 154, 693-694.	0.2	18



#	ARTICLE	IF	CITATIONS
127	The effect of supplementary feeding on the resilience and resistance of browsing Criollo kids against natural gastrointestinal nematode infections during the rainy season in tropical Mexico. <i>Veterinary Parasitology</i> , 2004, 124, 217-238.	0.7	51
128	Serological survey of caprine arthritis-encephalitis virus in 83 goat herds of Yucatan, Mexico. <i>Small Ruminant Research</i> , 2003, 49, 207-211.	0.6	21
129	Prevalence of benzimidazole resistant nematodes in sheep flocks in Yucatan, Mexico. <i>Veterinary Parasitology</i> , 2003, 114, 33-42.	0.7	23
130	Detection of <i>Oestrus ovis</i> and associated risk factors in sheep from the central region of Yucatan, Mexico. <i>Veterinary Parasitology</i> , 2000, 88, 73-78.	0.7	24
131	Duration of activity of oral moxidectin againsts <i>Hoemonchus contortus</i> , <i>Teladorsagia circumcincta</i> and <i>Trichostrongylus colubriformis</i> in goats. <i>Veterinary Record</i> , 1999, 144, 648-649.	0.2	18
132	In vitro anthelmintic activity of extracts from coffee pulp waste, maize comb waste and <i>Digitaria eriantha</i> S. hay alone or mixed, against <i>Haemonchus contortus</i> . <i>Waste and Biomass Valorization</i> , 0, , 1.	1.8	1