## Yutong Han

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8965184/publications.pdf

Version: 2024-02-01

394390 677123 1,478 22 19 22 h-index citations g-index papers 22 22 22 1416 times ranked all docs docs citations citing authors

#	Article	IF	Citations
1	Design of Hetero-Nanostructures on MoS <sub>2</sub> Nanosheets To Boost NO <sub>2</sub> Room-Temperature Sensing. ACS Applied Materials & Interfaces, 2018, 10, 22640-22649.	8.0	199
2	An ultrasensitive NO <sub>2</sub> gas sensor based on a hierarchical Cu <sub>2</sub> O/CuO mesocrystal nanoflower. Journal of Materials Chemistry A, 2018, 6, 17120-17131.	10.3	122
3	Enhanced formaldehyde detection based on Ni doping of SnO 2 nanoparticles by one-step synthesis. Sensors and Actuators B: Chemical, 2018, 263, 120-128.	7.8	107
4	Interface engineered WS2/ZnS heterostructures for sensitive and reversible NO2 room temperature sensing. Sensors and Actuators B: Chemical, 2019, 296, 126666.	7.8	98
5	Ultrasensitive room temperature NO2 sensors based on liquid phase exfoliated WSe2 nanosheets. Sensors and Actuators B: Chemical, 2019, 300, 127013.	7.8	93
6	Controllable synthesis of heterostructured CuO–NiO nanotubes and their synergistic effect for glycol gas sensing. Sensors and Actuators B: Chemical, 2020, 304, 127347.	7.8	87
7	Two-dimensional Cd-doped porous Co3O4 nanosheets for enhanced room-temperature NO2 sensing performance. Sensors and Actuators B: Chemical, 2020, 305, 127393.	7.8	87
8	Sonochemical synthesis of hierarchical WO3 flower-like spheres for highly efficient triethylamine detection. Sensors and Actuators B: Chemical, 2020, 306, 127536.	7.8	75
9	Controllable synthesis of crescent-shaped porous NiO nanoplates for conductometric ethanol gas sensors. Sensors and Actuators B: Chemical, 2019, 296, 126642.	7.8	74
10	Glucose-assisted synthesis of hierarchical flower-like Co3O4 nanostructures assembled by porous nanosheets for enhanced acetone sensing. Sensors and Actuators B: Chemical, 2019, 288, 699-706.	7.8	66
11	Two-dimensional MoSe <sub>2</sub> nanosheets via liquid-phase exfoliation for high-performance room temperature NO <sub>2</sub> gas sensors. Nanotechnology, 2019, 30, 445503.	2.6	63
12	Ag-Modified 3D Reduced Graphene Oxide Aerogel-Based Sensor with an Embedded Microheater for a Fast Response and High-Sensitive Detection of NO <sub>2</sub> . ACS Applied Materials & mp; Interfaces, 2020, 12, 25243-25252.	8.0	56
13	Glucose-assisted synthesis of hierarchical NiO-ZnO heterostructure with enhanced glycol gas sensing performance. Sensors and Actuators B: Chemical, 2021, 329, 129167.	7.8	56
14	Hierarchical WS <sub>2</sub> –WO <sub>3</sub> Nanohybrids with P–N Heterojunctions for NO <sub>2</sub> Detection. ACS Applied Nano Materials, 2021, 4, 1626-1634.	5.0	56
15	MoO <sub>3</sub> /TiO <sub>2</sub> /Ti <sub>3</sub> C <sub>2</sub> T <sub><i>x</i></sub> nanocomposite based gas sensors for highly sensitive and selective isopropanol detection at room temperature. Journal of Materials Chemistry A, 2022, 10, 8283-8292.	10.3	54
16	A Novel Artificial Neuron-Like Gas Sensor Constructed from CuS Quantum Dots/Bi2S3 Nanosheets. Nano-Micro Letters, 2022, 14, 8.	27.0	53
17	Wearable NO2 sensing and wireless application based on ZnS nanoparticles/nitrogen-doped reduced graphene oxide. Sensors and Actuators B: Chemical, 2021, 345, 130423.	7.8	44
18	Highly sensitive NO <sub>2</sub> gas sensors based on hexagonal SnS <sub>2</sub> nanoplates operating at room temperature. Nanotechnology, 2020, 31, 075501.	2.6	30

## YUTONG HAN

#	Article	IF	CITATION
19	Linear humidity response of carbon dot-modified molybdenum disulfide. Physical Chemistry Chemical Physics, 2018, 20, 4083-4091.	2.8	25
20	Enhanced dimethyl methylphosphonate detection based on two-dimensional WSe <sub>2</sub> nanosheets at room temperature. Analyst, The, 2020, 145, 8059-8067.	3.5	21
21	Single-Nanowire Fuse for Ionization Gas Detection. Sensors, 2019, 19, 4358.	3.8	10
22	A Unique Ionization Gas Sensor With Extraordinary Susceptibility of Sub-1-Volt. IEEE Sensors Journal, 2020, 20, 3423-3428.	4.7	2