

Mizuki Yamamoto

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8967323/mizuki-yamamoto-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

24
papers

842
citations

12
h-index

28
g-index

28
ext. papers

1,052
ext. citations

6.7
avg, IF

4
L-index

#	Paper	IF	Citations
24	Identification of Nafamostat as a Potent Inhibitor of Middle East Respiratory Syndrome Coronavirus S Protein-Mediated Membrane Fusion Using the Split-Protein-Based Cell-Cell Fusion Assay. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 6532-6539	5.9	238
23	The Anticoagulant Nafamostat Potently Inhibits SARS-CoV-2 S Protein-Mediated Fusion in a Cell Fusion Assay System and Viral Infection In Vitro in a Cell-Type-Dependent Manner. <i>Viruses</i> , 2020 , 12,	6.2	135
22	NF- κ B non-cell-autonomously regulates cancer stem cell populations in the basal-like breast cancer subtype. <i>Nature Communications</i> , 2013 , 4, 2299	17.4	131
21	Inactivation of NF- κ B components by covalent binding of (-)-dehydroxymethylepoxyquinomicin to specific cysteine residues. <i>Journal of Medicinal Chemistry</i> , 2008 , 51, 5780-8	8.3	105
20	A method of producing genetically manipulated mouse mammary gland. <i>Breast Cancer Research</i> , 2019 , 21, 1	8.3	32
19	Epigenetic alteration of the NF- κ B-inducing kinase (NIK) gene is involved in enhanced NIK expression in basal-like breast cancer. <i>Cancer Science</i> , 2010 , 101, 2391-7	6.9	31
18	Fbxo22-mediated KDM4B degradation determines selective estrogen receptor modulator activity in breast cancer. <i>Journal of Clinical Investigation</i> , 2018 , 128, 5603-5619	15.9	26
17	Enhanced expression of retinoic acid receptor alpha (RARA) induces epithelial-to-mesenchymal transition and disruption of mammary acinar structures. <i>Molecular Oncology</i> , 2015 , 9, 355-64	7.9	22
16	Tropomodulin 1 expression driven by NF- κ B enhances breast cancer growth. <i>Cancer Research</i> , 2015 , 75, 62-72	10.1	22
15	Cell-cell and virus-cell fusion assay-based analyses of alanine insertion mutants in the distal β portion of the JRFL gp41 subunit from HIV-1. <i>Journal of Biological Chemistry</i> , 2019 , 294, 5677-5687	5.4	16
14	Intratumoral bidirectional transitions between epithelial and mesenchymal cells in triple-negative breast cancer. <i>Cancer Science</i> , 2017 , 108, 1210-1222	6.9	15
13	Discovery of New Fusion Inhibitor Peptides against SARS-CoV-2 by Targeting the Spike S2 Subunit. <i>Biomolecules and Therapeutics</i> , 2021 , 29, 282-289	4.2	13
12	Small Molecule Inhibitors of Middle East Respiratory Syndrome Coronavirus Fusion by Targeting Cavities on Heptad Repeat Trimers. <i>Biomolecules and Therapeutics</i> , 2020 , 28, 311-319	4.2	10
11	TRAF6 maintains mammary stem cells and promotes pregnancy-induced mammary epithelial cell expansion. <i>Communications Biology</i> , 2019 , 2, 292	6.7	9
10	The anticoagulant nafamostat potently inhibits SARS-CoV-2 infection in vitro: an existing drug with multiple possible therapeutic effects		9
9	TNF receptor-associated factor 6 (TRAF6) plays crucial roles in multiple biological systems through polyubiquitination-mediated NF- κ B activation. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2021 , 97, 145-160	4	6
8	SARS-CoV-2 Omicron spike H655Y mutation is responsible for enhancement of the endosomal entry pathway and reduction of cell surface entry pathways		5

7	The Antimalarial Compound Atovaquone Inhibits Zika and Dengue Virus Infection by Blocking E Protein-Mediated Membrane Fusion. <i>Viruses</i> , 2020 , 12,	6.2	4
6	Discovery of New Potent anti-MERS CoV Fusion Inhibitors. <i>Frontiers in Pharmacology</i> , 2021 , 12, 685161	5.6	4
5	Six-helix bundle completion in the distal C-terminal heptad repeat region of gp41 is required for efficient human immunodeficiency virus type 1 infection. <i>Retrovirology</i> , 2018 , 15, 27	3.6	3
4	The membrane-linked adaptor FRS2 β fashions a cytokine-rich inflammatory microenvironment that promotes breast cancer carcinogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	2
3	Metalloproteinase-dependent and TMPRSS2-independent cell surface entry pathway of SARS-CoV-2 requires the furin-cleavage site and the S2 domain of spike protein		1
2	-(4-Hydroxyphenyl) Retinamide Suppresses SARS-CoV-2 Spike Protein-Mediated Cell-Cell Fusion by a Dihydroceramide Δ -Desaturase 1-Independent Mechanism. <i>Journal of Virology</i> , 2021 , 95, e0080721	6.6	1
1	Signaling Networks Involved in the Malignant Transformation of Breast Cancer. <i>Springer Proceedings in Mathematics and Statistics</i> , 2021 , 242-252	0.2	