

Ariane Briegel

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8968376/ariane-briegel-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

81
papers

3,333
citations

29
h-index

57
g-index

107
ext. papers

4,256
ext. citations

7.9
avg, IF

5.2
L-index

#	Paper	IF	Citations
81	UVC inactivation of pathogenic samples suitable for cryo-EM analysis.. <i>Communications Biology</i> , 2022 , 5, 29	6.7	2
80	How advances in cryo-electron tomography have contributed to our current view of bacterial cell biology.. <i>Journal of Structural Biology: X</i> , 2022 , 6, 100065	2.9	2
79	The VarA-CsrA regulatory pathway influences cell shape in <i>Vibrio cholerae</i> .. <i>PLoS Genetics</i> , 2022 , 18, e1010143	10.1	0
78	Formation of wall-less cells in <i>Kitasatospora viridifaciens</i> requires cytoskeletal protein FilP in oxygen-limiting conditions. <i>Molecular Microbiology</i> , 2021 , 115, 1181-1190	4.1	3
77	Microbial hitchhiking: how <i>Streptomyces</i> spores are transported by motile soil bacteria. <i>ISME Journal</i> , 2021 , 15, 2591-2600	11.9	6
76	Loss of the Bacterial Flagellar Motor Switch Complex upon Cell Lysis. <i>MBio</i> , 2021 , 12, e0029821	7.8	1
75	Intermicrobial Hitchhiking: How Nonmotile Microbes Leverage Communal Motility. <i>Trends in Microbiology</i> , 2021 , 29, 542-550	12.4	4
74	Cell wall deficiency as an escape mechanism from phage infection. <i>Open Biology</i> , 2021 , 11, 210199	7	2
73	Mathematical Mirroring for Identification of Local Symmetry Centers in Microscopic Images Local Symmetry Detection in FIJI. <i>Microscopy and Microanalysis</i> , 2020 , 26, 978-988	0.5	
72	The chemosensory systems of <i>Vibrio cholerae</i> . <i>Molecular Microbiology</i> , 2020 , 114, 367-376	4.1	8
71	Repurposing a chemosensory macromolecular machine. <i>Nature Communications</i> , 2020 , 11, 2041	17.4	14
70	Species-Specific Recognition of Mediated by UV-Inducible Pili and S-Layer Glycosylation Patterns. <i>MBio</i> , 2020 , 11,	7.8	7
69	Isolation and Characterization of Phage Thanatos Infecting and Lysing and Promoting Nascent Biofilm Formation. <i>Frontiers in Microbiology</i> , 2020 , 11, 573260	5.7	3
68	Teichoic acids anchor distinct cell wall lamellae in an apically growing bacterium. <i>Communications Biology</i> , 2020 , 3, 314	6.7	7
67	Atypical chemoreceptor arrays accommodate high membrane curvature. <i>Nature Communications</i> , 2020 , 11, 5763	17.4	8
66	Polysaccharide length affects mycobacterial cell shape and antibiotic susceptibility. <i>Science Advances</i> , 2020 , 6,	14.3	5
65	Regulation of the chemotaxis histidine kinase CheA: A structural perspective. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2020 , 1862, 183030	3.8	18

64	Diversity of Bacterial Chemosensory Arrays. <i>Trends in Microbiology</i> , 2020 , 28, 68-80	12.4	18
63	An Economical, Portable Manual Cryogenic Plunge Freezer for the Preparation of Vitrified Biological Samples for Cryogenic Electron Microscopy. <i>Microscopy and Microanalysis</i> , 2020 , 26, 413-418	0.5	0
62	βproteobacteria eject their polar flagella under nutrient depletion, retaining flagellar motor relic structures. <i>PLoS Biology</i> , 2019 , 17, e3000165	9.7	49
61	Stress-induced adaptive morphogenesis in bacteria. <i>Advances in Microbial Physiology</i> , 2019 , 74, 97-141	4.4	15
60	Periplasmic Protein EipB Is a Molecular Determinant of Cell Envelope Integrity and Virulence. <i>Journal of Bacteriology</i> , 2019 , 201,	3.5	5
59	Structural and Proteomic Changes in Viable but Non-culturable. <i>Frontiers in Microbiology</i> , 2019 , 10, 793	5.7	24
58	Conformational Changes of the Escherichia coli Serine Chemoreceptor in Different Signaling States. <i>MBio</i> , 2019 , 10,	7.8	20
57	The presence and absence of periplasmic rings in bacterial flagellar motors correlates with stator type. <i>ELife</i> , 2019 , 8,	8.9	22
56	Distinct Chemotaxis Protein Paralogs Assemble into Chemoreceptor Signaling Arrays To Coordinate Signaling Output. <i>MBio</i> , 2019 , 10,	7.8	6
55	Bacterial and Archaeal Cell Structure 2019 ,		2
54	Periplasmic protein EipA determines envelope stress resistance and virulence in <i>Brucella abortus</i> . <i>Molecular Microbiology</i> , 2019 , 111, 637-661	4.1	10
53	Use of Cryo-EM to Study the Structure of Chemoreceptor Arrays In Vivo. <i>Methods in Molecular Biology</i> , 2018 , 1729, 173-185	1.4	1
52	An Open-Source Storage Solution for Cryo-Electron Microscopy Samples. <i>Microscopy and Microanalysis</i> , 2018 , 24, 60-63	0.5	1
51	Chemotaxis arrays in species and their intracellular positioning by the ParC/ParP system. <i>Journal of Bacteriology</i> , 2018 , 200, e00793-17	3.5	15
50	New Insights Into Bacterial Chemoreceptor Array From Electron Cryotomography. <i>Microscopy and Microanalysis</i> , 2018 , 24, 1336-1337	0.5	
49	Baseplate variability of chemoreceptor arrays. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 13365-13370	11.5	17
48	Stress-induced formation of cell wall-deficient cells in filamentous actinomycetes. <i>Nature Communications</i> , 2018 , 9, 5164	17.4	24
47	Progress and Potential of Electron Cryotomography as Illustrated by Its Application to Bacterial Chemoreceptor Arrays. <i>Annual Review of Biophysics</i> , 2017 , 46, 1-21	21.1	16

46	Short FtsZ filaments can drive asymmetric cell envelope constriction at the onset of bacterial cytokinesis. <i>EMBO Journal</i> , 2017 , 36, 1577-1589	13	41
45	Recent advances and future prospects in bacterial and archaeal locomotion and signal transduction. <i>Journal of Bacteriology</i> , 2017 , 199, e00203-17	3.5	22
44	Uncharacterized Bacterial Structures Revealed by Electron Cryotomography. <i>Journal of Bacteriology</i> , 2017 , 199,	3.5	29
43	LytM factors affect the recruitment of autolysins to the cell division site in <i>Caulobacter crescentus</i> . <i>Molecular Microbiology</i> , 2017 , 106, 419-438	4.1	17
42	His-Tag-Mediated Dimerization of Chemoreceptors Leads to Assembly of Functional Nanoarrays. <i>Biochemistry</i> , 2017 , 56, 5874-5885	3.2	11
41	Morphology of the archaeellar motor and associated cytoplasmic cone in. <i>EMBO Reports</i> , 2017 , 18, 1660-1670	3.0	28
40	Coupling chemosensory array formation and localization. <i>ELife</i> , 2017 , 6,	8.9	23
39	Chemotaxis cluster 1 proteins form cytoplasmic arrays in <i>Vibrio cholerae</i> and are stabilized by a double signaling domain receptor DosM. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 10412-7	11.5	31
38	Phylogenomic analysis of Candidatus <i>Uzimaplasma</i> species: free-living representatives from a Tenericutes clade found in methane seeps. <i>ISME Journal</i> , 2016 , 10, 2679-2692	11.9	51
37	Structural conservation of chemotaxis machinery across Archaea and Bacteria. <i>Environmental Microbiology Reports</i> , 2015 , 7, 414-9	3.7	67
36	Structural asymmetry in a conserved signaling system that regulates division, replication, and virulence of an intracellular pathogen. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, E3709-18	11.5	43
35	New insights into bacterial chemoreceptor array structure and assembly from electron cryotomography. <i>Biochemistry</i> , 2014 , 53, 1575-85	3.2	62
34	Structure of bacterial cytoplasmic chemoreceptor arrays and implications for chemotactic signaling. <i>ELife</i> , 2014 , 3, e02151	8.9	73
33	The mobility of two kinase domains in the <i>Escherichia coli</i> chemoreceptor array varies with signalling state. <i>Molecular Microbiology</i> , 2013 , 89, 831-41	4.1	45
32	The challenge of determining handedness in electron tomography and the use of DNA origami gold nanoparticle helices as molecular standards. <i>Journal of Structural Biology</i> , 2013 , 183, 95-8	3.4	12
31	General protein diffusion barriers create compartments within bacterial cells. <i>Cell</i> , 2012 , 151, 1270-82	56.2	55
30	A multidomain hub anchors the chromosome segregation and chemotactic machinery to the bacterial pole. <i>Genes and Development</i> , 2012 , 26, 2348-60	12.6	118
29	Bacterial chemoreceptor arrays are hexagonally packed trimers of receptor dimers networked by rings of kinase and coupling proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 3766-71	11.5	188

28	Long helical filaments are not seen encircling cells in electron cryotomograms of rod-shaped bacteria. <i>Biochemical and Biophysical Research Communications</i> , 2011 , 407, 650-5	3.4	69
27	Activated chemoreceptor arrays remain intact and hexagonally packed. <i>Molecular Microbiology</i> , 2011 , 82, 748-57	4.1	34
26	Structural diversity of bacterial flagellar motors. <i>EMBO Journal</i> , 2011 , 30, 2972-81	13	214
25	DipM, a new factor required for peptidoglycan remodelling during cell division in <i>Caulobacter crescentus</i> . <i>Molecular Microbiology</i> , 2010 , 77, 90-107	4.1	61
24	Bactofilins, a ubiquitous class of cytoskeletal proteins mediating polar localization of a cell wall synthase in <i>Caulobacter crescentus</i> . <i>EMBO Journal</i> , 2010 , 29, 327-39	13	98
23	The metabolic enzyme CTP synthase forms cytoskeletal filaments. <i>Nature Cell Biology</i> , 2010 , 12, 739-46	23.4	188
22	Electron cryotomography of bacterial cells. <i>Journal of Visualized Experiments</i> , 2010 ,	1.6	12
21	Mutations in the Lipopolysaccharide biosynthesis pathway interfere with crescentin-mediated cell curvature in <i>Caulobacter crescentus</i> . <i>Journal of Bacteriology</i> , 2010 , 192, 3368-78	3.5	21
20	Correlated light and electron cryo-microscopy. <i>Methods in Enzymology</i> , 2010 , 481, 317-41	1.7	63
19	Universal architecture of bacterial chemoreceptor arrays. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 17181-6	11.5	244
18	Location and architecture of the <i>Caulobacter crescentus</i> chemoreceptor array. <i>Molecular Microbiology</i> , 2008 , 69, 30-41	4.1	102
17	A self-associating protein critical for chromosome attachment, division, and polar organization in <i>caulobacter</i> . <i>Cell</i> , 2008 , 134, 956-68	56.2	223
16	<i>Stygiolobus</i> rod-shaped virus and the interplay of crenarchaeal rudiviruses with the CRISPR antiviral system. <i>Journal of Bacteriology</i> , 2008 , 190, 6837-45	3.5	55
15	An improved cryogen for plunge freezing. <i>Microscopy and Microanalysis</i> , 2008 , 14, 375-9	0.5	205
14	<i>Ignicoccus hospitalis</i> and <i>Nanoarchaeum equitans</i> : ultrastructure, cell-cell interaction, and 3D reconstruction from serial sections of freeze-substituted cells and by electron cryotomography. <i>Archives of Microbiology</i> , 2008 , 190, 395-408	3	66
13	How electron cryotomography is opening a new window onto prokaryotic ultrastructure. <i>Current Opinion in Structural Biology</i> , 2007 , 17, 260-7	8.1	71
12	<i>Tetrasphaera remsis</i> sp. nov., isolated from the Regenerative Enclosed Life Support Module Simulator (REMS) air system. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007 , 57, 2749-2753	2.2	12
11	Multiple large filament bundles observed in <i>Caulobacter crescentus</i> by electron cryotomography. <i>Molecular Microbiology</i> , 2006 , 62, 5-14	4.1	96

10	Electron cryotomography sample preparation using the Vitrobot. <i>Nature Protocols</i> , 2006 , 1, 2813-9	18.8	145
9	The unique structure of archaeal <i>Halomicrobium</i> highly complex cell appendages with nano-grappling hooks. <i>Molecular Microbiology</i> , 2005 , 56, 361-70	4.1	83
8	Exploring the Inner Space of Cells by Cryoelectron-Tomography. <i>Microscopy and Microanalysis</i> , 2004 , 10, 152-153	0.5	1
7	Signal Extraction and Visualization of Biological Structures from Electron Tomograms. <i>Microscopy and Microanalysis</i> , 2003 , 9, 392-393	0.5	
6	Antibiotic action revealed by real-time imaging of the mycobacterial membrane		2
5	Microbial piggy-back: how <i>Streptomyces</i> spores are transported by motile soil bacteria		1
4	<i>Epiproteobacteria</i> eject their polar flagella under nutrient depletion, retaining flagellar motor relic structures		3
3	Structural and proteomic changes in viable but non-culturable <i>Vibrio cholerae</i>		1
2	Repurposing a macromolecular machine: Architecture and evolution of the F7 chemosensory system		2
1	Structure of the archaeal motor and associated cytoplasmic cone in <i>Thermococcus kodakaraensis</i>		1