

Hsin-Yi Yang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8968407/publications.pdf>

Version: 2024-02-01

14
papers

228
citations

1162367

8
h-index

1058022

14
g-index

14
all docs

14
docs citations

14
times ranked

407
citing authors

#	ARTICLE	IF	CITATIONS
1	Soy protein retards the progression of non-alcoholic steatohepatitis via improvement of insulin resistance and steatosis. <i>Nutrition</i> , 2011, 27, 943-948.	1.1	50
2	Beneficial effects of catechin-rich green tea and inulin on the body composition of overweight adults. <i>British Journal of Nutrition</i> , 2012, 107, 749-754.	1.2	45
3	Long-term administration of advanced glycation end-product stimulates the activation of NLRP3 inflammasome and sparking the development of renal injury. <i>Journal of Nutritional Biochemistry</i> , 2017, 39, 68-76.	1.9	40
4	Effects of soy protein on alcoholic liver disease in rats undergoing ethanol withdrawal. <i>Journal of Nutritional Biochemistry</i> , 2012, 23, 679-684.	1.9	18
5	Beneficial effects of Î²-conglycinin on renal function and nephrin expression in early streptozotocin-induced diabetic nephropathy rats. <i>British Journal of Nutrition</i> , 2014, 111, 78-85.	1.2	11
6	<i>Camellia Oleifera</i> Seed Extract Mildly Ameliorates Carbon Tetrachloride-Induced Hepatotoxicity in Rats by Suppressing Inflammation. <i>Journal of Food Science</i> , 2019, 84, 1586-1591.	1.5	11
7	Crude extract of <i>Camellia oleifera</i> pomace ameliorates the progression of non-alcoholic fatty liver disease via decreasing fat accumulation, insulin resistance and inflammation. <i>British Journal of Nutrition</i> , 2020, 123, 508-515.	1.2	11
8	Renoprotective Effects of Antroquinonol in Rats with Nitro-L-Arginine Methyl Ester-Induced Hypertension. <i>Nutrients</i> , 2018, 10, 1521.	1.7	9
9	<i>Hylocereus polyrhizus</i> Peel Extract Retards Alcoholic Liver Disease Progression by Modulating Oxidative Stress and Inflammatory Responses in C57BL/6 Mice. <i>Nutrients</i> , 2020, 12, 3884.	1.7	8
10	<i>Camellia oleifera</i> seed extract attenuated abdominal and hepatic fat accumulation in rats fed a high-fat diet. <i>Applied Physiology, Nutrition and Metabolism</i> , 2019, 44, 320-325.	0.9	7
11	Dehulled Adlay Consumption Modulates Blood Pressure in Spontaneously Hypertensive Rats and Overweight and Obese Young Adults. <i>Nutrients</i> , 2021, 13, 2305.	1.7	5
12	Diet containing dehulled adlay ameliorates hepatic steatosis, inflammation and insulin resistance in rats with non-alcoholic fatty liver disease. <i>British Journal of Nutrition</i> , 2022, 128, 369-376.	1.2	5
13	Consumption of Dehulled Adlay Improved Lipid Metabolism and Inflammation in Overweight and Obese Individuals after a 6-Week Single-Arm Pilot Study. <i>Nutrients</i> , 2022, 14, 2250.	1.7	5
14	Antroquinonol Attenuated Abdominal and Hepatic Fat Accumulation in Rats Fed an Obesogenic Diet. <i>Journal of Food Science</i> , 2019, 84, 2682-2687.	1.5	3