## Suryanarayana V Vulimiri

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8968691/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Health Effects of Naphthalene Exposure: A Systematic Evidence Map and Analysis of Potential Considerations for Dose–Response Evaluation. Environmental Health Perspectives, 2021, 129, 76002.	2.8	19
2	Application of systematic evidence mapping to assess the impact of new research when updating health reference values: A case example using acrolein. Environment International, 2020, 143, 105956.	4.8	16
3	Introduction: Special Issue on Transplacental/Transgenerational Mutagenesis and Carcinogenesis. Environmental and Molecular Mutagenesis, 2019, 60, 392-394.	0.9	0
4	Carcinogenicity of ethylene oxide: key findings and scientific issues. Toxicology Mechanisms and Methods, 2018, 28, 386-396.	1.3	47
5	A framework and case studies for evaluation of enzyme ontogeny in children's health risk evaluation. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2017, 80, 569-593.	1.1	5
6	Reproductive and Developmental Toxicity ofÂSolvents and Gases. , 2017, , 379-396.		4
7	Genotoxicity biomarkers. , 2014, , 729-742.		14
8	Laboratory to Community: Chemoprevention Is the Answer. Cancer Prevention Research, 2014, 7, 648-652.	0.7	6
9	Association of body burden of mercury with liver function test status in the U.S. population. Environment International, 2014, 70, 88-94.	4.8	18
10	The use of genetically modified mice in cancer risk assessment: Challenges and limitations. Critical Reviews in Toxicology, 2013, 43, 611-631.	1.9	24
11	Doseâ€response analysis of bromateâ€induced DNA damage and mutagenicity is consistent with lowâ€dose linear, nonthreshold processes. Environmental and Molecular Mutagenesis, 2013, 54, 19-35.	0.9	13
12	Reproductive and developmental toxicology: toxic solvents and gases. , 2011, , 303-315.		3
13	The potential of metabolomic approaches for investigating mode(s) of action of xenobiotics: Case study with carbon tetrachloride. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2011, 722, 147-153.	0.9	19
14	Effects of Mainstream Cigarette Smoke on the Global Metabolome of Human Lung Epithelial Cells. Chemical Research in Toxicology, 2009, 22, 492-503.	1.7	78
15	High levels of oxidative DNA damage in lymphocyte DNA of premenopausal breast cancer patients from Egypt. International Journal of Environmental Health Research, 2004, 14, 121-134.	1.3	28
16	Role of Cytochrome P4501 Family Members in the Metabolic Activation of Polycyclic Aromatic Hydrocarbons in Mouse Epidermis. Chemical Research in Toxicology, 2004, 17, 1667-1674.	1.7	70
17	The effect of plant phenolics on the formation of 7,12-dimethylbenz[a]anthracene–DNA adducts and TPA-stimulated polymorphonuclear neutrophils chemiluminescence in vitro. Toxicology, 2003, 189, 199-209.	2.0	36
18	Oral administration of the citrus coumarin, isopimpinellin, blocks DNA adduct formation and skin tumor initiation by 7,12-dimethylbenz[a]anthracene in SENCAR mice. Carcinogenesis, 2002, 23, 1667-1675.	1.3	55

#	Article	IF	CITATIONS
19	Role of Cytochrome P450 1a1 and 1b1 in the Metabolic Activation of 7,12-Dimethylbenz[a]anthracene and the Effects of Naturally Occurring Furanocoumarins on Skin Tumor Initiation. Chemical Research in Toxicology, 2002, 15, 226-235.	1.7	88
20	Characterization of a major aromatic DNA adduct detected in human breast tissues. Environmental and Molecular Mutagenesis, 2002, 39, 193-200.	0.9	37
21	DNA adducts as biomarkers of DNA damage in lung cancer. , 2002, , .		1
22	Analysis of aromatic DNA adducts and 7,8-dihydro-8-oxo- 2′-deoxyguanosine in lymphocyte DNA from a case–control study of lung cancer involving minority populations. , 2000, 27, 34-46.		65
23	Analysis of aromatic DNA adducts and 7,8-dihydro-8-oxo-2? deoxyguanosine in lymphocyte DNA from a case-control study of lung cancer involving minority populations. , 2000, 27, 330-330.		10
24	Characterization of the major DNA adducts in the liver of rats chronically exposed to tamoxifen for 18 months. Chemico-Biological Interactions, 2000, 126, 33-43.	1.7	6
25	Analysis of Highly Polar DNA Adducts Formed in SENCAR Mouse Epidermis Following Topical Application of Dibenz[a,j]anthracene. Chemical Research in Toxicology, 1999, 12, 60-67.	1.7	3
26	High levels of endogenous DNA adducts (I-compounds) in pig liver. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 1998, 422, 297-311.	0.4	10
27	Partial characterization of two major liver I-compounds as unstable adducts which are readily hydrolyzed to unmodified guanine nucleotides. Carcinogenesis, 1998, 19, 1863-1866.	1.3	1
28	Analysis of 7-methylbenz[a]anthracene-DNA adducts formed in SENCAR mouse epidermis by 32P-postlabeling. Carcinogenesis, 1997, 18, 523-529.	1.3	5
29	Rapid decreases in indigenous covalent DNA modifications (I-compounds) of male Fischer-344 rat liver DNA by diquat treatment. Chemico-Biological Interactions, 1995, 95, 1-16.	1.7	6
30	32P-Postlabeling of bile components: bulky adduct-like behavior in polyethyleneimine-cellulose thin layer chromatography. Carcinogenesis, 1994, 15, 2061-2064.	1.3	10
31	Circadian rhythm of covalent modifications in liver DNA. Biochemical and Biophysical Research Communications, 1992, 189, 545-550.	1.0	20