

L Renee Ruhaak

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8970308/l-renee-ruhaak-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74
papers

4,276
citations

34
h-index

65
g-index

76
ext. papers

5,008
ext. citations

5.9
avg, IF

5.49
L-index

#	Paper	IF	Citations
74	Development and Provisional Validation of a Multiplex LC-MRM-MS Test for Timely Kidney Injury Detection in Urine. <i>Journal of Proteome Research</i> , 2021 , 20, 5304-5314	5.6	3
73	Unraveling a borderline antithrombin deficiency case with quantitative mass spectrometry. <i>Journal of Thrombosis and Haemostasis</i> , 2021 , 20, 145	15.4	
72	Towards an SI-Traceable Reference Measurement System for Seven Serum Apolipoproteins Using Bottom-Up Quantitative Proteomics: Conceptual Approach Enabled by Cross-Disciplinary/Cross-Sector Collaboration. <i>Clinical Chemistry</i> , 2021 , 67, 478-489	5.5	11
71	Rational selection of a biomarker panel targeting unmet clinical needs in kidney injury. <i>Clinical Proteomics</i> , 2021 , 18, 10	5	3
70	The Time Has Come for Quantitative Protein Mass Spectrometry Tests That Target Unmet Clinical Needs. <i>Journal of the American Society for Mass Spectrometry</i> , 2021 , 32, 636-647	3.5	5
69	Glycan biomarkers of autoimmunity and bile acid-associated alterations of the human glycome: Primary biliary cirrhosis and primary sclerosing cholangitis-specific glycans. <i>Clinical Immunology</i> , 2021 , 230, 108825	9	0
68	The predictive value of TIMP-2 and IGFBP7 for kidney failure and 30-day mortality after elective cardiac surgery. <i>Scientific Reports</i> , 2021 , 11, 1071	4.9	3
67	HILIC-MRM-MS for Linkage-Specific Separation of Sialylated Glycopeptides to Quantify Prostate-Specific Antigen Proteoforms. <i>Journal of Proteome Research</i> , 2020 , 19, 2708-2716	5.6	12
66	Systematic Evaluation of Normalization Methods for Glycomics Data Based on Performance of Network Inference. <i>Metabolites</i> , 2020 , 10,	5.6	5
65	Mass spectrometry in clinical glycomics: The path from biomarker identification to clinical implementation. <i>Clinical Mass Spectrometry</i> , 2020 , 18, 1-12	1.9	4
64	A site-specific map of the human plasma glycome and its age and gender-associated alterations. <i>Scientific Reports</i> , 2020 , 10, 17505	4.9	7
63	Kidney Injury Biomarkers in an Academic Hospital Setting: Where Are We Now?. <i>Clinical Biochemist Reviews</i> , 2019 , 40, 79-97	7.3	12
62	Urinary Tissue Inhibitor of Metalloproteinases-2 and Insulin-Like Growth Factor-Binding Protein 7 Do Not Correlate With Disease Severity in ADPKD Patients. <i>Kidney International Reports</i> , 2019 , 4, 833-841 ^{4.1}	4.1	2
61	Apolipoprotein profiling as a personalized approach to the diagnosis and treatment of dyslipidaemia. <i>Annals of Clinical Biochemistry</i> , 2019 , 56, 338-356	2.2	18
60	Association of apolipoproteins C-I, C-II, C-III and E with coagulation markers and venous thromboembolism risk. <i>Clinical Epidemiology</i> , 2019 , 11, 625-633	5.9	10
59	Urinary TIMP-2 Predicts the Presence and Duration of Delayed Graft Function in Donation After Circulatory Death Kidney Transplant Recipients. <i>Transplantation</i> , 2019 , 103, 1014-1023	1.8	16
58	Apolipoproteins A1, B, and apoB/apoA1 ratio are associated with first ST-segment elevation myocardial infarction but not with recurrent events during long-term follow-up. <i>Clinical Research in Cardiology</i> , 2019 , 108, 520-538	6.1	18

57	MS-based proteomics: a metrological sound and robust alternative for apolipoprotein E phenotyping in a multiplexed test. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019 , 57, e102-e104	5.9	6
56	Robust and Accurate 2-Year Performance of a Quantitative Mass Spectrometry-Based Apolipoprotein Test in a Clinical Chemistry Laboratory. <i>Clinical Chemistry</i> , 2018 , 64, 747-749	5.5	15
55	Targeted On-line SPE-LC-MS/MS Assay for the Quantitation of 12 Apolipoproteins from Human Blood. <i>Proteomics</i> , 2018 , 18, 1700279	4.8	15
54	Detecting molecular forms of antithrombin by LC-MRM-MS: defining the measurands. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018 , 56, 1704-1714	5.9	8
53	Mass Spectrometry Approaches to Glycomic and Glycoproteomic Analyses. <i>Chemical Reviews</i> , 2018 , 118, 7886-7930	68.1	179
52	Multiple Reaction Monitoring for the Quantitation of Serum Protein Glycosylation Profiles: Application to Ovarian Cancer. <i>Journal of Proteome Research</i> , 2018 , 17, 222-233	5.6	25
51	Serum glycosylation characterization of osteonecrosis of the femoral head by mass spectrometry. <i>European Journal of Mass Spectrometry</i> , 2018 , 24, 178-187	1.1	2
50	Human Plasma N-glycosylation as Analyzed by Matrix-Assisted Laser Desorption/Ionization-Fourier Transform Ion Cyclotron Resonance-MS Associates with Markers of Inflammation and Metabolic Health. <i>Molecular and Cellular Proteomics</i> , 2017 , 16, 228-242	7.6	46
49	Subclass-specific IgG glycosylation is associated with markers of inflammation and metabolic health. <i>Scientific Reports</i> , 2017 , 7, 12325	4.9	74
48	Effects of imputation on correlation: implications for analysis of mass spectrometry data from multiple biological matrices. <i>Briefings in Bioinformatics</i> , 2017 , 18, 312-320	13.4	20
47	Analysis of Milk Oligosaccharides by Mass Spectrometry. <i>Methods in Molecular Biology</i> , 2017 , 1503, 121-129	12.9	7
46	The Use of Multiple Reaction Monitoring on QQQ-MS for the Analysis of Protein- and Site-Specific Glycosylation Patterns in Serum. <i>Methods in Molecular Biology</i> , 2017 , 1503, 63-82	1.4	5
45	Multivariate two-part statistics for analysis of correlated mass spectrometry data from multiple biological specimens. <i>Bioinformatics</i> , 2017 , 33, 17-25	7.2	2
44	Prospective applications of ultrahigh resolution proteomics in clinical mass spectrometry. <i>Expert Review of Proteomics</i> , 2016 , 13, 1063-1071	4.2	10
43	Serum Glycans as Risk Markers for Non-Small Cell Lung Cancer. <i>Cancer Prevention Research</i> , 2016 , 9, 317-323	3.3	11
42	Protein-Specific Differential Glycosylation of Immunoglobulins in Serum of Ovarian Cancer Patients. <i>Journal of Proteome Research</i> , 2016 , 15, 1002-10	5.6	43
41	Classification for Longevity Potential: The Use of Novel Biomarkers. <i>Frontiers in Public Health</i> , 2016 , 4, 233	6	7
40	Glycoproteomic Analysis of Malignant Ovarian Cancer Ascites Fluid Identifies Unusual Glycopeptides. <i>Journal of Proteome Research</i> , 2016 , 15, 3358-76	5.6	21

39	Differential N-Glycosylation Patterns in Lung Adenocarcinoma Tissue. <i>Journal of Proteome Research</i> , 2015 , 14, 4538-49	5.6	42
38	Applications of Multiple Reaction Monitoring to Clinical Glycomics. <i>Chromatographia</i> , 2015 , 78, 335-342	2.1	27
37	A Method for Comprehensive Glycosite-Mapping and Direct Quantitation of Serum Glycoproteins. <i>Journal of Proteome Research</i> , 2015 , 14, 5179-92	5.6	56
36	The Serum Immunoglobulin G Glycosylation Signature of Gastric Cancer. <i>EuPA Open Proteomics</i> , 2015 , 6, 1-9	0.1	37
35	Glycans in the immune system and The Altered Glycan Theory of Autoimmunity: a critical review. <i>Journal of Autoimmunity</i> , 2015 , 57, 1-13	15.5	274
34	Oligosaccharide analysis by mass spectrometry: a review of recent developments. <i>Analytical Chemistry</i> , 2014 , 86, 196-212	7.8	257
33	Serum glycan signatures of gastric cancer. <i>Cancer Prevention Research</i> , 2014 , 7, 226-35	3.2	41
32	Detection of milk oligosaccharides in plasma of infants. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 5775-84	4.4	77
31	Total plasma N-glycome changes during pregnancy. <i>Journal of Proteome Research</i> , 2014 , 13, 1657-68	5.6	43
30	Evaluation of glycomic profiling as a diagnostic biomarker for epithelial ovarian cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 611-21	4	34
29	Label-free absolute quantitation of oligosaccharides using multiple reaction monitoring. <i>Analytical Chemistry</i> , 2014 , 86, 2640-7	7.8	68
28	Rapid-throughput glycomics applied to human milk oligosaccharide profiling for large human studies. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 7925-35	4.4	41
27	Chip-based nLC-TOF-MS is a highly stable technology for large-scale high-throughput analyses. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 4953-8	4.4	33
26	Absolute quantitation of immunoglobulin G and its glycoforms using multiple reaction monitoring. <i>Analytical Chemistry</i> , 2013 , 85, 8585-93	7.8	95
25	Isomer-specific consumption of galactooligosaccharides by bifidobacterial species. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 12612-12619	5.7	21
24	Loci associated with N-glycosylation of human immunoglobulin G show pleiotropy with autoimmune diseases and haematological cancers. <i>PLoS Genetics</i> , 2013 , 9, e1003225	6	242
23	Enrichment strategies in glycomics-based lung cancer biomarker development. <i>Proteomics - Clinical Applications</i> , 2013 , 7, 664-76	3.1	29
22	Developments in the identification of glycan biomarkers for the detection of cancer. <i>Molecular and Cellular Proteomics</i> , 2013 , 12, 846-55	7.6	110

21	Targeted biomarker discovery by high throughput glycosylation profiling of human plasma alpha1-antitrypsin and immunoglobulin A. <i>PLoS ONE</i> , 2013 , 8, e73082	3.7	37
20	Hexapeptide library as a universal tool for sample preparation in protein glycosylation analysis. <i>Journal of Proteomics</i> , 2012 , 75, 1515-28	3.9	19
19	Advances in analysis of human milk oligosaccharides. <i>Advances in Nutrition</i> , 2012 , 3, 406S-14S	10	63
18	Comprehensive profiles of human milk oligosaccharides yield highly sensitive and specific markers for determining secretor status in lactating mothers. <i>Journal of Proteome Research</i> , 2012 , 11, 6124-33	5.6	135
17	N-Glycan profiling of dried blood spots. <i>Analytical Chemistry</i> , 2012 , 84, 396-402	7.8	54
16	Robust and high-throughput sample preparation for (semi-)quantitative analysis of N-glycosylation profiles from plasma samples. <i>Methods in Molecular Biology</i> , 2012 , 893, 371-85	1.4	9
15	Alignment of laser-induced fluorescence and mass spectrometric detection traces using electrophoretic mobility scaling in CE-LIF-MS of labeled N-glycans. <i>Electrophoresis</i> , 2012 , 33, 563-6	3.6	15
14	Glycosylation of human milk lactoferrin exhibits dynamic changes during early lactation enhancing its role in pathogenic bacteria-host interactions. <i>Molecular and Cellular Proteomics</i> , 2012 , 11, M111.015248	7.6	113
13	Analysis and role of oligosaccharides in milk. <i>BMB Reports</i> , 2012 , 45, 442-51	5.5	36
12	Plasma protein N-glycan profiles are associated with calendar age, familial longevity and health. <i>Journal of Proteome Research</i> , 2011 , 10, 1667-74	5.6	82
11	Evaluation of the cyclooxygenase inhibiting effects of six major cannabinoids isolated from <i>Cannabis sativa</i> . <i>Biological and Pharmaceutical Bulletin</i> , 2011 , 34, 774-8	2.3	79
10	Decreased levels of bisecting GlcNAc glycoforms of IgG are associated with human longevity. <i>PLoS ONE</i> , 2010 , 5, e12566	3.7	88
9	Immunoglobulin G glycopeptide profiling by matrix-assisted laser desorption ionization Fourier transform ion cyclotron resonance mass spectrometry. <i>Analytical Chemistry</i> , 2010 , 82, 1073-81	7.8	98
8	Optimized workflow for preparation of APTS-labeled N-glycans allowing high-throughput analysis of human plasma glycomes using 48-channel multiplexed CGE-LIF. <i>Journal of Proteome Research</i> , 2010 , 9, 6655-64	5.6	114
7	Glycan labeling strategies and their use in identification and quantification. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 397, 3457-81	4.4	346
6	2-picoline-borane: a non-toxic reducing agent for oligosaccharide labeling by reductive amination. <i>Proteomics</i> , 2010 , 10, 2330-6	4.8	125
5	Oligosaccharide analysis by graphitized carbon liquid chromatography-mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2009 , 394, 163-74	4.4	159
4	IgG glycosylation analysis. <i>Proteomics</i> , 2009 , 9, 882-913	4.8	254

3	Hydrophilic interaction chromatography-based high-throughput sample preparation method for N-glycan analysis from total human plasma glycoproteins. <i>Analytical Chemistry</i> , 2008 , 80, 6119-26	7.8	177
2	Evaluation of a vaporizing device (Volcano) for the pulmonary administration of tetrahydrocannabinol. <i>Journal of Pharmaceutical Sciences</i> , 2006 , 95, 1308-17	3.9	119
1	Systematic evaluation of normalization methods for glycomics data based on performance of network inference		1