Adebayo Akeem Otitoloju

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8972977/publications.pdf

Version: 2024-02-01

39 papers

614 citations

643344 15 h-index 23 g-index

41 all docs

41 docs citations

41 times ranked

752 citing authors

#	Article	IF	CITATIONS
1	In vitro cytotoxic assessment of e-waste-related chemical pollution in impacted soil matrix. Environmental Monitoring and Assessment, 2022, 194, 209.	1.3	2
2	Occurrence of chemical pollutants in major e-waste sites in West Africa and usefulness of cytotoxicity and induction of ethoxyresorufin-O-deethylase (EROD) in determining the effects of some detected brominated flame retardants and e-waste soil-derived extracts. Environmental Science and Pollution Research, 2021, 28, 10832-10846.	2.7	7
3	Toxicity Evaluation of Pharmaceutical Wastewater to the Nile Tilapia (<i>Oreochromis) Tj ETQq1 1 0.784314</i>	4 rgBT /Ov	verlock 10 Tf
4	Spatial drivers of COVID-19 vulnerability in Nigeria. Pan African Medical Journal, 2021, 39, 19.	0.3	5
5	Assessment of the risk of death of Clarias gariepinus and Oreochromis niloticus pulse-exposed to selected agricultural pesticides. Scientific Reports, 2021, 11, 14652.	1.6	2
6	A Comparative Study on the Health Impact of Radiation on Residents close to Mobile Phone Base-stations in Lagos, Nigeria. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
7	Cultured rainbow trout gill epithelium as an in vitro method for marine ecosystem toxicological studies. Heliyon, 2021, 7, e08018.	1.4	1
8	Toxicological Study and Genetic Basis of BTEX Susceptibility in Drosophila melanogaster. Frontiers in Genetics, 2020, 11, 594179.	1.1	12
9	Sawmill Activities Near the Lagos Lagoon, Nigeria: Polycyclic Aromatic Hydrocarbons and Embryotoxic Evaluations of Sediment Extracts Using Clarias gariepinus. Bulletin of Environmental Contamination and Toxicology, 2020, 104, 809-819.	1.3	4
10	Hematological variations, histopathology and reversibility of liver function enzymes in post-juvenile Clarias gariepinus exposed singly to five botanical piscicides Egyptian Journal of Aquatic Biology and Fisheries, 2020, 24, 169-180.	0.2	1
11	Specific polycyclic aromatic hydrocarbons identified as ecological risk factors in the Lagos lagoon, Nigeria. Environmental Pollution, 2019, 255, 113295.	3.7	18
12	InÂvitro cyto-toxic assessment of heavy metals and their binary mixtures on mast cell-like, rat basophilic leukemia (RBL-2H3) cells. Chemosphere, 2019, 223, 686-693.	4.2	10
13	Histopathological and biochemical alterations in Eudrilus eugeniae (Kinberg 1867) as biomarkers of exposure to monocyclic aromatic hydrocarbons in oil impacted site. Journal of Basic and Applied Zoology, 2019, 80, .	0.4	5
14	Heavy Metal Pollution Monitoring in Vulnerable Ecosystems: A Case Study of the Lagos Lagoon, Nigeria. Bulletin of Environmental Contamination and Toxicology, 2018, 100, 609-613.	1.3	18
15	Air Pollution Monitoring Around Residential and Transportation Sector Locations in Lagos Mainland. Journal of Health and Pollution, 2018, 8, 180903.	1.8	35
16	Biomarkers of toxicity inClarias gariepinusexposed to sublethal concentrations of polycyclic aromatic hydrocarbons. African Journal of Aquatic Science, 2018, 43, 281-292.	0.5	19
17	Genotoxic, Histopathological and Oxidative Stress Responses in Catfish, <i>Clarias gariepinus</i> Exposed to Two Antifouling Paints. Journal of Health and Pollution, 2017, 7, 71-82.	1.8	7
18	Lagos lagoon sediment organic extracts and polycyclic aromatic hydrocarbons induce embryotoxic, teratogenic and genotoxic effects in Danio rerio (zebrafish) embryos. Environmental Science and Pollution Research, 2016, 23, 14489-14501.	2.7	47

#	Article	IF	CITATIONS
19	Environmental monitoring of urban streams using a primary fish gill cell culture system (FIGCS). Ecotoxicology and Environmental Safety, 2015, 120, 279-285.	2.9	18
20	Cytotoxic and genotoxic responses of the RTgill-W1 fish cells in combination with the yeast oestrogen screen to determine the sediment quality of Lagos lagoon, Nigeria. Mutagenesis, 2015, 30, 117-127.	1.0	25
21	Histopathology alterations and lipid peroxidation as biomarkers of hydrocarbon-induced stress in earthworm, Eudrilus eugeniae. Environmental Monitoring and Assessment, 2013, 185, 2189-2196.	1.3	18
22	Monitoring of soil and groundwater contamination following a pipeline explosion and petroleum product spillage in Ijegun, Lagos Nigeria. Environmental Monitoring and Assessment, 2013, 185, 4159-4170.	1.3	25
23	Haematological effects of radiofrequency radiation from GSM base stations on four successive generations (F1 and #8211; F4) of albino mice, <i>Mus Musculus</i> . Journal of Environmental and Occupational Science, 2012, 1, 17.	0.2	4
24	Influence of Volatile Organic Solvents' Inhalation on Activity Quotient and Biochemical Indices of Mus musculus. Journal of Environmental and Occupational Science, 2012, 1, 155.	0.2	1
25	Lipid peroxidation and antioxidant defense enzymes in Clarias gariepinus as useful biomarkers for monitoring exposure to polycyclic aromatic hydrocarbons. Environmental Monitoring and Assessment, 2011, 182, 205-213.	1.3	56
26	Morphological and anatomical effects of crude oil on Pistia stratiotes. The Environmentalist, 2011, 31, 288-298.	0.7	13
27	Preliminary Study on the Induction of Sperm Head Abnormalities in Mice, Mus musculus, Exposed to Radiofrequency Radiations from Global System for Mobile Communication Base Stations. Bulletin of Environmental Contamination and Toxicology, 2010, 84, 51-54.	1.3	49
28	Effects of gas flaring on blood parameters and respiratory system of laboratory mice, Mus musculus. The Environmentalist, 2010, 30, 340-346.	0.7	7
29	Biological responses in edible crab, Callinectes amnicola that could serve as markers of heavy metals pollution. The Environmentalist, 2009, 29, 37-46.	0.7	6
30	Chromosomal genes conferring tolerance to heavy metal (Ag) toxicity. The Environmentalist, 2009, 29, 85-92.	0.7	1
31	Estimation of "environmentally sensitive―dispersal ratios for chemical dispersants used in crude oil spill control. The Environmentalist, 2009, 29, 371-380.	0.7	8
32	Recovery assessment of a refined-oil impacted and fire ravaged mangrove ecosystem. Environmental Monitoring and Assessment, 2007, 127, 353-362.	1.3	10
33	Determination of types of interactions exhibited by binary mixtures of heavy metals tested against the hermit crab, Clibanarius africanus. Toxicological and Environmental Chemistry, 2006, 88, 331-343.	0.6	1
34	Joint action toxicity of spent lubrication oil and laundry detergent against <i>Poecilia reticulata</i> (Telostei: Poeciliidae). African Journal of Aquatic Science, 2006, 31, 125-129.	0.5	9
35	Crude oil plus dispersant: always a boon or bane?. Ecotoxicology and Environmental Safety, 2005, 60, 198-202.	2.9	20
36	Integrated laboratory and field assessments of heavy metals accumulation in edible periwinkle, Tympanotonus fuscatus var radula (L.). Ecotoxicology and Environmental Safety, 2004, 57, 354-362.	2.9	21

#	Article	IF	CITATIONS
37	Tolerance: A Useful Biological Parameter for Identifying Contaminated Sites. Bulletin of Environmental Contamination and Toxicology, 2003, 71, 1139-44.	1.3	4
38	Relevance of joint action toxicity evaluations in setting realistic environmental safe limits of heavy metals. Journal of Environmental Management, 2003, 67, 121-128.	3.8	36
39	Evaluation of the joint-action toxicity of binary mixtures of heavy metals against the mangrove periwinkle Tympanotonus fuscatus var radula (L.). Ecotoxicology and Environmental Safety, 2002, 53, 404-415.	2.9	78